1663

Section **A** for the entry of Da

AIR MINISTRY.–

FORM 1090.

REGISTE

1663

LYDFORD NASEBY

1931 — 40

780306

COPY FOR OFFICIAL USE.

LL ORGANIZATION.

1.

Kept at NASEBY LY

in the County of DEVON

Diameter of Funnel of Gauge 5"

Height of top of Gauge above Ground

,, Ground ,, Sea Level

THE MORNING MEASURE Y.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·01	TR	·25	—	TR	·11	—	·65	·04	—	TR	1
2	·16	·06	TR	·60	—	·02	TR	—	·78	·06	·48	·58	2
3	·29	—	·52	—	—	—	·20	—	·86	·01	3·35	·23	3
4	·05	TR	·06	·02	·04	—	·56	1·11	·22	·10	TR	·03	4
5	—	·55	·03	·34	·01	·40	—	2·56	·23	TR	·02	·39	5
6	—	·04	—	·02	·11	·25	·10	—	·14	·48	·07	·51	6
7	—	·03	—	—	·30	·23	·45	·25	—	·09	·47	·21	7
8	·04	·37	—	·20	—	·46	TR	·43	—	·04	·12	·04	8
9	·02	·36	—	TR	—	·13	·25	·04	—	·03	·38	·04	9
10	·01	·19	TR	—	·26	·24	·18	·21	·03	—	·48	·06	10
11	·42	·46	—	—	·14	·25	·21	·04	·04	—	·41	—	11
12	TR	·26	—	TR	TR	—	·88	·01	·17	·33	TR	—	12
13	·02	·09	·05	—	·12	TR	·15	·10	—	TR	·09	—	13
14	·08	·19	TR	—	·25	·31	·59	·71	·16	—	·65	—	14
15	·04	·15	—	·02	·08	·05	·07	·98	·06	—	—	TR	15
16	·09	·15	—	·03	·21	1·42	·04	·36	·03	—	—	—	16
17	·01	·03	—	·09	—	TR	·56	—	·05	—	—	—	17
18	·10	—	TR	·14	—	·26	·23	1·02	·01	—	·28	—	18
19	·18	·09	·14	·08	—	·16	·08	·21	—	TR	·52	—	19
20	·01	·28	·31	—	—	—	—	·56	—	—	·15	—	20
21	·66	·03	TR	·01	·12	·01	·01	—	—	TR	·03	—	21
22	·90	·08	TR	·15	·29	—	TR	—	—	—	·02	—	22
23	·32	·05	—	1·00	·57	—	·02	—	—	—	1·13	—	23
24	·20	·18	—	1·10	·08	·01	1·16	·29	—	—	·06	·04	24
25	·16	·14	—	·41	TR	—	·09	—	—	—	·23	·11	25
26	·03	·18	—	·22	—	—	·50	—	—	—	1·08	·10	26
27	·18	·21	—	·01	·64	—	·15	—	—	·05	·14	TR	27
28	·08	·23	·11	·03	TR	·03	TR	·08	—	·07	·03	·20	28
29	·05	×	·05	—	·18	—	·09	·18	·02	·06	·15	·21	29
30	·11	×	—	—	·21	—	·04	—	·15	·04	—	TR	30
31	·95	×	·04	×	·36	×	·02	TR	×	TR	×	·49	31
TOTAL	5·46	4·41	1·31	4·72	3·97	4·23	6·74	9·14	3·60	1·40	10·44	3·24	YEAR'S TOTAL 58·36
*Days with ·01 in. or more.	26	25	9	19	18	16	25	18	16	13	23	15	223.
*Days with ·04 in. or more.	20	21	8	12	17	12	22	17	11	11	19	14	184

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

P.T.O.

1663

Section **A** for the entry of Da

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at NASEBY LYDFORD

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 2 in.

,, Ground ,, Sea Level 950 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·01	TR	·25	—	TR	·11	—	·65	·04	—	TR	1
2	·16	·06	TR	·60	—	·02	TR	—	·78	·06	·48	·58	2
3	·29	—	·52	—	—	—	·20	—	·86	·01	3·35	·23	3
4	·05	TR	·06	·02	·04	—	·56	1·11	·22	·10	TR	·03	4
5	—	·55	·03	·34	·01	·40	—	2·56	·23	TR	·02	·39	5
6	—	·04	—	·02	·11	·25	·10	—	·14	·48	·07	·51	6
7	—	·03	—	—	·30	·23	·45	·25	—	·09	·47	·21	7
8	·04	·37	—	·20	—	·46	TR	·43	—	·04	·12	·04	8
9	·02	·36	—	TR	—	·13	·25	·04	—	·03	·38	·04	9
10	·01	·19	TR	—	·26	·24	·18	·21	·03	—	·48	·06	10
11	·42	·46	—	—	·14	·25	·21	·04	·04	—	·41	—	11
12	TR	·26	—	TR	TR	—	·88	·01	·17	·33	TR	—	12
13	·02	·09	·05	—	·12	TR	·15	·10	—	TR	·09	—	13
14	·08	·19	TR	—	·25	·31	·59	·71	·16	—	·65	—	14
15	·04	·15	—	·02	·08	·05	·07	·98	·06	—	—	TR	15
16	·09	·15	—	·03	·21	1·42	·04	·36	·03	—	—	—	16
17	·01	·03	—	·09	—	TR	·56	—	·05	—	—	—	17
18	·10	—	TR	·14	—	·26	·23	1·02	·01	—	·28	—	18
19	·18	·09	·14	·08	—	·16	·08	·21	—	TR	·52	—	19
20	·01	·28	·31	—	—	—	—	·56	—	—	·15	—	20
21	·66	·03	TR	·01	·12	·01	·01	—	—	TR	·03	—	21
22	·90	·08	TR	·15	·29	—	TR	—	—	—	·02	—	22
23	·32	·05	—	1·00	·57	—	·02	—	—	—	1·13	—	23
24	·20	·18	—	1·10	·08	·01	1·16	·29	—	—	·06	·04	24
25	·16	·14	—	·41	TR	—	·09	—	—	—	·23	·11	25
26	·03	·18	—	·22	—	—	·50	—	—	—	1·08	·10	26
27	·18	·21	—	·01	·64	—	·15	—	—	·05	·14	TR	27
28	·08	·23	·11	·03	TR	·03	TR	·08	—	·07	·03	·20	28
29	·05	×	·05	—	·18	—	·09	·18	·02	·06	·15	·21	29
30	·11	×	—	—	·21	—	·04	—	·15	·04	—	TR	30
31	·95	×	·04	×	·36	×	·02	TR	×	TR	×	·49	31
TOTAL	5·16	4·41	1·31	4·72	3·97	4·23	6·74	9·14	3·60	1·40	10·44	3·24	YEAR'S TOTAL 58.36
*Days with ·01 in. or more.	26	25	9	19	18	16	25	18	16	13	23	15	223.
*Days with ·04 in. or more.	20	21	8	12	17	12	22	17	11	11	19	14	184

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) [illegible]
Colonel

P.T.O.

1663

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at NASEBY LYDFORD

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

,, Ground ,, Sea Level 950 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·19	-	-	·15	TR	-	·07	·25	·14	·05	·03	·04	1
2	·02	-	·04	·19	·03	-	·03	·08	·53	TR	·04	·57	2
3	·06	-	·15	-	TR	·17	·06	-	·64	·11	·03	·03	3
4	·10	-	-	-	-	-	·24	·12	-	-	·49	-	4
5	·81	-	·08	-	TR	-	·08	-	·25	-	-	-	5
6	·60	-	·03	·12	·06	-	·19	·04	·58	·02	-	-	6
7	·34	-	·09	·01	·02	-	·02	-	1·65	1·86	-	-	7
8	-	-	·54	·07	·26	-	·01	TR	·18	·43	-	-	8
9	1·84	·03	-	·40	·09	-	-	-	·05	·01	-	-	9
10	·83	-	-	·37	·03	-	-	-	·03	·55	-	TR	10
11	·06	-	-	·18	·41	-	-	-	·09	·15	-	·03	11
12	1·52	-	-	·03	·98	-	TR	-	·16	·46	-	·03	12
13	·11	-	-	·39	·15	-	·19	·08	·03	1·04	-	·25	13
14	·37	-	-	·11	·21	-	TR	TR	TR	·10	-	·02	14
15	·12	-	-	·15	·08	-	-	-	-	·17	-	·08	15
16	·80	-	-	·24	TR	-	·11	-	-	·07	-	·04	16
17	·12	-	-	·03	·04	-	TR	-	·05	·07	-	·07	17
18	·08	-	-	-	·77	-	-	-	·88	TR	·23	·04	18
19	·03	-	-	·08	·61	-	TR	-	·05	·64	·01	TR	19
20	·01	-	-	·01	·71	-	·05		TR	·86	·34	·18	20
21	·03	-	·19	·07	TR	-	·02	·24	·04	1·26	·12	·43	21
22	·02	-	·03	·10	·09	-	·07	·33	·39	·57	·44	·12	22
23	TR	TR	-	-	-	-	·25	-	·02	·60	·25	·38	23
24	-	-	-	-	·03	-	·84	-	·09	·29	·15	-	24
25	-	TR	·15	TR	·02	-	·33	-	·16	·53	·21	TR	25
26	-	-	·25	·19	-	-	·18	-	TR	·17	·21	-	26
27	-	-	·49	·34	·18	TR	·12	-	-	·42	·03	·18	27
28	-	-	·17	·07	·19	TR	·36	-	-	·02	·03	·08	28
29	-	-	·88	·29	·33	·83	·12	·50	·68	·61	·32	1·21	29
30	-	×	·12	·25	·02	3·14	·52	·05	·83	·16	1·00	TR	30
31	-	×	·37	×	·02	×	·63	-	×	·01	×	·75	31
TOTAL	8·06	·03	3·58	3·84	5·33	4·14	4·49	1·69	6·92	11·24	3·93	4·53	YEAR'S TOTAL 57·78
*Days with ·01 in. or more.	21	1	15	23	23	3	22	9	22	27	17	19	202
*Days with ·04 in. or more.	16	Nil	18	19	16	3	18	9	19	23	12	15	163

40-9999

*See Instruction 2 (*f*) on other side.

(Signed)

Colonel

[P.T.O.

1663

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~1663~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at NASEBY LYDFORD

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 2 in.

,, Ground ,, Sea Level 950 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·49	·92	·24	–	·06	·12	–	–	–	–	·25	·91	1
2	1·37	·01	·75	–	·33	·46	–	–	–	–	·03	·39	2
3	·04	·12	·34	–	·07	·02	–	–	–	–	–	–	3
4	·28	·09	–	–	·19	–	–	–	–	–	–	–	4
5	·04	·07	1·35	–	·60	–	–	–	–	·01	TR	–	5
6	TR	·61	·04	–	·66	–	·26	–	–	·06	·01	–	6
7	·06	·22	TR	–	·15	–	·21	·03	–	·08	–	–	7
8	·14	·05	·02	–	·09	–	·19	·05	–	·02	–	–	8
9	–	·15	TR	TR	·17	–	·42	·02	–	·75	·09	–	9
10	·02	·08	TR	–	TR	–	·12	·17	–	2·37	·09	–	10
11	·12	–	TR	–	–	–	·13	·56	TR	·05	TR	·04	11
12	TR	–	TR	·29	·02	·21	·32	·04	·19	·01	–	·04	12
13	·04	–	–	–	·25	·07	·45	·35	–	·19	·14	–	13
14	·34	–	–	–	–	–	·21	·09	–	·01	·26	–	14
15	·63	–	1·11	–	–	–	1·10	·11	–	·14	·09	–	15
16	–	·03	1·41	–	–	·11	–	TR	TR	·12	–	–	16
17	·26	·20	·25	–	–	·17	·06	·05	·36	–	–	–	17
18	·20	–	·42	–	–	·09	·17	–	TR	TR	·08	–	18
19	·18	·01	·33	–	–	·32	–	TR	·25	TR	·44	–	19
20	TR	·11	·34	–	·06	·42	–	·09	·41	–	·02	–	20
21	–	·10	–	–	–	·20	–	·37	–	·10	TR	–	21
22	–	–	–	·26	·01	·03	–	·61	·38	TR	–	–	22
23	–	·95	–	·30	–	·23	–	·07	·10	·72	–	–	23
24	–	·26	–	·64	·02	·15	TR	–	·05	·06	–	–	24
25	–	·23	–	·17	·09	·06	–	–	·01	TR	–	·14	25
26	–	·32	–	·39	·07	–	–	–	–	·30	–	TR	26
27	–	·24	–	TR	–	–	–	–	·02	·28	–	·76	27
28	–	·64	–	·25	–	–	·39	–	–	·34	–	·19	28
29	·13	–	·04	·20	–	–	·04	·01	TR	–	–	·04	29
30	·10	✕	·05	·48	–	–	·16	–	·06	·15	–	·05	30
31	·45	✕	·21	✕	·02	✕	TR	–	✕	·08	✕	·01	31
TOTAL	4·89	5·41	6·90	2·98	2·86	2·66	4·23	2·62	1·83	5·79	1·45	2·57	YEAR'S TOTAL 44·19
*Days with ·01 in. or more.	18	21	15	9	17	15	15	15	10	20	11	10	176
*Days with .04 in. or more.	17	18	14	9	13	13	15	12	8	15	7	9	150

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) Colonel

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1663

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at NASEBY LYDFORD

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 2 in.

,, Ground ,, Sea Level 950 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·12	—	—	—	—	—	—	·75	·43	·03	·45	1·43		1
2	·14	—	·15	—	·01	—	—	·04	1·10	·05	·24	·35		2
3	·11	·03	—	—	·54	—	—	·06	TR	·35	TR	1·16		3
4	·23	—	·15	·03	·63	—	—	·06	·02	·38	—	·73		4
5	TR	TR	·18	·04	·62	·08	—	1·55	—	·16	·09	·86		5
6	·34	—	·22	·11	1·11	·01	—	·92	·14	·32	·26	·71		6
7	·16	TR	—	·01	—	·05	—	·08	·03	·39	·06	1·56		7
8	—	—	—	—	·13	·01	—	·08	·06	TR	·28	2·42		8
9	·03		·45	TR	·03	—	—	·01	—	·06	·27	·16		9
10	1·08	·03	·45	·36	·06	—	—	·19	—	TR	·30	·15		10
11	·94	—	·05	·66	—	—	TR	·09	—	TR	—	·51		11
12	·09	—	—	·05	—	—	·19	·54	—	·02	—	·15		12
13	·84	—	—	·90	—	·01	·07	TR	—	·11	·02	·34		13
14	·72	—	·79	·04	—	TR	TR	—	—	·12	TR	·41		14
15	·18	—	·11	·04	·15	·07	TR	TR	—	·21	·28	·41		15
16	·14	—	·46	·04	·03	—	—	—	·57	·03	TR	·35		16
17	·49	—	·05	·04	·06	—	—	—	·10	·21	—	·55		17
18	·08	—	·30	·77	—	·06	—	·02	·28	·03	—	·65		18
19	TR	—	·11	TR	·06	·08	—	·07	·27	·03	—	·48		19
20	—	—	·02	·28	·07	TR	·09	—	·17	·04	·03	·04		20
21	—	—	·16	TR	·14	·40	—	·10	·03	·58	·03	·08		21
22	·07	—	·09	TR	TR	·TR	·21	·03	·65	·01	·06	·43		22
23	TR	—	—	·27	—	·57	TR	·03	·28	·08	—	·18		23
24	—	·25	·04	·07	—	·17	·12	TR	·05	·45	—	·02		24
25	·54	·04	—	·38	—	·82	·02	—	·03	1·06	—	·71		25
26	·01	—	·10	·12	—	·38	·02	—	·35	·04	·08	·33		26
27	—	—	—	·02	—	·49	TR	·08	·12	·08	·16	·34		27
28	—	—	—	·23	—	TR	·09	·49	·42	·22	—	1·32		28
29	—	—	—	—	—	—	·02	·25	·11	·12	TR	·13		29
30	·03	×	—	—	—	—	·03	·12	·30	·27	—	·39		30
31	—	×	—	×	—	×	·25	·01	×	·22	×	·05		31
TOTAL	6·34	·35	3·88 ~~3·88~~	4·46	3·64	3·27	1·11	5·57	5·21	5·66	2·61	17·40	Year's Total 59·50	
*Days with ·01 in. or more.	20	4	·18	20	14	14	11	22	21	28	15	31	218	
*Days with .04 in. or more.	17	2	17	17	11	11	7	17	17	22	12	30	180	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1663

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at NASEBY LYDFORD

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 2 in.

,, Ground ,, Sea Level 960 ft.

? readings probable ~~omitted~~ during
? rainfall period of frost
Mar 10 & 11th

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·24	·15	·17	—	—	·06	·11	—	·38	·15	·02	·25		1
2	TR	·16	·38	—	—	·10	·02	—	·25	·60	·09	·22		2
3	·06	·04	·07	—	·10	·14	·05	—	·42	·23	·38	·15		3
4	·02	·54	·11	·26	—	·17	·04	—	·06	·50	·23	·36		4
5	—	·24	—	·10	—	·50	—	—	·15	2·43	·12	·09		5
6	—	—	·09	·53	—	1·31	—	—	—	·08	·05	·28		6
7	—	—	—	·64	—	·14	—	—	—	·49	·09	·10		7
8	—	—	—	·34	—	—	—	—	—	·05	·36	·09		8
9	—	—	—	1·12	—	·04	—	—	—	1·16	·82	—		9
10	TR	—	— ?	·34	—	·28	·10	—	—	·05	·02	TR		10
11	·29	—	— ?	·01	—	·45	—	—	·15	·02	·64	·01		11
12	·21	·04	—	—	—	·42	—	·16	·12	TR	·15	—		12
13	·10	·24	—	·37	TR	TR	—	—	·05	·03	·56	—		13
14	—	·17	—	·18	TR	·36	—	—	·70	·05	1·78	·45		14
15	—	·16	—	·66	·28	·33	—	—	·22	·06	·20	·14		15
16	—	·14	—	·17	—	TR	·03	—	·65	·17	·75	·02		16
17	·[illegible]	·09	—	·11	·93	·36	·02	·04	·02	·08	·04	—		17
18	—	TR	—	·71	·03	TR	·16	·11	·56	·13	·01	·13		18
19	—	·24	—	·17	·66	·08	·17	—	·14	·31	·12	TR		19
20	—	·12	—	·30	·18	·05	·21	—	·01	·04	·16	—		20
21	—	·34	—	·20	—	—	·24	—	·36	·08	·01	—		21
22	—	·42	—	·22	—	—	·01	—	·09	·10	—	—		22
23	—	—	·29	·18	TR	—	—	·36	·86	·23	—	·11		23
24	·12	·14	·16	·22	·11	·03	—	·27	·21	·15	—	·38		24
25	·29	·49	—	TR	·09	·32	—	—	—	—	—	·10		25
26	TR	·44	—	—	—	·15	TR	·39	·24	·11	·07	·77		26
27	—	·88	—	—	—	·03	·17	·12	·21	·15	·11	·31		27
28	—	·25	—	—	·06	—	·13	·38	·43	·16	·07	·04		28
29	—	—	—	—	·69	—	—	TR	·41	·09	·19	·79		29
30	·12	×	—	—	TR	·05	—	·69	·11	·05	·83	·92		30
31	—	×	—	×	—	×	—	·08	×	·84	×	·38		31
TOTAL	1·45	5·26	1·47	6·83	3·13	5·37	1·46	2·60	6·36	8·53	7·87	6·09	Year's Total 56·42	
* Days with .01 in. or more.	9	20	7	20	10	21	14	10	24	29	26	22	212	
* Days with .04 in. or more.	8	19	7	19	9	19	10	10	23	26	22	20	192	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) Hawksworth

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1663

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at NASEBY LYDFORD

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 2 in.

,, Ground ,, Sea Level 950 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·08	·14	·01	·53	–	·12	1·05	·02	–	–	·38	·03		1
2	·03	–	–	·01	–	·50	·60	·08	·66	–	·18	·02		2
3	TR	–	·11	·38	–	·03	·12	·03	·55	–	·12	·08		3
4	·10	·02	·19	–	–	·10	·02	–	·38	–	·15	·35		4
5	·86	·14	·12	–	·03	–	·46	·10	·10	–	·04	·13		5
6	·15	–	·04	–	TR	·06	·65	·09	·46	–	·31	·01		6
7	·20	–	·12	–	–	·04	·09	–	·05	–	·66	·07		7
8	·62	–	·68	–	–	TR	·67	–	TR	–	·90	·16		8
9	·62	1·90	·15	–	–	·02	1·05	–	·18	–	·20	–		9
10	·55	·45	–	–	–	–	·14	–	·02	–	·26	·02		10
11	·55	–	–	–	–	·17	·05	·19	·17	–	·22	·11		11
12	–	–	–	·13	·07	·04	·46	·02	·11	TR	·15	·02		12
13	–	–	·01	·01	–	TR	·06	·05	·06	·23	·21	1·64		13
14	–	·02	–	–	–	·14	·66	–	·30	[illegible]	TR	·91		14
15	–	·01	–	·03	·06	–	·10	·02	·08	–	·35	·73		15
16	·01	·13	–	·04	·18	–	·08	–	–	–	·34	·15		16
17	·29	1·13	–	–	·07	TR	·80	·04	–	·09	·11	1·17		17
18	·13	·22	·06	–	–	–	·79	·01	–	·08	–	·04		18
19	·49	·02	·25	·19	–	·13	·12	·25	–	–	–	–		19
20	·10	·34	·02	·07	–	·05	·11	·25	·14	–	–	·08		20
21	·04	·08	·28	·45	–	–	–	–	–	·02	–	·01		21
22	·32	·53	·03	–	–	·03	·44	–	–	[illegible]	–	·02		22
23	·06	·08	·16	·20	·16	–	·24	–	–	·19	·01	·01		23
24	·18	·03	·11	·07	·21	·03	·08	–	·08	·42	–	·06		24
25	·25	–	·29	·30	–	1·30	·11	–	·08	·33	–	–		25
26	·50	·16	·22	TR	–	–	·01	–	·01	·11	–	–		26
27	·31	·16	·13	–	–	–	·13	–	·02	·28	·05	–		27
28	·87	·07	1·14	·04	–	–	·05	–	–	·02	–	·32		28
29	·04	·19	·06	–	–	1·74	TR	–	–	·18	·18	·14		29
30	·46	×	·03	–	·02	·23	·05	–	–	·08	·01	·03		30
31	·36	×	·55	×	·03	×	·58	–	×	–	×	1·20		31
TOTAL	7·61	5·82	4·76	2·45	·83	4·73	9·78	·95	3·45	2·24	5·83	7·63	Year's Total 56·08	
* Days with .01 in. or more.	26	20	23	14	9	17	29	13	18	14	20	26	229	
* Days with .04 in. or more.	24	15	18	11	5	13	27	8	15	11	18	17	182	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1663

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at NASEBY LYDFORD
in the County of DEVON
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
,, Ground ,, Sea Level 950 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·33	·01	·03	·32	—	—	·02	—	·13	·10	TR	·58		1
2	·39	1·39	—	·29	—	—	TR	—	·21	—	—	·04		2
3	·05	·72	—	·01	·01	·03	·22	—	TR	—	—	TR		3
4	·18	·75	·01	·10	·21	·02	·59	TR	—	—	—	·68		4
5	·78	·01	·05	·04	—	—	·25	—	—	—	—	·06		5
6	·21	·23	·25	·43	·15	·01	—	·01	·05	TR	—	—		6
7	·01	·52	·12	·24	—	·32	—	—	·12	TR	·01	·11		7
8	—	·09	·02	·01	·39	·21	·10	—	—	—	—	—		8
9	·06	·07	·10	·37	·10	·02	·06	·20	·51	—	—	—		9
10	·45	·05	·94	·69	—	·10	TR	·03	—	—	—	·44		10
11	·28	—	·21	·15	·52	·11	·98	—	—	—	—	·09		11
12	1·57	·34	·13	·12	·29	·21	·35	·04	·51	—	—	·94		12
13	—	·32	·65	·06	—	·06	—	·74	·48	—	—	·17		13
14	—	·13	·14	—	—	—	·01	·07	·10	TR	—	·34		14
15	·85	·39	·30	·71	—	—	—	—	·63	—	—	·15		15
16	·39	·08	·51	·08	—	—	·09	·33	·28	—	·10	—		16
17	1·18	·17	·73	—	—	—	TR	TR	·21	—	·15	—		17
18	·05	·38	·71	—	—	·35	—	TR	·06	—	·23	·17		18
19	·19	·13	·09	·31	·11	—	·04	—	·25	—	·17	·05		19
20	1·17	·02	·39	·22	·16	—	—	—	·04	—	TR	·44		20
21	1·54	·94	—	·08	·37	—	·18	—	·16	·20	·10	·05		21
22	·17	·01	·10	—	·50	·03	·16	—	TR	·60	·77	·27		22
23	·35	·15	TR	—	·33	—	·02	—	—	·25	·17	·03		23
24	·62	·82	·10	—	·04	—	·04	—	·10	·84	—	·06		24
25	·11	1·26	·71	TR	·05	·01	—	—	TR	·30	—	·06		25
26	·03	·32	TR	—	—	—	—	—	—	TR	—	·01		26
27	·14	·48	—	·02	—	—	—	—	—	·45	—	—		27
28	·07	·20	—	—	—	·05	—	—	—	·07	·01	—		28
29	·04	✕	—	—	—	·15	—	—	—	·30	·30	TR		29
30	·39	✕	—	—	—	·15	—	—	TR	·04	·65	—		30
31	·19	✕	—	✕	—	✕	—	—	✕	·33	✕	—		31
TOTAL	11·73	9·98	6·29	4·15	3·23	1·83	3·11	1·42	3·94	3·48	2·66	4·74	Year's Total 56·56	✓ ✓
* Days with .01 in. or more.	28	27	21	19	14	16	15	7	16	11	11	20	205	✓ ✓
* Days with .04 in. or more.	26	23	18	16	13	10	12	5	16	11	9	18	177	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

File No. 955648/29

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1663

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at NASEBY LYDFORD

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. – in.

,, Ground ,, Sea Level 950 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	—	—	·93	·09	·53	—	·62	·09	·20		1
2	—	·19	—	—	TR	·01	·10	—	—	56	·02	·08		2
3	·02	·07	—	·13	·04	·04	·09	1·11	—	·95	·23	TR		3
4	TR	—	—	—	—	·01	·45	1·38	—	·41	·02	·34		4
5	·02	—	—	·01	—	·16	·14	·01	·04	·49	·03	·08		5
6	·20	—	—	TR	—	·31	1·22	·04	·12	·17	·04	·16		6
7	·28	—	—	—	—	—	·30	—	·36	·10	·04	·37		7
8	1·05	·08	TR	—	—	—	·27	·07	—	·55	—	·02		8
9	·36	·30	·02	—	—	·04	TR	·04	—	·05	·02	1·31		9
10	·39	TR	—	—	—	—	·28	—	—	·02	—	·51		10
11	·28	—	—	—	·03	·03	·11	TR	TR	TR	·68	·91		11
12	·53	·02	—	—	·50	·02	·02	—	—	·73	1·28	·22		12
13	·06	—	—	—	·57	—	·01	—	—	·12	·18	1·27		13
14	1·12	TR	—	—	·37	—	·36	—	·07	—	—	—		14
15	·47	·01	—	—	·52	—	—	·07	—	·15	·21	·58		15
16	·59	·12	—	—	·05	—	TR	·09	—	TR	·10	·02		16
17	—	—	·08	—	·28	—	·06	—	·22	·23	TR	·03		17
18	·47	—	·02	—	·08	·10	·03	·20	·90	·10	·66	—		18
19	—	—	—	—	—	—	·03	·05	·06	—	·70	—		19
20	·06	—	—	—	—	—	TR	·02	·04	·03	·46	TR		20
21	·11	—	·08	—	—	·01	—	·06	·11	—	·40	·06		21
22	·04	—	—	·02	TR	·21	—	1·42	—	·01	·38	·01		22
23	·02	—	—	·06	TR	·08	—	·01	TR	—	·70	·01		23
24	·02	·06	·28	—	·02	·02	—	·05	·01	—	·44	—		24
25	·18	·90	·07	—	·12	·01	·14	TR	—	·20	1·24	·04		25
26	·48	·36	·09	TR	·65	·05	·02	—	—	·40	·06	·14		26
27	·52	·27	—	—	·16	·25	·69	·67	—	·31	·58	—		27
28	·42	·22	·04	—	·10	·15	TR	·62	·10	·04	·06	·04		28
29	·24	✕	·11	—	·43	·13	·03	—	·28	·28	·41	·13		29
30	·13	✕	·08	—	·01	·10	·09	—	·25	TR	·15	·04		30
31	·56	✕	·04	✕	·41	✕	TR	—	✕	·35	✕	·48		31
													Year's Total	
TOTAL	8·62	2·60	·91	·22	4·35	2·66	4·53	6·44	2·66	6·87	9·16	7·00	55·92	✓
* Days with .01 in. or more.	26	12	11	4	17	20	21	18	13	23	26	24	215	✓
* Days with .04 in. or more.	22	10	9	2	14	13	15	15	12	20	22	19	173	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 1663

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at NASEBY LYDFORD

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

,, Ground ,, Sea Level 950 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.32	–	·23	·23	TR	–	·09	·10	–	–	·33	·35		1
2	.08	–	–	·15	–	–	·02	·66	·19	–	·21	·07		2
3	.25	–	·23	·53	–	–	·46	·62	1·38	–	·35	·63		3
4	·16	–	·56	1·55	·47	–	·76	·09	–	·48	·48	·34		4
5	TR	–	·05	·12	·21	–	1·38	–	–	·55	1·17	·05		5
6	·48	TR	·09	·21	·02	–	·14	·04	–	·03	·19	–		6
7	·08	·43	–	–	–	·12	·25	·04	–	TR	·31	1·02		7
8	·24	·75	·06	–	·09	–	TR	·08	–	·80	·93	·37		8
9	·10	·07	·12	–	–	–	–	·17	–	·25	·11	·35		9
10	·27	·01	·05	–	–	·09	–	·19	·30	·10	·03	·63		10
11	·13	·03	·20	–	–	–	–	·08	–	·25	–	·04		11
12	·11	·03	–	·24	–	–	–	–	·15	·25	·03	–		12
13	·04	–	TR	·49	·02	·08	·81	–	·12	·32	·20	TR		13
14	1·18	·03	–	·23	·10	·22	·79	–	·01	·03	·44	·01		14
15	·43	·03	–	·04	·09	1·15	·99	–	–	·04	·47	–		15
16	·16	·02	·03	·17	·06	–	1·01	–	–	–	·56	–		16
17	1·17	·10	–	·01	·06	·27	·32	–	–	–	·42	–		17
18	·02	·17	·12	–	–	·02	·55	–	–	–	1·16	·16		18
19	·38	–	–	–	–	–	·34	·09	–	–	·01	·01		19
20	·60	–	–	–	·13	·22	·35	·84	–	–	–	–		20
21	·38	·53	·10	–	·15	·25	·09	·40	·01	T	–	–		21
22	·36	·51	·19	·08	–	·21	·51	·05	·62	–	·69	–		22
23	TR	·08	·14	·38	–	·04	·27	–	–	·07	1·27	–		23
24	·56	·01	·28	·23	–	·33	·09	–	–	·14	–	–		24
25	·50	·26	TR	·04	–	·12	·13	·31	–	·13	·78	–		25
26	·03	·03	–	·04	–	·02	·02	·22	–	·13	·67	–		26
27	–	·68	TR	–	–	·27	·09	·03	–	–	·19	·03		27
28	–	·14	TR	–	–	·13	·20	–	–	–	·58	–		28
29	·03	✕	·01	·16	–	·03	·53	–	–	·29	·09	–		29
30	–	✕	·03	·48	–	·11	·05	–	–	·53	·09	–		30
31	–	✕	–	✕	–	✕	·07	·55	✕	·58	✕	–		31
TOTAL	8·56	3·91	2·49	5·33	1·40	3·68	10·31	3·96	2·18	4·97	11·75	4·06	Year's Total 62·60	✓
* Days with .01 in. or more.	25	19	17	19	11	18	26	18	8	18	26	14	219	✓
* Days with .04 in. or more.	22	11	14	18	9	15	24	16	5	15	23	11	183	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1663

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940.

Kept at NASEBY LYDFORD

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" Ground " Sea Level 950 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·04	—	·12	·12	—	—	—	—	—	·47	·03		1
2	—	·08	—	·21	—	—	·14	—	—	—	1·17	·38		2
3	—	·55	—	·07	—	—	·02	—	—	·19	1·86	·12		3
4	—	·57	—	·28	—	—	·17	—	—	·31	·26	·34		4
5	·02	·06	—	—	TR	—	·18	·03	—	·12	·65	·32		5
6	·44	·61	—	—	—	—	·16	—	—	·39	·12	·03		6
7	·16	·09	—	·07	—	—	·19	—	·04	·05	—	·81		7
8	—	·02	—	—	—	—	·13	·03	·02	·35	·65	·28		8
9	—	—	—	—	—	—	·84	·13	·10	·20	·78	—		9
10	—	—	—	—	—	—	·70	—	·15	·18	·31	·26		10
11	—	TR	·03	·05	—	·04	·41	—	—	—	1·12	·03		11
12	—	—	·38	·03	—	·02	2·33	—	·85	—	·18	—		12
13	—	—	·39	—	—	—	·34	·03	·03	·13	1·17	·49		13
14	—	·11	·05	·09	—	—	·01	·08	·35	·51	·14	·8[illegible]		14
15	·04	·01	—	·09	TR	—	TR	—	·25	·02	·58	·02		15
16	·10	1·31	·70	·02	—	—	·23	—	·34	—	·14	·04		16
17	—	·24	·68	1·31	—	—	·28	—	·18	TR	·05	—		17
18	·63	·70	·46	·13	—	—	·01	·06	·07	TR	·06	·31		18
19	—	·13	·37	·09	—	—	·71	—	·44	TR	·48	—		19
20	—	—	·03	·14	—	—	·02	·08	·04	·24	·20	—		20
21	—	—	·01	—	·05	·08	—	—	TR	·01	·76	—		21
22	TR	·02	·27	·06	·08	·48	—	—	·40	·01	·01	—		22
23	·02	·16	·32	·03	·08	—	·01	—	TR	·12	·04	—		23
24	·02	—	·02	·01	·01	—	·26	—	—	—	—	TR		24
25	·07	—	·17	·08	·35	·02	—	—	—	—	—	—		25
26	·99	·95	—	·09	·34	·19	·19	—	—	—	·08	—		26
27	·68	·45	·03	·14	·03	TR	·01	—	—	—	—	—		27
28	·26	·25	·01	·04	·17	TR	—	·02	—	—	—	—		28
29	·09	·04	·29	1·30	·02	·12	—	—	—	·12	—	·37		29
30	·02		·02	·11	·03	—	—	—	—	·74	—	·22		30
31	·03		·30		TR		—	—		88		·70		31
TOTAL	3·58	6·34	4·53	4·56	1·34	·95	7·34	·46	3·26	4·62	11·28	5·56	Year's Total 53·84	
* Days with .01 in. or more.	15	20	19	23	11	7	22	8	14	18	23	18	198	
* Days with .04 in. or more.	10	16	12	19	8	5	16	4	12	15	22	14	153	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*)

[P.T.O.

1663/5
WERRINGTON PARK
1931—40

780306

1663/5

Section A for the entry of
AIR MINISTR
FORM 1090.

FOR OFFICIAL USE.
NFALL ORGANIZATION.

REGIS 193 1.

12370

Kept at Werrington P
in the County of Devo
Diameter of Funnel of Gauge
Height of top of Gauge above Grou
,, Ground ,, Sea L

~~42·2~~ 7.

THE MORNING MEASU DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·25					·48	·08		1R	1
2	·24			·22					·94		·32	·54	2
3	·56		1·08						·92		1·23	·22	3
4			·13	·03			·78	1·44	·66			·04	4
5		·48	·22	·33		·48	·04	·58	·17		·07	·30	5
6		·02		·08	·15	·29	·30		·04	·48	·16	·45	6
7		·05			·24	·15	·16	·48			·48	1R	7
8				·10		·36	·03	·23			·17	·14	8
9		·16				·14	·08	·08			·54	·03	9
10	·07	·15			·21	·06	·05	·27	·07		·36	·04	10
11	·42	·55				·22	·44	·06	·10		·22	1R	11
12		·18					·46		·12	·28	·04	—	12
13		·12			·34		·23	·04			·20	—	13
14	·16	·17			·32	·36	·98	·04	·03		·88	—	14
15		·18			·08	·10	·23	·41				1R	15
16	·07	·12		·16	·04	·86		·27	·12			—	16
17				·20		·32	·34		·04			—	17
18	·12			·03			·19	·72			·35	1R	18
19	·10	·18	·36			·31	·14	·10			·72	·12	19
20		·10	·40					·54			·12	—	20
21	·42	·13	·02	·05	·13						·15	—	21
22	·66	·08			·35						·10	—	22
23	·26			·55	·27		·05				·95	—	23
24	·26	·05		·68	·05		1·14	·45			·06	·02	24
25	·12	·09		·14			·10					·02	25
26	·05	·12		·19			·40				(1·24)	·06	26
27	·15	·18		·04	1·27		·08				·23	—	27
28	·04	·21	·20	·05		·03	·07	·08			·04	·34	28
29	·14	X	·12		·08			·36		·26	·22	1R	29
30	·12	X			·23					·10		·03	30
31	1·59	X		X	1·14	X			X		X	·19	31
TOTAL	5·55	3·32	2·5~~5~~3	3·10	4·90	3·68	6·29	6·15	3·69	1·20	8·85	2·54	YEAR'S TOTAL 51·8~~2~~
*Days with ·01 in. or more.	19	20	9	16	15	13	21	17	12	5	24	15	186
*Days with ·04 in. or more.	19	19	7	14	15	12	20	17	11	5	24	11	174

40-9999

(Signed) Mr. R. M. Gregory [P.T.O.]

*See Instruction 2 (*f*) on other side.

Section **A** **for the entry of Daily Observations.**

FOR OFFICIAL USE.

1663/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

S. Devon/2

Kept at Werrington Park

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 4 ft 8 in.

,, Ground ,, Sea Level Approx 600 ft.

1920/30 [illegible] 123%

~~Average [illegible]~~ 7.

~~42·2~~

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·25					·48	·08		1R	1
2	·24			·22					·94		·32	·54	2
3	·56		1·08						·92		1·23	·22	3
4			·13	·03			·78	1·44	·66			·04	4
5		·48	·22	·33		·48	·04	·58	·17		·07	·30	5
6		·02		·08	·15	·29	·30		·04	·48	·16	·45	6
7		·05			·24	·15	·16	·48			·48	1R	7
8				·10		·36	·03	·23			·17	·14	8
9		·16				·14	·08	·08			·54	·03	9
10	·07	·15			·21	·06	·05	·27	·07		·36	·04	10
11	·42	·55				·22	·44	·06	·10		·22	1R	11
12		·18					·46		·12	·28	·04	—	12
13		·12			·34		·23	·04			·20	—	13
14	·16	·17			·32	·36	·98	·04	·03		·88	—	14
15		·18			·08	·10	·23	·41				1R	15
16	·07	·12		·16	·04	·86		·27	·12			—	16
17				·20		·32	·34		·04			—	17
18	·12			·03			·19	·72			·35	1R	18
19	·10	·18	·36			·31	·14	·10			·72	·12	19
20		·10	·40					·54			·12	—	20
21	·42	·13	·02	·05	·13						·15	—	21
22	·66	·08			·35						·10	—	22
23	·26			·55	·27		·05				·95	—	23
24	·26	·05		·68	·05		1·14	·45			·06	·02	24
25	·12	·09		·14			·10					·02	25
26	·05	·12		·19			·40				1·24	·06	26
27	·15	·18		·04	1·27		·08				·23	—	27
28	·04	·21	·20	·05		·03	·07	·08			·04	·34	28
29	·14	×	·12		·08			·36		·26	·22	1R	29
30	·12	×			·23					·10		·03	30
31	1·59	×		×	1·14	×			×		×	·19	31
TOTAL	5·55	3·32	2·5~~5~~3	3·10	4·90	3·68	6·29	6·15	3·69	1·20	8·85	2·54	YEAR'S TOTAL 51·8~~8~~9
*Days with ·01 in. or more.	19	20	9	16	15	13	21	17	12	5	24	15	186
*Days with ·04 in. or more.	19	19	7	14	15	12	20	17	11	5	24	11	174

40-9999

(Signed) Mr. R. M. Gregory

[P.T.O.]

*See Instruction 2 (*f*) on other side.

1663/5

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Werrington Park

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 4 ft. 8 in.

" Ground " Sea Level .... ft.

Station No 1663/5

File No 851244/28.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·19	TR fog	—	·22	—	—	·03	·12	·03	—	·02	·09	1
2	·05	TR fog	·06	·07	—	—	TR	·03	·52	·01	·03	·37	2
3	·02	—	—	·10	—	·72	·06	—	·43	·08	·03	·11	3
4	·06	Mostly fog ·02	—	—	—	TR	·08	·06	Tr	—	·50	—	4
5	·88	—	·03	—	—	—	—	TR Fog	·13	—	—	—	5
6	WESTGALE ·94	—	·05	·24	—		·26	TR Fog	·63	·04	—	—	6
7	·24	—	·03	·05	Tr	—	·35	·02	·98	1·40	—	—	7
8	·02	—	·28	·06	·27	—	·02	—	·02	·27	—	—	8
9	1·53	—	—	·22	·18	—	—	—	·22	·05	—	—	9
10	·54	TR of snow	—	·35	·11	—	—	—	·06	·98	—	—	10
11	·08	—	—	·15	·36	—	Tr	—	·04	·16	—	·21	11
12	1·15	—	—	—	·69	—	—	—	·08	·43	Tr	·05	12
13	·16	—	—	·32	·05	—	·14	·16	·02	1·00	—	·20	13
14	·44	—	—	·02	·21	—	·06	·02	—	·25	—	·03	14
15	·05	—	—	·03	·03	—	TR	—	—	·13	—	·03	15
16	·39	—	—	·08	TR	—	·16	—	—	·03	—	·01	16
17	TR	—	—	—	Fog ·13	—	·05	—	·01	·08	—	·02	17
18	·02	—	—	—	·52	—	—	—	·34	—	·16	·03	18
19	·03	—	—	·07	·30	—	—	—	·15	·40	·02	—	19
20	·02	—	—	·04	·77	—	·02	·29	—	·92	·52	·17	20
21	TR	—	·07	·05	—	—	·08	1·28	·14	1·08	·07	·48	21
22	·03	—	—	·11	·08	—	·04	TR	·57	·24	·40	·21	22
23	—	·05	—	—	—	—	·07	—	—	·57	·36	·48	23
24	—	—	—	—	·03	—	·36	—	·10	·34	·15	—	24
25	—	—	·17	·03	TR	—	·33	—	·15	·51	·17	—	25
26	—	—	·22	·44	—	—	·08	—	·03	·21	·17	·02	26
27	—	—	·24	·22	·16	TR	·07	—	—	·48	·06	·11	27
28		—	·26	·06	·11	—	·12	·01	·01	·05	·01	·03	28
29	—	—	·50	·17	·12	·40	·03	·27	·40	·88	·22	1·13	29
30	—	×	·13	·18	·04	1·97	·53	·07	·57	·33	·56	·02	30
31	—	×	·09	×	·05	×	·31	TR.	×	·02	×	·74	31
TOTAL	6·84	·07	2·18	3·28	4·21	3·09	3·25	2·33	5·63	10·94	3·45	4·56	YEAR'S TOTAL 49·83
*Days with ·01 in. or more.	20	2	13	23	19	3	22	11	23	27	17	22	202
*Days with ·04 in. or more.	14	1	11	20	17	3	19	7	17	24	12	13	158

40-9999

M

*See Instruction 2 (*f*) on other side.

(*Signed*) R. M. Gregory.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 1663/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Werrington Park

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 4 ft 8 in.

,, Ground ,, Sea Level 600' ft.

Oct. total corrected for audit to give annual total as supplied by observer

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·52	·67	·25	—	·06	·30	—	—	·05	—	·09	·59	1
2	·82	·03	·49	—	·15	·54	—	—	—	—	·03	·12	2
3	·08	·05	·24	—	·09	—	—	—	—	—	—	—	3
4	·27	·02	Tr	—	·22	—	—	—	—	—	—	—	4
5	·10	·02	·64	—	·39	—	—	—	—	Tr	·03	—	5
6	·03	·43	·01	—	·39	—	—	—	—	·10	·02	—	6
7	·04	·08	—	—	·23	—	·18	·05	—	·05	—	—	7
8	·06	·02	—	—	·08	—	·23	·02	—	·02	—	—	8
9	—	·03	—	—	·12	—	·27	·02	—	·84	·33	—	9
10	·08	·13	—	—	—	—	·07	TR	—	1·64	·18	—	10
11	·09	—	—	·02	—		·10	·37	—	·15	·05	Tr Snow	11
12	·03	—	—	·19	·03	·31	·24	·02	·25	·01	—	—	12
13	·10	—	—	—	·11	·09	·27	·08	—	·07	·11	—	13
14	·21	—	—	—	—	—	·16	·06	—	·03	·36	—	14
15	·23	—	·46	—	—	TR	·41	·02	—	·15	·09	—	15
16	—	·04	1·02	—	—	·05	—	TR	·02	·10	—	—	16
17	·23	·07	·23	—	—	·11	·01	·05	·19	—	—	—	17
18	·24	·05	·29	—	—	·16	—	TR	—	·04	·02	—	18
19	·20	—	·31	—	—	·21	—	·03	·11	·09	·21	—	19
20	—	·10	·01	—	·07	·42	—	·16	·32	—	·02	—	20
21	—	·02	—	—	—	·07	—	·47	·01	·31	—	—	21
22	—	·01	—	·21	—	—		·31	·36	·01	—	—	22
23	—	·83	—	·20	—	·23		·04	·29	·71	—	—	23
24	—	·10	—	·14	—	—		—	·13	·34	—	—	24
25	—	·17	—	·08	·13	·20			·25	—	—	·11	25
26	—	·26	—	·19	·06	—			—	·35	—	—	26
27	—	·28	—	Tr	—	—			·01	·58	—	·66	27
28	—	·49	T.R.	·21	—	—	·30	·02	—	·56	—	Tr	28
29	·10	X	TR.	·12	—	—	·01	·02	—	·08	—	·08	29
30	·08	×	·02	·25	—	—	·10	—	·12	·05	—	·05	30
31	·49	×	·10	×	·04	×	—	—	×	·14	×	—	31
TOTAL	4·00	3·90	4·07	1·61	2·17	2·69	2·35	1·74	2·11	~~5·42~~ 6·42	1·54	1·61	YEAR'S TOTAL 34·21
*Days with ·01 in. or more.	20	22	13	10	15	12	13	16	13	23	13	6	176
*Days with .04 in. or more.	18	15	10	9	14	12	11	9	10	20	8	6	142

40-9999

*See Instruction 2 (*f*) on other side.

D M

(*Signed*) R. M. Gregory.

P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. **Station No.** 1663/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Werrington Park

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 4 ft 8 in.

,, Ground ,, Sea Level ft.

TL

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·13	—	·01	—	—	—	—	·75	—	—	·39	·79		1
2	·07	—	·09	—	—	—	—	·06	·63	—	·06	·18		2
3	·05	TR	—	·05	—	—	—	—	·03	·31	—	·63		3
4	·20	—	·06	·19	·51	—	—	·01	·01	·48	—	·77		4
5	—	—	·15	TR	·64	·29	—	·73	—	·20	·08	·78		5
6	·07	—	·20	·19	·85	·08	—	·55	·09	·28	·06	·39		6
7	·09	·01	—	—	—	—	—	·11	·01	·27	·05	·96		7
8	—	—	—	TR	·12	—	—	·02	·22	TR	·23	1·94		8
9	·05	—	·19	—	—	—	—	·01	TR	·24	·44	·06		9
10	·94	·01	·40	·36	—	—	—	·19	—	—	·11	·14		10
11	·80	FOG TR	·02	·85	—	—	—	·21	—	—	·05	·29		11
12	·12	FOG TR	—	TR	—	·08	·23	·32	—	TR	—	·12		12
13	·70	FOG ·01	TR	·78	—	·01	·02	—	—	·06	·02	·09		13
14	·74	FOG TR	·64	·01	—	—	—	—		·78	TR	·26		14
15	·39	FOG ·01	·14	—	·11	—	TR	TR	—	·23	·03	·46		15
16	·14	FOG TR	·40	—	·13	—	—	—	·38	·02	—	·39		16
17	·45	FOG ·01	·22	·08	—	—	—	—	·06	·27	—	·34		17
18	·21	TR FOG	·36	·44	TR	·06	—	·01	·04	·03	—	·52		18
19	—	—	·09	—	·01	·02	—	·08	·17	·04	—	·27		19
20	·04	·01	·01	·10	·03	—	·03	·09	·10	·02	·14	·07		20
21	—	—	·21	·02	·03	·22	—	—	·01	·28	·06	·05		21
22	·17	FOG TR	·05	·02	—	—	—	·02	·53	·03	·04	·30		22
23	·03	FOG TR	·01	·13	—	·42	·02	—	·23	·02	FOG TR	·10		23
24	—	·12	·06	·09	—	·38	·11	—	·04	·49	—	·15		24
25	·36	·05	—	·31	—	—	—	—	·03	·64	—	·74		25
26	·04	SNOW TR	SNOW ·04	·06	—	·26	—	—	·18	·03	·11	·21		26
27	—	—	—	—	—	·20	—	·09	·08	·06	·10	·11		27
28	—	—	—	—	—	·02	·03	·84	·32	·15	·01	·98		28
29	—	×	—	—	—	—	—	·15	·16	·11	·01	·04		29
30	·03	×	—	—	TR	—	·04	·06	·11	·20	·02	·38		30
31	—	×	—	×	·02	×	TR	·02	×	·23	×	·06		31
TOTAL	5·82	·23	3·38	3·68	2·45	2·04	·48	4·30	3·43	4·87	2·01	12·57	Year's Total 45·26	
*Days with ·01 in. or more.	22	8	20	16	12	12	7	20	21	25	19	31	213	
*Days with .04 in. or more.	20	2	16	13	9	9	3	14	16	19	14	31	166	

40-9999

*See Instruction 2 (*f*) on other side.

M

† Spare column, no entries required.

(*Signed*) R. M. Gregory.

[P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 1663/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Werrington Park

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 4 ft 8 in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in	in	in.	in.		
1	·13	·19	·65	·02	—	·06	·02	—	·33	·26	·01	·39		1
2	·01	·06	·09	—	—	·26	—	—	·04	·27	·15	·11		2
3	·05	·02	·08	·01	·19	·18	—	—	·71	·30	·16	·35		3
4	—	·49	—	·21	·01	·15	—	—	·02	·76	·25	·40		4
5	·07	·27	·10	·12	—	·48	—	—	·12	1·72	·08	·11		5
6			—	·38	—	·65	—	—	—	·25	·08	·14		6
7			—	·46	—	·20	—	—	—	·34	·06	·10		7
8			—	·40	—	—	·03	—	—	·15	·39	·08		8
9		TR	—	·70	—	—	—	—	—	·91	·35	—		9
10	·04	—	Snow	·16	—	·08	·21	—	—	·08	·02	—		10
11	·30	·02	·12	—	—	·36	—	—	·11	·03	·65	—		11
12	·22	·26	—	—	—	·18	—	·05	·05	·01	·07	—		12
13	·14	·13	—	·31	—	·06	—	—	·05	·03	·53	—		13
14		·12	—	·16	—	·42	—	—	·50	·01	1·15	·27		14
15		·09	—	·61	·13	·10	—	—	·21	·01	·14	·11		15
16		·14	·04	·19	—	—	·02	—	·81	·04	·61	·03		16
17		·01	—	·10	SNOW ·66	·26	—	·04	·10	·03	·03	—		17
18		·13	TR	·55	·11	—	TR	·14	·69	·13	·03	·09		18
19		·09	—	·17	·23	·03	·11	—	·17	·41	·08	—		19
20		·66	—	·62	·07	·02	·08	—	·01	·14	·17	—		20
21		·69	—	·06	—	—	·08	—	·11	·17	·02	—		21
22		·07	·06	·24	—	—	—	—	·09	·24	—	—		22
23		·14	·15	·11	·04	—	—	·39	·23	·21	—	·15		23
24	·12	·36	·03	—	·02	—	—	·20	·06	·02	—	·30		24
25	·26	SNOW ·47	—	—	—	·35	—	—	—	·02	—	·15		25
26	·09	·76	—	—	—	·13	—	·21	·19	·05	·10	·46		26
27	—	·12	—	—	·01	—	·04	·17	·09	·06	·12	·22		27
28	·03	·17	—	—	—	—	·08	·18	·21	·06	·05	·06		28
29	—	×	—	—	—	—	—	—	·36	·05	·24	·84		29
30	·08	×	—	—	—	·08	—	·65	·11	·11	·97	·76		30
31	—	×	—	×	—	×	—	·06	×	·62	×	·36		31
TOTAL	1·54	5·46	1·32	5·58	1·47	4·05	·67	2·12	5·34	7·49	6·51	5·48	Year's Total. 47·06	
* Days with .01 in. or more.	13	23	10 ✓	20	10	19	9	10	24	31	26	21	216	
* Days with .04 in. or more.	11	20	8 ✓	18	7	17	6	10	22	23	21	20	183	

40-9999

* See Instruction 2 (f) on other side.

M

† Spare column, no entries required

(*Signed*) R. M. Gregory

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1663/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 090.

REGISTER OF RAINFALL IN 1936.

Kept at Werrington Park [Launceston].

in the County of S. Devon

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....600.........ft.

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05	·22	·02	·15	–	·14	·65	·05	–	–	·18	·03		1
2	·07	tr	–	·09	–	·30	·28	tr	·31	–	·11	·02		2
3	·08	–	·08	·84	–	tr	·03	·04	1·15	–	08	·06		3
4	·03	·09	·11	–	–	–	–	–	·55	–	07	·42		4
5	·46	·22	·25	–	–	–	·55	·03	·03	–	·14	·20		5
6	·11	–	·03	–	–	·03	·48	·03	·32	–	·96	–		6
7	·25	–	·11	–	–	·07	·08	·07	·04	–	·93	·09		7
8	·36	–	·54	–	–	–	·65	–	·02	–	1·23	·17		8
9	·52	·42	·08	–	–	tr	1·02	–	·33	–	·32	–		9
10	·07	·56	–	–	–	–	·05	–	tr	–	·18	–		10
11	·36	·11	–	·02	·03	·18	·10	·06	·09	–	·97	·20		11
12	·02	tr	–	·11	–	·20	·41	–	·39	·04	·15	·09		12
13	·07	·05	–	·07	–	tr	·08	·02	·14	·10	·15	1·54		13
14	–	·02	–	–	–	·05	·69	–	·30	·11	·04	·72		14
15	–	·07	–	·09	·15	–	·08	·02	·02	tr	·39	·28		15
16	–	·11	–	·03	·14	–	·07	–	.	–	·21	·26		16
17	·32	·90	–	·03	·12	tr	·60	·03	.	·09	·06	·83		17
18	·13	·20	·27	–	–	–	1·27	·03	.	–	–	·08		18
19	·47	·03	·13	·22	–	·07	·03	·11	.	–	–	–		19
20	·19	·43	·07	·05	–	·03	·04	·02	1·36	·06	–	·06		20
21	·05	·07	·31	·55	–	·81	·07	–	·01	·05	·01	TR		21
22	·33	·28	·02	–	·07	–	·24	–	·01	·04	–	·02		22
23	·07	·26	·04	·10	·02	–	·06	–	·06	·10	·01	·01		23
24	·21	·11	·21	·07	·06	–	–	–	–	·44	–	·09		24
25	·38	·13	·33	·26	–	·43	·04	–	·01	·33	–	TR		25
26	·48	–	·39	–	·04	–	·07	–	–	·17	–	–		26
27	·40	·31	·11	tr	–	–	·12	–	·09	·30	·06	–		27
28	·54	·05	·74	·02	–	–	·08	–	–	·02	·01	·28		28
29	·04	·06	·02	–	–	·39	tr	–	.	·09	·06	·20		29
30	·38	✕	·06	–	·02	·61	·02	–	.	·04	tr	·01		30
31	·20	✕	·55	✕	·02	✕	·41	–	✕	–	✕	·51		31
TOTAL	6·52	4·70	4·41	2·59	·61	3·19	8·15	·45	5·23	1·98	6·32	6·17	Year's Total 50·32 ✓	
* Days with .01 in. or more.	28	22	22	16	10	13	28	12	19	15	22	23	230 ✓	
* Days with .04 in. or more.	24	20	17	11	5	9	23	4	13	14	19	18	177 ✓	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 1663/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1937

Kept at Werrington Park

in the County of S. Devonshire

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level ....ft.

X

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·21	·02	·35	·14	–	–	–	–	·04	·07	·01	·43		1
2	·14	·67	–	·27	–	–	–	–	·05	–	–	·15		2
3	–	·46	–	–	–	–	·16	–	–	·01	·01			3
4	·15	·27	–	–	·04	–	–	–	–	·01	–	·78		4
5	·54	·03	–	·04	–	–	·41	–	–	–	–	·04		5
6	·20	·28	·17	·41	·05	–	·02	–	·03	–	–			6
7	·01	·23	·07	·11	–	·17	–	–	·04	–	·07	·04		7
8	–	·09	–	–	·37	·08	·07	–	–	–	·01			8
9	·09	·15	·20	·20	·10	·04	–	·13	·64	–	–			9
10	·20	·05	1·13	·42	–	·13	·02	·07	–		–	·47		10
11	·28	–	·44	·30	X	·12	·64	·02	–	–	·01	·31		11
12	·86	·38	·17	·21	X95	·30	·17	·16	·38	–	–	·67		12
13	·02	·11	·48	·10	–	·01	–	·65	·26	–	–	·30		13
14	–	·03	·13	–	–	–	–	·06	·12	–	–	·48		14
15	·73	·36	·41	·73	–	–	–	–	·15	–	–	·53		15
16	·54	·11	·54	·02	–	–	·03	·17	·10	–	·09			16
17	1·28	·17	·49	–	–	–	–	–	·17	–	·22			17
18	·12	·32	·29	·05	–	·21	–	·01	·44	–	·28	·07		18
19	·22	·04	·35	·21	·11	–	–	–	·73	–	·29	·02		19
20	1·25	–	·26	·19	·57	–	–	–	·02	–	·05	·68		20
21	1·12	·85	·03	·04	·36	–	·03	–	·18	·15	·14	·03		21
22	·05	·03	·10	–	·23	·02	·15	–	·02	·63	·56	·09		22
23	·48	·31	–	–	·24	–	–	–	·01	·62	·05	·02		23
24	·44	·54	·12	–	·02	–	·03	–	·04	·52	–	·04		24
25	·02	·99	·67	·02	·03	–	–	–	·01	·06	–	·02		25
26	·02	·23	·05	–	–	–	–	–	–	–	·02	·01		26
27	–	·48	–	·01	–	·01	–	–	–	·71	–			27
28	·02	·42	–	–	–	–	–	–	–	·07	·14			28
29	·05	–	–	–	–	·06	–	–	–	·72	–			29
30	·18	✕	–	–	–	–	–	–	·05	·15	·43			30
31	·19	✕	–	✕	–	✕	–	–	✕	·18	✕			31
TOTAL	9·41	7·62	6·45	3·47	3·07	1·15	1·73	1·27	3·48	3·90	2·38	5·18	Year's Total 49·11	
* Days with .01 in. or more.	27	26	20	18	13	11	11	8	20	13	16	20	203	
* Days with .04 in. or more.	22	22	19	15	11	8	6	6	15	11	11	15	161	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 1663/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at WERRINGTON PARK
in the County of DEVON
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 600 ft.

Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following:

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·21	·02	35	14	—	—	—	—	·04	·07	·01	43		1
2	·14	·67	—	·27	—	—	—	—	·05	TR	—	·15		2
3	—	·46	—	—	—	—	16	—	—	·01	·01	—		3
4	·15	·27	—	—	·04	—	—	—	TR	·01	—	·78		4
5	·54	·03	—	·04	—	—	41	—	—	—	—	·04		5
6	·20	·28	·17	·41	·05	TR	·02	—	·03	TR	—	—		6
7	·01	·23	·07	·11	—	·17	—	—	·04	—	·07	·04		7
8	—	·09	—	—	·37	·08	·07	—	—	—	·01	—		8
9	·09	·15	·20	·20	·10	·04	—	13	·64	—	—	—		9
10	·20	·05	1·13	·42	—	·13	·02	·07	—	—	—	·47		10
11	·28	—	·44	·30		·12	·64	·02	—	—	·01	·31		11
12	·86	·38	·17	·21	·95	·30	·17	·16	·38	—	—	·67		12
13	·02	·11	·48	·10	—	·01	TR	·65	·26		—	·30		13
14	—	·03	·13	—	—	—	—	·06	·12	—	—	·48		14
15	·73	·36	·41	·73	—	—	—	—	·15	—	—	·53		15
16	·54	·11	·54	·02	—	—	·03	·17	·10	—	·09	—		16
17	1·28	·17	·49	—	—	—	TR	—	·17	—	·22	—		17
18	·12	·32	·29	·05	—	·21	—	·01	·44		·28	·07		18
19	·22	·04	·35	·21	·11	—	—	—	·73	—	·29	·02		19
20	1·25	—	·26	·19	·57	—	—	—	·02	—	·06	·68		20
21	1·12	·85	·03	·04	·36	—	·03	—	·18	·15	·14	·03		21
22	·05	·03	·10	—	·23	·02	·15	—	·02	·63	·56	·09		22
23	·48	·31	—	—	·24	—	TR	—	·01	·62	·05	·02		23
24	·44	·54	·12	TR	·02	—	·03	—	·04	·52	—	·04		24
25	·02	·99	·64	·02	·03	—	TR	—	·01	·06	—	·02		25
26	·02	·23	·05	—	—	—	—	—	—	TR	·02	·01		26
27	—	·48	—	·01	—	—	—	—	—	·71	—	—		27
28	·02	·42	—	—	—	·01	—	—	—	·07	·14	—		28
29	·05	—	—	—	—	—	—	—	TR	·72	—	—		29
30	·18	✕	—	—	—	·06	—	—	·05	·15	·43	—		30
31	·19	✕	—	✕	—	✕	—	—	✕	·18	✕	—		31
TOTAL	9·41	7·62	6·45	3·47	3·07	1·15	1·73	1·27	3·48	3·90	2·38	5·18	Year's Total 49·11	
* Days with .01 in. or more.	27	26	20	18	13	11	11	8	20	13	16	20		
* Days with .04 in. or more.	22	22	19	15	11	8	6	6	15	11	11	15		

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) K M Gregory

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1663/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1938

Copy by B.R.O.

Kept at Werrington Park
in the County of S. Devonshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 80 in.
,, Ground ,, Sea Level 600 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·24				·91	·38	·69	—	·60	·05	·18		1
2		·03		·15		·02	—	—	—	·46	—	·10		2
3					·03	·06	·09	1·52	—	·81	·08	·01		3
4							·36	·79	—	·44	—	·20		4
5	·06			·03		·07	·11	·12	·09	·60	—	·04		5
6	·15					·21	1·26	·03	·27	·23	·01	·09		6
7	·23						·35	·40	·04	·14	·05	·33		7
8	·87	·12				·02	·59	·02	—	·62	·01	·13		8
9	·36	·11				·04	·01	·47	—	·02	TR	1·28		9
10	·22						·16	·28	—	·05	—	·28		10
11	·18	·02			·02	·03	·09	—	—	·02	·54	·75		11
12	·69	·02			·27	·02	—	tr	·01	·48	1·25	·06		12
13	·03				·41		tr	—	—	·17	·12	·51		13
14	1·26				·26		·33	·01	·03	—	TR	·01		14
15	·48				·10		—	·02	—	·09	·32	·95		15
16	·42	·01	·08				—	·05	—	·01	·12	·32		16
17		·04	·01		·11		·02	tr	·06	·26	·02	·09		17
18	·31	—			·02	·06	·02	·17	·43	·02	·57	—		18
19							·03	·10	·17	tr	·65	—		19
20	·04		·01				tr	·03	·06	·05	·37	—		20
21	·03		·07				—	·14	·29	—	·55	—		21
22	·01					·06	—	·95	·14	·02	·42	—		22
23	·01			·02			—	·02	·05	—	·62	—		23
24	·10	·07	·10		·05		·01	·01	·04	—	·62	—	15	24
25	·13	·65	·05		·07		·13	·01	—	·20	1·33	—		25
26	·58	·31	·03		·52	·04	·87	—	—	·21	·11	·15		26
27	·37	·03			·09	·14	·40	·85	—	·07	·38	—		27
28	·26	·23	·01		·05	·22	·01	·14	·03	·13	·12	·04		28
29	·21		·03		·33	·03	—	tr	·14	·28	·41	·07		29
30	·07	✕	·02		·02	·01	tr	—	·09	·01	·27	·08		30
31	·67	✕	·03	✕	·29	✕	·01	—	✕	·45	✕	·45		31
TOTAL	7·74	1·88	·44	·20	2·64	1·94	5·23	6·82	1·94	6·44	8·99	6·12	Year's Total 50·38	
* Days with .01 in. or more.	25	13	11	3	16	16	20	22	16	26	24	22	214	
* Days with .04 in. or more.	21	8	4	1	12	10	13	14	13	20	21	20	157	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) R. M. Gregory

P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1663/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Werrington Park

in the County of S. Devonshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" Ground " Sea Level 600 ft.

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·44	–	·20	·05	–	–	tr	·24	–	–	·32	·17		1
2	·18	–	–	·17	–	–	·01	·38	·27	–	·18	·06		2
3	·24	–	·27	·49	–	–	–	tr	·51	–	·26	83		3
4	–	·01	·46	·44	39	–	·57	–	tr	·25	·59	·61		4
5	·08	·01	·02	·06	59	–	·18	–	–	·65	·91	·19		5
6	·48	·01	·02	·27	·07	–	·97	·11	–	·02	·34	–		6
7	·05	·19	–	–	TR	·13	·13	·06	–	–	·47	·51		7
8	·08	·67	·09	·01	·13	–	15	·02	–	·71	·66	·14		8
9	·02	·02	·05	–	·01	–	tr	·16	–	·14	·19	·11		9
10	·43	–	·04	–	–	·06	–	·11	·26	·20	·07	·85		10
11	·07	·04	·14	–	–	–	–	–	–	·18	·05	·04		11
12	·19	·04	–	·16	–	–	–	–	29	·06	·02	–		12
13	·01	–	–	·25	·01	·06	·64	–	·05	·26	·13	·01		13
14	1·09	·01	–	·12	·09	·18	1·65	–	–	·05	·30	–		14
15	·62	·02	–	·03	–	·50	·89	–	·02	·10	·49	–		15
16	·13	·03	–	·14	·04	–	·76	–	–	– }	·57	–		16
17	·78	·06	–	–	·01	·12	·23	–	–	– }	·10 }	–		17
18	·02	·11	·06	–	–	·06	·48	–	–	–	1·24 }	·05		18
19	·35	·02	–	–	–	–	·22	·34	–	–	·04	·22		19
20	·78	TR	–	–	–	·02	·02	·67	–	–	–	·08		20
21	·18	·65	·15	·04	·06	·08	·85	·02	·01	–	–	–		21
22	·92	·57	·21	·01	–	·25	·41	·25	–	–	·43	–		22
23	·05	·01	·09	·19	–	·02	·32	–	–	·05	1·15	–		23
24	·75	·03	·19	·23	–	·27	·07	–	–	·18	–	–		24
25	·36	·15	–	·04	–	–	·02	·24	–	·11	·68	–		25
26	·04	·06	–	·32	–	–	·01	·36	–	·09	94	–		26
27	–	·68	–	–	–	·11	tr	·02	–	·02	·21	·05		27
28	–	·16	·13	·01	–	·11	·21	–	–	–	·36	·03		28
29	–		–	·07	–	·03	·18	–	–	–	·14	–		29
30	–	✗	–	·16	–	·03	·11	–	–	·16	·08	–		30
31	–	✗	–	✗	–	✗	·02	·20	✗	·42	✗	–		31
TOTAL	8·34	3·55	2·12	3·26	1·40	2·03	9·10	3·18	1·41	3·65	10·92	3·95	Year's Total 52·91	✓
* Days with .01 in. or more.	25	22	15	21	10	16	24	15	7	18	27	16	216	✓
* Days with .04 in. or more.	22	12	13	17	7	12	19	12	5	16	26	14	175	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ……………………………… [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1663/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Werrington Park

in the County of Devonshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 600 ft.

April cor. for arith.

Reminder for March entries sent today. F.B.S. 11/7

BRITISH RAINFALL ORGANIZATION.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	.01	-	.06	.16	tr	-	-	-	-	.22	-		1
2	-	.03	-	.12	-	-	.02	-	-	-	1.45	.02		2
3	.07	.89	-	.03	-	-	tr	-	-	.04	1.29	.21		3
4	-	.15	-	.15	-	-	.06	-	-	.20	.25	.05		4
5	.02	.10	-	-	-	-	.07	tr	-	.18	.81	.25		5
6	.41	.66	-	-	-	-	.12	-	-	.42	.19	.33		6
7	.15	.03	-	.01	-	-	.30	-	.06	.06	-	.08		7
8	.02	-	-	-	-	-	-	tr	.08	.53	.64	.56		8
9	-	-	-	-	-	-	.60	.12	.05	.37	.96	.27		9
10	-	-	-	-	-	-	.48	-	.03	.29	.37	.46		10
11	-	.03	.02	.04	-	.19	.30	-	-	-	1.32	.03		11
12	-	-	.17	.03	-	.11	1.68	-	.57	-	.35	-		12
13	-	-	.55	.10	-	-	.21	-	.01	.08	.76	.75		13
14	-	-	.01	.09	-	-	.13	-	.37	.46	.10	.66		14
15	-	.17x	-	.02	-	-	-	-	.17	.02	.67	-		15
16	-	1.63	.46	-	-	-	.18	-	.20	.01	.02	.02		16
17	-	.17	.46	-	-	-	.23	-	.04	-	.17	-		17
18	-	.65	.30	.35	-	-	.02	.13	.06	.02	.14	.23		18
19	-	.15	.34	.14	-	-	.52	-	.10	.07	.30	-		19
20	-	-	.03	.07	-	-	.09	tr	.05	.16	.16	-		20
21	-	-	.02	tr	.17	.16	-	.01	.01	.01	.66	-		21
22	-	tr	.14	.08	.34	.33	-	-	.21	.06	.02	-		22
23	-	.05	.29	.02	.17	-	.02	-	-	.12	.03	-		23
24	.60	-	.06	.01	-	-	.18	tr	-	-	.02	-		24
25	.19	-	.19	.10	.41	.17	-	-	-	-	-	-		25
26	.59	.82	-	.61	.34	.14	.11	-	.01	-	.04	-		26
27	.32	.21	.11	.13	.35	-	tr	-	-	-	.02	.07		27
28	.13	.03	-	1.06	.14	-	-	.04	-	-	-	-		28
29	-	.06	.22	.04	tr	.06	-	-	-	.14	-	.16		29
30	.02	✕	.01	-	.01	-	-	-	-	.62	-	.21		30
31	16	✕	.04	✕	-	✕	-	-	✕	87	✕	.46		31
TOTAL	2.68	5.84	3.42	~~3.31~~ 3.26	2.09	1.16	5.32	.30	2.02	4.73	10.96	4.82	Year's Total 46.60	
* Days with .01 in. or more.	12	18	18	~~22~~ 21	9	7	19	4	16	21	25	18	188	
* Days with .04 in. or more.	9	13	13	15	8	7	16	3	12	17	20	15	148	

1.41

14

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) R. M. Gregory

[P.T.O.

163

9an. cond. for ~~airth~~

Section **A** for the entry

AIR MINIS

FORM 1090.

REG

1664

LAUNCESTON
POLAPIT TAMAR
1931.

780306

1664

FOR OFFICIAL USE.

AINFALL ORGANIZATION.

1931.

Kept at Launceston

in the County of S. D

Diameter of Funnel of Gauge...

Height of top of Gauge above G

„ Ground „ S

says R.C. Coode
1931, her son R.M Coode
leased the house
x has ceased
ace GA File 851244/28

THE MORNING ME … **US DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·01	·01	·16			·06						1
2	·19	·01		·22	·02								2
3	·56		1·21		·01		·04						3
4		·02	·16	·01	·07		·72	1·39					4
5		·40	·22	·37	·01	·52	·03	·66					5
6		·01		·08	·08	·23	·71						6
7		·02			·29	·24	·23	·44					7
8	·01	·14		·07		·31	·02	·17					8
9	·01	·31				·07	·08	·09					9
10		·12			·12	·05	·07	·25					10
11	·47	·56			·01	·18	·44	·06					11
12	·07	·27					·47						12
13		·11	·01		·30		·36	·05					13
14	·09	·15			·31	·32	·90	·02					14
15	·03	·17			·04	·10	·11	·38					15
16	·09	·14		·19	·04	·80		·18					16
17	·02	·02		·23			·30						17
18	·09			·03		·48	·20	·63					18
19	1·15	·19	·35	·02		·27	·25	·08					19
20	·01	·11	·39	·03				·60					20
21	·36	·06		·03	·11								21
22	·64	·07	·01		·30								22
23	·38	·06		·65	·26		·03	·18					23
24	·15			·36	·01		1·23	·41					24
25	·11	·06		·11			·10						25
26	·04	·14		·19			·32						26
27	·08	·19		·02	1·04				#				27
28	·13	·22	·30	·03		·02		·09					28
29	·09		·04		·10		·10	·43					29
30	·10	✕			·19		·01						30
31	1·60	✕	·02	✕	1·07	✕			✕		✕		31
TOTAL	~~6·38~~ 6·48	3·56	2·72	2·80	4·38	3·59	6·78	6·11					YEAR'S TOTAL
*Days with ·01 in. or more.	25	25	11	18	20	13	23	18					
*Days with ·04 in. or more.	19	19	7	11	15	12	19	17					

40-9999

M

*See Instruction 2 (*f*) on other side.

(*Signed*) R. M. Coode per
(?Mrs) Joan S. Coode

[P.T.O.

6·5·31

163 Jan. cond. for ariste

1664

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Launceston, Polapit Tamar

in the County of S. Devonshire

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level..........ft.

Mrs Coode says R. C. Coode died April 1931, her son R. M Coode has now closed the house and record has ceased

encl GA File 851244/28

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·01	·01	·16			·06						1
2	·19	·01		·22	·02								2
3	·56		1·21		·01		·04						3
4		·02	·16	·01	·07		·72	1·39					4
5		·40	22	·37	·01	·52	·03	·66					5
6		·01		08	·08	·23	·71						6
7		·02			·29	·24	·23	44					7
8	·01	·14		07		·31	·02	·17					8
9	·01	·31				·07	·08	·09					9
10		·12			·12	·05	·07	·25					10
11	·47	·56			·01	·18	·44	·06					11
12	·07	·27					·47						12
13		·11	·01		·30		36	·05					13
14	·09	·15			·31	·32	·90	·02					14
15	·03	·17			·04	·10	·11	·38					15
16	·09	·14		·19	·04	·80		·18					16
17	·02	·02		·23			·30						17
18	·09			·03		·48	·20	·63					18
19	1·15	·19	·35	·02		·27	·25	·08					19
20	·01	·11	·39	·03				·60					20
21	·36	·06		·03	·11								21
22	·64	·07	·01		·30								22
23	·38	·06		·65	·26		·03	·18					23
24	·15			·36	·01		1·23	·41					24
25	·11	·06		·11			·10						25
26	·04	·14		·19			·32						26
27	·08	·19		·02	1·04				#				27
28	·13	·22	·30	·03		·02		·09					28
29	·09		·04		·10		·10	·43					29
30	·10	×			·19		·01						30
31	1·60	×	·02	×	1·07	×			×		×		31
TOTAL	6·48 ~~6·38~~	3·56	2·72	2·80	4·38	3·59	6·78	6·11					YEAR'S TOTAL
*Days with ·01 in. or more.	25	25	11	18	20	13	23	18					
*Days with ·04 in. or more.	19	19	7	11	15	12	19	17					

40-9999

M

*See Instruction 2 (*f*) on other side.

(*Signed*) M. R. S. Coode per ....[P.T.O.

(Miss) Joan S. Coode 6·5·31

1665

Section **A** for the entry of
AIR MINISTRY

FORM 1090.

REGIS

1665
ASHWATER
1931—40

780306

COPY FOR OFFICIAL USE.
FALL ORGANIZATION.

931 .

Kept at Ashwater
in the County of

Diameter of Funnel of Gauge
Height of top of Gauge above Groun
,, Ground ,, Sea Le

THE MORNING MEASU **DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	03	-	-	15	-	-	12	-	56	01	-	-	1
2	11	01	-	30	-	-	-	-	42	03	21	27	2
3	45	-	1·12	-	-	-	06	-	72	-	2·07	22	3
4	02	-	15	01	11	-	78	77	27	05	-	01	4
5	~~6~~	35	22	44	-	1·04	07	13	17	66	09	21	5
6	-	01		12	15	33	13	-	01	-	16	44	6
7	-	03	-	-	43	20	25	50	-	-	27	12	7
8	01	19	-	14	-	30	-	20	-	-	03	06	8
9	-	30	-	-	-	13	11	12	-	03	72	03	9
10	-	09	-	-	16	09	03	28	-	-	35	05	10
11	46	50	-	-	-	23	26	03	06	-	63	-	11
12	01	32	-	-	01	-	52	01	18	-	-	-	12
13	-	16	02	-	25	-	30	08	-	23	07	-	13
14	05	32	-	-	27	30	1·01	-	04	-	79	-	14
15	04	14	-	-	05	04	01	36	01	-	-	-	15
16	13	24	-	17	06	1·20	-	16	08	-	-	01	16
17	05	-	-	10	-	-	47	-	05	-	-	-	17
18	23	-	-	02	-	22	22	60	-	-	33	-	18
19	27	22	22	05	10	-	08	17	-	-	66	01	19
20	-	20	44	-	-	-	-	86	-	-	08	-	20
21	43	01	-	01	10	-	01	-	-	-	04	-	21
22	51	13	-	05	20	-	-	-	-	-	01	-	22
23	40	-	-	36	21	-	04	01	-	-	58	-	23
24	10	24	-	55	06	-	1·00	17	-	-	-	-	24
25	14	10	-	-	-	-	11	-	-	-	06	-	25
26	01	18	-	29	-	-	44	-	-	-	1·12	11	26
27	23	30	-	-	98	-	05	-	-	10	10	-	27
28	08	20	31	05	-	12	-	09	-	08	-	11	28
29	06	-	10	-	10	-	09	30	-	11	14	24	29
30	14	×	-	-	10	-	04	-	08	08	-	-	30
31	1·23	×	05	×	1·11	×	-	-	×		×	43	48.43 31
TOTAL	5·19	4·24	1·64	2·81	4·45	4·20	6·20	4·84	2·65	1·38	8·51	2·32	YEAR'S TOTAL ~~47.83~~
*Days with ·01 in. or more.	24	22	9	16	18	12	24	18	13	10	21	15	202
*Days with ·04 in. or more.	19	18	8	13	17	12	21	15	11	7	19	~~4~~11	171

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) G. D. McIlwraith

P.T.O.

Section **A** for the entry of

1665

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193/ .

Kept at Ashwater

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 500 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	03	—	—	15	—	-	12	-	56	01	-	-	1
2	11	01	—	30	—	-	-	-	42	03	21	27	2
3	45	—	1·12	—	-	-	06	-	72	-	2·07	22	3
4	02	—	15	01	11	-	78	77	27	05	-	01	4
5	~~6~~	35	22	44	—	1·04	07	13	17	66	09	21	5
6	—	01		12	15	33	13	-	01	-	16	44	6
7	—	03	—	—	43	20	25	50	-	-	27	12	7
8	01	19	—	14	-	30	—	20	-	-	03	06	8
9	—	30	—	—	-	13	11	12	—	03	72	03	9
10	—	09	—	—	16	09	03	28	-	-	35	05	10
11	46	50	—	—	—	23	26	03	06	-	63	-	11
12	01	32	—	—	01	-	52	01	18	-	-	-	12
13	—	16	02	—	25	-	30	08	-	23	07	-	13
14	05	32	—	—	27	30	1·01	—	04	-	79	-	14
15	04	14	—	—	05	04	01	36	01	-	-	-	15
16	13	24	—	17	06	1·20	-	16	08	-	-	01	16
17	05	—	—	10	—	-	47	-	05	-	-	—	17
18	23	—	—	02	—	22	22	60	—	-	33	—	18
19	27	22	22	05	10	—	08	17	-	-	66	01	19
20	—	20	44	—	—	—	-	86	-	-	08	-	20
21	43	01	—	01	10	—	01	—	-	-	04	-	21
22	51	13	—	05	20	—	-	—	-	-	01	-	22
23	40	—	—	36	21	—	04	01	-	-	58	-	23
24	10	24	—	55	06	—	1·00	17	-	-	—	-	24
25	14	10	—	—	—	—	11	—	-	-	06	-	25
26	01	18	—	29	—	-	44	—	—	-	1·12	11	26
27	23	30	—	—	98	-	05	—	-	10	10	-	27
28	08	20	31	05	—	12	—	09	-	08	—	11	28
29	06	—	10	—	10	-	09	30	-	11	14	24	29
30	14	×	—	—	10	-	04	—	08	08	—	-	30
31	1·23	×	05	×	1·11	×	-	—	×		×	43	31 48·43.
TOTAL	5·19	4·24	1·64	2·81	4·45	4·20	6·20	4·84	2·65	1·38	8·51	2·32	YEAR'S TOTAL ~~47·83~~
*Days with ·01 in. or more.	24	22	9	16	18	12	24	18	13	10	21	15	202
*Days with ·04 in. or more.	19	18	8	13	17	12	21	15	12	7	19	~~4~~11	171

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) G. D. McIlwraith

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1665

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Ashwater Rectory

in the County of Devon

(post town is Beaworthy some miles away)

B.A.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft ... in.

,, Ground ,, Sea Level 500 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·20			·12			·12	·11	·08		·02	·01	1
2	·08			·06			·01	·06	·38	·04		·47	2
3	·03		·06			·10	·06	[illegible]	·64	·13	·20	·05	3
4	·04						·07	·07			·45		4
5	·55		·06						·68	·03			5
6	·60		·05	·21			·72	·05	·32				6
7	·41		·01	·02			·20		{1·65}	1·45			7
8			·44	·08	·33					·25			8
9	·88	·05		·29	·07				·20	·11			9
10	·47			·35	·01				·09	·59			10
11	·04			·17	·28				·04	·28		·23	11
12	·60				·75				·14	·81			12
13	·12			·16	·02		·16	·17	·03	1·15		·18	13
14	·23			·01	·22			·02		·17		·02	14
15	·01			·06			·01			·24		·05	15
16	·20			·10			·15			·05			16
17					·11				·04	·12	·18		17
18					·44				·19			·02	18
19	·03			·05	·18				·16	·71			19
20				·08	·74			·07		·78	·30	·09	20
21	·04		·17	·07			·03	·83	·07	·89	·16	·33	21
22				·07	·08		·08		·56	·23	·47	·09	22
23		·01					·29			·69	·37	·29	23
24		·01			·07		·43		·13	·27	·14		24
25			·14				·40			·59	·18		25
26			·04	·64			·39			·19	·28		26
27			·45	·12	·22		·17			·69	·03	·17	27
28			·10	·05	·09		·34			·01		·02	28
29			·62	·32	·19	·36	·05	·39	·40	·73	·11	·77	29
30		×	·37	·11		1·15	·66	·06	·43	·21	·63	·01	30
31		×	·07	×	·10	×	·90		×	·02	×	·39	31 47·32
TOTAL	4·58	·07	2·58	3·14	3·90	1·61	5·24	1·83	6·23	11·43	3·52	3·19	YEAR'S TOTAL ~~47·57~~
*Days with ·01 in. or more.	17	3	13	21	17	3	20	10	20	27	14	17	182
*Days with .04 in. or more.	14	1	12	19	15	—	17	9	19	24	12	12	154

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) G. D. Mc[illegible]

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1665

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Ashwater

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft ... in.

,, Ground ,, Sea Level 500 ft.

Days J.W.V. 7/1/34

B/A

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·38	·74	·20		·08	·12			·06		·09	·73		1
2	·40		·31		·04	·60					·04	·17		2
3	·01	·11	·20		·01									3
4	·28	·03			·17									4
5	·07		·35		·43									5
6		·45	·03		·37		·01			·15				6
7	·05	·16			·10		·16	·11		·05				7
8	·18	·04			·08		·25	·07		·02				8
9		·02			·28		·26			1·00	·13			9
10		·09					·14			1·42	·28			10
11	·08						·16	·29		·12		·01		11
12				·20	·03	·26	·28		·25	·03		·01		12
13					·26	·02	·37	·05		·12	·23			13
14	·26						·03	·08		·01	·26			14
15			·29				·38	·06		·28	·08			15
16		·01	·88			·15				·16				16
17	·27	·14	·38			·12	·01	·03	·07					17
18	·14		·37			·20			·07		·02			18
19	·27	·15	·37			·21		·03	·13	·01	·28			19
20		·03			·09	·19		·23	·22		·07			20
21						·02		·15		·24				21
22				·10				·45	·31					22
23		·70		·19				·05	·28	·61				23
24		·16		·14	·03	·20		·01	·12	·45				24
25		·26		·11	·05				·08			·06		25
26		·15		·42	·12					·27				26
27		·13								·65		·02		27
28		·57		·20			·27			·60		·57		28
29	·12		·01	·14			·04			·02		·09		29
30	·26	×	·07	·20			·08		·16			·08		30
31	·27	×	·08	×		×			×	·11	×			31
TOTAL	3·04	3·94	3·54	1·70	2·14	2·09	2·44	1·61	1·75	6·52	1·48	1·74	Year's Total 31·79	
*Days with ·01 in. or more.	15	18	13	9	15	11	14	13	11	20	10	9	158	
*Days with .04 in. or more.	14	14	~~12~~ 11	9	12	9	11	10	11	15	9	6	131	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) G. D. Melluish

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1665

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Ashwater

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft ... in.

,, Ground ,, Sea Level 500 ft.

Dyp all

Sent Circ. F. 23. 5. '35.

Observer agrees 25/5.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	11							49	11	05	50	54		1
2	10		07					12	51		17	27		2
3	09	01						50	01	20		54		3
4	21		14	15	46			72	07	71		49		4
5			11		51	23				05	17	82		5
6	04		32	20	67			54	02	45	13	51		6
7		03						07		35	08	64		7
8					18			04	14		21	1·61		8
9	01		10					01		05	35	06		9
10	51		31	32				20			09	04		10
11	57			82				20			12			11
12	22			02			04	25			03	09		12
13	38			46		04	18			15	01	10		13
14	59		50							22		18		14
15	17		1.0		20			01	03	17	{·40}	52		15
16	08		30	01	·04				32	05		49		16
17	30		09	01					01	21		23		17
18	16		18	55				01	05	02		29		18
19			16		01	12		05	28	04		56		19
20		04		20	04		08		20	02	10	11		20
21			24		09	32		15		20		02		21
22	11		05				10	01	70		02	29		22
23	01			22		41			22			11		23
24		15	06	10		35		13	03	18				24
25	35	01		45		02	12			45		60		25
26	04		11	01		39	01			03	15	13		26
27						21		13	18	06	14	10		27
28				08			12	60	31	22		77		28
29								25	13	15				29
30	01	×					01	06	08	30		25		30
31		×		×		×		11	×	18	×	06		31
TOTAL	4·06 ✓	·24 ✓	2·84 ✓	3·60 ✓	2·20 ✓	2·09	·66 ✓	4·65 ✓	3·40 ✓	4·51 ✓	2·37 ✓	10·42 ✓	Year's Total ~~36·39~~ 41·04	
*Days with ·01 in. or more.	20	5	16	15	9	9	8	22	19	24	17	28	192	
*Days with ·04 in. or more.	17	2	16	11	7	8	6	18	14	21	14	27	161	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) G. D. Melhuish

[P.T.O.

COPY FOR OFFICIAL USE. X

Section **A** for the entry of Daily Observations. Station No. 1665

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at X Ashwater ~~village~~ X

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft ... in.

,, Ground ,, Sea Level about 555 ft.

days

continuation for Ashwater Rectory

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.24	.30	.53			.03	.01		.47	.08	.01	.29		1
2		.09	.05			.45			.02	.23	.16	.10		2
3	.06	.02	.11		.10	.32	.01		.60	.23	.25	.25		3
4		.62		.19	.03	.11	.05		.09	.86	.21	.46		4
5	.01	.21	.09	.11		.20			.20	3.80	.13	.10		5
6				.39		.53				.23	.05	.21		6
7				.60		.14				.50	.16	.08		7
8				.29			.04			.69	.22	.15		8
9				.55					.03	.90	.40			9
10	.02		.31	.14		.12	.24			.11	.02			10
11	.20	.01				.23			.05	.09	.53			11
12	.25	.21				.16		.01	.03		.09			12
13	.18	.21		.30		.07				.06	.46			13
14	.08	.10		.12		.28			.40	.02	1.00	.38		14
15		.11		.48	.15	.19			.20	.01	.11	.19		15
16		.05	.01	.15		.02	.03		.60	.12	.45	.05		16
17				.18	.75	.23		.02	.14	.06	.02			17
18		.05		.52	.15		.11	.13	.57	.16		.12		18
19		.03		.09	.34	.08	.13		.27	.24	.05			19
20		.43		.37	.09	.18	.11			.16	.24			20
21		.47	.01	.08			.29		.29	.06	.01			21
22		.05	.07	.74					.09	.13				22
23		.09	.12					.31	.19	.23		.02		23
24	.09	.28	.07	.10	.08	.09		.24	.07	.01		.32		24
25	.23	.38			.01	.27						.08		25
26	.02	.47		.01		.05		.26	.19	.08	.08	.40		26
27		.26			.04		.14	.17	.21	.15	.20	.23		27
28	.04	.22			.01		.15	.40	.26	.13	.09	.08		28
29	.01				.07				.22	.05	.40	.57		29
30	.16	X				.05		.58	.45	.04	.87	.49		30
31		X		X		X		.15	X	.64	X	.29		31
													Year's Total.	
TOTAL	1.51	4.65	1.37	5.41	1.69	3.69	1.31	2.27	5.66	10.07	6.11	4.80	48.52	48.52
* Days with .01 in. or more.	~~4~~ 14	~~3~~ 22	~~1~~ 10	~~1~~ 19	~~2~~ 12	~~2~~ 21	~~3~~ 12	~~2~~ 10	~~3~~ 23	~~4~~ 29	~~4~~ 25	~~2~~ 21	~~32~~	218
* Days with .04 in. or more.	~~9~~ 10	19	8	18	9	19	9	8	20	~~25~~ 26	21	19	18~~4~~	6.

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

X Miss (Signed) ~~E~~ Jamieson X

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1665

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Ashwater N Devon

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level about 556 ft.

D of yo

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	.35	.02	.19	–	.19	.81	.05	–	–	.38	.03		1
2	–	–	–	.05	–	.14	.64	.02	.31	–	.10	.02		2
3	.03	.01	.07	.76	–	.01	.05	.03	.88	–	.08	.09		3
4	.07	.02	.19	–	–	–	–	–	.46	–	.07	.36		4
5	.35	.14	.11	–	–	–	.52	.13	.05	–	.07	.19		5
6	.06	–	.01	–	–	.05	.52	.02	.21	–	.77	.02		6
7	.27	–	.12	–	–	.01	.11	–	.09	–	.55	.04		7
8	.23	–	.52	–	–	–	.69	–	.05	–	.67	.14		8
9	.32	.10	.12	–	–	.03	.88	–	.22	–	.30	–		9
10	.02	.02	–	–	–	–	.03	–	–	–	.14	.01		10
11	.33	–	–	–	–	.22	.15	.08	.35	–	.71	.15		11
12	–	–	–	.15	.03	.04	.12	–	.38	.03	.15	.06		12
13	.05	.07	–	–	–	–	.09	.02	.06	.19	.09	Lin		13
14	–	.02	–	–	–	.10	.58	–	.19	.12	.01	.84		14
15	–	.08	–	.04	.29	–	.17	.02	.12	–	.39	.26		15
16	.02	.07	–	.06	.05	.01	.06	–	.02	–	.28	.15		16
17	.34	.45	–	.02	.06	–	.39	.03	–	.15	.12	.64		17
18	.05	.22	.06	–	–	.05	1.11	.02	–	.10	–	.05		18
19	.36	–	.08	.28	–	~~.05~~	–	.13	–	–	–	–		19
20	.16	.32	.01	.12	–	.03	.23	.05	.50	–	–	.05		20
21	.04	.02	.20	.53	–	.12	–	–	–	.05	–	–		21
22	.27	.28	–	–	.01	–	.16	–	–	.03	–	.03		22
23	–	.06	.01	.09	.02	–	.02	–	–	.13	–	–		23
24	.09	.05	.08	.13	.07	–	–	–	.12	.40	–	.06		24
25	.27	–	.17	.29	–	.09	.01	–	.14	.39	–	–		25
26	.33	.11	.21	–	–	–	–	–	–	.08	–	–		26
27	.27	.13	.10	–	–	–	.17	–	.05	.20	.05	–		27
28	.51	.15	.50	.09	–	.16	.05	–	–	.01	–	.18		28
29	.02	.13	.03	–	–	.31	–	–	–	.21	.14	.22		29
30	.37	✕	.03	–	–	.55	.14	–	–	.09	.02	–		30
31	.20	✕	.38	✕	.07	✕	.56	–	✕	–	✕	.40		31
TOTAL	4.76	2.85	3.02	2.73	.60	2.16	7.66	.63 0	4.11	2.18	5.09	5.10	Year's Total 40.86	
* Days with .01 in. or more.	26	21	21	14	8	17	25	11	18	15	20	23		219
* Days with .04 in. or more.	21	17	15	12	5	12	22	5	16	12	18	18	~~155~~	173

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) (Miss) Jamieson [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1665

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Ashwater Village

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level about 555 ft.

B.A.

Circ D sent 24-3-38

reply received accepting corrections

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.20	.02	.06	.05	—	—	.01		.04	.09	—	.40		1
2	.15	.54	—	.22	—	—	—	—	.05	—	—	.19		2
3	.01	.33	—	—	—	.01	.29	—	—	—	—	.01		3
4	.25	.23	—	—	.04	—	—	—	—	—	—	.69		4
5	.47	—	—	.02	—	—	.61	—	—	—	—	.07		5
6	.16	.23	.21	.36	.15	.09	.06	—	.03	—	—	—		6
7	—	.42	.08	.11	—	.11	—	—	.05	—	.03	.05		7
8	—	.10	—	—	.28	.09	.03	—	.01	—	—	—		8
9	.06	.10	.11	.14	.09	.01	—	.33	.83	—	—	—		9
10	.17	.04	.71	.31	.03	.14	.01	.16	—	—	—	.34		10
11	.14		.48	.23	.54	.10	.96	2.50	—	—	—	.15		11
12	.56	.45	.15	.08	.11	.23	.16	.16	.63	—	.02	.40		12
13	—	.24	.59	.13	—	—	—	1.09	.24	—	—	.31		13
14	—	.07	.06	—	—	—	—	.02	.11	—	—	.46		14
15	.55	.23	.18	.83	—	—	.01	—	.05	—	—	.22		15
16	.33	.15	.43	.10	—	—	.08	.35	.13	—	.02	—		16
17	1.06	.17	.50	—	—	—	.	.01	.33	—	.14	—		17
18	.20	.42	.22	—	—	.23	.01	.04	.44	—	.30	.13		18
19	.18	.05	.41	.37	.19	—	—	—	.33	—	.15	.01		19
20	.95	—	.20	.20	.52	—	—	—	—	—	—	.26		20
21	.58	.79	.02	.05	.27	—	.16	—	.12	.14	.09	.02		21
22	.05	.02	.13	—	.19	—	.25	—	.01	.49	.45	.06		22
23	.27	.02	—	—	.20	—	—	—	—	.45	.02	—		23
24	.36	.53	.06	—	—	—	.01	—	.06	.39	—	.08		24
25	.05	.62	.02	—	.03	—	—	—	—	.05	—	.04		25
26	—	.15	.02	—	—	—	—	—	—	—	—	—		26
27	.02	.69	—	.02	—	—	—	—	—	.59	—	—		27
28	—	.13	—	—	—	.02	—	—	—	.05	—	—		28
29	—		—	—	—	.07	—	—	—	.51	.21	—		29
30	.21	✕	—	—	—	.11	—	—	.07	.15	.52	—		30
31	.29	✕	—	✕	—	✕	—	—	✕	.15	✕	—		31
TOTAL	3 7.27	·68 6.~~85~~	5.07	3.30	2.56	1.21	2.65	4.66	3.53	3.06	1.95	89 3.~~92~~	Year's Total ~~44.92~~	46.03 ✓
* Days with .01 in. or more.	~~2~~ 24	~~2~~ 25	~~2~~ 20	~~2~~ 16	13	12	14	2 9	~~3~~ 18	11	~~2~~ 11	3 19	~~31~~	192. ✓
* Days with .04 in. or more.	22	~~23~~ 22	18	14	11	9	8	7	15	11	7	16	~~161~~	160 ✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Jamieson (Min.) [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1665

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Ashwater

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level about 550 ft.

B.R.A.

W.J.H. Dargo

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.17				.91	.10	.62		.49	.14	.45		1
2		.09		.14			.02			.31	.09	.14		2
3					.10	.07	.02	2.36		.46	.05			3
4					.03	.01	.38	.30		.33	.01	.20		4
5	.04			.03		.15	.08	.09	.16	.45	.01	.08		5
6	.24					.20	1.08	.01	.15	.22	.02	.15		6
7	.21						.22		.08	.10	.05	.24		7
8	.84	.08					.33	.09		.52		.07		8
9	.34	.19	.03			.10	.04	.03		.06		1.37		9
10	.40					.03	.24	.29		.09		.33		10
11	.16				.01	.06	.12			.02	.39	.46		11
12	.40				.21			.03		.66	.92	.02		12
13	.03				.27					.16	.08	.45		13
14	.77	.02			.21		.46		.09					14
15	.34				.08			.17		.10	.16	.71		15
16	.36	.02	.11		.03			.07			.14	.02		16
17		.14	.01		.21		.13		.14	.26		.05		17
18	.30				.09	.04	.05	.18	.58	.03	.41			18
19							.05	.09	.19	.01	.46			19
20	.03								.04		.44			20
21	.07		.03			.03		.16	.37	.03	.40			21
22	.02			.01		.15		1.45	.12	.05	.41			22
23				.01		.04		.01	.01		.50	.03		23
24	.05	.04	.18		.11	.01			.06		.40			24
25	.16	.39	.08				.13	.42		.21	1.04	.05		25
26	.53	.18	.07		.57	.16	.30			.12	.09	.13		26
27	.67	.13			.37	.07	.34	.48		.04	.43			27
28	.37	.23	.03		.10	.20			.12	.08	.16	.05		28
29			.06		.19	.16	.01	.10	.07	.27	.21	.14		29
30	.43	×	.06						.08		.15	.03		30
31	.53	×	.03	×	.32	×	.03		×	.38	×	.44		31
TOTAL	7.03	1.68	.69	.19	2.90	2.39	4.13	7.49	2.21	5.43	7.09	5.61	Year's Total 46.93	✓
* Days with .01 in. or more.	23	12	11	4	16	17	20	19	15	25	25	22	209	✓
* Days with .04 in. or more.	20	10	6	1	13	13	16	15	14	21	21	18	168	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) G. E. Jamieson [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1665

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Ashwater

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. .... in.

,, Ground ,, Sea Level about 555 ft.

Entries on 30th April & 31st Oct. entd from nearby stns to agree with monthly totals. W.S.R.

Days ✓

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.49		.13	.12				.03			.20	.12		1
2	.10			.05			.03	.56	.24		.22	.04		2
3	.24		.17	.31					.18		.18	.63		3
4	.		.38	.36	.34		.32			.13	.54	.40		4
5	.02		.02	.08	.56		.74			.31	.69	.08		5
6	.53	.02	.01	.14	.01		.63	.09			.16			6
7	.07	.09					.20	.15			.31	.56		7
8	.08	.45	.10		.05	.15	.15	.02		.76	.38	.23		8
9	.04	.07	.07		.01			.25		.10	.16	.10		9
10	.28		.03			.03		.10	.28	.19	.02	.78		10
11	.11	.02	.21						.22	.15		.11		11
12	.13	.03		.07						.16	.07			12
13	.			.28		.07	.75		.04	.23	.11			13
14	.76	.01		.02	.09	.21	1.13			.01	.22			14
15	.53	.03		.03		.63	.35			.02	.40	.02		15
16	.12	.04	.01	.13	.05		.59				.58			16
17	.58	.07			.01	.14	.32				.16			17
18	.05	.12	.06			.08	.36				1.09	.04		18
19	.26						.28	.69			.02	.15		19
20	.71					.11	.07	.50				.13		20
21	.12	.39	.06	.05	.11	.21	.28		.05					21
22	.68	.33	.17	.07		.13	.26	.23	.01		.35			22
23	.02	.04	.15	.18			.36			.11	.93			23
24	.78	.01	.21	.21		.20	.22			.20				24
25	.70	.25		.08			.09	.12		.22	.59			25
26	.06	.04		.31			.02	.18		.07	.70	.04		26
27		.43	.03			.08	.13	.01			.15			27
28		.02	.02	.04		.18	.22				.64			28
29				.09		02	.12			.12	.20			29
30		✕		·31		.04	.19			.09	.09			30
31		✕	.01	✕		✕	.11	.16	✕	·62	✕	.11		31
TOTAL	746 ✓	246 ✓	184 ✓	293	123 ✓	228 ✓	792 ✓	309 ✓	102 ✓	349	9.16 ✓	344 ✓	Year's Total 46.32	
* Days with .01 in. or more.	24 ~~2~~	~~1~~ 19	~~1~~ 18	20 ~~2~~	~~1~~ 9	~~1~~ 15	~~2~~ 25	~~1~~ 14	~~1~~ 7	~~1~~ 17	~~2~~ 26	~~2~~ 16	~~55~~	210
* Days with .04 in. or more.	22	12	11	18 ✓	6 ✓	13 ✓	23 ✓	11 ✓	6 ✓	15 ✓	24	14 ✓	175 ✓	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 1665

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Barn Park Ashwater
in the County of Devon
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. ...... in.
,, Ground ,, Sea Level 555 ft.

Dup BA

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	.02	—	.10	.31	—	—	—	—	—	.21			1
2	—	.01	—	.16	—	—	.06	—	—	—	1.04	.07		2
3	.02	.55	—	.11	—	—	.01	—	—	.12	.90	.29		3
4		.06	—	.07	—	—	.14	—	—	.23	.25	.11		4
5	—		—	—	—	—	.06	—	—	.23	.53	.27		5
6	.25	.33	—	—	—	—	—	—	—	.32	.15	.31		6
7	.11	.02	—	.02	—	—	.16	.01	.07	.03	—	.05		7
8	.01	—	—	—	—	—	—	—	.07	.26	.61	.66		8
9	—	—	—	—	—	—	.68	.17	.10	.28	.80	.36		9
10	—	—	—	—	—	—	.32	—	.03	.09	.12	.13		10
11	—	—	.02	.10	—	.09	.33	—	—	—	.96	.05		11
12	—	—	.12		—	.10	1.55	—	.71	—	.38			12
13	—	—	.52	—	—	—	.16	.04	.03	.08	.86	.50		13
14	—	.10	—	.09	—	—	—	.06	.38	.29	.17	.57		14
15	—	—	—	.13	—	—	—	—	.23	—	.36	—		15
16	—	.88	.48	—	—	—	.14	—	.15	—	.02	.06		16
17	—	.25	.46	.06	—	—	.36	—	.06	—	.13	—		17
18	.53	.19	.21	.68	—	—	.02	.08	.05	.02	.05	.27		18
19	—	.13	.10	.13	—	—	.71	—	.45	.05	.21	—		19
20	—	—	.01	.05	—	—	—	.02	.02	.22	.13	—		20
21	—	—	.01	—	.28	.26	—	—	—	—	.49	—		21
22	—	.02	.22	.10	—	.22	—		.16	.05	.01	—		22
23	.02	.09	.20	—	.10	—	.02	—	—	.20	.05	—		23
24	.02	—	.09	.02	—	—	.17	—	—	—	—	—		24
25	—	—	.13	.02	.52	.16	—	—	—	—	—	—		25
26	.70	.42	.01	.21	.19	.02	.16	—	—	—	.06	—		26
27	.32	.12	.06	.23	.36	.01	—	—	—	—	—	—		27
28	.17	.03	—	.15	.22	—	—	.04	—	—	—	—		28
29	.11	.03	.15	1.05	—	.16	—		—	.10	—	.40		29
30	—	×	—	—	—	—	—	—	—	.48	.01	.22		30
31	.04	×	.03	×	.02	×			×	.58	×	.25		31
TOTAL	2.70	3.33	2.82	3.48	2.	.95	5.4~~4~~ 9	.42	2.53	3.63 6	8.50	5.10	Year's Total ~~38.90~~	40.95
* Days with .01 in. or more.	~~4~~ 12	~~5~~ 17	~~5~~ 17	~~3~~ 19	~~1~~ 8	~~3~~ 8	~~3~~ 17	~~2~~ 7	~~2~~ 13	~~2~~ 18	~~3~~ 24	17	177 ~~33~~	
* Days with .04 in. or more.	8	12	12	16	7	5	14	5	11	16	21	17	144	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. E. Jamieson

P.T.O.

1666

Section **A** for the entry of
AIR MINISTRY

FORM 1090.

REGIST

1666

HOLSWORTHY

1931 - 40

780306

FOR OFFICIAL USE.
RGANIZATION.

Kept at Holsworth

in the County of Devon

Diameter of Funnel of Gauge

Height of top of Gauge above Groun

,, Ground ,, Sea L

THE MORNING MEASU

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·07			·12		·51				1
2	·15	·03		·25	·02	·09	TR		·39	·08	·20	·25	2
3	·27		1·24				·13		·37	·09	2·06	·18	3
4		·01	·19	·07	·16		·69	·64	·42	·13	·02	·05	4
5		·39	·09	·38	·14	·75	·48	·16	·42		~~[illegible]~~	·25	5
6		·04		·18	~~[illegible]~~	·40	·18	~~[illegible]~~		6 ·28	·12	·43	6
7		·07			·35	·08	·11	·41		·07	·27	·17	7
8		·25		·27		·33	·03	·32			·02		8
9		·50				·23	·09	·04		·06	·69	·07	9
10	·06	·09			·19	·10	·19	·31	·06		·40	·03	10
11	·55	·43			·03	·25	·39	·03	·18		·35		11
12	·06	·32					·55	·02	·27	·18			12
13		·10	·08		·23		·31	·06			·06		13
14	·12	·23			·14	·50	·77	·04	·08		·70		14
15	·05	·11		·04	·11	·08	·03	·39				·01	15
16	·17	·17		·15	·05	·97		·08	·04			·02	16
17	·07			·09			·65		·05				17
18	·24			·03		·03	·22	·65	T.R		·35		18
19	·38	·32	·21	·07		·25	·10	·33		~~[illegible]~~	·53	·17	19
20		·17	·49					·70			·11	·09	20
21	·39	·02	·34	·02	·12		·04				·13		21
22	·63	·06	·08		·23			·06			·04		22
23	·21	~~[illegible]~~		·43	·24		·16				·61	·01	23
24	·03 ~~·27~~	·18		·69			1·00	·22			·01	·03	24
25	·16	·19		·15			·07				·03	·06	25
26	·03	·19		·28			·38				1·03	·07	26
27	·27	·31		TR	1·27	·05	·06			·10	·09		27
28	·17	·12	·26	·06	·03		··	·10		·02	·04	·16	28
29	·14		·08		·16		·26	·31	~~[illegible]~~	·12	·12	·17	29
30	·13	×			·11		·03	·03	·09	·05			30
31	1·16	×	·08	×	1·22	×	·03		×		×	·45	31
TOTAL	5·52	4·30	3·14	3·23	4·80	4·11	7·07	4·90	2·88	1·60 ~~1·60~~	7·98	2·67	YEAR'S TOTAL 52·20
*Days with ·01 in. or more.	22	23	11	17	18	14	27	20	12	11	23	19	217
*Days with ·04 in. or more.	28	20	11	16	15	13	23	17	12	10	20	14	192

40-9999

*See Instruction 2 (*f*) on other side.

(Signed)

[P.T.O.

Section **A** for the entry of

AIR MINISTRY.—METEOROLOGICAL

FOR OFFICIAL USE.

RGANIZATION.

1666

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Holsworthy

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 11 in.

,, Ground ,, Sea Level 450 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·07			·12	5	·51				1
2	·15	·03		·25	·02	·09	TR		·39	·08	·20	·25	2
3	·27		1·24				·13		·37	·09	2·06	·18	3
4		·01	·19	·07	·16		·69	·64	·42	·13	·02	·05	4
5		·39	·09	·36	·14	·75	·48	·16	·42		~~[illegible]~~	·25	5
6		·04		·18	~~[illegible]~~	·40	·18	~~[illegible]~~		6 ·28	·12	·43	6
7		·07			·35	·08	·11	·41		·07	·27	·17	7
8		·25		·27		·33	·03	·32			·02		8
9		·50				·23	·09	·04		·06	·69	·07	9
10	·06	·09			·19	·10	·19	·31	·06		·40	·03	10
11	·55	·43			·03	·25	·39	·03	·18		·35		11
12	·06	·32					·55	·02	·27	·18			12
13		·10	·08		·23		·31	·06			·06		13
14	·12	·22			·14	·50	·77	·04	·08		·70		14
15	·05	·11		·04	·11	·08	·03	·39				·01	15
16	·17	·17		·15	·05	·97		·08	·04			·02	16
17	·07			·09			·65		·05				17
18	·24			·03		·03	·22	·65	T.R		·35		18
19	·38	·32	·21	·07		·25	·10	·33			·53	·17	19
20		·17	·49					·70			·11	·09	20
21	·39	·02	·34	·02	·12		·04				·13		21
22	·63	·06	·08		·23			·06			·04		22
23	·21	~~[illegible]~~		·43	·24		·16				·61	·01	23
24	~~·24~~ ·02	·18		·69			1·00	·22			·01	·03	24
25	·16	·19		·15			·07				·03	·06	25
26	·03	·19		·28			·38				1·03	·07	26
27	·27	·31		TR	1·27	·05	·06			·10	·09		27
28	·17	·12	·26	·06	·03		··	·10		·02	·04	·16	28
29	·14		·08		·16		·26	·31	~~·39~~	·12	·12	·17	29
30	·13	×			·11		·03	·03	·09	·05			30
31	1·16	×	·08	×	1·22	×	·03		×		×	·45	31
TOTAL	5·52	4·30	3·14	3·23	4·80	4·11	7·07	4·90	2·88	1·60 ~~[illegible]~~	7·98	2·67	YEAR'S TOTAL 52·20
*Days with ·01 in. or more.	22	23	11	17	18	14	27	20	12	11	23	19	217
*Days with ·04 in. or more.	28	20	11	16	15	13	23	17	12	10	20	14	192

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1666.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at HOLSWORTHY

in the County of devon.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft 1 in.

,, Ground ,, Sea Level 450 ft.

days see over

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10			·17	—	—	·07	·16	·15	·02	·14	·03	1
2	·11	—	—	·11	·02	—	·04	·10	·58	·01	·07	·40	2
3	·02	—	·03	·01	—	·03	·10	—	·41	·12	·03	·05	3
4	·03	·02	—	—	—	—	·06	·08	—	—	·49	—	4
5	·66	—	·07	—	—	—	·01	·01	·52	—..	—	—	5
6	·68	—	—	·27	—	—	·08	·04	·61	·07	—	—	6
7	·34	—	·03	·02	—	—	—	—	1·11	2·04	—	—	7
8	·01	—	·40	·09	·30	—	·01	—	·13	·27	—	—	8
9	·65	—	—	·28	·19	—	—	—	·34	·05	—	—	9
10	·62	—	—	·21	·03	·10	—	—	·09	·61	—	·20	10
11	·17	—	—	·16	·21	—	—	TR	·02	·20	—	—	11
12	·54	—	—	—	·73	·02	TR	·01	·20	·32	—	—	12
13	·18	—	—	·13	·03	—	·18	*·13	·04	·92	—	·31	13
14	·16	—	—	·08	·18	—	·10	·03	—	·11	—	·04	14
15	·02	—	—	·19	·04	—	~~·12~~	—	—	·26	—	·01	15
16	·26	—	—	·08	—	—	·12	—	—	·01	—	—	16
17	T.R	—	—	·02	·04	—	·29	—	·25	·06	—	—	17
18	—	—	—	·04	·21	—	·01	—	·26	—	·17	—	18
19	·02	—	—	—	·24	—	—	—	·16	·76	·01	·01	19
20	T.R	—	—	·09	·73	—	—	·05	—	·22	·23	·10	20
21	·07	—	·12	·05	·46	—	—	·90	·05	·81	·17	·28	21
22	·09	—	·05	·08	—	—	·04	—	·49	·17	·45	·14	22
23	—	·03	—	—	—	—	·45	—	TR	·90	·51	·31	23
24	—	—	—	—	—	—	·45	—	·20	·19	·06	—	24
25	—	—	·06	—	—	—	·32	—	·23	·80	·13	·01	25
26	—	—	·06	·19	—	—	·26	—	·01	·28	·13	—	26
27	—	—	·37	·14	·25	·04	·12	—	—	·67	·01	·07	27
28	—	—	·73	·13	·11	·04	·48	—	—	·03	—	·03	28
29	—	—	·54	·17	·17	·34	·04	·29	·36	·85	·07	·75	29
30	—	×	·11	·42	·05	·96	·77	·15	·37	·12	·58	·02	30
31	—	×	T.R	×	·23	×	·15	—	×	·05	×	·59	31
TOTAL	4·73	·05	1·97	2·83	4·22	1·53	4·15	1·95	6·59	10·92	3·25	3·35	YEAR'S TOTAL 45·54
*Days with ·01 in. or more.	19	2	12	23	19	7	22	12	22	28	16	18	200
*Days with .04 in. or more.	15	0	10	20	16	6	19	9	20	24	13	12	164

40-9999

*See Instruction 2 (*f*) on other side.

(Signed)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1666

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Holsworthy

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 11 in.

,, Ground ,, Sea Level 450 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·33	·64	·16	—	·08	·06	—		·04		·14	·68		1
2	·36	TR	·42	—	·05	·37	—				·07	·19		2
3	·01	·18	·16	—	·06	—								3
4	·27	·23	·02	—	·14	—								4
5	·28	TR	·45	—	·26	—					·02			5
6	—	·45	TR	—	·29	—				·09				6
7	·08	·13	·01	—	·08	—	·15	·11		·10				7
8	·10	·03	—	T·R	·15	—	·20	·04		·04				8
9	—	·04	—	—	·31	—	·32			·66	·1~~5~~6			9
10	·12	·06	—	—	—	—	·08			1·67	·21			10
11	—	—	—	—	—	—	·10	·32		·28				11
12	·15	—	—	·06	·12	·36	·45	·02	·20	·08				12
13	·01	—	—		·21	·08	·27	·14		·21	·24			13
14	·32	—	—	—	—	—	·05	·12		·05	·27			14
15	·21	—	·29	—	—	—	·45	·10		·34	·03			15
16	—	·09	·90	—	—	·01	—	TR	TR	·13				16
17	·23	·17	·23	—	—	·13	·03	·03	·06					17
18	·21	—	·26	—	—	·14	—				·02			18
19	·29	—	·13	—	—	·21	—		·23	·05	·21			19
20	—	·11	—	—	·12	·03	—	·12	·16		·10			20
21	—	·02	—		—	·01	—	·18		·23				21
22	—	—	—	·13	TR	—	—	·56	·38					22
23	—	·60	—	·23	—	·29		·06	1·2~~4~~1	·49				23
24	—	·14	—	·12	·02	TR			·21	·24				24
25	—	·24	—	·16	·11	·04			·09	·01		·09		25
26	—	·11	—	·42	·17	—			·08	·22		·08		26
27	—	·16	—	—	—	—			T.R	·53		·60		27
28	—	·45	—	·44	—	—	·35	·05		·58				28
29	·16	—	·02	·04	—	—	·01			·08		·13		29
30	·10	×	·10	·02	·01	—	·08		·10	·03		·06		30
31	·28	×	·15	×	—	×	TR ~~·01~~		×	·07	×			31
TOTAL	3·57	3·65	3·30	1·56	2·18	1·7~~8~~3	2·54	1·85	2·7~~9~~6	6·18	1·4~~8~~7	1·80	Year's Total 32·53	
*Days with ·01 in. or more.	18	18	13	9	16	12	13	13	11	22	11	7	163	
*Days with .04 in. or more.	16	18	12	9	15	10	12	13	11	21	11	7	157	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*)

[P.T.O.

Section **A**

COPY FOR OFFICIAL USE.

for the entry of Daily Observations.

Station No. 1666

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934 .

Kept at Holsworthy.

in the County of Devon.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 11 in.

,, Ground ,, Sea Level 476 ft.

Sent Circ F. 23.5.1935.

Observer is correct. 27/5/35

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.17		.01					.37	.21	.02	.49	.72		1
2	.09		.05					.54	.48		.17	.35		2
3	.11	.01						.05	.08	.16		.43		3
4	.20		.11	.13	.39			TR	.32	.64		.44		4
5			.15	.04	.32	.18		.73		.13	.20	.77		5
6	.05		.32	.16	.54	.03		.61	.02	.51	.06	.42		6
7	.15			TR				.09	.01	.27	.28	.64		7
8					.14			.08	.09	TR	.68	1.33		8
9	.02	.02	.10~~11~~		TR			.03		.04	.50	.02		9
10	.55	.03	.29	.33				.15			.07	.13		10
11	.73			.67				.11		.01	.01	.30		11
12	.27	.03				.04		.27				.05		12
13	.43			.36		.04	.05			.08	.04	.05		13
14	.67		.32							.19	.02	.22		14
15	.06		.15		.21		.01	.06	.01	.28	.04	.35		15
16	.08		.40		.04				.50	.02	TR	.41		16
17	.25		.03	.10					.09	.20		.23		17
18	.10		.19	.45		.03		.06	.02	.03		.39		18
19			.25		.02	.03		.03	.37	.03		.32		19
20				.36	.05	.05	.07		.14	.02	.10	.08		20
21			.23		.06	.29		.17	.01	.20	.06	.02		21
22	.14		.07				.05	.17	.71	.12	TR	.33		22
23	.02		.01	.16		.60	.13	.16	.15	.02		.18		23
24		.21	.07	.04		.37	.16	.11	.04	.17		.07		24
25	.39	.01	.13	.44	.02	.33			.02	.32		.52		25
26	.07			.02		.71	.02		.26	.04	.12	.21		26
27				TR		.13		.02	.02	.08	.08	.06		27
28							.16	.61	.31	.11	.01	.52		28
29								.39	.12	.18	.01	.05		29
30	.04	×			TR			.22	.15	.22~~1~~	.01	.21		30
31	~~4.59~~	×		×		×	.03	.03	×	.31	×	.04		31
TOTAL	4.59	.31	2.88	3.26	1.79	2.83	.68	5.06	4.13	4.40	2.95	9.86	Year's Total 42.74	
*Days with ·01 in. or more.	21	6	18	13	10	13	9	23	23	27	19	31	213	
*Days with .04 in. or more.	19	1	15	12	8	10	6	19	16	20	14	29	169	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) W. Rogers

P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 1666

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Holsworthy.

in the County of Devon.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 11 in.

,, Ground ,, Sea Level 476 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·10	·15	·55	·03		·07	·03		·16	·09	·01	·24		1
2	TR	·11	·16	·01		·15	TR		·09	·66	·18	·14		2
3	·63	·02	·06		·09	·51	·03		1·18	·13	·22	·30		3
4		·14		·23	·05	·11	·01		·13	·76	·22	·56		4
5	·06	·24	·15	·19		·08			·29	2·17	·27	·14		5
6				·44		·50				·15	·16	·33		6
7				·58		·02				·42	·16	·13		7
8				·30			·02		T.R	·28	·12	·05		8
9				·54					·02	·91	·36			9
10	·01		·14	·12		·12	·03		—	·15	·15			10
11	·29	·04	·04			·22			·06	·07	·59	T.R		11
12	·25	·32				·32			·03	·04	·21			12
13	·14	·10		·26		·05			·06	·12	·46			13
14	T.R	·10		·27		·48			·46	·03	·64	·39		14
15		·24		·57	·16	·14		TR	·19	·01	·09	·13		15
16		·02	·03	·18		·01	·09		·92	·06	·38	·06		16
17		·03		·15	·67	·21	·03	·01	·04	·01	·01	·15		17
18		·05	·05	·58	·17	·01	·37	·06	·50	·10	·01	TR		18
19		·04		·18	·34	·11	·13		·36	·51	·04			19
20		·33	·05	·37	·07	·15	·08			·11	·34			20
21		·40		·15		·05	·42		·16	·15				21
22		·02	·08	·21					·06	·15	Tr			22
23	·01	·12	·09	·04				·28	·09	·20		·07		23
24	·11	·20	·12	·01	·11			·12	·04	·02		·28		24
25	·13	·48		·02	·02	·30		T.R		·01		·05		25
26	·04	·64				·04	TR	·35	·32	·02	·07	·22		26
27		·33					·20	·24	·29	·06	·21	·15		27
28	·03	·24						·29	·23	·04	·08	·02		28
29		✕			·04	·05	·13	·01	·24	·05	·51	·47		29
30	·10	✕						·66	·23	·01	·80	·42		30
31		✕		✕		✕		·09	✕	·58	✕	·45		31
TOTAL	1·30	4·36	1·52	5·43	1·72	3·75	1·57	2·11	6·05	8·11	6·48	4·75	Year's Total. 47·15	
* Days with .01 in. or more.	13	23	12	22	10	22	13	10	24	31	25	21	226	
* Days with .04 in. or more.	10	19	11	18	9	18	7	8	22	25	22	20	189	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) W. Rogers

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1666

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Holsworthy. [illegible]

in the County of Devon.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 11 in.

,, Ground ,, Sea Level 476 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06	·06	TR.	·16	—	·32	1·69	·10	—	—	·23	·03		1
2	·01	·01	—	·03	—	·11	·94	·02	·09	—	·10	·01		2
3	—	·01	·06	·74	—	·02	·14	T	1·07	—	TR	·10		3
4	·06	Tr	·23	TR.	—	TR	TR	T	·84	—	·12	·33		4
5	·24	·14	·06	—	—	~~·03~~	·53	·09	·03	—	·04	·10		5
6	·23	—	·01	—	TR	·03	·67	·29	·14	—	1·02	·01		6
7	·17	—	·07	—	—	—	·10	—	—	—	·47	·04		7
8	·24	—	·30	—	—	—	1·04	—	—	—	·43	·10		8
9	·35	·09	·04	—	—	·02	·29	—	·26	—	·14	—		9
10	·01	·16	—	—	—	—	·04	—	—	—	·26	—		10
11	·32	·02	—	·05	—	·68	·12	·14	·27	—	·66	·19		11
12	T	—	—	·10	·03	·23	·46	·02	·57	—	·17	—		12
13	·14	·04	—	—	—	—	·85	·01	·12	·24	·12	1·12		13
14	—	—	T	—	—	·15	·50	~~·02~~	·15	·01	—	·48		14
15	—	·02	—	·05	·28	—	·02	·02	·02	T	·40	·20		15
16	·02	·05	—	·19	·17	—	·09	—	·01	—	·22	·13		16
17	·28	·44	—	·01	·08	·07	·37 ~~·46~~	·06	—	·11	·05	·67		17
18	·04	·11	·06	—	—	—	·47	·01	—	·02	—	·05		18
19	·42	TR	·07	·47	—	·12	·02	·14	~~·49~~	·03	—	·01		19
20	·10	·33	—	·07	—	·02	·22	·04	·16	—	—	~~0~~		20
21	·16	·02	·18	·81	—	·05	TR	—	—	·04	—	—		21
22	·24	·32	—	—	·10	~~·09~~	·06	—	·01	—	—	—		22
23	·01	·09	·03	·09	·03	—	·03	—	TR	·11	—	·05		23
24	·11	·10	—	·09	·06	—	·01	—	·08	·45	—	·03		24
25	·27	—	·27	·31	—	—	·03	—	·06	·29 ~~·41~~	—	TR		25
26	·38	·11	·26	—	—	—	·04	—	·01	·24	·04	—		26
27	·09	·13	·24	TR	—	—	·11	—	·05	·22	—	—		27
28	·42	·20	·39	·02	—	—	·06	—	—	·03	—	·18		28
29	·02	·20 —	·07	—	—	·04	~~·80~~	—	—	·33	·11	·22		29
30	·45	✕	·07	—	·07	·22	—	—	—	·17	TR	TR		30
31	·25	✕	·34	✕	—	✕	·80	—	✕	TR	✕	·56		31
TOTAL	5·09	2·65	2·75	3·19	·82	1·58	9·70	·94	3·94	2·29	4·58	4·61	Year's Total 42·14	
* Days with .01 in. or more.	27	21	18	15	8	14	27	12	18	14	17	21	212	
* Days with .04 in. or more.	22	16	16	12	6	10	22	7	13	10	17	16	167	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. J. Rogers [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1666

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Holsworthy.

in the County of Devon.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 11 in.

,, Ground ,, Sea Level 476 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-27	T.	.09	.11			.04		.18	.07	.08	.45		1
2	.09	.64		.24					.02	T		.26		2
3	.02	.17		.02			.15					.02		3
4		.18		.02	.05	.02						.58		4
5	.28	T		.03	.01		.50	.02				.27		5
6	.58	.34	.27 x2x	.50	.30	.06	.17		.08					6
7	.31	.61 .62	.09	.03	T	.25			.08		.03			7
8	T	.02		.11	.30	.32	.04				.05			8
9	.05	.04	.14		.10		.08	.14	1.07			.02 x22		9
10	.11	.11	.93	.20		.08	.03	.02				.44		10
11	.10		.25	.26	.60	.13	1.19	.75				.20		11
12	.47	.54	.19	.05	.11	.27	.11	.30	.65			.22		12
13		.19	.58	.09	.39	.15		.45	.36					13
14		.06	.04					.01	.19			.45		14
15	.59	.26	.18	1.06					.36			.29		15
16	.55	.06	.40	.10			.11	.41	.04		.02	x0x		16
17	1.01	.18	.40				T	.01	.49		.11			17
18	.12	.36	.30			.30	T		.68		.39	.29		18
19	.14	.14	.27	.49	x.07				.28		.39	.02		19
20	.88	.02	.06	.34	.35				.02		.09	.34		20
21	.41	.89	.04	.05	.24		.13		.12	.17	.06	.02		21
22	.03	.02	.14		.15	T	.34		T	.55	.38	.08		22
23	.32	.24	T		.19		T			.46	.02	.01		23
24	.24	.74	.05				T		.13	.36		.08		24
25	.05	.69	.58	t	.02		.01		T	.16		.07		25
26		.24			.02	.03						.01		26
27	.01	.41	.01	.02						.50				27
28		.11				.01				.05				28
29						.03				.44	.44			29
30	.27					.15			.05	.08 x5x	.51			30
31	.29							.02						31
													Year's Total	
TOTAL	7.19	7.26	5.01	3.72	2.90	1.80	2.90	2.13	4.80	2.84	2.60	4.12	47.27	
* Days with .01 in. or more.	24	25	20	18	15	13	13	10	17	10	14	20	199	
* Days with .04 in. or more.	21	22	19	13	12	9	11	5	15	10	10	14	161	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) B. Rogers

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1666

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Holsworthy.

in the County of Devon.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 11 in.

,, Ground ,, Sea Level 476 ft.

Day Notes

1 week.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		·09				·56	·12	·44		·59	·07	·36		1
2		·04		·09	·03			1·48		·29	·02	·26		2
3		T			·11	·07	·10			·43	·05	·01		3
4					·07		·49	1·13		·37	·02	·23		4
5	·06			·02		·06	·04	·05	·26	·42	·01	·12		5
6	·34					·26	1·05	·13	·24	·18	·01	·11		6
7	·08						·23	·04	·12	·08	·03	·69		7
8	·69	·09	·02				·17	·13		·38	T	·11		8
9	·41	·19	·04				·04	·93				·83		9
10	·16						·24	·03		·19		·28		10
11	·17					·08	·10			·07	·38	·55		11
12	·30	·02			·28		·02			·70	·78	·11		12
13	·09				·14		T			·14	·05	·31		13
14	·83	·26			·18		·38					·01		14
15	·38				·08		T	·15		·12	·21	·61		15
16	·32		·06		·02		·01	·06			·15	·04		16
17	·	·10			·03		·10		·17	·26	·01	·09		17
18	·36					·19	·07	·21	·30	·02	·49			18
19	-						·03	·11	·28		·67			19
20	·04						T	·09	·02		·34			20
21			·01			·05		·15	·11	·06	·37			21
22	·02			·02		·17		1·55	·12	·07	·33	T·03		22
23	T			·02	·01	·04		·02	·02		·31			23
24	·03	·06	·47		·10		·04	·02	·08		·40			24
25	·27	·29	·12		·15		·16			·18	1·24	·05		25
26	·56	·19	·05		·36	·16	·10			·19	·13	·15		26
27	·44	·14			·54	·17	·24	·50		·07	·53			27
28	·15		·03		·09	·15	·04	·14	·10	·14	·16	·03		28
29	·24		·06		·26	·06	·01		·15	·31	·22	·09		29
30	·13	✕	·03		·02				·06		·44	·05		30
31	·32	✕	·04	✕	·38	✕	·07		✕	·41	✕	·31		31
TOTAL	6·40	1·47	·93	·15	2·85	1·96	3·85	7·36	2·03	5·67	7·42	4·93	Year's Total 45·02	✓
* Days with ·01 in. or more.	23	11	11	4 +	18	13	23	20	+ 14	+ 23	26	24	210	✓
* Days with ·04 in. or more.	21	10	7	1	13	13	19	17	12	22	20	20	175	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(*Signed*) W. J. Roy

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 1666

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Holsworthy.
in the County of Devon.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ft. 11 in.
,, Ground ,, Sea Level 476 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.50		.06	.12				.01			.31	.08		1
2	.11		T	.07			.06	.64	.27		.24	.12		2
3	.19		.16	.26				.01	.01		.13	.42		3
4			.39	.23	.29		.43	.01		.23	.46	.27		4
5	.02		.03	.07	.89		.42	.		.29	.66	.10		5
6	.57	T	.04	.25	.02	.26	.66	.07		~~6~~	.38	.		6
7	.04	.16					.23	.10			.38	.76		7
8	.03	.57	.04		.05	.05	.26	.06		.63	.32	.37		8
9	.01	.06	.03					.24	.35	.09	.20	.16		9
10	.24		.01			.02		.14		.06	.01	.71		10
11	.09	.05	.17					T ~~.03~~		.47	1.01	.04		11
12	.25	.11		.03					.25	.17	.02			12
13	.04	T		.18	.02	.11	.63		.06	.25	.10	.05		13
14	.63	.01		.24	.05	.15	.93			.04	.22	.02		14
15	.78	.04		.02		.60	.58		.04	.06	.29	.02		15
16	.12	.03	.02	.14	.07		.30				.38			16
17	.69	.13			T	.12	.15				.07			17
18	.03	.14	.09			.08	.32				.96	.05		18
19	.26						.16	.57			.01	.07		19
20	.70				.22	.07	.07	.55				.05		20
21	.11	.32	.06			.06	.43	.01	.01					21
22	.43	.45	.19	.14		.17	.22	.26	.06		.48			22
23	.01	.14	.13	.14		.01	.27		T	.05	.94			23
24	.99	.04	.23	.06		.11	.15	.02		.23	T			24
25	.58	.25	.01				.10	.20		.08	.59			25
26	.16	.11	.02	.08			.07	.58		.14	.60			26
27		.29				.05	.11	.05		.02	.79			27
28		.03	.03	.05		.06	.20				.61			28
29				.05		.03	.09			.11	.11			29
30		✕	.03	.29		.06	.16			.05	.07			30
31		✕		✕		✕	.05	.10	✕	.55	✕			31
TOTAL	7.58	2.93	1.74	2.42	1.61	2.01	7.05 [illegible]99	3.6~~5~~2	1.05	3.52	8.74	3.29	Year's Total 45.56	
* Days with .01 in. or more.	25	18	19	18	8	17	25	18	8	18	27	16	217	
* Days with .04 in. or more.	20	15	11	16	6	14	25	13	6	17	23	14	180	

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(*Signed*) W. J Rogers

P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1666

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Holsworthy

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 11 in.

,, Ground ,, Sea Level 476 ft.

20370679
0476
5

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		.12		.08	.35						.27			1
2	.09	.02		.15			.13				.95	.10		2
3		.63		.06						.03	1.11	.34		3
4		.11		.15			.12			.30	~~.40~~ .30	.09		4
5	.01	.01					.02			.47	.46	.15		5
6	.25	.34					.05			.33	.21	.27		6
7	.10	.06		.05			.18	.02	.04	.02		.05		7
8	.02	.01					.01		.38	.16	.40	.54		8
9							.61	.18	.17	.31	.98	.24		9
10		.01	T				.68		.11	.16	.19	.20		10
11			T	.06			.64				.76	.04		11
12			.15	.03		.03	2.16		.88		.33			12
13			.67				.40	.04	.02	.07	.85	.21		13
14		.10	.07	.09			.01	.12	.42	.42	.27	.42		14
15				.10					.27	.09	.45	T		15
16	.03	.95	.62	.05			.16		.10	~~.07~~	.05	.07		16
17		.21	.49	.01			.30		.01		.13			17
18	.23	.27	.29	.68			.21	.08	.04	.03		.33		18
19		.20	.09	.10			1.03		.07	.02	.26			19
20		T	.02	.02			.22	.02	.07	.16	.10			20
21				.09	.16	.22	T		T		.65			21
22	.05	.03	.24	.02	.03	.24			.37	.05	.01			22
23	.05	.32	.19	.04	.07		T			.11	.12			23
24	.06		.02	.05	T		.18							24
25	.17		.12	.08	.36	.16	~~.12~~		.03					25
26	.92	.29		.04	.41	.10	.12	.01			.03			26
27	1.09	.14	.06	.19	.41	T					.01	.03		27
28	.25	.03		1.04	.54			.04			T			28
29	.22	.05	.14	.06	.02	.10				.07		.32		29
30		✕	T		.01					.56		.13		30
31	.12	✕	.02	✕	T	✕			✕	.52	✕	.69		31
TOTAL	~~3.64~~ 3.66	1.90	3.19	3.24	2.36	.85	~~7.13~~ 7.23	.51	2.98	3.88	8.89	4.22	Year's Total 44.91	
* Days with .01 in. or more.	16	20	15	23	10	6	19	8	15	19	23	18	192	
* Days with .04 in. or more.	13	14	12	19	7	5	16	5	12	15	20	17	155	

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(*Signed*) W. Rogers

[P.T.O.

Section **A** for the entry

AIR MINIS

FORM 1090.

REG

1667

SALCOMBE
1931—33

780306

1667

FOR OFFICIAL USE.

AINFALL ORGANIZATION.

193/.

Kept at Salcom

in the County of De

Diameter of Funnel of Gauge

Height of top of Gauge above Gr

,, Ground ,, Se

THE MORNING MEA **US DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	–	.64	–	–	–	–	.32	.06	–	–	1
2	.53	–	–	.54	–	–	–	–	.47	.02	–	.32	2
3	.20	–	1.10	–	–	–	.09	.02	.15	.03	1.07	.20	3
4	.02	–	.15	–	.09	–	.41	–	.09	.24	–	.04	4
5	–	.41	.90	.09	–	.38	.24	.17	–	.01	–	–	5
6	–	.03	.01	–	.09	.41	–	–	.01	.24	.30	.53	6
7	–	.02	–	–	.31	.57	.42	.74	–	–	.56	.20	7
8	–	.46	–	.32	–	.58	.08	.03	–	–	.09	.24	8
9	–	.29	–	–	–	.08	.15	.02	–	–	.36	.02	9
10	.05	.02	–	–	.09	.07	.04	.02	.04	–	.33	–	10
11	.14	.43	–	–	.11	.16	.08	–	.09	–	.42	–	11
12	.01	.07	–	–	–	.01	.16	–	–	.22	.01	–	12
13	.01	.05	.03	–	–	.04	.25	.05	–	–	.02	–	13
14	–	.07	–	–	.07	.20	.90	.02	–	–	.27	–	14
15	–	.10	–	–	.11	–	.03	.08	–	–	.02	–	15
16	.07	.10	–	.02	.07	.77	–	–	.08	–	–	.08	16
17	.01	.02	–	–	–	–	.33	.13	–	–	–	–	17
18	–	–	–	.03	–	.20	.19	1.23	–	–	.33	–	18
19	.06	.05	.05	.11	–	.09	.08	.03	–	–	.40	–	19
20	.01	.33	.46	–	–	–	–	.14	–	–	.18	–	20
21	.22	.02	.02	.03	.09	–	–	–	–	–	.07	–	21
22	.68	–	.27	.08	.10	–	–	–	–	–	.04	–	22
23	.29	–	–	.11	.78	–	.07	.28	–	–	.40	–	23
24	.06	.03	.03	.75	.14	.34	.81	1.34	–	–	.03	–	24
25	.08	.07	–	.25	.09	–	.09	–	–	–	.24	–	25
26	.03	.16	–	.07	–	–	.25	–	–	.05	.59	–	26
27	.36	.13	–	–	.23	–	.03	–	–	–	.21	–	27
28	.07	.20	.19	–	.09	–	–	.06	–	–	.02	.16	28
29	.04		.15	–	.02	–	.10	.43	–	–	.13	–	29
30	.11	×	.03	–	.04	–	.01	–	.16	.04	.02	–	30
31	.58	×	.47	×	.20	×	.04	–	×		×	.38	31
TOTAL	3.63	3.00	3.86	3.04	2.72	3.87	4.85	4.79	1.41	.91	6.11	2.17	YEAR'S TOTAL 40.36
*Days with ·01 in. or more.	22	21	14	13	18	14	23	17	9	9	24	10	194
*Days with ·04 in. or more.	16	15	9	10	17	12	20	11	8	6	18	9	151

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Walter J. Shaw

P.T.O.

Section **A** for the entry

1667

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Salcombe
in the County of Devon
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 6 in.
,, Ground ,, Sea Level 280 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	–	.64	–	–	–	–	.32	.06	–	–	1
2	.53	–	–	.54	–	–	–	–	.47	.02	–	.32	2
3	.20	–	1.10	–	–	–	.09	.02	.15	.03	1.07	.20	3
4	.02	–	.15	–	.09	–	.41	–	.09	.24	–	.04	4
5	–	.41	.90	.09	–	.38	.24	.17	–	.01	–	–	5
6	–	.03	.01	–	.09	.41	–	–	.01	.24	.30	.53	6
7	–	.02	–	–	.31	.57	.42	.74	–	–	.56	.20	7
8	–	.46	–	.32	–	.58	.08	.03	–	–	.09	.24	8
9	–	.29	–	–	–	.08	.15	.02	–	–	.36	.02	9
10	.05	.02	–	–	.09	.07	.04	.02	.04	–	.33	–	10
11	.14	.43	–	–	.11	.16	.08	–	.09	–	.42	–	11
12	.01	.07	–	–	–	.01	.16	–	–	.22	.01	–	12
13	.01	.05	.03	–	–	.01	.25	.05	–	–	.02	–	13
14	–	.07	–	–	.07	.20	.90	.02	–	–	.27	–	14
15	–	.10	–	–	.11	–	.03	.08	–	–	.02	–	15
16	.07	.10	–	.02	.07	.77	–	–	.08	–	–	.08	16
17	.01	.02	–	–	–	–	.33	.13	–	–	–	–	17
18	–	–	–	.03	–	.20	.19	1.23	–	–	.33	–	18
19	.06	.05	.05	.11	–	.09	.08	.03	–	–	.40	–	19
20	.01	.33	.46	–	–	–	–	.14	–	–	.18	–	20
21	.22	.02	.02	.03	.09	–	–	–	–	–	.07	–	21
22	.68	–	.27	.08	.10	–	–	–	–	–	.04	–	22
23	.29	–	–	.11	.78	–	.07	.28	–	–	.40	–	23
24	.06	.03	.03	.75	.14	.34	.81	1.34	–	–	.03	–	24
25	.08	.07	–	.25	.09	–	.09	–	–	–	.24	–	25
26	.03	.10	–	.07	–	–	.25	–	–	.05	.59	–	26
27	.36	.13	–	–	.23	–	.03	–	–	–	.21	–	27
28	.07	.20	.19	–	.09	–	–	.06	–	–	.02	.16	28
29	.04		.15	–	.02	–	.10	.43	–	–	.13	–	29
30	.11	×	.03	–	.04	–	.01	–	.16	.04	.02	–	30
31	.58	×	.47	×	.20	×	.04	–	×		×	.38	31
TOTAL	3.63	3.00	3.86	3.04	2.72	3.87	4.85	4.79	1.41	.91	6.11	2.17	YEAR'S TOTAL 40.36
*Days with ·01 in. or more.	22	21	14	13	18	14	23	17	9	9	24	10	194
*Days with ·04 in. or more.	16	15	9	10	17	12	20	11	8	6	18	9	151

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Walter J. Shaw

P.T.O.

1667

Section* **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Salcombe

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ...... ft. ...... in.

,, Ground ,, Sea Level 280 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06	–	–	.09	–	–	.02	–	.03	–	.07	–	1
2	.10	–	–	.54	–	–	–	.12	.04	–	.2	.44	2
3	.07	–	.08	–	–	.65	–	–	.74	–	.02	.02	3
4	.03	–	–	–	–	.22	.03	.08	–	–	–	–	4
5	.41	–	.09	–	–	.01	–	–	.35	–	–	–	5
6	.53	–	.16	.34	–	–	.08	.01	.34	–	–	–	6
7	.16	–	–	.07	–	–	.07	–	.62	.97	–	.06	7
8	–	–	.47	.12	.16	–	–	.01	.29	.28	–	–	8
9	.62	–	–	.43	–	–	–	.01	–	.15	.17	–	9
10	.25	–	–	.55	.29	–	–	–	.04	.09	–	.14	10
11	.16	–	–	.15	.18	–	–	–	.02	.02	–	.56	11
12	.85	–	–	–	.33	–	.01	–	.03	.11	–	.08	12
13	.07	–	–	.25	.10	–	.03	.51	–	.63	–	.24	13
14	.18	–	–	–	.20	–	–	–	–	–	–	.03	14
15	.02	–	–	.17	.13	–	.02	–	–	.04	–	.06	15
16	.05	–	–	.10	.03	–	–	–	–	–	–	.01	16
17	.06	–	–	.06	–	–	–	–	.09	–	–	–	17
18	.04	–	–	–	.34	–	–	–	.08	–	.19	.02	18
19	.12	–	–	.07	.14	–	–	–	.09	.49	–	–	19
20	.08	–	–	.16	1.09	–	–	.13	–	1.32	.38	.07	20
21	.04	–	.05	.03	.01	–	–	.08	.24	.45	.12	.35	21
22	.01		–	.06	.03	–	.05	.04	.89	.56	.35	–	22
23	–	.05	–	–	.02	–	.28	.02	.03	.55	.01	.16	23
24	–	.02	–	–	.08	–	1.00	–	.18	.06	.04	.02	24
25	–	–	.22	–	–	–	.03	–	.02	.79	.10	–	25
26	–	–	.13	.25	–	–	–	–	–	.11	.07	–	26
27	–	–	.23	.30	.15	–	.40	–	–	.21	–	.23	27
28	–	–	.09	.11	.12	–	.13	–	–	–	–	.11	28
29	–	–	.52	.13	.10	.58	.01	.66	.76	.36	.12	.33	29
30	–	×	.09	.18	–	1.55	.30	–	.48	.14	.88	–	30
31	–	×	–	×	.25	×	.05	–	×	.06	×	.48	31
TOTAL	3.91	.07	2.07	4.16	3.75	3.01	2.57	1.67	5.36	7.39	2.52	3.41	YEAR'S TOTAL 39.83
*Days with ·01 in. or more.	21	2	11	21	19	5	16	11	20	20	13	19	178
*Days with ·04 in. or more.	19	1	11	20	15	4	9	7	15	19	11	14	145

40-9999

(Signed) Walter J. Shaw

P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1667

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Salcombe

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 280 ft.

Total for Dec. Year and Days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.40	.89	.12	–	.03	.10	–	–	–	–	.05	1.06	1 (1.06
2	.32	.06	.83	–	.42	.75	–	–	–	–	–	.18	2
3	.03	.13	.16	–	–	.06	–	–	–	–	–	–	3
4	.20	.07	–	–	.10	–	–	–	–	–	–	–	4
5	.07	.05	.22	–	.15	–	–	–	.04	.02	–	–	5
6	.02	.56	–	–	.23	–	.03	–	–	.09	–	–	6
7	–	.15	–	–	.07	–	.03	–	–	.03	–	–	7
8	.06	.08	–	–	–	–	.17	–	–	–	–	–	8
9	–	.10	–	–	–	–	.35	.01	–	.10	.10	–	9
10	.02	.16	–		–	–	.12	.09	–	.25	.03	–	10
11	–	–	–	.03	–	–	–	.09	–	.03	–	–	11
12	–	–	–	.23	.07	.25	.30	.06	.46	–	–	.09	12
13	.08	–	–	–	.03	–	.25	–	.02	.08	.08	–	13
14	.05	–	–	–	–	–	.63	.20	–	–	.41	–	14
15	.36	–	.44	–	–	.02	.46	.10	–	.10	1.04	–	15
16	–	.01	.93	–	–	.15	–	.02	.07	.05	.29	–	16
17	–	.06	.22	–	–	.03	–	.15	.17	–	–	–	17
18	–	–	.33	–	–	.03	.02	–	–	–	.07	–	18
19	.70	–	.17	.03		–	–	–	.12	.01	.48	–	19
20	.03	–	–	–	.02	.06	–	–	.29	–	.02	–	20
21	–	–	–		–	.34	–	.07	.16	.34	–	–	21
22	–	.07	–	.26	–	–	–	.47	.51	.02	–	–	22
23	–	.43	–	.21	–	.26	–	.02	.20	.86	.01	–	23
24	–	.53	–	.25	–	–	–	–	.31	.11	–	–	24
25	–	1.12	–	.27	.02	.01	–	–	.12	–	–	.16 ~~.016~~	25
26	–	.28	–	.34	.26	–	–	–	–	.03	–		26
27	–	.02	–	.03	–	–	–	–	–	.15	–	.36 ~~.036~~	27
28	–	.13	–	.43	–	–	.35	.01	–	.17	–	.10 ~~.010~~	28
29	.09	–	–	.02	–	–	.01	.03	.22	–	–	.03	29
30	.16	×	.03	–	–	–	.04	–	.42	–	–	.04	30
31	.27	×	.13	×	.20	×			×	.06	×	–	31
TOTAL	2.80	4.90	3.58	2.10	1.60	2.06	2.76	1.23	3.11	2.50	2.58	2.02	YEAR'S TOTAL 31.24
*Days with .01 in. or more.	16	19	11	11	12	12	13	12	14	18	11	8	157
*Days with .04 in. or more.	11	17	10	7	8	8	9	7	13	12	8	7	117

40-9999

*See Instruction 2 (*f*) on other side. The late W. J. Shaw [illegible]

(Signed) Eleanor B. Shaw
for Walter J. Shaw, deceased.

P.T.O.

1669

Section **A** for the entry of D

AIR MINISTRY.

1669

SALCOMBE, FAIRHAVEN

1931 — 40

780306

COPY FOR OFFICIAL USE.

ALL ORGANIZATION.

FORM 1090.

REGIST 31.

Kept at Fairhaven Sa

in the County of Devon

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Le

THE MORNING MEASUR AY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-01	TR	·69	-	TR	-	·01	-·26	-	-	-	1
2	.68	-	-02	·51	-	-	TR	TR	-52	-	TR	·30	2
3	·15	-	1·20	TR	-	-	·22	·02	-16	-09	·92	·16	3
4	-	·02	·10	-	·08	·38	·29	TR	-09	·16	-	·03	4
5	-	·41	1·-	·07	·02	-38	·24	·17	-01	TR	TR	·15	5
6	-	·02	·01	-	·10	·60	·01	TR	01	24	24	36	6
7	-	·01	TR	TR	32	57	38	71	01	01	63	07	7
8	-	·42	-	·31	-	07	08	03	-	-	04	30	8
9	-	·22	-	TR	TR	03	16	03	-	TR	36	-	9
10	·04	·01	-	-	·09	03	·03	01	04	-	30	-	10
11	·11	·33	-	-	·08	·16	02	-	06	-	38	-	11
12	-	·04	-	-	·01	TR	·20	TR	06	·19	TR	-	12
13	·01	·03	·02	-	·06	·01	·15	06	-	03	TR	-	13
14	·03	·05	-	-	·01	·19	1·10	01	-	TR	29	-	14
15	·01	·06	-	TR	·14	TR	02	09	TR	-	TR	TR	15
16	-	·05	-	-	·07	·76	TR	13	03	-	-	09	16
17	TR	·01	-	·01	-	TR	·33	TR	-	-	-	-	17
18	-	-	·02	·06	-	·21	16	1·26	-	TR	31	-	18
19	TR	·06	·05	·06	-	07	07	03	TR	-	38	-	19
20	·06	·26	·47	TR	TR	TR	-	13	-	-	17	→	20
21	-	·02	TR	·03	·09	-	-	-	-	-	·06	-	21
22	·85	TR	·27	·07	·11	-	TR	-	-	01	04	-	22
23	·14	-	-	·11	·91	-	06	28	TR	-	37	-	23
24	·02	-	·02	·89	TR	·38	84	1·12	-	-	02	-	24
25	·05	·05	·01	·07	·10	-	20	02	TR	-	24	TR	25
26	·05	·08	-	·03	-	-	·16	-	-	-	52	-	26
27	·35	·12	-	TR	·24	-	03	-	-	04	16	-	27
28	·02	11	·20	-	·10	-	TR	·06	-	TR	TR	11	28
29	·03		·16	-	TR	-	11	52	TR	04	10	06	29
30	·13	✕	·01	-	·03	-	TR	TR	15	TR	TR	-·30	30
31	·48	✕	·61	✕	·20	✕	·06	-	✕	TR	✕	-	31
TOTAL	3·21	2·39	4·17	2·91	2·76	3·84	4·92	4·69	1·40	-81	5·53	1·93	YEAR'S TOTAL 38·56
*Days with ·01 in. or more.	18	22	16	13	19	14	23	19	12	9	19	1[illegible]	195
*Days with ·04 in. or more.	13	14	9	10	13	11	19	12	8	6	18	19	143

40-9999

(Signed) Charles Shullitar

P.T.O.

*See Instruction 2 (*f*) on other side.

1669

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Fairhaven Salcombe

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ..... ft ..... in.

,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·01	TR	·69	–	TR	–	·01	·26	–	–	–	1
2	·68	–	·02	·51	–	–	TR	TR	·52	–	TR	·30	2
3	·15	–	1·20	TR	–	–	·22	·02	·16	·09	·92	·16	3
4	–	·02	·10	–	·08	·38	·29	TR	·09	·16	–	·03	4
5	–	·41	1·–	·07	·02	·38	·24	·17	·01	TR	TR	·15	5
6	–	·02	·01	–	·10	·60	·01	TR	01	24	24	36	6
7	–	·01	TR	TR	32	57	38	71	01	01	63	07	7
8	–	·42	–	·31	–	07	08	03	–	–	04	30	8
9	–	·22	–	TR	TR	03	16	03	–	TR	36	–	9
10	·04	·01	–	–	·09	03	·03	01	04	–	30	–	10
11	·11	·33	–	–	·08	·16	02	–	06	–	38	–	11
12	–	·04	–	–	·01	TR	·20	TR	06	·19	TR	–	12
13	·01	·03	·02	–	·06	·01	·15	06	–	03	TR	–	13
14	·03	·05	–	–	·01	·19	1·10	01	–	TR	29	–	14
15	·01	·06	–	TR	·14	TR	02	09	TR	–	TR	TR	15
16	–	·05	–	–	·07	·76	TR	13	03	–	–	09	16
17	TR	·01	–	·01	–	TR	·33	TR	–	–	–	–	17
18	–	–	·02	·06	–	·21	16	1·26	–	TR	31	–	18
19	TR	·06	·05	·06	–	07	07	03	TR	–	38	–	19
20	·06	·26	·47	TR	TR	TR	–	13	–	–	17	→	20
21	–	·02	TR	·03	·09	–	–	–	–	–	·06	–	21
22	·85	TR	·27	·07	·11	–	TR	–	–	01	04	–	22
23	·14	–	–	·11	·91	–	06	28	TR	–	37	–	23
24	·02	–	·02	·89	TR	·38	84	1·12	–	–	02	–	24
25	·05	·05	01	·07	·10	–	20	02	TR	–	24	TR	25
26	·05	·08	–	·03	–	–	·16	–	–	–	52	–	26
27	·35	·12	–	TR	·24	–	03	–	–	04	16	–	27
28	·02	11	·20	–	·10	–	TR	·06	–	TR	TR	11	28
29	·03		·16	–	TR	–	11	52	TR	04	10	06	29
30	·13	✕	·01	–	·03	–	TR	TR	15	TR	TR	·30	30
31	·48	✕	·61	✕	·20	✕	·06	TR	✕	TR	✕	–	31
TOTAL	3·21	2·39	4·17	2·91	2·76	3·84	4·92	4·69	1·40	·81	5·53	1·93	YEAR'S TOTAL 38·56
*Days with ·01 in. or more.	18	22	16	13	19	14	23	19	12	9	19	11	195
*Days with ·04 in. or more.	13	14	9	10	13	11	19	12	8	6	18	10	143

40-9999

(Signed) Charles Shilleto

P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1669

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Fairhaven Salcombe

in the County of ~~Salcombe~~ Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-·03	-	-	·07	TR	-	-02	-·14	-03	-	-04	-·34	1
2	04	TR	-07	49	-	·75	TR	-14	68	-	-	-05	2
3	04	-	-	TR	-	18	·01	-	TR	-	-	-01	3
4	02	TR	-	-	-	-	TR		TR	-	-	-	4
5	50	TR	06	-	-	-	-	-	35	TR	·04	-	5
6	33	-	-05	28	-	-	03	-	33	-88	17	-	6
7	14	-	-10	-05	·14	TR	11	TR	88	28	-	06	7
8	-	-	-30	10	03		-	-	-	11	-	-	8
9	60	-06		46	25				TR	07	TR	-	9
10	18	- ~~18~~	TR	32	TR	-	-	-	04	TR	- ~~17~~	17	10
11	12	-	-	09	31	-	TR	TR	TR	09	-	61	11
12	79	-	-	TR	10	-	12	-	02	60	-	11	12
13	08	-	-	23	19	-	-	51	-	02	-	15	13
14	12	-	-	01	13	-	-	02	-	-01	-	01	14
15	TR	-	-	17	TR	-	TR	TR	-	TR	TR	06	15
16	03	- ~~03~~	-	11	-	-	-	-	08	-	-	-	16
17	03	-	-	02	-	-	02	-	07	05	03	01	17
18	04	-	-	12	35	-	-	-	09	-	-	-	18
19	15	-	-	TR	29	-	-	-	-	56	-	-	19
20	09	-	-	09	91	-	TR	-	30	1·17	-38	-	20
21	04	-	03	02	01	-	TR	20	90	46	32	41	21
22	01	-	-	05	02	TR	03	07	-	51	42	-	22
23	TR	-	-	TR	01	~~20~~	·20	-	29	54	-	13	23
24	-	04	-	-	01	-	1·-	-	01	01	02	-	24
25	-	-	23	TR	05	-	02	-	01	73	-	-	25
26	TR	-	18	22	02	-	15	-	-	13	01	-	26
27	-	-	18	38	14	-	35	-	04	14	09	28	27
28	-	-	03	10	10	-	TR	TR	81	-	01	02	28
29	-	-	52	13	08	47	29	68	47	30	34	32	29
30	-	X	08	18	TR	1·69	10	TR	01	08	53	-	30
31	-	X	01	X	26	X	-	-	X	-	X	68	31
TOTAL	3·38	-·10	1·84	3·69	3·40	3·09	2·45	1·76	5·41	6·74	2·40	3·42	YEAR'S TOTAL 37·68
*Days with ·01 in. or more.	20	2	13	22	20	4	14	7	19	20	12	17	170
*Days with .04 in. or more.	15	2	10	19	13	4	8	6	14	18	9	13	131

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Charles Shillitoe

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1669

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Fairhaven Salcombe

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-40	-·25	-10	-	-02	-·18	TR	-	-	-01	TR	1·36		1
2	-32	-80	-93	-	-50	-79	-	-	-	-	-02	·12		2
3	-03	-10	-09	-	-03	-	-	-	-	-	-	-		3
4	-20	-12	-01	-	-08	-	-	-	-05	-	-	-		4
5	-07	-07	-21	-	-10	-	-	-	-	-	-	-		5
6	-02	-	-01	-	-28	-	-05	-	-	-11	TR	-		6
7	-	-20	TR	TR	-05	-	-03	-	-	-	-	-		7
8	-06	-49	-	-	-03	-	-17	-	-	·02	-	TR		8
9	-	-04	-	-	-	-	-41	-01	-	-09	-09	-		9
10	-02	-08	-	-02	TR	-	-06	-	-	-21	-02	TR		10
11	-	-20	-	-	-	-	-05	-07	-45	-01	-	-01		11
12	-	-	-	-23	-06	-30	-34	-15	-01	TR	-	-		12
13	-08	-	TR	TR	-03	-	-18	-01	-	-09	-06	-		13
14	-05	-	TR	-	-	-02	-76	-18	-	-	-39	-08		14
15	-36	-	-46	-	-	-	-36	-09	-	-09	-·96	-		15
16	-	-	-90	-	-	-14	-01	TR	-07	-04	-39	-		16
17	-	-	-18	-	-	-02	-	-15	-17	-01	-01	-		17
18	-	-02	-29		-	-03	-	-	TR	-	-07	-		18
19	-70	-	-14	-04	[illegible]	-05	-	-	-05	-01	-46	-		19
20	-03	-	TR	TR	-01	-31	-	-02	-38	-	TR	-		20
21	-	-	-	-	-	-	-	-06	-11	-37	-01	TR		21
22	-	-	-	-26	-	-	-	-45	-·60	-01	TR			22
23	-	-05	-	-20	-	-27	-	-01	-·12	-86	-			23
24	-	-70	-	-22	-	-01	-	-	-·30	-04	-			24
25	-	-25	-	-25	-		-	-	-10	—TR	-	-18		25
26	-	1·08	-	-33	-02	-	-	-		-01	-			26
27	-	·25	-	TR	-28	-	-02	-		-12	-	-35		27
28	-	-15	-	-44	-	-	-35	-02		-12	-	-08		28
29	-09	-	TR	-	-	-	-01	-	-·23	TR	-	-01		29
30	-10	×	-02	-	TR	-	-04	-	-·42	TR	TR	-02		30
31	-27	×	-10	×	-13	×	-	-	×	-05	×	-		31
TOTAL	2·80	4·85	3·44	1·99	1·62	2·12	2·84	1·22	3·06	2·27	2·48	2·21	Year's Total 30·90	
*Days with ·01 in. or more:	16	17	13	9	14	11	15	12	14	19	11	9	160	
*Days with ·04 in. or more.	12	16	10	8	8	7	11	7	13	12	7	6	117	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Charles Shillitoe

[P.T.O.

File N° 841748/28 Station N° 1669

Section A for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934

Kept at Fairhaven Salcombe

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" Ground " Sea Level 150 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-10	TR	-04		-	-04		-45	-01	-01	TR	1·01	1
2	-40		-08		-	TR			-96	-03	TR	·33	2
3	-12		-	TR	TR				-61	-53	TR	·35	3
4	-19		-27	-03	-22				-	-17	-05	·27	4
5	TR		-17	TR	-13	-05		-65	TR	-07	TR	·71	5
6	TR		-32	-18	-40			-01	-04	-46	-20	·46	6
7	-01		-	-	-			-18	TR	-18	-03	·57	7
8	-		-	TR	-07			TR	TR	-01	-65	·35	8
9	-04	TR	-33	-	-			-02			-66	·09	9
10	-11	-01	22	-40	-		TR	-10			-02	·02	10
11	-39		-03	-50			TR	-27			-01	·57	11
12	-01		-	TR				-15			TR	·31	12
13	-38		TR	-23			TR	TR		TR	-34	·11	13
14	-33		-28	TR			TR			-02	-02	·25	14
15	-23		-04	TR	-12					-09	-02	·28	15
16	-12		-33	TR			TR			-	-01	·46	16
17	-17		-55	-36	-03				-19	-09	-	·37	17
18	-03		-29	-31					-07		-	·23	18
19	TR		-10	-	TR	-08		-08	-11	TR		·29	19
20			-04	-28	·02	TR			-08	-01		·14	20
21			-	-02	-02	-44		-04	-04	-45		·28	21
22	-08		-	TR		-06		-04	-33	-06		·26	22
23	-12		-01	-15		-75	TR	-02	-23	-10		·27	23
24	-01	-04	-05	-03		-08			-02	-08		·02	24
25	-23	-03	-	-19		-04			-	-27		·68	25
26	-27	TR	-	-03		-17			-09	01		·27	26
27	TR		-02	-01		-05		-05	-11	03	-03	·46	27
28			-	TR		01	TR	-58	-16	01	-01	55	28
29			-	-		-		-01	-06	05	TR	05	29
30	-01	✕	-	-		-	-02	TR	-21	01	-	24	30
31		✕	TR	✕	-04	✕	-	-07	✕		✕	02	31
TOTAL	3·35 ✓	·08 ✓	3·17 ✓	2·72 ✓	1·05 ✓	1·77 ✓	-02 ✓	~~2·65~~ 2·82 ✓	3·32 ✓	2·74 ✓	2·05 ✓	10·21 ✓	YEAR'S TOTAL 33·28
Days with ·01 in. or more.	21	3	18	14	9	11	1	16	17	22	13	31	176
Days with ·04 in. or more.	16	1	15	9	6	10	0	12	15	15	5	28	132

40-12-1-27
144w)

(Signed)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1669

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Fairhaven, Salcombe
in the County of Devon

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft in.
,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-·03	-01	-68	–	–	-27	-01	–	-17	–	-07	-13		1
2	TR	TR	-04	–	–	TR	TR	–	–	-30	-06	-01		2
3	–	TR	-14	–	-40	-·21	-02	–	-39	-35	-04	–		3
4	–	21	TR	-07	-04	-13	–	–	-07	-24	-08	-41		4
5	–	–	TR	-13	–	-18	–	–	–	-25	-02	-09		5
6	–	–	–	-24	–	-95	–	–	TR	-01	-24	-08		6
7	–	–	–	54	–	TR	–	–	–	40	-29	-02		7
8	–	–	–	51	–	·01	03	–	43	-18	-36	-01		8
9	·10	–	–	45	–	TR	-01	–	–	61	26	–		9
10	·06	–	-40	–	–	-07	–	–	TR	02	01	03		10
11	-18	-02	-13	–	–	28	–	–	12	03	69	–		11
12	-01	-04	–	–	–	96	–	08	–	–	29	TR		12
13	-02	27	–	26	–	13	–	–	04	-02	-15	–		13
14	–	-06	TR	04	–	TR	–	–	04	-02	-73	-39		14
15	–	-20	–	64	-07	-12	–	–	-27	-03	-34	-03		15
16	–	-01	20	14	–	TR	TR	–	-33	-02	-98	-10		16
17	–	TR	–	03	-57	-41	–	01	-03	–	04	–		17
18	–	TR	–	40	01	-10	TR	–	16	-04	-05	-50		18
19	–	-11	–	07	11	-20	-24	–	12	-11	-49	-03		19
20	–	25	–	62	08	05	TR	–	13	–	09	–		20
21	–	65	-01	-15	TR	-02	-25	–	-02	-10	–	–		21
22	–	09	–	-18	–	TR	–	–	–	-04	-01	–		22
23	–	-10	-04	-01	TR	–	–	-39	-04	-28	–	-56		23
24	-01	-36	–	-34	-11	–	–	-51	-56	-02	–	16		24
25	-·14	-26	–	-18	-93	-09	–	-02	–	–	–	-17		25
26	TR	-48	–	–	–	-03	–	32	-32	–	–	-79		26
27	–	-31	TR	–	–	TR	–	08	–	–	-10	-40		27
28	TR	-07	–	–	–	TR	–	–	–	-02	01	-09		28
29	TR	–	–	–	-10	TR	–	02	-41	-~~05~~	-05	48		29
30	02	×	–	–	–	–		-91	-08	15	81	72		30
31	TR	×	–	×	–	×		-07	×	-63	×	-39		31
TOTAL	-·57	3·50	1·64	5·00	2·42	4·21	-·56	2·41	3·73	3·87	6·26	559	Year's Total. 39·76	
* Days with .01 in. or more.	9	18	8	19	10	18	6	10	19	23	25	22	187	
* Days with .04 in. or more.	4	15	7	17	9	15	2	7	17	14	21	16	144	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) Charles Shillitoe

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1669

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Fairhaven Salcombe

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-26	-04	TR	-04	-	-50	-23	-01	-	-	-	-03	-	1
2	TR	-	TR	-12	-	-09	-45	-02	TR	-	-11			2
3	-12	-	-26	1·15	-	-25	-08	TR	-75	-	-			3
4	-01	-01	-25	-	-	TR	-03	-	-22	-	-			4
5	-39	-19	-09	-	TR	TR	-22	-10	TR	-	-04	-10		5
6	-16	-	-20	-	-	-	-12	-19	-20	-	-48			6
7	-34	TR	-34	-	-	-	-07	-	-06	-	-24	-06		7
8	-32	-	-62	-	-	-	-40	-	TR	-10	-32	TR		8
9	-19	1·20	-12	-	-	TR	-06	-	-33	-	-03			9
10	TR	·63	-08	-	-	-07	-05	-	-	-	-20			10
11	-62	-03	-	-	-	12	-20	-	-04	-	1·40	-10		11
12	TR	TR	-	-09	-	-	-31	-01	-33	-	TR	-12		12
13	-18	-	-	-	-	-	-77	TR	-	-02	-13	-13		13
14	-03	-02	-	-	-	-08	-02	-	TR	-	-04	1·01		14
15	TR	TR	-	-01	-20	-	-13	-	-15	-01	-60	-·29		15
16	TR	-10	-	TR	-05	-	-10	-	-	TR	-10	-·28		16
17	-18	-83	-38	-20	-	-	-12	-08	-	-05	-05	-·56		17
18	-23	-27	-	-	-	TR	-39	-	-	-	-	-·09		18
19	-15	-	-33	-10	-	-10	TR	-·13	TR	-	-	-		19
20	-50	TR	-	-68	-	-12	-19	-	-34	-	-	-		20
21	-09	-65	-07	-04	-	-09	TR	-	-	·TR	-	TR		21
22	-16	-07	-	-	-	-	-20	-	-	TR	-	-		22
23	-04	-03	-02	-	-60	-	-07	-	-	-04	-	-		23
24	-41	-	-08	-	-	-	-	-	-15	-48	-	-04		24
25	-10	-	-46	-30	TR	-	-02	-	-	-28	-09	TR		25
26	-41	TR	-19	-	-	-	-	-	-10	-01	-01			26
27	-22	-09	-04	-	-	-	-44	-	TR	TR	-			27
28	-85	-03	-60	-	-	-	-10	-	-	-	-10			28
29	-05	-	TR	-02	-	-	-13	-	-	-20	-01	-25		29
30	-11	✕	-03	-	-	-42	TR	-	-	-	-	TR		30
31	-09	✕	-68	✕	TR	✕	-50	-	✕	-	✕	-52		31
TOTAL	6·21	4·19	4·84	2·75	·85	1·64	5·50	·64	2·67	1·19	3·95	3·58	Year's Total 38·01	
* Days with .01 in. or more.	26	15	10	11	3	10	27	7	18	9	17	14	160	
* Days with .04 in. or more.	25	10	17	9	3	10	23	5	11	6	15	14	108	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Charles Shillito [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 1669

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

~~Totals~~

Kept at Fairhaven Salcombe

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-·25	-33	-02	-50	–	–	–	–	-08	-21	–	-·59		1
2	-05	-53	-10	-16	–	–	–	–	-03	-01	–	–		2
3	–	-06	–	-06	-12	TR	TR	–	–	–	–	TR		3
4	–	-79	–	TR	–		–	–	–	–	–	-58		4
5	-25	-01	–	-26	–		–	–	–	–	-02	–		5
6	-04	1·29	-58	-23	-02	–	-61	-01	–	–	–	–		6
7	–	·62	-40	-01	–	–	–	–	TR	–	–	1·9		7
8	–	-02	–	–	-84	-03	-28	–	–	–	–	-20		8
9	-10	-·10	-10	-56	-03	–	–	–	-61	-02	–	TR		9
10	-11	–	-15	–	-36	–	-06	–	–	–	–	45		10
11	-02	–	-50	-40	-45	–	-30	–	–	–	TR	-38		11
12	-65	-10	-11	–	-03	-35	–	-38	-37	– TR	–	–		12
13	–	-60	1·22	-23	–	-13	–	-23	–	–	–	-23		13
14	–	–	–	–	–	-43	-03	-03	-07	–	–	–		14
15	-34	-23	-34	–	–	–	–	–	-14	–	–	–		15
16	-12	–	-43	-54	–	–	–	–	-50	– TR	-98	–		16
17	-62	-08	-20	–	–	–	–	-13	-06	–	-42	–		17
18	-17	-12	-16	-01	-10	–	–	–	-02	–	-24	-28		18
19	-04	–	-07	–	-20	–	–	–	-06	–	–	-04		19
20	-65	-59	–	-41	–	-22	–	–	–	–	–	-70		20
21	-43	-04	–	-02	-25	TR	TR	–	-20	-05	-28	-04		21
22	-09	–	-02	–	-38	–	-23	–	–	-90	-67	-11		22
23	-10	-54	-01	–	-10	–	–	–	–	-07	–	–		23
24	-22	-28	-03	–	–	–	–	–	-18	-53	TR	-13		24
25	-02	-49	-63	–	–	–	–	TR	–	-32	-02	–		25
26	-01	-21	–	–	-05	–	–	–	–	-10	–	–		26
27	-02	-11	–	–	–	–	TR	–	–	-32	–	–		27
28	-40	-04	–	–	–	–	TR	–	–	-28	TR	-08		28
29	-13		–	–	–	–	–	–	-04	-17	-38	–		29
30	-12	✕	–	–	–	-04	–	–	TR	-03	-61	–		30
31	-23	✕	–	✕	–	✕	–	–	✕	-48	✕	–	d	31
TOTAL	5·18	7·18	5·07	3·39	2·93	1·20	1·51	-·78	2·36	3·49	3·62	4·–	Year's Total 40·71	✓
* Days with .01 in. or more.	25	22	18	13	13	6	6	5	13	14	9	14	~~158~~	✓
* Days with .04 in. or more.	21	19	14	10	10	5	5	3	11	11	7	14	~~130~~	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Charles Shillitoe

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1669

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

File No
841748/28

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Fairhaven, Salcombe

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	-08	–	–	TR	-18	–	-32	–	-08	-01	-09		1
2	–	–	–	-01	TR		–	–	–	-08	–	-10		2
3	–	–	–	TR	-22	- TR	-02	-69	–	-35	-26	-01		3
4	–	–	–	–	–	-03	-36	-32	–	-42	-02	-20		4
5	-08	–	–	–	–	–	-04	–	–	-05	–	-05		5
6	-27	–	–	–	–	-03	1·05	–	-15	-03	-14	-13		6
7	-08	–	–	–	–	21	-02	–	-16	-06	-06	-04		7
8	-36	-12	–	–	–	TR	-06	–	-18	-18	-TR	-02		8
9	-15	–	–	–	–	–	TR	–	-01	-01	-01	-55		9
10	-04	-02	–	–	–	TR	-02	–	–	–	–	-38		10
11	-48	–	–	–	–	-04	-08	–	–	–	-24	-61		11
12	-40	–	–	–	-23	–	TR	–	–	-14	-62	–		12
13	-38	–	–	–	-33	–	-82	–	–	-12	-10	-89		13
14	-62	–	–	–	-03	–	–	–	–	–	-03	-01		14
15	-21	–	–	–	-11	–	–	-14	–	–	-21	-24		15
16	-36	–	-10	–	-01		–	–	–	-52	-15	-11		16
17	-19	–	–	–	-10		–	-06	-29	-32	-11	–		17
18	-08	–	–	–	–	-02	–	–	–	-03	-25	–		18
19	–	–	–	–	–	–	–	–	-38	–	-76	–		19
20	–	–	–	–	–	–			-01	–	20	–		20
21	-08	–	–	–	–	–	–	-01	-08	-06	-31	–		21
22	-03	–	–	-09	TR	-04	–	1·18	–	–	-40	–		22
23	-01	–	–	–	TR	–	–	–	-06	-11	-04	–		23
24	-07	–	-26	–	-06	–	-01	–	–	-05	-50	–		24
25	-10	-10	–	–	-18	–	-41	-03	–	–	1·65	–		25
26	-15	-80	–	–	-60	–	-07	–	–	-12	-31	-21		26
27	-20	–	–	–	-03	-20	-38	-95	–	-07	-01	–		27
28	-10	–	–	–	-12	-04	–	-86	-20	–	-37	-02		28
29	-50	-23	–	–	-50	–	TR	–	-30	–	-01	–		29
30	-12	✕	–	TR	-11	–	-01	–	–	-30	-24	-01		30
31	-08	✕	–	✕	-23	✕	-02	–	✕	-27	✕	-31		31
TOTAL	5·14	1·35	-36	-10	2·86	-79	3·37	4·56	1·82	3·37	7·01	3·98	Year's Total 34·71	✓
* Days with .01 in. or more.	25	6	2	2	15	9	15	10	11	21	26	18	160	✓
* Days with .04 in. or more.	23	5	-2	–	10	6	9	8	9	18	20	14	124	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Charles Shillitoe

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1669

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 105

REGISTER OF RAINFALL IN 193

Fdy Nº 841748/28

Kept at Fairhaven Salcombe

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-03	-04	-	-	-	-	-62	-	-40	-03		1
2	-01	-	-	-30	-05	-	-	-21	-	-	-03	-04		2
3	-39	-	-15	-68	-	-	-10	-10	-	-01	35	-23		3
4	-	-	-47	-03	-34	-	-40	-[illegible]	~~03~~	-30	24	-09		4
5	-04	-	-	-33	-	-	-69	-	-	-31	-82	-03		5
6	-61	-	-20	-02	-	-03	-61	-27	-	-71	-28	-		6
7	-	-79	-	-	-	-	-02	20	-	03	28	-85		7
8	-01	-02	-	-	-08	-	-	14	-	1·40	-08	-03		8
9	-03	-	-02	-	-	-	-	50	-	10	-07	-02		9
10	-26	-	-10	-	-	-	-	23	-	-	-	-32		10
11	-10	-	-	-	-	-	-	-	-	30	01	-		11
12	-	-	-	-	-	-	-	-	13	29	01	-		12
13	-01	-	-	-08	-	-30	-31	-	14	1·25	04	-02		13
14	-81	-18	-	-	-04	-26	-34	-	03	29	57	-33		14
15	-20	-	-	-	07	-88	-09	-	-	02	28	-16		15
16	-01	-	-01	-	-	-~~16~~	-16	-	-	-	08	-01		16
17	-23	-	-	-	-01	-04	-53	-	-	-	09	-		17
18	-50	-03	-01	-	-	-	-18	-	-	-	38	-11		18
19	-57	-	-	-	-	-	-14	-50	-	-	01	-08		19
20	-76	-	-	-	-	-13	-01	88	-	-	-	-10		20
21	-13	-17	-02	-	-01	1·45	-03	-	-	-	-	-		21
22	-31	-	-20	-	-	·91	-35	-	03	-	38	-		22
23	-	-04	-	-	-	-01	-04	-~~04~~	-	01	1·58	-		23
24	1·20	-30	-14	-32	-	-40	-36	-03	-	01	-	-		24
25	·03	·01	-	-25	-	-	-	-24	-	06	-32	-		25
26	-	-	-	-	-	-	-05	03	-	-	26	-		26
27	-02	-34	-	-	-	-03	-02	-	-	-	14	-		27
28	-05	-01	-	-23	-	-04	-43	-	-	-	34	-		28
29	-	-	-	-01	-	-14	-	03	-	-90	-02	-		29
30	-	✕	-	-22	-	-	-	01	-	1·06	-04	-		30
31	-	✕	-	✕	-	✕	-	-06	✕	80	✕	-		31
TOTAL	6·22	1·99	1·35	-[illegible]	-60	4·62	4·86	3·44	-95	7·85	7·05	2·45	Year's Total 43·89	
* Days with .01 in. or more.	22	10	11	12	7	13	20	16	5	18	26	16	176	
* Days with .04 in. or more.	15	8	6	10	5	10	17	11	3	13	21	10	129	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Charles Shilleton

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1669

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

File No. 841748/28

FORM 1090

REGISTER OF RAINFALL IN 1930

Kept at Fairhaven Salcombe Devon
in the County of Devon
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf ✓

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	·06	–	–	–	–	–	–	–	–	·30	–		1
2	–	·29	–	·16	–	–	–	–	–	–	·75	·30		2
3	·23	·63	–	–	–	–	·03	–	–	·19	·96	·09		3
4	·03	·03	–	·16	–	–	–	–	–	·30	·39	–		4
5	·04	TR	–	·02	–	–	·08	–	–	·04	–	–		5
6	·05	·57	–	–	–	–	·32	–	–	·49	35	·45		6
7	·01	–	–	–	–	–	–	–	·26	·05	–	–		7
8	–	–	–	–	–	–	·05	–	TR	·49	61	·39		8
9	–	–	–	–	–	–	·51	–	·11	·10	·20	·35		9
10	–	–	–	–	–	–	·05	–	–	–	1·10	·31		10
11	–	–	·05	·04	–	–	·02	–	–	–	–	–		11
12	–	–	·12	–	–	·08	–	–	·63	·03	·09	–		12
13	–	–	·63	–	–	–	–	–	–	·58	1·41	·41		13
14	–	·01	–	–	·08	–	·05	–	·28	·03	·03	·09		14
15	–	·08	–	–	–	–	·10	–	·29	·25	·49	–		15
16	–	1·10	1·30	–	–	–	–	–	TR	–	·91	–		16
17	–	·25	·71	–	–	–	·30	–	TR	–	·01	–		17
18	–	·52	·15	·74	–	–	–	–	·74	·28	·02	·28		18
19	–	·14	·14	·14	–	–	10	–	–	·08	32	–		19
20	–	–	–	–	–	–	–	–	·08	·04	·30	–		20
21	–	–	·03	–	·06	–	–	–	–	–	–	–		21
22	–	–	·10	–	–	·56	·01	–	–	–	–	–		22
23	–	–	·14	–	·04	·02	–	–	–	·08	–	–		23
24	–	·02	·05	–	·08	·03	·50	–	–		–	–		24
25	·31	–	·23	·14	·63	–	–	–	–		–	–		25
26	·54	·39	–	–	–	–	–	–	–		–	–		26
27	·31	–	·03	·05	·84	–	–	–	–		–	–		27
28	·97	·01	–	·45	·03	–	–	–	–		–	–		28
29	·31	–	·15	1·50	–	·20	–	–	–	·32	–	–		29
30	·10	✕	·01	–	–	–	–	–	–	·50	–	–		30
31	·03	✕	–	✕	–	✕	–	–	✕		✕	1·		31
TOTAL	2·93	4·06	3·84	3·40	1·76	·89	2·12	–	2·39	3·85	8·24	3·97	Year's Total ~~37·40~~	37·45
* Days with .01 in. or more.	12	14	15	10	7	5	13	–	7	17	17	9	~~115~~	126
* Days with .04 in. or more.	9	10	12	4	6	3	10	–	7	14	14	9	~~105~~	98 "d"

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Charles Shilliton

[P.T.O.

1668

SALCOMBE
1931—35

780306

1668

Section | **A** | for the entr
AIR MINIS

FOR OFFICIAL USE.

RAINFALL ORGANIZATION.

FORM 1

REG … 1931.

289

Kept at Salcombe

in the County of De

Diameter of Funnel of Gauge

Height of top of Gauge above G

„ Ground „ S

"days" estimated by surrounding Stations!

1/4/32.

THE MORNING ME … US DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·67							·58				1
2												·39	2
3											1·23		3
4													4
5													5
6										·26			6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16						·80							16
17													17
18								1·22					18
19													19
20													20
21													21
22													22
23					·95								23
24	·71			·94			·79						24
25													25
26													26
27													27
28													28
29													29
30		✕											30
31		✕	·38	✕		✕			✕		✕		31
TOTAL	2·04	2·42	2·13	(3.00)	2·68	3·98	4·92	4·05	1·48	0·94	6·29	2·18	YEAR'S TOTAL (36.11)
*Days with ·01 in. or more.	8	13	10	(13)	17	12	22	12	9	7	20	12	(155)
*Days with ·04 in. or more.	7	8	9	(10)	16	12	19	12	9	6	18	12	(138)
40-9999	51·8	61·5	54·1	–	68·1	101·1	125·0	102·9	37·6	23·9	159·8	55·4	

*See Instruction 2 (*f*) on other side.

(*Signed*) ……………………

[P.T.O.

1668

Section | **A** | for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1

REGISTER OF RAINFALL IN 1931.

289

Kept at Salcombe

in the County of Devon

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

,, Ground ,, Sea Level .... ft.

April total & "days" estimated by surrounding Stations.

1/4/32.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·67							·58				1
2												·39	2
3											1·23		3
4													4
5													5
6										·26			6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16						·80							16
17													17
18								1·22					18
19													19
20													20
21													21
22													22
23					·95								23
24	·71			·94			·79						24
25													25
26													26
27													27
28													28
29													29
30		✕											30
31		✕	·38	✕		✕			✕		✕		31
TOTAL	2·04	2·42	2·13	(3.00)	2·68	3·98	4·92	4·05	1·48	0·94	6·29	2·18	YEAR'S TOTAL (36.11)
*Days with ·01 in. or more.	8	13	10	(13)	17	12	22	12	9	7	20	12	(155)
*Days with ·04 in. or more.	7	8	9	(10)	16	12	19	12	9	6	18	12	(138)
40-9999	51·8	61·5	54·1	–	68·1	101·1	125·0	102·9	37·6	23·9	159·8	55·4	

(Signed) .... [P.T.O.

*See Instruction 2 (*f*) on other side.

1668

Section A for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1

REGISTER OF RAINFALL IN 1932.

289

Kept at Salcombe

in the County of Devon

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level..........ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10				·57									10
11													11
12	·89												12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20					·95					1·39			20
21													21
22									·88				22
23													23
24							·87						24
25													25
26													26
27													27
28													28
29								·65					29
30		×				1·36					·96		30
31		×		×		×			×		×	·69	31
TOTAL	4·21	0·00 (trace	2·17	4·22	3·69	2·95	2·44	1·56	5·49	7·71	2·70	3·50	YEAR'S TOTAL 40·64
*Days with ·01 in. or more.	19	0	11	20	18	4	12	8	18	20	11	15	156
*Days with ·04 in. or more.	18	0	11	19	17	4	7	7	16	20	10	13	142
40-9999	106·9	0·0	55·1	107·2	93·7	74·9	62·0	39·6	139·4	195·8	68·6	88·9	

*See Instruction 2 (*f*) on other side.

(Signed)..........

[P.T.O.

1668

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090

REGISTER OF RAINFALL IN 1933.

289

Kept at Salcombe

in the County of Devon

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground 1 ft. 0 in.

" Ground " Sea Level 39 ft.

N.B. The "days" have been queried as too small by Mr Newnham & the question is to be raised at the next inspection (see station file). 20/6/34

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·15	1·00	·11	-	? -	·04	-	-	-	-	? -	1·24	1
2	·32	·05	·91	-	·52	76	-	-	-	-	tr	·16	2
3	·03	·08	·15	-	·02	·04	-	-	-	-	-	-	3
4	·20	·06	-	-	·07	-	-	-	-	-	-	-	4
5	·06	·04	·20	-	·18	-	-	-	·04	? -	-	-	5
6	·01	·55	-	-	·18	-	? tr	-	-	·10	-	-	6
7	·01	·14	-	-	·04	-	·04	-	-	·02	-	-	7
8	·05	·08	-	-	·03	-	·16	-	-	-	-	-	8
9	-	·10	-	-	-	-	·45	? -	-	·09	·06	-	9
10	·03	·12	-	-	-	-	·07	-	-	·21	? tr	-	10
11	·03	-	-	·05	-	-	-	·11	-	·02	-	? -	11
12	-	-	-	·20	·05	·22	·35	·05	·47	-	-	tr	12
13	·03	-	-	-	? -	-	·19	·08	? -	·11	·06	-	13
14	·06	-	-	-	-	-	·79	·13	-	-	·42	? -	14
15	·36	-	·45	-	-	? -	·39	·11	-	·13	1·05	-	15
16	·06	-	·96	-	-	·18	-	tr	·06	·03	? tr	-	16
17	tr	·06	·23	-	-	? -	-	·18	·18	-	-	-	17
18	·27	-	·36	-	-	·07	? -	-	-	-	? -	-	18
19	·36	-	·21	·04	-	-	-	-	·13	? -	·63	tr	19
20	tr	-	tr	-	? tr	·05	-	-	·29	-	? -	-	20
21	-	·07	-	-	-	·29	-	·05	? -	·37	-	-	21
22	-	-	-	·26	-	-	-	·49	·64	? -	-	-	22
23	-	·51	-	·20	-	·26	-	? tr	·12	·86	? -	-	23
24	-	·52	-	·27	-	-	-	-	·26	·11	-	-	24
25	-	1·10	-	·23	? -	? -	-	-	·06	-	-	·03	25
26	-	·27	-	·35	·22	-	-	-	-	? -	-	-	26
27	-	tr	-	·11	-	-	? -	-	-	·15	-	·46	27
28	-	·12	-	·33	-	-	·39	? -	-	·14	-	·08	28
29	·07		-	-	-	-	? -	tr	·19	-	-	tr	29
30	·07	×	? tr	-	-	-	? -	-	·42	-	-	? -	30
31	·29	×	·13	×	·23	×	-	-	×	? -	×	-	31
TOTAL	2·46	4·87	3·71	2·04	1·54	1·91	2·83	1·20	2·86	2·34	2·22	1·97	YEAR'S TOTAL 29·95
*Days with ·01 in. or more.	~~19~~	~~17~~	13 11 ~~10~~	~~10~~	14 12 ~~10~~	11 12 ~~9~~	15 13 ~~9~~	12 12 ~~8~~	14 10 ~~12~~	19 ~~13~~	11 11 ~~5~~	9 8 ~~5~~	160 ~~127~~
*Days with ·04 in. or more.	~~13~~	~~17~~	~~10~~	~~10~~	~~8~~	~~9~~	~~9~~	~~8~~	~~12~~	~~10~~	~~5~~	~~4~~	~~115~~

40-9999 62·5

72·6

*See Instruction 2 (*f*) on other side.

(*Signed*) ....

[P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 1668

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

289

Kept at Salcombe

in the County of Devon

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 39 ft.

Not printed

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1												·91	1
2									1·02				2
3										63			3
4													4
5													5
6					·52								6
7													7
8											·87		8
9													9
10													10
11													11
12													12
13													13
14	observer sick												14
15													15
16													16
17													17
18			·58	·68									18
19													19
20							·03						20
21													21
22													22
23						·59							23
24													24
25													25
26		·02											26
27													27
28								·62					28
29													29
30		×					·03						30
31		×		×		×			×		×		31 n. Lee YEAR'S TOTAL
TOTAL	3·14	0·02	3·72	2·85	0·96	1·52	0·06	2·37	2·59	2·52	2·26	10·04	32·05
*Days with ·01 in. or more.	(16)	1	13	9	5	6	2	9	12	11	8	30	
*Days with ·04 in. or more.	(15)	0	13	8	3	5	0	7	10	10	6	30	

40-9999

*See Instruction 2 (*f*) on other side.

M

Raindays rejected

(*Signed*) ....

P.T.O.

1668

Sect **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 289

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Salcombe

in the County of Devon

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 39 ft.

np 1934

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4														4
5														5
6														6
7														7
8														8
9	0.23													9
10														10
11														11
12														12
13														13
14														14
15														15
16														16
17														17
18														18
19														19
20														20
21		·93												21
22														22
23														23
24														24
25	0.23													25
26														26
27														27
28														28
29														29
30		×												30
31		×		×		×			×		×			31
TOTAL	0.79	4.63											Year's Total	
*Days with ·01 in. or more.	6	20												
*Days with .04 in. or more.	5	18												

Station ceased

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

X MALBOR

1669/1

MALBOROUGH (UPALONG)
1935 — 40

7f0306

Section **A** for the entry

AIR MINIS … AINFALL ORGANIZATION.

Station No. 1669/1

FORM 1090.

REG … **1935.**

Kept at Malborough

in the County of

File f b47 288/26

June + July values allocated from surrounding stns.

Diameter of Funnel of Gauge

Height of top of Gauge above G

,, Ground ,, S

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.04	.04	.89	–	–	.28	.01	–	.23	.06	.08	.18		1
2	–	.01	.20	–	–	.15	.02	–	.37	.43	.02	.02		2
3	–	–	–	–	.41	.20	.02	–	.01	.25	.10	.06		3
4	–	.07	–	.10	.02	.23	–	–	.07	.15	.16	.49		4
5	–	–	–	.13	–	.06	–	–	.25	.30	.20	.21		5
6	–	–	–	.34	–	1.10	–	–	–	–	.05	.04		6
7	–	–	–	.59	–	.03	–	–	–	.43	.34	.02		7
8	–	–	–	.67	–	–	.04	–	.14	.21	.55	–		8
9	.13	–	–	.35	–	–	–	–	–	.74	.29	–		9
10	.01	–	.24	–	–	.06	–	–	–	–	.81	.02		10
11	.30	–	–	–	–	.35	–	–	.17	.08	.54	–		11
12	.03	–	–	–	–	.68	–	.10	.07	–	–	–		12
13	.04	.41	–	.27	–	.12	–	–	–	.04	1.36	–		13
14	–	.25	–	.04	–	.02	–	–	.30	.10	–	.50		14
15	–	.04	.01	.70	.08	.14	–	–	–	.06	.31	.03		15
16	–	.01	.08	.20	–	–	~~.65~~	–	.48	.03	1.03	.16		16
17	–	–	–	.04	.48	.54	–	–	.03	–	–	–		17
18	–	.09	–	.51	.02	–	.21	.01	.25	.07	.08	.30		18
19	–	–	–	.06	.25	.20	–	–	.31	.15	.46	–		19
20	–	.28	–	.45	.10	.05	–	–	.01	–	.08	–		20
21	–	.82	.01	.06	–	.02	.28	–	.03	.12	–	–		21
22	–	–	–	.21	–	–	–	–	.07	.04	–	–		22
23	–	.11	.06	–	–	–	–	.51	–	.37	–	.48		23
24	.01	.57	–	.41	.06	–	–	.73	.67	.02	–	.12		24
25	.23	.19	–	.19	.72	.10	–	.01	–	–	–	.19		25
26	–	.57	–	–	–	.04	–	.38	.42	–	–	.68		26
27	–	.30	–	–	–	–	–	.04	.13	.05	–	.45		27
28	–	.06	–	–	–	–	–	–	.15	.04	.13	.07		28
29	–		–	–	.12	–	–	–	.27	–	.05	.40		29
30	.03	×	–	–	–	.15	–	1.15	.12	.25	1.01	.87		30
31	–	×	–	×	–	×	–	.04	×	.71	×	.45		31
TOTAL	.82	3.82	1.49	5.32	2.26	~~3.96~~ 4.52	~~1.14~~ .58	2.97	4.55	4.70	7.65	5.34	Year's Total. 44.02 ✓	
* Days with .01 in. or more.	~~4~~ 9	~~8~~ 16	~~8~~ 7	~~4~~ 18	~~8~~ 10	~~8~~ 20	~~4~~ 6	~~8~~ 9	~~4~~ 22	~~8~~ 23	~~4~~ 20	~~4~~ 21	~~26~~	181
* Days with .04 in. or more.	5 ✓	14 ✓	5 ✓	18 ✓	8 ✓	~~12~~ 17	3 ✓	7 ✓	18 ✓	21 ✓	19 ✓	~~16~~ 17	~~146~~	152

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) A. Ward

P.T.O.

X MALBOR

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 1669/1

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Malborough Nr Kingsbridge
in the County of Devon
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 4 in.
,, Ground ,, Sea Level 365 ft.

Days
X see letter in file f647288/26
Totals

June & July values allocated from surrounding stns. SHL.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.04	.04	.89	–	–	.28	.01	–	.23	.06	.08	.18		1
2	–	.01	.20	–	–	.15	.02	–	.37	.43	.02	.02		2
3	–	–	–	–	.41	.20	.02	–	.01	.25	.10	.06		3
4	–	.07	–	.10	.02	.23	–	–	.07	.15	.16	.49		4
5	–	–	–	.13	–	.06	–	–	.25	.30	.20	.21		5
6	–	–	–	.34	–	1.10	–	–	–	–	.05	.04		6
7	–	–	–	.59	–	.03	–	–	–	.43	.34	.02		7
8	–	–	–	.67	–	–	.04	–	.14	.21	.55	–		8
9	.13	–	–	.35	–	–	–	–	–	.74	.29	–		9
10	.01	–	.24	–	–	.06	–	–	–	–	.81	.02		10
11	.30	–	–	–	–	.35	–	–	.17	.08	.54	–		11
12	.03	–	–	–	–	.68	–	.10	.07	–	–	–		12
13	.04	.41	–	.27	–	.12	–	–	–	.04	1.36	–		13
14	–	.25	–	.04	–	.02	–	–	.30	.10	–	.50		14
15	–	.04	.01	.70	.08	.14	–	–	–	.06	.31	.03		15
16	–	.01	.08	.20	–	–	~~.65~~	–	.48	.03	1.03	.16		16
17	–	–	–	.04	.48	.54	–	–	.03	–	–	–		17
18	–	.09	–	.51	.02	–	.21	.01	.25	.07	.08	.30		18
19	–	–	–	.06	.25	.20	–	–	.31	.15	.46	–		19
20	–	.28	–	.45	.10	.05	–	–	.01	–	.08	–		20
21	–	.82	.01	.06	–	.02	.28	–	.03	.12	–	–		21
22	–	–	–	.21	–	–	–	–	.07	.04	–	–		22
23	–	.11	.06	–	–	–	–	.51	–	.37	–	.48		23
24	.01	.57	–	.41	.06	–	–	.73	.67	.02	–	.12		24
25	.23	.19	–	.19	.72	.10	–	.01	–	–	–	.19		25
26	–	.57	–	–	–	.04	–	.38	.42	–	–	.68		26
27	–	.30	–	–	–	–	–	.04	.13	.05	–	.45		27
28	–	.06	–	–	–	–	–	–	.15	.04	.13	.07		28
29	–		–	–	.12	–	–	–	.27	–	.05	.40		29
30	.03	×	–	–	–	.15	–	1.15	.12	.25	1.01	.87		30
31	–	×	–	×	–	×	–	.04	×	.71	×	.45		31
TOTAL	.82	3.82	1.49	5.32	2.26	~~3.96~~ 4.52	~~1.14~~ .58	2.97	4.55	4.70	7.65	5.34	Year's Total. 44.02 ✓	
* Days with .01 in. or more.	~~4~~ 9	~~8~~ 16	~~8~~ 7	~~x~~ 18	~~8~~ 10	~~8~~ 20	~~x~~ 6	~~8~~ 9	~~4~~ 22	~~8~~ 23	~~x~~ 20	~~4~~ 21	~~26~~	181
* Days with .04 in. or more.	5 ✓	14 ✓	5 ✓	18 ✓	8 ✓	~~12~~ 17	3 ✓	7 ✓	18 ✓	21 ✓	19 ✓	~~16~~ 17	~~146~~	152

40-9999

* See Instruction 2 (f) on other side.

N

† Spare column, no entries required.

(*Signed*) Dr A. Ward

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1669/1

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at X Malborough X - No "R"

in the County of Devon

A/c Totals

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 360 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.25	.03	—	.04	—	.29	.37	.12	—	—	.06	.02		1
2	.09	—	—	.09	—	+	.43	.03	.07	—	.07	—		2
3	.02	—	.25	.64	—	+	.04	—	.82	—	.18	.02		3
4	.01	.03	.26	—	—		.07	—	.33	—	.14	.09		4
5	.54	.26	.03	—	.02		.17	.12	—	—	—	.06		5
6	.17	—	.06	—	—		.16	.23	.37	—	.36	—		6
7	.27	—	.59	—	—		.08	—	.02	—	.33	.06		7
8	.63	—	.52	—	—		.44	—	—	.18	.32	—		8
9	.23	1.15	.25	—	—		.07	—	.33	—	.05	—		9
10	.01	.53	—	—	—	+	.04	—	—	—	.22	—		10
11	.52	.04	—	—	—	+ absent from 3rd to 23rd	.23	—	.10	—	1.03	.17		11
12	.07	—	.02	.18	—		.41	.02	.34	—	.05	.08		12
13	.11	—	—	—	—		—	.04	.02	.03	.15	.45		13
14	—	.03	—	—	—	+	.85	—	.05	.02	—	.90		14
15	—	—	—	—	—		.04	—	.07	—	.46	.36		15
16	—	.09	—	—	.16		.20	—	—	—	.26	.34		16
17	.16	.74	—	—	.02		.11	.10	—	.11	.04	.72		17
18	.20	.23	.30	—	—		.48	—	—	—	—	.18		18
19	.49	—	.41	.13	—	+	—	.16	—	—	—	—		19
20	.24	.22	.02	.16	—	+	.01	—	.58	—	—	—		20
21	—	.30	.04	.45	—	✓	.18	—	—	—	—	.03		21
22	.25	.03	—	—	—		.28	—	—	—	—	—		22
23	—	.05	.01	.22	—	.84	.12	—	—	.09	—	—		23
24	.55	—	.09	—	.36	—	—	—	.26	.54	—	.02		24
25	.11	—	.39	.15	—	—	.02	—	—	.39	.08	—		25
26	.44	.11	.27	—	—	—	—	—	.07	.02	.03	—		26
27	.24	—	.06	—	—	—	.24	—	—	.01	—	—		27
28	1.08	—	.80	—	—	—	.23	—	—	—	—	.23		28
29	.05	—	.03	—	—	—	—	—	—	.16	.15	.02		29
30	.18	×	.01	—	—	.39	—	—	—	—	—	—		30
31	.08	×	.70	×	.05	×	.53	—	×	—	×	.59		31
TOTAL	6.99	3.84	5.11	2.06	.61	1.52	5.80	.82	3.43	1.55	3.98	4.34	Year's Total. 40.05	
* Days with .01 in. or more.	~~3~~26	~~4~~15	~~6~~21	9	~~2~~5	10	~~2~~25	~~2~~8	~~2~~14	~~4~~10	~~1~~18	~~5~~18	3+179	
* Days with .04 in. or more.	23	11	15	9	3	10	23	6	12	6	17	13	148	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1669/1

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Malborough

in the County of Devon

Diameter of Funnel of Gauge.................in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 360 ft.

24
Days

Totnes ✓

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.18	.12	.01	.25	—	—	.03	—	—	.14	—	.59		1
2	.06	.91	.09	.50	.10	—	.01	—	.10	—	—	—		2
3	.05	.10	.01	.12	—	—	—	—	.21	—	—	—		3
4	.08	.95	—	.05	—	—	—	—	—	—	—	.57		4
5	.31	—	—	.20	—	—	.03	—	—	—	—	—		5
6	.14	1.10	.48	.24	.01	—	—	—	—	—	—	.16		6
7	—	.86	.20	.01	—	—	.47	—	.01	—	.04	.13		7
8	—	.03	—	—	—	.06	.07	—	—	—	—	.03		8
9	.08	.08	.09	.25	.40	.04	—	—	.57	—	—	—		9
10	.16	—	.44	.24	.52	—	.23	—	—	—	—	.44		10
11	.04	—	.21	.42	—	.12	.02	—	—	—	—	—		11
12	.78	.70	.20	.01	.11	.79	—	.02	.30	—	—	.30		12
13	—	.07	.89	.25	.50	—	.31	—	.03	—	—	.11		13
14	—	.10	.02	—	.03	—	.03	.49	.10	—	—	.03		14
15	.51	.28	.23	.58	—	—	—	.25	.20	—	—	.22		15
16	.18	.07	.26	—	—	—	—	.04	.52	—	.75	—		16
17	.86	.07	.44	—	—	—	—	—	.02	.01	.82	—		17
18	.07	.12	.16	—	—	—	.10	.09	.02	—	.26	.18		18
19	.16	.06	—	.36	—	—	—	—	.04	—	.26	.18		19
20	.44	—	.06	.16	—	.24	—	.06	—	—	.01	.54		20
21	.77	.72	.01	.03	.21	—	—	—	.26	.12	.06	.04		21
22	.37	.01	.01	—	.12	—	—	—	.09	.75	.79	.10		22
23	.10	.54	—	—	.26	—	.06	—	—	.31	.15	.04		23
24	.35	.42	.03	—	.40	—	.22	—	.14	.78	—	.15		24
25	.02	.69	.56	.02	.09	—	.01	—	.09	.25	—	.02		25
26	—	.37	—	—	—	—	—	—	—	—	—	.07		26
27	.10	.12	—	—	.05	—	—	—	—	.40	.03	—		27
28	.16	.22	—	—	—	—	—	—	—	.17	—	—		28
29	.10	×	—	—	—	—	—	—	.01	.23	.40	—		29
30	.30	×	—	—	—	.03	—	—	.01	.11	.71	—		30
31	.16	×	—	×	—	×	—	—	×	.66	×	—		31
TOTAL	6.53	8.71	4.40	3.69	2.80	1.28	1.59	.95	2.72	3.93	4.28	3.90	Year's Total 44.78	✓
* Days with .01 in. or more.	+ 26	~~2~~ 24	~~6~~ 20	~~4~~ 17	~~2~~ 13	+ 6	~~6~~ 13	+ 6	~~6~~ 18	+ 12	~~72~~ 12	~~3~~ 19	186	✓
* Days with .04 in. or more.	25	22	14	13	11	5	7	5	12	11	10	16	15	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) A Ward

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1669/1

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Malborough

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. in.

,, Ground ,, Sea Level 350 ft.

Daly

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.03	—	—	—	.16	—	.10	.10	.55	—	.12		1
2	—	.03	—	—	.02	—	—	.17	—	.24	—	.09		2
3	.03	—	—	—	.16	—	.08	1.50	—	.46	.31	—		3
4	—	—	.01	—	—	.05	.27	—	—	.37	.03	.25		4
5	Trace	—	—	—	—	—	.04	—	.05	.30	.05	—		5
6	.15	.01	—	—	—	.16	1.30	—	.12	.07	.11	.14		6
7	.19	—	—	—	—	.09	.12	—	.22	.07	.05	.06		7
8	.32	—	—	—	—	.01	.03	—	—	.25	—	.01		8
9	.23	.15	—	—	—	~~.09~~	—	—	—	.04	.01	.45		9
10	.30	—	—	—	—	—	.03	—	—	—	—	.28		10
11	.27	.02	—	—	—	—	.09	—	—	—	.27	.73		11
12	.49	Trace	—	—	.25	—	.02	—	—	.23	.57	—		12
13	.36	—	—	—	.24	—	—	.01	—	.20	.20	.73		13
14	.62	—	.01	—	.21	—	.75	—	—	—	.05	—		14
15	.26	—	—	—	.17	—	—	.14	—	.57	.15	.26		15
16	.43	—	.10	—	.02	—	—	.03	—	.01	.25	—		16
17	—	.14	.02	—	.11	—	—	—	.34	.30	.10	.19		17
18	.21	—	Trace	—	.08	.01	.01	—	.11	.04	.30	—		18
19	.01	—	—	—	—	—	.01	.31	.44	.01	.77	—		19
20	.06	—	—	—	—	—	—	—	.05	—	.19	—		20
21	.10	—	—	—	—	—	—	—	.09	.07	.53	—		21
22	.05	—	—	—	—	.05	—	1.03	—	.09	.41	—		22
23	.01	—	—	.09	.01	—	—	—	—	—	.04	—		23
24	.02	—	.28	—	.02	.02	.47	.01	.07	—	.73	—		24
25	.14	.03	.03	—	.23	—	—	.03	—	.05	1.33	—		25
26	.17	.19	—	—	.65	.03	—	—	—	.14	—	.21		26
27	.20	.09	—	—	.10	.26	.34	.83	—	.11	.42	—		27
28	.27	.63	—	—	.21	.06	—	1.33	.02	—	—	.01		28
29	.35		—	—	.45	—	—	—	.23	.35	.40	.03		29
30	.14	✕	—	—	.14	—	—	—	.11	—	.23	Trace		30
31	.16	✕	—	✕	.28	✕	—	—	✕	.32	✕	.31		31
TOTAL	5.54	1.32	.45	.09	3.35	.90	3.56	5.49	1.95	4.84	7.50	3.87	Year's Total 38.86	✕
* Days with .01 in. or more.	~~4~~ 26	~~5~~ 10	~~4~~ 6	~~0~~ 1	~~4~~ 18	~~4~~ 11	~~5~~ 14	~~4~~ 12	~~1~~ 13	~~2~~ 23	~~2~~ 24	~~3~~ 16	~~38~~	174 ✓
* Days with .04 in. or more.	22	5	2	1	14	7	9	8	12	21	22	13	136	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. Ward

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1669/1

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Malborough

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. — in.

" Ground " Sea Level 350 ft.

Daily

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.10	—	—	.03	.02	—	—	—	.01	—	.64	.20		1
2	.01	—	—	.28	—	—	—	.29	.52	—	.04	.02		2
3	.25	—	.05	.70	—	—	.11	.04	—	.01	.33	.26		3
4	—	—	.69	.02	.44	—	.35	.08	—	.36	.27	.10		4
5	—	.01	.10	.47	—	—	.72	—	—	.22	1.03	.02		5
6	.85	—	.11	.02	—	—	.80	.08	—	.40	.32	—		6
7	.01	.80	—	—	—	—	.02	.18	—	.01	.46	.90		7
8	.01	.16	.01	—	.09	—	.03	.11	—	1.88	.13	.09		8
9	.05	.03	.01	—	—	—	—	.43	—	.11	.05	.14		9
10	.31	.02	.02	—	—	—	—	.38	—	—	—	.36		10
11	.01	.04	.09	—	—	—	—	.01	—	.24	.01	—		11
12	—	.05	—	—	—	—	—	—	.09	.17	.02	.02		12
13	.13	—	—	.09	—	.33	.44	—	.15	.92	.02	—		13
14	.64	—	—	—	.07	.09	.45	—	.01	.13	.36	.29		14
15	.53	—	—	—	.07	.98	.12	—	—	—	.28	.21		15
16	.17	—	—	.22	—	—	.16	—	—	—	.11	—		16
17	.53	.08	—	—	—	.08	.47	—	—	—	—	—		17
18	.05	.02	.02	—	—	—	.36	—	—	—	.41	.05		18
19	.38	.02	—	—	—	—	.05	.43	—	—	—	.03		19
20	.83	—	—	—	—	.14	.11	.75	—	—	—	.07		20
21	—	.21	.09	—	.02	1.33	.01	.01	—	—	—	—		21
22	.46	.32	.16	—	—	.71	.31	—	.02	—	.52	—		22
23	.03	—	.02	.12	—	.03	—	—	—	.02	1.62	—		23
24	1.06	.03	.08	.03	—	.38	.04	.01	—	.02	—	—		24
25	.08	.04	—	.21	—	.01	.35	.20	—	.05	.32	—		25
26	—	.04	—	—	—	—	.04	.07	—	.02	.29	—		26
27	.03	.22	—	—	—	.03	.01	—	—	—	.18	—		27
28	—	.03	—	.17	—	.07	.14	—	—	—	.35	—		28
29	—	×	—	—	—	.10	.34	—	—	.89	.02	—		29
30	—	✕	.02	.16	—	—	.06	.02	—	.86	.07	—		30
31	—	✕	—	✕	—	✕	.08	.09	✕	.86	✕	—		31
TOTAL	6.52	2.12	1.47	2.52	.71	4.28	5.57	3.18	.80	7.17	7.85	2.76	Year's Total 44.95	
* Days with .01 in. or more.	22 ~~6~~	~~7~~ 17	~~6~~ 14	~~4~~ 13	~~2~~ 6	~~3~~ 13	~~4~~ 24	~~4~~ 17	~~3~~ 6	~~5~~ 18	~~4~~ 24	~~4~~ 15	~~52~~ 189	
* Days with .04 in. or more.	16	10	8	9	4	10	20	13	3	13	20	11	137	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Alban Ward

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1669/1

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Malborough Kingsbridge

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. — in.

" Ground " Sea Level 350 ft.

Days

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.02	—	—	.02	—	—	—	—	—	.23	—		1
2	—	.46	—	.22	—	—	.02	—	—	—	.59	.02		2
3	.18	.46	—	—	—	—	—	—	—	.15	.97	.32		3
4	—	.01	—	.12	—	—	.12	—	—	.36	.31	.03		4
5	.04	—	—	—	—	—	.02	.01	—	.01	.24	.23		5
6	.27	.59	—	—	—	—	.05	—	—	.51	—	.30		6
7	.16	—	—	—	—	—	.25	—	.06	.05	—	—		7
8	.01	—	—	—	—	—	.02	—	.14	.48	.46	.32		8
9	—	.02	—	—	—	—	.46	.03	.06	.12	.45	.38		9
10	—	—	—	—	—	—	.01	—	.07	.08	.09	.35		10
11	—	.03	.03	.04	—	—	.02	—	—	—	1.15	.02		11
12	—	—	.18	—	—	.10	.07	—	.48	—	.25	—		12
13	—	—	.61	—	—	—	.03	—	.01	.32	1.09	.28		13
14	—	.02	—	—	.07	—	—	—	.22	.17	.03	.66		14
15	—	.04	—	—	—	—	.02	—	.26	.11	.45	—		15
16	—	1.19	1.38	.05	—	—	.09	—	.06	.15	.91	.10		16
17	—	.30	.62	.04	—	—	.36	—	—	—	.45	—		17
18	—	.62	.13	.71	.01	—	.05	—	—	.16	—	.20		18
19	—	.14	.16	.14	—	—	.10	—	.60	.02	.32	—		19
20	—	.01	.01	.01	—	—	—	—	.12	.03	.05	—		20
21	—	—	—	—	.05	—	—	.02	.05	.01	.42	—		21
22	—	.02	.12	.06	—	.59	.02	—	.02	—	—	—		22
23	—	.02	—	—	.01	.01	—	—	—	.11	.12	—		23
24	—	—	.03	.08	—	.05	.45	—	—	—	—	—		24
25	.28	—	.15	.07	.63	—	—	—	—	—	—	—		25
26	.49	.38	—	.05	.29	.07	—	—	—	—	—	—		26
27	.35	.05	.02	.45	.61	—	—	—	—	—	—	—		27
28	.92	.15	.01	—	.03	—	—	—	—	—	—	.03		28
29	.15	—	.16	1.51	—	.11	—	—	—	.02	—	.42		29
30	.02	✕	—	—	—	—	—	—	—	.36	—	.66		30
31	.16	✕	—	✕	—	✕	—	—	✕	.52	✕	.48		31
TOTAL	3.03	4.53	3.61	3.55	1.72	.93	2.16	.06	2.15	3.74	8.58	4.80	Year's Total 38.86	
* Days with .01 in. or more.	~~2~~12	~~8~~19	~~5~~14	~~4~~14	~~4~~9	~~1~~6	~~8~~18	3	~~2~~13	~~5~~20	~~1~~19	~~4~~17	~~44~~164	
* Days with .04 in. or more.	10	11	9	13	5	5	10	0	11	15	18	13	120	

† Spare column, no entries required.

(*Signed*) A. Ward

* See Instruction 3 (f) on other side.

P.T.O.

1669/3.

Section **A** for the entry

AIR MINIST

FOR OFFICIAL USE.

INFALL ORGANIZATION.

FORM 1090.

REGIS 1931.

S Devon/3

1669/3

CHARLETON SCHOOL

1931

280306

Kept at Charleton

in the County of Devon

Diameter of Funnel of Gauge......

Height of top of Gauge above Gro

,, Ground ,, Sea

d in good agreement.

ect in

ys annual values.

in days' deleted.

Btuch 15/3/32.

THE MORNING MEA S DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·25			·70					·50	·02			1
2	–			·25					·19				2
3	·30		1·00	·10		Tr					·65		3
4	·20		·18	·05			·31	Tr	·14	·22	·02	·56	4
5		Tr.	1·30	·20	·07	·32	·25	·47	·02				5
6		·44	·04		·08	·51			·06	·23	·22	·26	6
7	Tr.					·49	·47	·74	·01		·77	·20	7
8				·10	·27	·45	·09	·01			·11		8
9		·46				·12	·10				·50	·37	9
10		·29			·06	·09	·13	·01	·07		·45		10
11		·39			·07	·08	·02				·19		11
12	·15	Tr.				·73	·09		·07				12
13						·02	·38	·06		·18			13
14		·04			·08	·13	·70				·29		14
15		·11			·10	·02	·15	·08					15
16	·01	·06			·05	·76	·10	·69	Tr			·14	16
17				·03		·01	·15	·25	·03				17
18	·02	·08	·04	·04		·29	·10	·32			·30		18
19	·01			·06		·23	·15	·07			·50		19
20	·03	·35	·20					·14			·09		20
21	·21			·02	·10						·14		21
22	–		·30	·02	✓						·03		22
23	·73			·18	✓			·35			·38		23
24	·04		·01	·50	✓	·19		·69					24
25	·17	·04		·53	✓		·30				·05		25
26	·04	·09	·04		–		·35				·90		26
27	–	·20			✓		·52				·33		27
28	·23	·05		·09	1·85 ✓			·07		·02		·10	28
29	·06	×	·20		✓		·15	·50	Tr.		·10		29
30		×	·03		✓				·15	·01			30
31	·67	×	·57	×	✓	×			×		×		31 d.
TOTAL	3·12	2·60	3·91	2·87	2·73	4·44	4·51	4·45	1·24	0·68	6·02	1·63	YEAR'S TOTAL 38·20
*Days with ·01 in. or more.	~~16~~	~~13~~	~~12~~	~~15~~	~~18?~~	~~16~~	~~19~~	~~15~~	~~10~~	~~6~~	~~19~~	~~6~~	~~147?~~
*Days with ·04 in. or more.	12	13	11	15	?	13	18	13	7	3	17	6	~~128~~? 145

40-9999

N

(Signed) A. Freedy. [P.T.O.

× The Headmistress ×

*See Instruction 2 (*f*) on other side

Section **A** for the entry of Daily Observations,

FOR OFFICIAL USE.

1669/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

S Devon/3

Kept at Charleton SCHOOL

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 50 ft.

cf 1669. Record found in good agreement.

Stuch 15/2/38.

Rather oversheltered to west but in reasonable accord in monthly & annual values. Some accumulations ∴ "Rain Days" deleted.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·25			·70					·50	·02			1
2	–			·25					·19				2
3	·30		1·00	·10		Tr					·65		3
4	·20		·18	·05			·31	Tr	·14	·22	·02	·56	4
5		Tr.	1·30	·20	·07	·32	·25	·47	·02				5
6		·44	·04		·08	·51			·06	·23	·22	·26	6
7	Tr.					·49	·47	·74	·01		·77	·20	7
8				·10	·27	·45	·09	·01			·11		8
9		·46				·12	·10				·50	·37	9
10		·29			·06	·09	·13	·01	·07		·45		10
11		·39			·07	·08	·02				·19		11
12	·15	Tr.				·73	·09		·07				12
13						·02	·38	·06		·18			13
14		·04			·08	·13	·70				·29		14
15		·11			·10	·02	·15	·08					15
16	·01	·06			·05	·76	·10	·69	Tr			·14	16
17				·03		·01	·15	·25	·03				17
18	·02	·08	·04	·04		·29	·10	·32			·30		18
19	·01			·06		·23	·15	·07			·50		19
20	·03	·35	·20					·14			·09		20
21	·21			·02	·10						·14		21
22	–		·30	·02	✓						·03		22
23	·73			·18	✓			·35			·38		23
24	·04		·01	·50	✓	·19		·69					24
25	·17	·04		·53	✓		·30				·05		25
26	·04	·09	·04		–		·35				·90		26
27	–	·20			✓		·52				·33		27
28	·23	·05		·09	1·85 ✓			·07		·02		·10	28
29	·06	×	·20		✓		·15	·50	Tr.		·10		29
30		×	·03		✓				·15	·01			30
31	·67	×	·57	×	✓	×			×		×		31 d.
TOTAL	3·12	2·60	3·91	2·87	2·73	4·44	4·51	4·45	1·24	0·68	6·02	1·63	YEAR'S TOTAL 38·20
*Days with ·01 in. or more.	~~16~~	~~13~~	~~12~~	~~15~~	~~18?~~	~~16~~	~~19~~	~~15~~	~~10~~	~~6~~	~~19~~	~~6~~	165 ~~147?~~
*Days with ·04 in. or more.	12	13	11	15	17?	13	18	13	7	3	17	6	~~128~~ ? 145

40-9999

N (Signed) A. Freedy. [P.T.O.

× The Headmistress ×

*See Instruction 2 (*f*) on other side

MALBOROUGH ~~Sc~~

(1669/2

1669/2

MALBOROUGH SCHOOL

1939

7P0306

Section **A** for the entry of
AIR MINISTRY

Station No.

FALL ORGANIZATION

FORM 1090

REGIS

39.

Kept at .... Malborough S

in the County of .... Devon

Diameter of Funnel of Gauge........

73/29

Height of top of Gauge above Grou

,, Ground ,, Sea l

THE MORNING MEASURE

OUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·10 ~~·01~~	—	—	·03	·02	—	—	—	·01	—	·68	·22		1
2	·01	—	—	·26	—	—	—	·25	·52	—	·03	·03		2
3	·25	—	·05	·70	—	—	·11	·03	—	·01	·29	·29		3
4	—	—	·68	·02	·44	—	·35	·05	—	·34	·26	·12		4
5	—	·01	·10	·47	—	—	·74	—	—	·22	·63	·02		5
6	·85	—	·10	·02	—	—	·80	·08	—	·39	·37	—		6
7	·01	·77	—	—	—	—	·02	·18	—	·02	·41	·68		7
8	·01	·16	·01	—	·07	—	·04	·11	—	1·89	·11	·07		8
9	·05	·05	·01	—	—	—	—	·43	—	·11	·04	·14		9
10	·31	·02	·02*	—	—	—	—	·38	—	—	—	·32		10
11	·01	·04	·10	—	—	—	—	·01	—	·22	—	·02		11
12	—	·04	—	—	—	—	—	—	·09	·19	·03	·01		12
13	·13	—	—	·09	—	·33	·44	—	·15	·92	·02	—		13
14	·64	—	—	—	·07	·10	·45	—	·01	·13	·28	·27		14
15	·53	—	—	—	·06	·99	·11	—	—	—	·22	·21		15
16	·17	—	—	·22	—	—	·16	—	—	—	·13	—		16
17	·53	·05	—	—	—	·08	·47	—	—	—	·01	—		17
18	·05	·02	·02	—	—	—	·37	—	—	—	·58	·08		18
19	·38	·02	—	—	—	—	·05	·43	—	—	·01	·06		19
20	·83	—	—	—	—	·14	·11	·75	—	—	—	·08		20
21	—	·20	·11	—	·02	1·34	—	·01	—	—	—	—		21
22	·46	·32	·16	—	—	·70	·32	—	·02	—	·44	—		22
23	·05	—	·01	·12	—	·03	—	—	—	·02	1·60	—		23
24	1·07	·03	·07	·02	—	·38	·04	·01	—	·01	—	—		24
25	·08	·05	—	·22	—	·01	·35	·20	—	·05	·26	—		25
26	—	·05	—	—	—	—	·03	·07	—	·02	·29	—		26
27	·03	·24	—	—	—	·03	·02	—	—	—	·19	—		27
28	—	·03	—	·17	—	·07	·13	—	—	—	·28	—		28
29	—	×	—	—	—	·10	·32	—	—	·89	·03	—		29
30	—	×	·01	·16	—	—	·05	·02	—	·86	·07	—		30
31	—	×	—	×	—	×	·07	·09	×	·87	×			31
TOTAL	6·55	2·10	1·45	2·50	·68	4·30	5·55	3·10	·80	7·16	7·26	2·62	Year's Total 44·07	
* Days with .01 in. or more.	22	17	14	13	6	13	23	17	6	18	25	16	190	
* Days with .04 in. or more.	17	11	8	9	4	10	20	12	3	13	19	12	138	

WH

THE HEADMASTER

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

N

(Signed) .... G. R. Knapp .... [P.T.O.

MALBOROUGH SC

Section **A** for the entry of Daily Observations

Station No. 1665/12

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at Malborough School

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 330 ft.

871273/29

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.10 ~~.01~~	–	–	.03	.02	–	–	–	.01	–	.68	.22		1
2	.01	–	–	.26	–	–	–	.25	.52	–	.03	.03		2
3	.25	–	.05	.70	–	–	.11	.03	–	.01	.29	.29		3
4	–	–	.68	.02	.44	–	.35	.05	–	.34	.26	.12		4
5	–	.01	.10	.47	–	–	.74	–	–	.22	.63	.02		5
6	.85	–	.10	.02	–	–	.80	.08	–	.39	.37	–		6
7	.01	.77	–	–	–	–	.02	.18	–	.02	.41	.68		7
8	.01	.16	.01	–	.07	–	.04	.11	–	1.89	.11	.07		8
9	.05	.05	.01	–	–	–	–	.43	–	.11	.04	.14		9
10	.31	.02	.02	–	–	–	–	.38	–	–	–	.32		10
11	.01	.04	.10	–	–	–	–	.01	–	.22	–	.02		11
12	–	.04	–	–	–	–	–	–	.09	.19	.03	.01		12
13	.13	–	–	.09	–	.33	.44	–	.15	.92	.02	–		13
14	.64	–	–	–	.07	.10	.45	–	.01	.13	.28	.27		14
15	.53	–	–	–	.06	.99	.11	–	–	–	.22	.21		15
16	.17	–	–	.22	–	–	.16	–	–	–	.13	–		16
17	.53	.05	–	–	–	.08	.47	–	–	–	.01	–		17
18	.05	.02	.02	–	–	–	.37	–	–	–	.58	.08		18
19	.38	.02	–	–	–	–	.05	.43	–	–	.01	.06		19
20	.83	–	–	–	–	.14	.11	.75	–	–	–	.08		20
21	–	.20	.11	–	.02	1.34	–	.01	–	–	–	–		21
22	.46	.32	.16	–	–	.70	.32	–	.02	–	.44	–		22
23	.05	–	.01	.12	–	.03	–	–	–	.02	1.60	–		23
24	1.07	.03	.07	.02	–	.38	.04	.01	–	.01	–	–		24
25	.08	.05	–	.22	–	.01	.35	.20	–	.05	.26	–		25
26	–	.05	–	–	–	–	.03	.07	–	.02	.29	–		26
27	.03	.24	–	–	–	.03	.02	–	–	–	.19	–		27
28	–	.03	–	.17	–	.07	.13	–	–	–	.28	–		28
29	–	×	–	–	–	.10	.32	–	–	.89	.03	–		29
30	–	×	.01	.16	–	–	.05	.02	–	.86	.07	–		30
31	–	×	–	×	–	×	.07	.09	×	.87	×			31
TOTAL	6.55	2.10	1.45	2.50	.68	4.30	5.55	3.10	.80	7.16	7.26	2.62	Year's Total 44.07	
* Days with .01 in. or more.	22	17	14	13	6	13	23	17	6	18	25	16	190	
* Days with .04 in. or more.	17	11	8	9	4	10	20	12	3	13	19	12	138	

WH

THE HEADMASTER

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) G. R. Knapp. [P.T.O.

X WEST ALVINGTON X

1669/5

Section **A** for the entry of Da

AIR MINISTRY.—

COPY FOR OFFICIAL USE.

LL ORGANIZATION. S. Devon

/3

FORM 1090.

REGIST

1.

1669/5

WEST ALVINGTON

1931—40

780206

Kept at West Alvington Vica

in the County of S. De

Borough Vicarage

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Leve

THE MORNING MEASURE AY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	–	–	·84	-	-	-	–	·40	·07	-	–	1
2	·40	–	✓ ·01	·51	–	–	-	–	·37	·01	–	·33	2
3	·28	–	1·14	–	–	-	–	–	·15	·07	1·02	·13	3
4	–	-	·20	–	·20	-	·43	–	·07	·25	–	·03	4
5	-	·52	·87	·10	–	·39	·07	·05	·01	–	·01	·15	5
6	–	·04	✓	–	·07	·42	–	–	–	·27	·22	·65	6
7	–	·01		–	·31	·66	·33	·30	–	–	·64	·26	7
8	·01	·54		·28	–	·60	·09	·02	–	–	·18	·11	8
9	–	·30	·06	–	–	·09	·13	·01	–	–	·37	–	9
10	·02	·01		–	·06	·02	·04	·01	·10	–	·27	–	10
11	·13	·47		–	·08	·19	·15	–	·02	–	·28	–	11
12	–	·07		–	–	–	·02	–	·04	·19	–	–	12
13	–	·03	✓	–	·06	–	·11	·07	–	–	·04	–	13
14	·01	·08	–	–	·04	·19	·85	·07	–	–	·33	–	14
15	·04	·07	–	–	·11	–	·01	·09	–	–	–	·05	15
16	·01	·08	–	·03	·07	·86	–	·13	·02	–	–	·02	16
17	·01	·01	–	–	–	·03	·25	–	–	–	–	–	17
18	·06	–	·02	·05	–	·38	·15	1·64	·02	–	·35	–	18
19	–	·06	–	·09	–	·40	-	·03	-	–	·41	–	19
20	·01	·28	·52	–	–	–	–	·18	–	–	·18	–	20
21	·35	·03	–	·02	·06	–	–	–	–	–	·20	–	21
22	·60	–	·16	·09	·11	–	–	–	–	–	·05	–	22
23	·22	-	–	·20	·93	–	·03	·32	–	–	·45	–	23
24	·05	·02	–	·99	·11	·80	·94	1·00	–	–	–	–	24
25	·19	·08	–	·19	·14	–	·18	–	–	–	·33	–	25
26	·03	·14	–	·08	–	–	·16	–	–	–	·75	–	26
27	·33	·15	–	–	·31	–	–	–	–	·03	·41	–	27
28	·08	·20	·15	–	·10	–	–	·06	–	–	–	·11	28
29	·03	–	·09	–	·01	–	·12	·34	·02	·02	·17	·07	29
30	·10	✕	·01	–	·10	–	–	–	·15	·01	–	–	30
31	·77	✕	·42	✕	·23	✕	·04	–	✕	–	✕	·31	31
TOTAL	3·73	3·19	3·65	3·47	3·10	4·73	4·10	4·32	1·37	·92	6·66	2·22	YEAR'S TOTAL 41·46
*Days with ·01 in. or more.	22	21	13	13	19	13	19	16	12	9	20	12	189
*Days with ·04 in. or more.	14	15	8	11	18	11	16	12	7	5	19	10	146

40-9999

*See Instruction 2 (*f*) on other side.

N

(*Signed*) Hugh C B Lethbridge

[P.T.O.

X REV. H.C.B. LETHBRIDGE

WEST ALVINGTON

1669/5

Section **A** for the entry of Da COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION. S. Devon

13

Form 1090.

REGISTER OF RAINFALL IN 1931.

Kept at West Alvington Vicarage near Kingsbridge

in the County of S. Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 180 ft.

G. from Marlborough Vicarage

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	--	·84	-	-	-	-	·40	·07	-	-	1
2	·40	-	✓ ·01	·51	-	-	-	-	·37	·01	-	·33	2
3	·28	-	1·14	-	-	-	-	-	·15	·07	1·02	·13	3
4	-	-	·20	-	·20	-	·43	-	·07	·25	-	·03	4
5	-	·52	·87	·10	-	·39	·07	·05	·01	-	·01	·15	5
6	-	·04	✓	-	·07	·42	-	-	-	·27	·22	·65	6
7	-	·01		-	·31	·66	·33	·30	-	-	·64	·26	7
8	·01	·54		·28	-	·60	·09	·02	-	-	·18	·11	8
9	-	·30	·06	-	-	·09	·13	·01	-	-	·37	-	9
10	·02	·01		-	·06	·02	·04	·01	·10	-	·27	-	10
11	·13	·47		-	·08	·19	·15	-	·02	-	·28	-	11
12	-	·07		-	-	-	·02	-	·04	·19	-	-	12
13	-	·03	✓	-	·06	-	·11	·07	-	-	·04	-	13
14	·01	·08	-	-	·04	·19	·85	·07	-	-	·33	-	14
15	·04	·07	-	-	·11	-	·01	·09	-	-	-	·05	15
16	·01	·08	-	·03	·07	·86	-	·13	·02	-	-	·02	16
17	·01	·01	-	-	-	·03	·25	-	-	-	-	-	17
18	·06	-	·02	·05	-	·38	·15	1·64	·02	-	·35	-	18
19	-	·06	-	·09	-	·40	-	·03	-	-	·41	-	19
20	·01	·28	·52	-	-	-	-	·18	-	-	·18	-	20
21	·35	·03	-	·02	·06	-	-	-	-	-	·20	-	21
22	·60	-	·16	·09	·11	-	-	-	-	-	·05	-	22
23	·22	-	-	·20	·93	-	·03	·32	-	-	·45	-	23
24	·05	·02	-	·99	·11	·50	·94	1·00	-	-	-	-	24
25	·19	·08	-	·19	·14	-	·18	-	-	-	·33	-	25
26	·03	·14	-	·08	-	-	·16	-	-	-	·75	-	26
27	·33	·15	-	-	·31	-	-	-	-	·03	·41	-	27
28	·08	·20	·15	-	·10	-	-	·06	-	-	-	·11	28
29	·03	-	·09	-	·01	-	·12	·34	·02	·02	·17	·07	29
30	·10	×	·01	-	·10	-	-	-	·15	·01	-	-	30
31	·77	×	·42	×	·23	×	·04	-	×	-	×	·31	31
TOTAL	3·73	3·19	3·65	3·47	3·10	4·73	4·10	4·32	1·37	·92	6·66	2·22	YEAR'S TOTAL 41·46
*Days with ·01 in. or more.	22	21	~~12~~ 13	13	19	13	19	16	12	9	20	12	189
*Days with ·04 in. or more.	14	15	~~9~~ 8	11	18	11	16	12	7	5	19	10	146

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Hugh C B Lethbridge [P.T.O.

N

REV. H.C.B. LETHBRIDGE

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1669/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

1932

Kept at West Alvington Vicarage

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 180 ft.

Observer informed of arithmetical error in D.I.

J Blench 24/5/33

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06	-	-	.09				.07	.06		.04		1
2	.13	-	.08	.48				.07	.07			.49	2
3	.06	-	.02			.80			1.03		.02	.04	3
4	.02	-	-			.23	.01	.08			.24		4
5	.47	-	.07						.42				5
6	.36		.04	.29	.01		.23		.57				6
7	.07			.04	.02	.05			.88	1.47			7
8			.55	.09	.16				.37	.06			8
9	.62	Snow. .02		.41	.09			.01		.01			9
10	.28		.01	.49	.20				.02	.15		.14	10
11	.09			.22	.21				.02	.01		.53	11
12	.83			.02	.42				.03	.13		.04	12
13	.19			.18	.08		.03	.39		.57		.30	13
14	.25			.06	.18					.04		.02	14
15	.02			.10	.12					.01	.02	.06	15
16	.07			.11						.01			16
17	.04			.04	.03				.06	.06			17
18					.35						.20		18
19	.11			.04	.20				.13	.52			19
20	.04			.24	.88			.12		1.31	.17	.24	20
21	.05		.07	.02	.01			.03	.22	.57	.10	.23	21
22				.03	.01		.03	.05	.93	.51	.41	.04	22
23					.06		.42		.08	.51	.01	.10	23
24		.04			.01		.97		.10	.12	.03	.01	24
25			.27	.01	.06		.05		.06	.95	.09		25
26			.20	.25			.07			.15	.03		26
27			.53	.56	.12		.39			.31		.26	27
28			.25	.10	.12		.17		.02			.13	28
29			.41	.14	.12	.83		.72	.91	.54	.15	.51	29
30		×	.05	.21		1.69	.27		.56	.11	1.03		30
31		×		×	.27	×	.02		×	.05	×	.81	31 43.26
TOTAL	3.76	.06	2.55	4.22	3.73	3.60	2.66	1.54	6.54 ~~6.48~~	8.11	2.54	3.95	YEAR'S TOTAL ~~42.70~~
*Days with ·01 in. or more.	19	2	13	24	23	5	12	9	20	23	14	17	181
*Days with .04 in. or more.	17	1	11	20	17	4	8	6	16	19	9	15	147

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Hugh C B Lethbridge

P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 969/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at West ALVINGTON VICARAGE

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft in.

,, Ground ,, Sea Level 180 ft.

~~B. A~~ W.O. 23/1/34

Days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.31	.86	.20	-	.04	.07	-	-	-	.01	.03	1.55		1
2	.29	.05	.96	-	.56	.91	-	-	-	-	-	.16		2
3	.01	.13	.08	-	-	.03	-	-	-	-	-	-		3
4	.09	.06	.01	-	.10	-	-	-	-	-	-	-		4
5	.05	.02	.23	-	.13	-	-	-	.01	-	-	-		5
6	.01	.65	-	-	.25	-	.03	-	-	.13	-	-		6
7	-	.15	.05	-	.04	-	.07	-	-	.03	-	-		7
8	.07	.08	-	-	.03	-	.09	-	-	-	-	-		8
9	-	.06	-	-	-	-	.43	.01	-	.10	.03	-		9
10	.05	.07	-	-	-	-	.11	-	-	.28	.02	-		10
11	-	-	-	.03	-	-	.01	.05	-	.07	-	-		11
12	-	-	-	.25	.03	.20	.36	.03	.42	-	-	-		12
13	.02	-	-	-	.02	-	.18	.21	-	.14	.10	-		13
14	.07	-	-	-	-	-	.56	.16	-	-	.43	-		14
15	.36	-	.47	-	-	-	.49	.06	-	.06	1.00	.08		15
16	.05	-	.96	-	-	.09	-	.03	.02	.03	.01	-		16
17	-	.06	.23	-	-	.02	-	.15	.18	-	-	-		17
18	.25	-	.05	-	-	.01	-	-	-	-	.05	-		18
19	.36	-	.24	-	-	-	-	.01	.07	-	.38	-		19
20	-	-	-	-	.02	.19	-	.04	.13	-	-	-		20
21	-	.05	-	-	-	.30	-	.03	.02	.41	-	-		21
22	-	-	-	.35	-	-	-	.54	.66	.01	-	-		22
23	-	.65	-	.30	-	.26	-	.05	.26	1.04	-	-		23
24	-	.42	-	.30	-	-	-	-	.28	.06	-	-		24
25	-	.61	-	.20	.02	.01	-	-	.07	-	-	.21		25
26	-	.24	-	.33	.19	-	-	-	-	.02	-	-		26
27	-	.03	-	.04	-	-	-	-	-	.19	.01	.43		27
28	-	.32	-	.62	-	-	.40	-	-	.14	-	.16		28
29	.09	-	-	-	-	-	.04	.04	.16	-	-	.02		29
30	.04	×	.04	-	-	-	.04	-	.27	-	-	.04		30
31	.21	×	.10	×	.21	×	-	-	×	.02	×	-		31
TOTAL	2.33	4.51 4.37	3.62	2.42	1.64	2.09	2.81	1.41	2.55	2.74	2.06	2.65	Year's Total 30.85	
*Days with ·01 in. or more.	17	18	13	9	13	11	13	14	13	17	10	8	156	
*Days with .04 in. or more.	14	16	12	8	8	7	11	9	10	11	5	7	118	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Hugh C B Lethbridge

[P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 1669/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at West Alvington Vicarage

in the County of Devonshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 180 ft.

~~Days~~

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07	–	·01	–	–	[illegible]2	–	·58	–	·01	·15	1·23		1
2	·28	–	·14	–	–	–	–	–	1·12	·02	–	·34		2
3	·10	–	–	·08	–	–	–	–	–	·40	·03	·51		3
4	·20	–	·33	·01	·26	–	–	·01	·26	·39	·02	·35		4
5	–	–	·10	–	·17	·05	–	·98	–	·08	–	·65		5
6	·01	–	·44	·12	·49	–	–	–	·01	·57	·26	·47		6
7	·07	–	–	–	–	–	–	·08	–	·17	·05	·67		7
8	–	–	–	–	·07	–	–	·02	–	·66	·66	·38		8
9	·04	–	·37	–	–	–	–	·02	–	·56	·55	·17		9
10	·10	–	·27	·35	–	–	–	·01	–	·02	·02	·02		10
11	·42	·01	·02	·58	–	–	–	·05	–	–	–	·85		11
12	·04	–	–	–	–	–	–	·32	–	–	–	·24		12
13	·42	–	–	·23	–	–	–	–	–	·01	·53	·27		13
14	·56	–	·46	–	–	–	–	–	–	·03	·07	·27		14
15	·19	–	·08	–	·11	–	–	–	–	·09	·01	·35		15
16	·12	–	·38	–	–	–	–	–	·20	–	–	·50		16
17	·19	–	·60	·20	–	–	·01	–	·10	·13	–	·36		17
18	·10	–	·38	·40	–	·02	–	–	·03	·01	–	·20		18
19	·01	–	·12	–	–	·06	–	·08	·12	–	–	·21		19
20	–	–	·05	·27	·02	–	·01	–	·05	·06	–	·13		20
21	·06	–	·28	·02	·03	·43	–	·03	·04	·58	–	·27		21
22	·12	–	·05	–	–	·04	·03	·16	·45	–	–	·27		22
23	–	–	–	·16	–	·83	–	–	·29	·11	–	·40		23
24	–	·05	·05	·04	–	·11	–	·19	–	·15	–	·15		24
25	·24	·03	–	·29	–	·09	–	–	–	·33	–	·80		25
26	·13	–	·02	·22	–	·10	–	–	·12	·03	–	·10		26
27	–	–	–	·04	–	·03	–	·05	·15	·02	·03	·38		27
28	–	–	–	–	–	·01	–	·60	·18	–	–	·72		28
29	–	–	–	–	–	–	–	·01	·07	–	–	·03		29
30	–	✕	–	–	–	–	·02	–	·22	·04	·02	·27		30
31	–	✕	–	✕	–	✕	·17	·08	✕	·03	✕	·04		31
TOTAL	3·47	·09	4·15	3·01	1·15	1·79	·24	3·27	3·41	3·28	2·40	11·50	Year's Total 37·76	
*Days with ·01 in. or more.	21	3	19	15	7	12	5	17	16	22	13	31	181	
*Days with ·04 in. or more.	19	1	16	13	5	8	1	11	14	13	7	29	137	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Hugh C S Lethbridge

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 166915

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

File no. 739395/27

Kept at West Alvington Vicarage

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 180 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·08	·10	·72	–	–	·30	·01	–	·19	·07	·09	·30		1
2	–	·02	·07	–	–	·21	·02	–	·42	·29	·07	·05		2
3	–	–	·11	–	·45	·19	·02	–	·17	·19	·08	·05		3
4	–	·12	–	·10	–	·12	–	–	·10	·11	·11	·41		4
5	–	·23	·02	·10	–	·15	–	–	·23	·21	·12	·11		5
6	–	–	–	·35	–	·95	–	–	–	–	·18	·08		6
7	–	–	–	·56	–	–	–	–	–	·33	·35	·03		7
8	– ~~·07~~	–	–	·52	–	–	·04	–	·13	·17	·52	·02		8
9	·07	–	–	·32	–	–	–	–	–	·56	·41	·02		9
10	·03	–	·47	–	–	·06	–	–	–	·08	·01	·02		10
11	·41	·03	·04	·03	–	·30	–	–	·15	·02	·59	–		11
12	·04	·15	–	–	–	·58	–	·05	·08	–	·63	–		12
13	·07	·17	–	·23	–	·11	–	–	–	·05	·10	–		13
14	–	·25	–	·08	–	·06	–	–	·15	·04	1·30	·49		14
15	–	·08	–	·75	·08	·19	–	–	·06	·04	·35	·02		15
16	–	·04	·10	·09	–	–	–	–	·37	·02	·88	·13		16
17	–	–	–	·10	·65	·48	–	·01	·06	–	·03	–		17
18	–	·13	–	·38	–	·03	–	–	·17	·05	·05	·31		18
19	–	·01	–	·03	·29	·20	·27	–	·20	·17	·62	–		19
20	–	·19	–	·56	·07	·05	·02	–	–	–	·08	–		20
21	–	·80	–	·06	–	·01	·20	–	·03	·09	–	–		21
22	–	–	–	·17	–	–	–	–	–	·04	–	–		22
23	–	·12	·11	–	–	–	–	32	·07	·30	–	·66		23
24	·01	1·10 +	–	·37	·07	–	–	·77	·60	·02	–	·19		24
25	·27	+	–	·20	·76	·10	–	–	–	–	–	·23		25
26	–	·54	–	–	–	·05	–	·36	·40	·01	–	·74		26
27	–	·12	–	–	–	–	–	·03	·12	·10	·12	·50		27
28	–	·06	–	–	–	–	–	·02	·14	·06	·05	·14		28
29	–		–	–	·02	–	–	–	·35	·01	·05	·46		29
30	–	✕	–	–	–	·18	–	1·30	·10	·19	1·16	·66		30
31	·06	✕	–	✕	–	✕	–	·06	✕	·72	✕	·46		31
TOTAL	1·04	4·26	1·64	5·00	2·39	4·32	·58	2·92	4·29	3·94	7·95	~~[illegible]~~ 6·08	Year's Total. 44·41	44·41
* Days with .01 in. or more.	9	~~19~~ 20	8	19	8	20	7	9	22	26	24	23	~~194~~	195
* Days with .04 in. or more.	7~~6~~	~~16~~ 17	7	17	7	18	3	6	21	21	22	18	~~163~~	164

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Hugh C. Lethbridge

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1669/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at West Alvington Vicarage

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 180 ft.

Totals

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·15	·02	–	·06	–	·27	·43	·06	–	–	·06	·02		1
2	·08	–	–	·14	–	·02	·42	·16	·23	–	·07	·02		2
3	·01	–	·22	·91	–	·19	·05	–	·80	–	·15	·03		3
4	–	·01	·26	–	–	–	·07	–	·21	–	·13	·10		4
5	·43	·23	·09	–	·01	–	·16	·12	·01	–	·09	·17		5
6	·18	–	·05	–	–	–	·22	·15	·32	–	·45	–		6
7	·43	–	·50	–	–	–	·08	–	·04	–	·50	·08		7
8	·36	–	·61	–	–	–	·34	–	–	·13	·37	–		8
9	·14	1·41	·22	–	–	·07	·20	–	·31	–	·02	–		9
10	·08	·62	–	–	–	–	·13	–	–	–	·21	·02		10
11	·62	·08	–	–	–	·13	·08	·04	·09	–	·84	·15		11
12	·07	–	·03	·08	·02	–	·58	–	·35	–	·01	·02		12
13	·10	–	–	–	–	–	–	·03	·04	·02	·25	·57		13
14	·01	·04	–	–	–	·08	1·18	–	·06	·04	·01	·36		14
15	–	–	–	–	–	–	·01	–	·08	–	·43	·22		15
16	–	·13	–	·05	·15	–	·25	–	–	–	·38	·25		16
17	·24	·93	–	·06	·04	–	·11	·08	–	·05	·04	·40		17
18	·30	·28	·23	–	–	–	·44	·03	–	–	–	·12		18
19	·54	–	·59	·13	–	·11	–	·12	–	–	–	–		19
20	·25	·27	·05	·09	–	·18	·02	–	·28	–	–	–		20
21	–	·37	·08	·64	–	–	·17	–	–	–	–	–		21
22	·26	·05	·01	–	–	–	·27	–	–	–	–	·03		22
23	–	·10	·01	·20	·36	–	·08	–	·02	·07	–	–		23
24	·42	–	·08	–	·48	–	–	–	·20	·33	–	·01		24
25	·29	–	·43	·10	–	–	–	–	·01	·33	·10	–		25
26	·37	·09	·24	–	·05	–	–	–	·06	·09	~~·18~~ ·02	–		26
27	·22	–	·05	–	–	–	·21	–	–	·05	– ~~·02~~	–		27
28	1·00	·02	·75	–	–	–	·19	–	–	·05	–	·20		28
29	·07	–	·05	–	–	–	–	–	–	·18	·17	·02		29
30	·16	✕	–	–	–	·20	·01	–	–	·01	–	–	–	30
31	·10	✕	·72	✕	·02	✕	·36	–	✕	–	✕	·44	~~·44~~	31
TOTAL	6·88	4·65	5·17	2·46	1·13	1·25	6·06	·79	3·11	1·35	4·30	3·23	Year's Total 40·38	
* Days with .01 in. or more.	26	16	21	11	8	9	25	9	17	12	20	20	194	
* Days with .04 in. or more.	24	13	18	11	5	8	22	7	14	10	17	12	161	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Hugh C. B. Lethbridge [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1669/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1937

Kept at West Alvington Vicarage

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 180 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·19	·11	·03	·61	—	—	—	—	·16	·14	—	·55		1
2	·09	·72	·09	·23	·03	—	—	—	·24	—	—	—		2
3	·08	·09	·02	·11	·09	—	·02	—	—	—	—	—		3
4	·08	·90	·02	—	—	—	—	—	—	—	—	·69		4
5	·31	—	—	·17	—	—	·55	—	—	—	—	·01		5
6	·14	1·22	·61	·26	·02	—	·16	—	—	—	—	·85		6
7	—	·98	·31	·04	—	—	—	—	·01	—	·02	·29		7
8	—	·05	·02	—	·79	·02	·29	—	—	—	—	·04		8
9	·07	·07	·10	·29	·05	—	·02	—	·57	—	—	—		9
10	·18	·01	·66	·26	·05	·37	·01	·03	—	—	—	·50		10
11	·01	—	·15	·35	·70	·13	·35	·02	—	—	—	—		11
12	·71	·53	·19	·03	·10	·62	·02	1·26	·30	—	—	·35		12
13	—	·08	1·10	·20	—	—	—	·29	·03	—	—	·08		13
14	—	·09	·03	—	·02	—	—	·05	·06	—	—	·03		14
15	·40	·18	·39	·62	—	—	·01	·07	·36	—	—	·30		15
16	·15	·15	·20	·03	—	—	·12	·13	·63	—	·65	—		16
17	·66	·09	·50	—	—	—	—	·03	·04	—	·91	—		17
18	·07	·18	·10	—	—	·29	—	·04	·06	—	·26	·15		18
19	·15	·08	·01	·31	·21	—	—	—	·01	—	·16	·13		19
20	~~·66~~ ·37	—	·12	·17	·10	—	—	—	—	—	·02	·74		20
21	·56	·92	—	·07	·32	—	·06	—	·44	·08	·12	·06		21
22	·35	·01	·02	—	·38	—	·16	—	·09	·83	·90	·10		22
23	·14	·60	—	—	·07	—	·05	—	—	·21	·12	·05		23
24	·26	·35	·02	—	—	—	—	—	·16	·73	—	·17		24
25	—	·63	·59	·02	·05	—	—	—	·05	·32	—	·05		25
26	—	·24	—	—	—	—	—	—	—	·02	—	·07		26
27	·22	·16	—	—	—	—	—	—	—	·30	·02	—		27
28	·29	·39	—	—	—	·10	—	—	—	·13	—	—		28
29	·15		—	—	—	·05	—	—	—	·17	·42	—		29
30	·30	✕	—	—	—	·02	—	—	·01	·07	·59	—		30
31	·20	✕	—	✕	—	✕	—	—	✕	·60	✕	—		31
Total	6·13	8·83	5·28	3·77	2·98	1·60	1·82	1·92	3·22	3·60	4·19	5·21	Year's Total 48·55	✓
* Days with .01 in. or more.	25	25	22	17	15	8	13	9	17	12	12	20	195	✓
* Days with .04 in. or more.	24	23	14	14	12	6	8	6	13	11	9	18	158	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Hugh C B Letheridge

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 1669/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at West Alvington Vicarage

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 180 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·07	–	–	–	·22	·01	·36	·08	·59	·05	·03		1
2	–	·01	–	·03	·01	–	–	–	–	·38	·01	·11		2
3	·01	–	–	–	·11	–	–	·92	–	·45	·30	–		3
4	–	–	–	–	–	·06	·04	·34	–	·44	·03	·24		4
5	–	–	–	–	–	–	·15	·02	·09	·36	·05	–		5
6	·15	–	–	–	–	·16	1·34	–	·10	·05	·09	·19		6
7	·25	–	–	–	–	·11	·08	–	·18	·04	·05	·09		7
8	·35	–	–	–	–	·01	·07	–	·01	·17	–	·02		8
9	·25	·14	–	–	–	–	·02	–	–	·02	·02	·33		9
10	·35	–	–	–	–	–	·07	–	–	–	–	·30		10
11	·21	·02	–	–	–	·03	–	–	–	–	·28	·80		11
12	·40	·01	–	–	·24	–	·01	–	–	·22	·52	–		12
13	·39	–	–	–	·30	–	·03	–	–	·13	·30	·80		13
14	·60	–	–	–	·16	–	·60	–	–	–	·02	–		14
15	·21	·01	–	–	·11	–	–	·10	–	·43	·18	·27		15
16	·29	·01	·08	–	–	–	–	·02	–	·01	·24	–		16
17	–	·19	·02	–	·15	–	–	–	·24	·29	·08	·10		17
18	·27	–	–	–	·06	·01	–	·04	·21	·04	·25	–		18
19	·11	–	–	–	–	–	·02	·13	·47	–	·85	–		19
20	·06	–	–	–	–	–	–	–	·07	–	·25	–		20
21	·08	–	–	–	–	–	–	·01	·08	·06	·35	–		21
22	·06	–	–	–	–	·09	–	1·06	–	·11	·41	–		22
23	–	–	–	·07	–	–	–	–	–	–	·02	–		23
24	·01	–	·33	–	·05	·04	–	·04	·05	–	·55	–		24
25	·20	·45	·03	–	·18	–	·54	·10	–	·03	1·19	·03		25
26	·20	·17	·03	–	·56	·01	·10	–	–	·11	·01	·17		26
27	·27	·08	–	–	·08	·23	·37	·73	–	·07	·30	–		27
28	·33	·25	–	–	·24	·06	·01	·93	·11	–	–	·01		28
29	·38	–	–	–	·45	–	–	–	·14	·31	·38	–		29
30	·20	✗	–	–	·03	–	·04	–	–	·24	·27	·03		30
31	·15	✗	–	✗	·30	✗	·01	–	✗		✗	·22		31
TOTAL	5·78	1·41	·49	·10	3·03	1·03	3·51	4·80	1·83	4·55	4·05	3·74	Year's Total 37·32	✓
* Days with .01 in. or more.	25	12	5	2	16	12	18	14	13	22	27	17	183	✓
* Days with .04 in. or more.	23	7	2	1	14	8	11	11	12	19	21	12	141	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Hugh C B Lethbridge

P.T.O.

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations** **Station No.** 1669/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at West Alvington Vicarage, Kingsbridge

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 180 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·15	–	–	·04	·01	–	–	–	·02	–	·53	·10		1
2	·03	–	–	·40	–	–	–	·26	·47	–	·08	·08		2
3	·33	–	·05	·73	–	–	·05	·01	·01	–	·44	·27		3
4	·03	–	·67	·07	·49	–	·37	·14	–	·35	·19	·14		4
5	–	–	·06	·41	–	–	1·14	–	–	·16	1·02	·05		5
6	·76	–	·12	·04	–	–	·68	·13	–	·20	·48	–		6
7	·01	·82	–	–	–	–	·03	·15	–	·02	·40	·91		7
8	·02	·15	·03	–	·08	–	·04	·12	–	2·03	·15	·07		8
9	·05	·06	–	–	–	–	–	·38	–	·08	·05	·11		9
10	·35	·01	·02	–	–	–	–	·35	·04	·04	–	·26		10
11	–	·03	·08	–	–	–	–	–	–	·62	·02	–		11
12	–	·14	–	–	–	–	–	–	·07	·19	·02	·01		12
13	·02	–	–	·08	–	·30	·32	–	·15	1·31	·04	–		13
14	·75	–	–	–	·03	·07	·31	–	–	·06	·27	·21		14
15	·37	·01	–	·16	·05	·96	·17	–	–	–	·23	·24		15
16	·10	·04	–	·25	·01	–	·33	–	–	–	·20	–		16
17	·43	·06	·02	–	·02	·10	·49	–	–	–	·03	–		17
18	·15	·05	–	–	–	–	·36	–	–	–	·63	·09		18
19	·37	·02	–	–	–	–	·05	1·06	–	–	–	·05		19
20	·85	–	–	–	–	·35	·08	·83	–	–	–	·05		20
21	·01	·25	·12	–	·03	1·32	·03	–	–	–	–	–		21
22	·50	·37	·20	–	–	·57	·26	–	–	–	·59	–		22
23	·03	–	·04	·17	–	·03	·05	–	·04	–	1·64	–		23
24	1·06	·02	·10	·09	–	·43	·01	·01	–	·05	–			24
25	·16	·05	–	·17	–	·04	·47	·25	–	·11	·37	–		25
26	–	·05	–	·02	–	–	·02	·09	–	·04	·32	–		26
27	–	·23	–	–	–	·02	·02	–	–	–	·15	–		27
28	–	·03	–	·13	–	·05	·68	–	–	–	·35	·01		28
29	·03		–	·02	–	·12	·03	–	–	·83	·05	–		29
30	–	✕	·01	·19	–	–	–	·02	–	·78	·10	–		30
31	–	✕	–	✕	–	✕	–	·08	✕	·72	✕	–		31
TOTAL	6·56 ~~23~~	2·39	1·52	2·97	·72	4·36	5·99	3·88	·80	7·59	8·35	2·65	Year's Total 47·78	
* Days with .01 in. or more.	~~15~~ 23	18	13	16	8	13	23	15	7	17	25	16	194	
* Days with .04 in. or more.	15	12	9	14	3	11	17	12	5	16	22	14	150	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Hugh C B Lethbridge

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1669/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at West Alvington Vicarage

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 180 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·05	–	–	·05	–	–	–	–	–	·15	–		1
2	–	·51	–	·30	–	–	·03	–	–	–	·57 ~~·15~~	·04		2
3	·20	·74	–	–	–	–	–	–	–	·19	·85 ~~·57~~	·46		3
4	–	·01	–	–	–	–	·08	–	–	·30	·30 ~~·85~~	·08		4
5	·03	–	–	·18	–	–	–	–	–	·02	·28 ~~·30~~	·25		5
6	·28	·65	–	–	–	–	·04	–	–	·33	·02	·30		6
7	·13	–	–	–	–	–	·11	–	·04	·05	–	–		7
8	–	·02	–	–	–	–	·06	–	·07	·45	·49	·48		8
9	–	·01	–	–	–	–	·53	·03	·05	·15	·62	·40		9
10	–	–	–	–	–	–	·02	–	·04	·10	·10	·64		10
11	–	·03	–	·02	–	–	·04	–	–	–	1·01	·08		11
12	–	–	·16	–	–	·06	·16	–	·60	–	·30	–		12
13	–	–	·58	–	–	–	·02	–	·02	·39	1·56	·36		13
14	–	–	–	·01	·08	–	–	·03	·25	·20	·03	·58		14
15	–	·06	–	–	–	·05	·08	–	·22	·23	·60	–		15
16	·05	1·32	1·23	·03	–	–	·10	–	·05	·15	·65	·05		16
17	·01	·27	·67	·07	–	–	·28	–	·06	–	·35	–		17
18	–	·76	·15	·88	–	–	·02	–	–	·16	·03	·24		18
19	–	·15	·20	·15	–	–	·06	–	·48	·03	·27	–		19
20	–	–	·01	·02	–	–	–	·01	–	·03	·05	–		20
21	–	–	–	–	·04	–	–	–	·04	·03	·37	–		21
22	–	·01	·12	·08	–	·59	·01	–	–	·01	·02	–		22
23	–	–	·14	–	–	–	·03	–	–	·29	·09	–		23
24	–	–	·05	·02	–	·02	·53	–	–	–	–	–		24
25	·26	–	·18	·03	·51	–	–	–	–	–	–	–		25
26	·56	·43	–	·01	·21	·16	–	–	–	–	·02	–		26
27	·41	·06	·06	·13	·49	–	–	–	–	–	–	–		27
28	·89	·13	–	·05	·02	–	–	–	–	–	–	·15		28
29	·28	·04	·15	1·99	–	·13	–	–	–	·02	–	·42		29
30	·08	✖	–	·01	·01	–	–	–	–	·37	–	·62		30
31	·05	✖	·01	✖	–	✖	–	–	✖	·42	✖	·81		31
TOTAL	3·25	5·25	3·71	3·98	1·41	1·01	2·20	·07	1·92	3·92	8·73	5·96	Year's Total 41·41	
* Days with .01 in. or more.	13	18	14	17	8	6	18	3	12	21	23	17	170	
* Days with .04 in. or more.	11	13	12	9	6	5	12	–	11	15	18	17	129	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Hugh C B Letheridge

[P.T.O.

KINGSBRIDGE S. Devon 14

1669/8
KINGSBRIDGE (SENIOR SCHOOL)
1936—40

780306

Section A for the ent
AIR MIN

RAINFALL ORGANIZATION

Station No. 1669/8

FORM 1090

RE

193 6

Kept at KINGSBRIDGE

in the County of

Diameter of Funnel of Gauge

Height of top of Gauge abov

,, Ground ,,

comparison 6777/36.
1669/1, 1669/5, 1670/1
totals.
re Dec: 31st & 18th, Sept 11th
corrections agree with obs.

THE MORNING MEA ……… REVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·10	·03	·01	·23	—	·30	·57	·16	—	—	Tr.	·03		1
2	nil	—	—	× 1·12	—	·03	·26	—	·02	—	·15	—		2
3	nil	—	·15	× —	·01	·07	·07	—	·26	—	·05	·02		3
4	·43	—	·29	—	—	—	Tr.	·21	·21	—	·14	·10		4
5	·40	·19	·06	—	—	—	·19	—	·32	—	·14	·08		5
6	·15	—	·24	—	—	—	·18	—	—	—	·34	—		6
7	·40	—	·38	—	—	—	·06	—	—	Tr.	·35	·05		7
8	·12	·01	·53	—	—	—	·31	—	·08	·07	·32	—		8
9	·15	1·35	·03	·05	·14	·06	·14	—	·17	—	—	—		9
10	·06	·67	—	—	—	—	·21	—	·10 ~~·01~~	—	·38	—		10
11	·70	—	·04	—	—	·13	·33	·02	·45	—	·52	·14		11
12	·06	—	—	—	—	—	·29	—	—	—	—	·25		12
13	·11	—	—	—	·06 ·60	—	—	·01	·14	—	·26	·78		13
14	nil	—	—	·04	—	·07	·92	—	·03	Tr.	—	·09		14
15	nil	·07	—	—	·05	—	× —	—	·08	Tr.	·65	·25		15
16	nil	·13	—	—	—	—	× ·28	—	—	—	·06	·26		16
17	·26	·88	—	—	—	—	·05	·07	—	Tr.	·025	·43		17
18	·06	·26	·46	·12	—	·06	·40	·10	—	—	—	(·13)		18
19	·50	—	·27	·37	—	·05	—	·02	—	—	—	Tr.		19
20	·26	·22	× —	·24	—	·10	·07	—	·25	—	—	—		20
21	·24	·50	× ·57	—	·87	—	·16	—	—	Tr.	—	—		21
22	nil	·01	✓ ·25 —	·21	—	—	·22	—	—	—	—	—		22
23	·07	·09	✓ —	—	·05	—	—	—	Tr.	·07	—	—		23
24	·63	—	·07	·12	—	—	—	—	·22	·31	·08	—		24
25	·38	—	·55	—	—	—	—	—	·06	·27	·01	—		25
26	·19	·11	·15	—	—	—	—	—	—	·08	—	—		26
27	·19	—	·05	—	—	—	·19	—	—	·02	·03	—		27
28	·88	·04	·54	—	Tr.	—	·44	—	—	·14	·12	* —		28
29	·03	—	·05	—	—	·05	·14	—	—	·04	—	·23		29
30	·24	×	—	—	—	·29	·05	—	—	Tr	—	—		30
31	·04	×	·42 ~~·03~~	×	—	×	·17	—	×	—	×	·45 ~~·57~~		31
TOTAL	6·89	4·59	4·47	2·50	1·18 ~~1·12~~	1·21 ~~1·23~~	5·53	·59	2·99 ~~2·81~~	1·00 ~~1·1~~	3·63 ~~3·605~~	~~2·71~~ ~~2·91~~ 3·29	Year's Total ~~31·73~~ 32·025	37·87 ~~37·99~~
Days with .01 in. or more.	25	15	~~19~~ 22	~~9~~ 10	6	11	24 ~~23~~	4	14	8	17	(3·41) (16) ~~13~~	~~164~~	~~167~~ 175
Days with .04 in. or more.	23	12	~~16~~ 18	~~9~~ 10	5	10	23 ~~22~~	4	13	4	~~14~~	(13) ~~11~~	~~148~~	152

* See Instruction 3 (f) on other side.

† Spare column, no entries required

N

(*Signed*) ………… D. J. Fellow ………… [P.T.O.

THE HEADMASTER

KINGSBRIDGE

COPY FOR OFFICIAL USE S. Devon | 4

Section A for the entry of Daily Observations

Station No. 1669/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at KINGSBRIDGE SENIOR SCHOOL.
in the County of Devon
Diameter of Funnel of Gauge 5" in.
Height of top of Gauge above Ground 2 ft. ½" in.
,, Ground ,, Sea Level 100 ft.

adjusted by comparison with stn Nos 1669/1, 1669/5, 1670/1.
B.A. 777/36.
(June, Oct, Nov; Dec) Totals.
Query forms sent re Dec 31st & 18th, Sept 11th
corrections agreed

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·10	·03	·01	·23	—	·30	·57	·16	—	—	Tr.	·03		1
2	nil	—	—	x 1·12	—	·03	·16	—	·02	—	·15	—		2
3	nil	—	·15	x —	·01	·07	·07	—	·26	—	·05	·02		3
4	·43	—	·29	—	—	—	Tr.	·21	·21	—	·14	·10		4
5	·40	·19	·06	—	—	—	·19	—	(·32)	—	·14	·08		5
6	·15	—	·24	—	—	—	·18	—	—	—	·34	—		6
7	·70	—	·38	—	—	—	·06	—	—	Tr.	·35	·05		7
8	·12	·01	·53	—	—	—	·31	—	·08	·07	·32	—		8
9	·15	1·35	·03	·05	·14	·06	·14	—	·17	—	—	—		9
10	·06	·67	—	—	—	—	·21	—	·10 ~~·01~~	—	·38	—		10
11	·70	—	(·04)	—	—	·13	·32	(·02)	(·45)	—	·52	·14		11
12	·06	—	—	—	—	—	·29	—	—	—	—	·25		12
13	·11	—	—	—	·06 ~~·60~~	—	—	·01	·14	—	·26	·78		13
14	nil	—	—	·04	—	·07	·92	—	·03	Tr.	—	·09		14
15	nil	(·07)	—	—	·05	—	x —	—	·08	Tr.	·65	·25		15
16	nil	·13	—	—	—	—	x ·28	—	—	—	·06	·26		16
17	·26	·88	—	—	—	—	·05	·07	—	Tr.	·025	·43		17
18	·06	·26	·46	(·12)	—	·06	·40	·10	—	—	—	(·13)		18
19	·50	—	·27	(·37)	—	·05	—	·02	—	—	—	Tr.		19
20	·26	·22	x —	(·24)	—	·10	·57	—	·25	—	—	—		20
21	·24	·50	x ·57	—	·87	—	·16	—	—	Tr.	—	—		21
22	nil	·01	✓ — ·25	(·21)	—	—	·22	—	—	—	—	—		22
23	·01	·09	✓ —	—	·05	—	—	—	Tr.	·07	—	—		23
24	·63	—	·07	·12	—	—	—	—	·22	·31	·08	—		24
25	·38	—	·55	—	—	—	—	—	·06	·27	·01	—		25
26	·19	·11	·15	—	—	—	—	—	—	·08	—	—		26
27	·19	—	·05	—	—	—	·19	—	—	·02	·03	—		27
28	·88	·07	·54	—	Tr.	—	·44	—	—	·14	·12	x —		28
29	·03	—	·05	—	—	·05	·14	—	—	·04	—	·23		29
30	·24		—	—	—	·29	·05	—	—	Tr.	—	—		30
31	·04		·42 ~~·03~~		—		·17	—		—		·45 ~~·57~~		31
TOTAL	6·89	4·59	4·47	2·50	1·18 ~~1·12~~	1·21 ~~1·23~~	5·53	·59	2·99 ~~2·81~~	1·00 ~~1·1~~	3·63 ~~3·605~~	2·71 ~~2·91~~ (3·41) 3.29	Year's Total ~~37·73~~ ~~35·025~~	~~37·87~~ ~~37·49~~
Days with .01 in. or more.	25	15	~~19~~ 22	~~9~~ 10	~~4~~ 6	11	24 ~~23~~	4	14	8	17	(16) ~~13~~	~~164~~	~~167~~ 175
Days with .04 in. or more.	23	12	~~16~~ 18	~~9~~ 10	5	10	23 ~~22~~	4	13	7	14	(13) 11	148	152

* See Instruction 3 (f) on other side.

N

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

THE HEADMASTER

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1669/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at KINGSBRIDGE SENIOR SCHOOL.

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 0½ in.

,, Ground ,, Sea Level 100 ft.

G at 1'0" after
May 1937

Observers:- J. Marshall. A. Luscombe

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.47	.18	–	.74	––	–	–	–	.2	.17	–	.67	2.43	1
2	.5	.43	.1	.19	.16	–	–	–	.19	–	–	–	1.57	2
3	.06	.63	–	–	–	–	.01	–	–	–	–	.66	1.36	3
4	–	.05	.03	.12	–	–	–	–	–	–	–	–	.80	4
5	Tr.	.96	–	.05	–	–	.55	–	–	–	–	–	1.56	5
6	.32	–	.55	.25	Tr	–	.16	–	–	–	–	.94	2.22	6
7	.04	1.45	.4	.03	–	–	–	–	Tr	–	.01	.35	2.28	7
8	Tr	.68	–	–	.75	Tr	.25	–	–	–	–	–	1.68	8
9	–	.08	.2	.27	–	–	.01	–	.56	–	–	–	1.12	9
10	.09	.03	.67	.24	.12	.34	.05	.03	–	–	–	.48	2.05	10
11	.17	.03	.09	.31	.75	.12	.25	.03	–	–	–	–	1.75	11
12	.08	.47	.18	–	.1	.56	.05	1.41	.27	–	–	.35	3.47	12
13	.68	.07	1.26	.17	–	–	–	.33	.18	–	–	–	2.69	13
14	Tr	.03	.02	–	.63	–	–	.04	.07	–	–	.06	.85	14
15	–	.21	.41	.63	–	–	–	Tr	.3	–	–	–	1.55	15
16	.4	.03	.2	–	–	–	.15	–	.63	–	.52	–	1.93	16
17	.17	.09	.46	–	–	–	–	–	.25	–	.8	–	1.77	17
18	.69	.2	.2	–	–	.27	–	.03	.06	–	.22	.39	2.06	18
19	.1	–	.07	.5	.25	–	–	–	Tr	–	.15	.1	1.17	19
20	.09	–	.16	–	.08	–	–	—	–	–	Tr	.82	1.15	20
21	.61	.74	–	.05	.3	.2	.05	–	.44	.1	–	.04	2.53	21
22	.73	–	Tr	––	.42	–	.15	–	.08	1.02	.78	–	3.18	22
23	.12	.62	–	–	.1	–	.01	–	–	.1	.15	–	1.10	23
24	.13	.56	.05	–	–	–	–	–	.13	.77	–	.24	1.88	24
25	.19	.42	.57	.05	.05	Tr	–	–	–	.26	–	Tr	1.54	25
26	Tr	.17	–	––	–	–	–	–	–	.02	–	.04	.23	26
27	.39	.26	–	–	–	–	–	–	–	.27	.01	–	.93	27
28	.2	.04	–	–	–	–	–	–	–	.16	–	–	.4	28
29	.34		–	–	–	Tr	–	–	–	.12	.4	–	.86	29
30	–	✕	–	–	–	Tr	–	–	.03	.57	.57	–	1.17	30
31	.16	✕	–	✕	–	✕	–	–	✕	.26	✕	–	.42	31
TOTAL	6.73	8.43	~~6.22~~ 5.62	3.60	3.71	1.49	1.69	1.87	3.39	3.82	3.61	5.14	Year's Total 49.10	✓
* Days with .01 in. or more.	23	24	18	14	12	5	12	6	14	12	10	13	163	✓
* Days with .04 in. or more.	23	20	16	13	12	5	9	3	13	11	8	13	146	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

Amended return in reply to Circ D. by observer W.G.R. 3/39

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1669/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at KINGSBRIDGE SENIOR SCHOOL

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 10 in.

" Ground " Sea Level 100 ft.

OBSERVERS L HORSWILL
A HAMMOND

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·18	–	–	–	·51	·1	–	–	·61	·01	·02		1
2	TR	TR	~~TR~~	~~TR~~	TR	·04	·05	·35	TR	·17	·02	·15		2
3	–	–	–	–	·13	–	·01	–	·06	·38	·34	TR		3
4	–	–	·12	–	–	TR	·27	·5	–	·27	·02	·22		4
5	·27	–	–	–	–	–	·13	·35	·12	·41	·04	TR		5
6	·06	–	–	–	–	·27	1·03	–	·05	·05	·07	·18		6
7	·32	–	–	–	–	·02	·15	·01	·35	·02	·05	·07		7
8	·16	–	–	–	–	TR	·08	–	TR	·18	TR	·02		8
9	·1	·14	–	–	–	–	·15	–	–	·02	·62	·43		9
10	·22	–	–	–	–	TR	·05	–	–	–	–	·35		10
11	·2	·15	–	–	–	–	·06	–	–	–	·3	·8		11
12	·37	–	–	–	·25	–	–	–	–	·3	·71	TR		12
13	·37	–	–	–	·43 ✓	–	·46	–	TR	·14	·1	·9		13
14	·6	–	–	–	·15	–	–	–	–	–	·02	TR		14
15	·32	–	–	–	·05	–	–	–	–	·43	·14	·27		15
16	·25	·13	–	–	–	–	–	–	–	–	·24	TR		16
17	–	·2	·05	–	TR	TR	–	–	·25	–	·09	·06		17
18	·32	–	–	–	·24	–	–	1·3	·2	·29	·23	–		18
19	·03	–	–	–	–	–	–	·08	·45	·01	·88	–		19
20	·06	–	–	–	–	–	–	1"	·07	·01	·23	–		20
21	·13	–	–	–	–	–	–	–	·07	·06	·32	–		21
22	·01	–	–	–	–	·08	–	·01	–	·13	·38	·02		22
23	–	–	–	–	TR	–	–	1·01	–	–	·04	TR		23
24	TR	–	·3	~~TR~~	·2	TR	–	TR	·05	–	·61	–		24
25	·24	·85	·01	TR	–	–	·44	·02	·01	·04	1·12	·08		25
26	·2	TR	TR	–	·64	TR	·14	·07	TR	·1	TR	·13		26
27	·24	·08	–	–	·1	·82	·37	–	·14	·05	·29	·01		27
28	·34	–	–	–	·3	·03	–	1·6	·2	–	TR	·03		28
29	·26	–	–	–	·35	–	–	·2	–	·32	·42	·01		29
30	·13	XX	–	–	TR	–	–	–	·06	–	·22	·03		30
31	TR	XX	–	XX	[illegible]	[illegible]	·05 ~~3·36~~	[illegible]	[illegible]	·21 [illegible]	[illegible]	·37 [illegible]	[illegible]	31
TOTAL	6·20 ~~5·8~~	✓ 1·73	·48 ~~·56~~	✓ TR	✓ 2·84	1·17 [illegible]	3·81 ~~5·13~~	6·50 ~~8·08~~	2·08 [illegible]	4·20	7·51	4·05 [illegible]	Year's Total 39·57	
* Days with .01 in. or more.	23 ✓	7	4	—	11	7	16	13	14	22	26	20	163 ~~137~~	
* Days with .04 in. or more.	21 ✓	7	3	—	11	5	15	10	13	18	22	13	138	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1669/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Kingsbridge Senior School.
in the County of Devon
Diameter of Funnel of Gauge 5" in.
Height of top of Gauge above Ground – ft. 10" in.
,, Ground ,, Sea Level 100 ft.

Observers:- L Horswill.
A Gillard.

B/R

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.13	–	TR	.04	.03	–	–	–	.22	–	.62	.03		1
2	.03	–	–	.36	–	–	–	.25	.52	–	.06	.28		2
3	.39	–	.20	.73	–	–	TR	.02	–	–	.81	.30		3
4	.03	–	.51	.11	.48	–	.09	.18	–	.48	.62	.09		4
5	.01	.02	.06	.35	–	–	.37	–	–	.24	1.85	.04		5
6	.75	.04	.11	.01	–	–	.78	.02	–	.18	.18	TR		6
7	.02	.87	–	–	–	–	.06	.13	–	TR	.10	1.07		7
8	.02	.19	.02	–	.06	–	.02	.05	–	1.96	.07	.16		8
9	.04	.05	.02	TR	–	–	.03	.39	.04	.12	TR	.15		9
10	.32	.02	.02	–	–	–	–	.28	–	.05	TR	.17		10
11	–	.05	.06	.01	–	–	–	–	–	.73	TR	.02		11
12	.01	.1	–	.09	–	–	–	–	.08	.26	.01	–		12
13	.03	–	–	TR	–	.28	.39	–	–	1.55	.06	TR		13
14	.78	–	–	–	–	.06	.70	–	–	.06	.02	.12		14
15	.52	TR	–	.02	–	.97	.17	–	–	–	.28	.12		15
16	.13	.02	–	.24	.05	–	.84	–	–	–	.16	.04		16
17	.58	.05	–	–	.02	.11	.44	–	–	–	.58	.03		17
18	.07	.09	TR	–	–	–	.31	–	–	–	.21	–		18
19	.40	–	–	–	–	–	.06	.11	–	–	TR	–		19
20	.76	–	–	–	–	.23	.07	.12	–	–	–	–		20
21	.09	.26	.08	–	.02	1.51	.04	.02	–	–	–	–		21
22	.35	.04	.13	–	–	.56	.09	–	–	–	.60	–		22
23	.03	.01	.03	.20	–	.01	.06	–	.04	–	1.57	–		23
24	.96	.05	.1	.12	–	.52	–	–	–	.06	–	–		24
25	.13	.04	–	.16	–	.01	.42	.12	–	.14	.34	–		25
26	–	.03	–	–	–	–	.02	.17	–	–	.25	–		26
27	–	.03	–	–	–	.02	.03	TR	–	–	.12	–		27
28	.01	.05	–	.21	–	.05	.80	–	–	–	.36	.03		28
29	.03	XXX	–	.02	–	.04	.03	–	–	.85	.04	–		29
30	–	XXX	.02	.02	–	–	–	–	–	.08	.11	–		30
31	–	XXX	–	XXX	–	XXX	–	.1	XXX	.65	XXX	–		31
TOTAL	6.62	2.01	1.36	2.69	.66	~~4.42~~ 4.37	~~5.72~~ 5.82	1.96	.90	7.41	9.02	2.65	Year's Total ~~45.42~~ 45.47	
* Days with .01 in. or more.	26	~~20~~ 19	13	16	6	13	22	~~13~~ 14	5	15	23	15	187	
* Days with .04 in. or more.	16	13	8	11	3	10	17	~~10~~ 11	5	15	21	1~~3~~1	14~~2~~1	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) D. Green

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1669/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at KINGSBRIDGE SENIOR SCHOOL.
in the County of DEVON.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ft. 10 in.
,, Ground ,, Sea Level 100 ft.

OBSERVERS: H.Heyl.
G.Matthews.

B/A Totals for Mar + Dec Corrd. for. Arith.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	.02	.02	-	.02	-	-	-	-	-	.13	-		1
2	-	.06	-	.34	-	-	.04	-	-	-	.78	.05		2
3	.28	.43	-	-	-	-	-	-	-	.23	.74	.50		3
4	TR	.84	-	.15	-	-	.01	-	TR	.36	.26	.08		4
5	002	.03	-	-	-	-	TR	-	-	.05	.30	.25		5
6	.29	-	-	-	-	-	.09	-	-	.44	.05	.26		6
7	.15	.39	TR	TR	-	-	.07	-	.12	.23	-	.01		7
8	TR	TR	+	-	-	-	.03	-	-	.05	.51	.49		8
9	-	.82	-	-	-	-	.49	.04	.04	-	.51	.38		9
10	-	.01	-	-	-	-	-	-	.02	-	.11	.42		10
11	-	-	-	.03	-	-	.10	-	-	.43	1.16	.04		11
12	-	.02	.04	-	-	.06	.14	-	.50	.05	1.58	TR		12
13	-	-	.16	-	-	-	-	TR	-	.15	.03	.39		13
14	-	-	.55	.04	-	-	TR	.01	.08	.14	.64	.57		14
15	-	TR	-	-	.10	-	.09	-	.23	TR	.65	TR		15
16	-	.07	1.30	.02	-	-	.08	-	.05	.19	.32	.05		16
17	-	1.69	.56	.04	-	-	.14	-	TR	.41	.98	TR		17
18	-	.29	.17	.91	-	-	.05	-	-	.05	.20	.21		18
19	-	.50	.16	.12	-	-	.64	-	.48	.06	.30	TR		19
20	-	.09 ~~TR~~	-	.04	-	- ~~.54~~	-	.04	-	-	.04	-		20
21	-	TR	-	-	-	.54	-	-	.08	.03	.44	-		21
22	-	TR	.13	,08	.04	-	.02	-	.01	--	-	-		22
23	-	.01	.17	.01	-	.02	.02	-	TR	.38	.07	-		23
24	TR	.01	.05	.03	TR	.01	.49	-	-	-	-	-		24
25	-	-	.23	.04	.07	.06	-	-	-	-	-	-		25
26	.28	-	.06	.16	.71	-	-	-	-	-	-	-		26
27	.52	.49	-	-	.07	-	-	-	-	-	.02	TR		27
28	.43	.08	-	.66	.77	.15	-	TR	- -	-	-	-		28
29	.73	.15	.19	2.00	.02	-	TR	-	-	.01	-	-		29
30	.28	X	-	TR	TR	-	-	-	-	.44	-	-		30
31	.15	X	-	X	-	X	-	-	X	.49	X	TR		31
TOTAL	3.13	6.00	3.77 9	4.04	1.80	.84	2.50	.06	1.61	4.19	9.76	3.78 0	Year's Total 41.42	
* Days with .01 in. or more.	10	19	13	17	8	6	16	3	10	19	22	14	158 7	
* Days with .04 in. or more.	9	12	13	10	6	4	12	1	8	17	17	13	122	

† Spare column, no entries required.

(*Signed*) H. Green (Headmaster)

* See Instruction 3 (f) on other side.

KINGSBRIDGE

1670/7

Section **A** for the entry of

AIR MINISTRY

FALL ORGANIZATION.

FOR OFFICIAL USE.

FORM 1090.

REGIST

931.

S. Devon/3

1670/1

KINGSBRIDGE

1931 —— 40

780306

Kept at Kingsbri

in the County of D

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Le

y surrounding stations.

1/4/32. JGlasch

4/32. JGlasch

THE MORNING MEASU ... **DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	1·64	—	—	—	—	·25	·09	/	—	1
2	·44	—	—	~~[illegible]~~	—	—	—	—	·46	·03		·33	2
3	·32	—	1·38	—	—	—	—	·02	·20	—	1·24	·29	3
4	—	—	·22	—	·21	—	·70	—	·06	·47	·10	·04	4
5	—	·45	·86	·05	—	·36	·25	·07	·03	—		·23	5
6	—	·07	·15	—		·35	—	—	·~~04~~	·28	·25	·55	6
7	—	—	—	—	·40	·61	·37	·33	—	·03	·59	·20	7
8	—	·48	—	·29	—	·70	·08	·02	—	—	·06	·18	8
9	·04	·33	—	—	—	·09	·14	—	—	—	·49	—	9
10	—	·03	—	—	·06	·06	—	·03	·07	—	·31	—	10
11	·15	·44	—	—	·12	·19	—	—	·02	—	·24	—	11
12	—	·13	—	—	—	—	—	—	—	·21	—	—	12
13	—	·03	·03	—	·07	~~·19~~	1·40	·07	—	—	—	—	13
14	·01	·07	—	—	—	·19	~~[illegible]~~	·06	·06	—	·36	—	14
15	·05	·07	—	—	·15	—	away from home record not taken	·12	·01	—	—	—	15
16	—	·13	—	·01	·06	·92		·18	·01	—	—	·05	16
17	·02	—	—	·02	—	~~4~~		—	·01	—	—	—	17
18	—	—	—	·07	—	·49		1·69	—	—	·34	—	18
19	·07	·06	—	·08	—	·34		—	—	—	·43	—	19
20	—	·33	—	—	—	—		·22	—	—	·23	—	20
21	·38	·01	—	·01	·09	—		—	—	—	·17	—	21
22	·63	—	The record not taken [illegible]	·06	·15	—		—	—	—	·04	—	22
23	·38	—		·20	·84	—	(·80)	·15	—	—	·49	—	23
24	—	—		·80	·18	·29		(1·30)	—	—	~~·34~~	—	24
25	·18	·17		·41	·07	—	·70 ~~[illegible]~~	—	—	—	·37	—	25
26	·01	—		·10	—	—	·39 ~~·10~~	—	—	—	·73	tr	26
27	·33	—		—	·33	—	·02 ~~·39~~	—	—	·03	·34	—	27
28	·09	—		—	·05	—	—	·07	—	—	—	·12	28
29	—	—		—	·06	—	·19	·47	—	—	·14	·07	29
30	·06	×		—	·08	—	—	—	·19	—	—	—	30 d
31	·80	×	(1·10)	×	·14	×	·04	—	×	·01	×	·37	(42·97) 31
TOTAL	3·93	2·80	(3·74) ~~2·64~~	(3·74) ~~4·84~~	3·06	4·65	(4·48) ~~2·68~~	(4·70) ~~3·50~~	1·37	1·15	6·92	2·43	YEAR'S TOTAL ~~40·94~~
*Days with ·01 in. or more.	17	15	5	13	17	12	11	14	12	8	19	10	153
*Days with ·04 in. or more.	14	14	4	10	17	12	10	11	7	4	19	10	132

40-9999

(Signed) Wm Oatey

[P.T.O.

*See Instruction 2 (*f*) on other side.

KINGSBRIDGE

Section **A** for the entry of ~~Daily Observations.~~

FOR OFFICIAL USE. 1670/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

S. Devon/3

Kept at Kingsbridge Devon

in the County of Devon

Diameter of Funnel of Gauge 5¼ in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 150 ft.

Please examine

Values in Red adjusted by surrounding stations.

Observer informed 1/4/32. J. Stuck

Observer concurs 4/4/32. J. Stuck

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	1·64	—	—	—	—	·25	·09	—	—	1
2	·44	—	—	~~[illegible]~~	—	—	—	—	·46	·03		·33	2
3	·32	—	1·38	—	—	—	—	·02	·20	—	1·24	·29	3
4	—	—	·22	—	·21	—	·70	—	·06	·47	·10	·04	4
5	—	·45	·86	·05	—	·36	·25	·07	·03	—		·23	5
6	—	·07	·15	—		·35	—	—	~~·04~~	·28	·25	·55	6
7	—	—	—	—	·40	·61	·37	·33	—	·03	·59	·20	7
8	—	·48	—	·29	—	·70	·08	·02	—	—	·06	·18	8
9	·04	·33	—	—	—	·09	·14	—	—	—	·49	—	9
10	—	·03	—	—	·06	·06	—	·03	·07	—	·31	—	10
11	·15	·44	—	—	·12	·19	—	—	·02	—	·24	—	11
12	—	·13	—	—	—	—	—	—	—	·21	—	—	12
13	—	·03	·03	—	·07	~~·19~~	1·40	·07	—	—	—	—	13
14	·01	·07	—	—	—	·19	[illegible]	·06	·06	—	·36	—	14
15	·05	·07	—	—	·15	—	Away from home record not taken	·12	·01	—	—	—	15
16	—	·13	—	·01	·06	·92		·18	·01	—	—	·05	16
17	·02	—	—	·02	—	~~·4~~		—	·01	—	—	—	17
18	—	—	—	·07	—	·49		1·69	—	—	·34	—	18
19	·07	·06	—	·08	—	·34		—	—	—	·43	—	19
20	—	·33	—	—	—	—		·22	—	—	·23	—	20
21	·38	·01	—	·01	·09	—		—	—	—	·17	—	21
22	·63	—	Ob. record not taken [illegible] Kingsbridge	·06	·15	—		—	—	—	·04	—	22
23	·35	—		·20	·84	—	(·80)	·15	—	—	·49	—	23
24	—	—		·80	·18	·29	~~·10~~	(1·20)	—	—	~~·34~~	—	24
25	·18	·17		·41	·07	—	[illegible]	—	—	—	·37	—	25
26	·01	—		·10	—	—	·39 ~~·40~~	—	—	—	·73	to	26
27	·33	—		—	·33	—	·02 ~~·39~~	—	—	·03	·34	—	27
28	·09	—		—	·05	—	—	·07	—	—	—	·12	28
29	—	—		—	·06	—	·19	·47	—	—	·14	·07	29
30	·06	×		—	·08	—	—	—	·19	—	—	—	30 d
31	·80	×	(1·10)	×	·14	×	·04	—	×	·01	×	·37	(42·97) 31
TOTAL	3·93	2·80	(3·74) ~~[illegible]~~	(3·74) ~~4·84~~	3·06	4·65	(4·48) ~~[illegible]~~	(4·70) ~~3·50~~	1·37	1·15	6·92	2·43	YEAR'S TOTAL ~~40·94~~
*Days with ·01 in. or more.	17	15	5	13	17	12	11	14	12	8	19	10	153
*Days with ·04 in. or more.	14	14	4	10	17	12	10	11	7	4	19	10	132

40-9999

(Signed) Tom Oatey Per P

[P.T.O.

*See Instruction 2 (*f*) on other side.

1670/1

Section **A** **for the entry of Daily Observations.**

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Kingsbridge

in the County of Devon

Diameter of Funnel of Gauge 5¼ in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 150 ft.

Station No 1670/1

File No 749289/27

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09	—	—	·09	—	—	—	·19	·07	—	·09	—	1
2	·19	—	·10	·52	—	—	—	·11	·08	—	tr	·56	2
3	·06	—	·04	—	tr	·68	—	—	1·14	—	·02	·02	3
4	·03	—	—	—	—	·25	·02	·08	~~·48~~	—	·28	—	4
5	·53	—	·08	—	—	—		—	·48	—	—	—	5
6	·62	—	·07	·22	tr	—	·25	—	·60	—	—	—	6
7	·09	—	tr	·02	·08	—	·05	tr		1·45	—	—	7
8	tr	—	·54	·14	·15	—	—	tr	1·32	·08	—	—	8
9	·66	·01	—	·44	·04	—	—	tr	—	·04	—	—	9
10	·37	—	—	·50	·19	—	absent from home Record not taken	tr	—	·20	—	·10	10
11	·14	—	tr	·19	·13	—		tr	—	—	tr	·53	11
12	1·02	—	—	tr	·25	—		+	—	·14	—	·05	12
13	·19	—		·23	·09	—		·42	·10	·60	—	·29	13
14	·26	—	—	·09	·19	—		—	—	·04	—	·02	14
15	·02	—	—	·13	·11	—		—	—	·01	·03	·06	15
16	·18	—	—		—	—		—	—	tr	—	tr	16
17	·04	—	—	·20	·01	—		—	·05	·09	—	—	17
18	·06	—	—	tr	·37	—		—	·04	—	·19	—	18
19	tr	—	—	·05	·17	—		—	·10	·68	—	—	19
20	·10	—	—	·21	·97	—		·10	·01	1·30	·18	·17	20
21	·04	—	·08	·01	—	—		·12	·21	·58	·06	·23	21
22	·01	—	tr	·02	·02	—		·06	·90	·53	·56	·05	22
23	—	—	—	tr	—	—	·21	—	·03	·55	tr	·13	23
24	—	·03	—	tr	·02	—	1·20	—	·14	·08	·06	—	24
25	—	—	·29	·02	·05	—	·15	—	·08	·96	·11	tr	25
26	—	—	·15			—	·04	—	—	·10	·05	tr	26
27	—	—	·56	·76	·10	—	·25	—	—	·33	—	·33	27
28	—	tr	·15	·13	·15	tr		tr	·03	—	—	·13	28
29	—		·64	·16	·12	·59	·41	·59	—	·58	·14	·48	29
30	—	×	·07	·20	tr	1·88	·23	tr	·62	·07	1·25	·01	30
31	—	×	·09	×	·29	×		—	×	—	×	·65	31
TOTAL	4·70	·04	2·86	4·33	3·53	3·40	2·81	1·64	6·00	8·41	3·02	3·79	YEAR'S TOTAL 44·56
*Days with ·01 in. or more.	21	2	13	21	20	4	10	8	18	20	13	17	167
*Days with ·04 in. or more.	17	—	13	17	17	4	10	8	15	19	11	14	145

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) W. N. Patey

P.T.O.

File No Y49289/24 1670/1

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 6704

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Kingsbridge

in the County of Devon

Diameter of Funnel of Gauge 5¼ in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·43	1·02	·13	—	·02	·09	—	—	—	·01	·03	1·32	1
2	·44	·04	·96	—	·50	·78	—	—	—	—	—	·23	2
3	·03	·16	·16	—	·02	·03	—	—	—	—	—	—	3
4	·13	·10	—	—	·10	—	—	—	—	—	—	—	4
5	·06	·03	30	—	·12	—	—	—	—	—	—	—	5
6	tr	·68	tr	—	29	—	·01	—	·04	·13	—	—	6
7	tr	·12	—	—	·02	—	·04	—	—	·02	—	—	7
8	·05	·11	—	—	·04	—	·11	—	—	—	—	—	8
9	~~0~~	·05	—	—	—	—	·47	tr	—	·13	·05	—	9
10	·03	·07	—	—	—	—	·15	—	—	·37	·02	—	10
11	·03	—	—	·03	—	—	—	·15	—	·06	—	—	11
12	—	—	—	24	·03	·22	—	·05	·45	—	—	—	12
13	—	—	—	—	—	tr	·61	×·22	—	·18	·08	·15	13
14	·10	—	—	—	—	—	·51	·18	—	·01	·44	—	14
15	·42	—	·44	—	—	—	—	·09	—	·09	·94	—	15
16	—	—	1·03	—	—	·15	—	·04	—	·06	·08	—	16
17	·03	·10	·36	—	—	·09	—	·19		—	~~·06~~	—	17
18	—	—	·07	—	—	·01	—	·		tr	·05	—	18
19	·59	—	·29	—	—	·01	—	·		tr	·48	—	19
20	—	—	—	—	tr	·15	—	·05	·48	—	—	—	20
21	—	·04	—	—	—	·35	—	—	—	·47	—	—	21
22	—	—	—	·37	—	—	—	·48	·57	tr	—	—	22
23	—	·60	—	·37	—	·25	—	—	·21	·95	—	—	23
24	—		—	·33	—	—	—	—	·23	·07	—	—	24
25	—		—	·25	·04	·01	—	—	·07	—	—	·21	25
26	—		—	·37	·18	—	—	—	—	tr	—	—	26
27	—		—	—	—	—	—	—	—	·18	·06	·40	27
28	—	1·95	—	·63	—	—	·44	—	—	·14	—	·13	28
29	·06	—	—	tr	—	—	·11	—	·17	—	—	·01	29
30	·09	×	·02	tr	—	—	·07		·24	tr	—	·13	30
31	·27	×	·13	×	·10	×	—	—	×	·04	×	—	31
TOTAL	2·76	5·07	3·89	2·59	1·46	2·14	2·52	1·45	2·46	2·91	2·23	2·18	YEAR'S TOTAL 31·66
*Days with ·01 in. or more.	~~15~~	~~14~~	~~11~~	~~8~~	~~12~~	~~12~~	~~10~~	~~9~~	~~9~~	~~16~~	~~10~~	~~8~~	~~134~~
*Days with .04 in. or more.	11	13	10	7	8	8	9	8	9	13	8	7	111

40-9999

*See Instruction 2 (*f*) on other side.

× Thunderstorm 7·30 to 9·0 pm D

(Signed) W. N. Patey

P.T.O.

File No 749289/27

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1670/1

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Kingsbridge

in the County of Devon

Diameter of Funnel of Gauge 5¼ in.

Height of top of Gauge above Ground 1 ft 6 in.

" Ground " Sea Level 150 ft.

Total Estimate from file

Estimated by stations 16995 & 1694 ALJ.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·07	—	·08	—	—	✓	—	·48	tr	—	·18	1·40		1
2	·32	—	·15	—	—		—	—	✗	—	tr	·37		2
3	·15	—	—	·17	·03		—	—	—	—	tr	·54		3
4	·25	—	·40	tr	·29		—	tr	✗	·22	·04	·34		4
5	—	—	·07	·04	·15	✗	—	·71	—	·09	—	·64		5
6	·02	—	·53	·13	·58		—	—	✓	·59	·19	·53		6
7	·08	—	—	—	—		—	·07	—	·19	·02	·75		7
8	—	—	—	—	·05		—	·01	—	—	·71	·28		8
9	·03	—	·37	—	—		—	tr	—	tr	·56	·26		9
10	·08	·02	·25	—	—		—	·10	—	—	·03	·06		10
11	·58	—	·03	94	—		—	·04	—	—	—	·75		11
12	·01	—	—	tr	—		tr	·47	—	—	—	·25		12
13	·56	—	—	·23	—		—	—	—	tr	39	·17		13
14	·56	—	·43	—	—		—	—	—	·01	·06	·26		14
15	·19	—	·09	tr	·13		—	—	—	·08	·01	·28		15
16	·16	—	·45	—	·02		—	—	✗	—	—	·45	7·33	16
17	·27	—	·71	·07	tr		—	—	✗	·11	—		8·45 am	17
18	·08	—	·31	·52	—	✓	—	—	✗	—	—	·52	to 7·0 pm	18
19	—	—	·14	·03	—	✗	—	—	✗	—	—	·18	7·0 pm	19
20	—	—	·08	·33	—		·08	·10	✗	·04	—			20
21	—	—	·26	—	·08	✗	—	·03	✓	·63	—			21
22	·05	—	·07	—	—	✗	—	·19	✗	—	—			22
23	·12	—	tr	·21	—	✗	—	·07	✗	·06	—	·67	4·5 pm	23
24	—	·08	·06	·07	—	✗	—	—	✓	·17	—			24
25	·25	—	tr	·29	—	✓	—	—	—	·34	—	1·19	8·45 26th	25
26	·20	—	·01	·18	—	✗	—	—	✗	·04	—	·03		26
27	—	—	—	·03	—	✓	—	·06	✗	tr	·04	·30		27
28	—	—	—	—	—	✓	—	·56	✗	tr	tr	·87		28
29	—	—	—	—	—	—	·05	·04	✗	—	—	·01		29
30	—	✕	—	—	—	—	·02	—	✗	·02	tr	·34		30
31	—	✕	—	✕		✕	16	·07	✕	—	✕	·04		31
TOTAL	4·03	·10	4·49	3·24	1·33	1·83	·31	3·02	3·71	2·59	2·23	11·48	Year's Total 38·36	
*Days with ·01 in. or more.	20	2	19	14	8	12	4	15	14	14	11	30	(166)	
*Days with ·04 in. or more.	18	1	17	12	6	4	3	13	14	12	8	28	(139)	

not at home from 31st May until 6th July

Not at home during September

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) W. N. Patey

[P.T.O.

File No 749289/27

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 167011

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Kingsbridge

in the County of Devon

Diameter of Funnel of Gauge 5¼ in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·06	·07	·59			·27	—		·19	·16	·07	·26		1
2	tr					·02	·01		—	·37	·05	·08		2
3		·02	·16		·45	·38	—		·57	·16	·08	·07		3
4		·14	—	·19		·13	—		·15	·08	·07	~~·49~~		4
5		·25		·10			—		·23		·03	·49		5
6		—	·05			1·15	—			·17	·30			6
7		—	—	1·00			—			35	·32			7
8		—	—	·49			—		·18	·23	·50	·26		8
9	·04	—		·52		·03	·07		tr	·57	·32			9
10	·03	—	·47			·07			tr	·05	tr			10
11	·41		—			·37			·13	·06	·58			11
12	·03		—			·60	~~·03~~	·03	·10	—	·62			12
13	·06		—			·12			tr	·09	·13			13
14			—	·32		·04				·08	1·30	·60		14
15			—	·68		·19			·23	·05	·35	—		15
16			·16	·10					·40	·01	·79	·14		16
17		·91		·07	·69	·40			·07	—	·09			17
18		·15		·47		—	·02	·01	·25	·06		·36		18
19		·05		·04		·28	·30		·17	·26	·58			19
20		·25		·71		·04	·01		·06	—	·10			20
21		·78	·01	·15			tr			·08	—			21
22		·08		·18					·07	·03	·01			22
23								·14	·01	·25				23
24	·02	·70		·37				·74	·63	·04		·81		24
25	·23	·46		·11	1·16	·12		·01						25
26	·02	·48				·05		·44	·46		tr			26
27		·18						·01	·06	·10		1·40		27
28		·03					tr	·02	·13	·07	·20	·13		28
29								·03	·36	—	·07	·46		29
30	·04	×				·19		1·95	·08	·32	·97	·70		30
31		×		×		×		·07	×	·76	×	·40		31
TOTAL	·94	4·55	1·14	5·50	2·30	4·45	·41	2·45	4·53	4·34	7·55	6·16	Year's Total 44·32	
*Days with ·01 in. or more.	~~10~~	~~15~~	~~6~~	~~16~~	~~3~~	~~18~~	~~5~~	~~11~~	~~21~~	~~24~~				
*Days with .04 in. or more.	~~6~~	~~13~~	~~5~~	~~16~~	~~3~~	~~16~~	~~2~~	~~5~~	~~20~~	~~22~~				

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

File No 749289/27

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1670/1

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Totals -

Kept at Kingsbridge, Devon

in the County of

Diameter of Funnel of Gauge 5¼ in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·13	·03	tr	·16	—	·29	·43	—	—	—	·08	·01		1
2	·11	—	—	·11	—	·05	—	·21	·01	—		·03		2
3	tr	—	·17	1·05	—	·07		–	·87	—	·20	·04		3
4			·35	—	—	tr	·48	–	·23	—		—		4
5	·43	·20	·12	—	·01		—	·14		—	·18	·02		5
6	·19	—	·03	—	—	·02		·14	·31	—	·49	—		6
7	·42	—	·50	—	—		·34	—	—	—	·52	·25		7
8	·53	~~1·33~~	·59	—	—			—	—	08	·47	tr		8
9	·21	1·33	·14	—	—			—	·27	—	·04	—		9
10	·07	·65	—	—	—			—	—	—	·05	—		10
11	·70	—	—	—	—	·16		·04	·09	—	1·02	·11		11
12	·07	—	·04	·08	·13		1·34		·40	—	·01			12
13	·11	—	tr	—	—	·14			·10	02	·30			13
14	tr	·09	—	—	—	tr			·07	—		1·22		14
15	tr	—	—	—	—	—	·91		·10	—	·50			15
16	tr	·12	—	03	—	—	·19		—	—	·41			16
17	·14	·73	—	·04	·22	—	·16		—	—	·04	1·09		17
18	·39	·26	·13	—	—	—	·49		—	—	—	—		18
19	·48	—	·45	·11	—	·12		·30	—	—	—	—		19
20	·40	·24	·18	·09	—	–		—	·24	—	—	—		20
21	tr	·30		·63	—	11		—	—	07	—	—		21
22	·28	–	·08	—	—	~~11~~		—	—	—	—	—		22
23	–	·26		·24	·33	—		—	—	40	—	—		23
24	30	·01	·07	tr	·50	—		—	24		—	·04		24
25	·34	—	·44	·14	—	—	·53	—			·07	—		25
26	·40	·13	·22	—	·04	—	—	—			·03	—		26
27		·02	·03	—	—	—		—	·06		—	—		27
28	1·13	·06	·69	01	—	—	·57	—	—		—	·23		28
29	·03	tr	·08	—	—	—	·15	—	—		·13	·03		29
30	·13	×	—	—	tr	·31	—	—	—		—	—		30
31	·15	×	·58	×	tr	×	·30	—	×	1·14	×	·52		31
TOTAL	7·14	4·43	4·89	2·69	1·23	1·27	5·89	·83	2·99	~~1·37~~ 1·41	4·54	3·59	Year's Total. 40·86	
* Days with .01 in. or more.	24	15	19	12	6	9	12	5	13	5	17	12		
* Days with .04 in. or more.	23	12	17	11	5	8	12	5	12	4	16	8		

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) W [illegible] Batey

P.T.O.

File No 749289/27

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1670/1

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Kingsbridge
in the County of Devon
Diameter of Funnel of Gauge 5¼ in.
Height of top of Gauge above Ground 1 ft. 6 in.
,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·27	·14	—	·57	—	—	—	—	·21	·17	—	(·68) ~~1·48~~		1
2	·10	·98	·11	·23	—	—	—	—	·24	—	—	—		2
3	·07	·13	—	·11	·15	—	·02	—	—	—	—	—		3
4	·10	·95	(—)	—	—	—	—	—	—	—	—	·69		4
5	·28	—	—	·15	tr	—	·37	—	—	—	—	—		5
6	·13	·78	·54	·16	·03	—	—	—	tr	—	—	·83		6
7	tr	1·34	·34	·05	—	·20	—	—	·01	—	·02	·35		7
8	—	tr	·01	tr	·69	tr	·55	—	—	—	—	—		8
9	·04	·18	·09	·25	—	—	tr	—	·59	—	—	—		9
10	·21	·01	·23	·29	·04	·33	—	—	tr	—	—	·54		10
11	tr	—	·23	·28	·75	·12	·40	—	—	—	—	—		11
12	·79	·47	✗	—	·15	·53	·04	✗	·30	—	—	·40		12
13	tr	·08	✗1·19	·21	—	—	—	ϕ ✗	·20	—	—	—		13
14	—	✗	/	—	tr	—	—	✗	·09	—	—	✓		14
15	·39	✗	·21	·66	—	—	—	1·75	·17	—		✗·30		15
16	·13	✗	·39	·03	—	—	·14	·13	·62	—	✗	—		16
17	·71	x ✗	·57	—	—	—	—	tr	·08	—	✗1·27	—		17
18	·10	✗	·18	—	—	·28	—	—	✗	—	·29	✗		18
19	·17	✗·77	—	·41	·15	—	—	—	–·06	—	·14	✗		19
20	·40	—	·23	·20	·21	—	—	—	—	—	—	✗·87		20
21	·50	·83	·01	·06	·27	—	·07	—	·39	·10	✗	✗		21
22	·56	·01	·02	—	·41	·04	·17	—	·13	·70	–·71	✗·19		22
23	·18	·47	—	—	—	—	·04	—	—	·45	✗	·05		23
24	·25	✗	·05	—	—	—	—	—	·06	✗	–·18	·22		24
25	tr	✗	·54	·02	—	—	—	—	—	✗1·00	—	—		25
26	tr	✗1·34	—	—	—	—	—	—	—	—	—	—		26
27	·14	·14	—	tr	—	—	—	—	—	—	·02	—		27
28	·33	·35	—	—	—	·03	—	—	—	—	—	—		28
29	·14	—	—	—	—	—	—	—	—	·55	·43	·01		29
30	·29	✕	—	—	—	·03	—	—	·09	✗	See (·50) 1 Dec	tr		30
31	·16	✕	—	✕	—	✕	—	tr	✕	✗·75	✕	—		31 "d"
TOTAL	6·44	8·97	4·94	3·68	2·85	1·56	1·80	1·88	3·24	3·72	3·56 ~~3·06~~	5·13 ~~5·03~~	Year's Total 47·77	
* Days with .01 in. or more.	24	24 ~~17~~	19 ~~17~~	16	10	8	9	4 ~~2~~	15✓	9 ~~7~~	10 ~~8~~	16 ~~14~~	~~147~~ (164)	
* Days with .04 in. or more.	24	22 ~~15~~	15 ~~14~~	14	9	6	8	4 ~~2~~	14✓	9 ~~7~~	8 ~~6~~	14 ~~13~~	~~132~~ (147)	

x sick

* See Instruction 3 (f) on other side.

ϕ I was at Plymouth 12 aug. There was a heavy thunderstorm that evening. I should think the bulk of the 1·75 fell on that date

† Spare column, no entries required.

(Signed) W. N. Patey

[P.T.O.

File No 749289/27

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1670/1

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Kingsbridge

in the County of Devon

Diameter of Funnel of Gauge 5¼ in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 150 ft.

* Rainfall taken at 9.0 am from this date. (23rd April.)

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·06	—	—	—	·26	·18	·32	·06	·57	·01	·02		1
2	tr	·02	—	·03	tr	·03	·07	—	—	·36	·02	·17		2
3	tr	—	—	—	·12	tr	·01	1·03	—	·53	·35	tr		3
4	tr	—	—	—	tr	·02	·29	·35	tr	x	·02	·28		4
5	·02	—	—	—	—	·18	·14	—	·10	x	·04	tr		5
6	·21	—	—	—	—	·10	1·25	·01	·12	x	·08	·19		6
7	·17	—	—	—	—	·03	·10	—	·38	⊗ ·82	·05	·07		7
8	·32	tr	—	—	—	tr	·09	—	—	·23	tr	·02		8
9	·23	·17	—	—	—	·01	x	—	—	·02	·01	·43		9
10	·25	tr	—	—	—	·01	x	—	—	—	—	·30		10
11	·20	tr	—	—	—	·06	x	—	—	—	·31	·73		11
12	x	tr	—	—	·26	tr		—	—	·41	·46	tr		12
13	x ·55	tr	—	—	·30	—	x	tr	—	·19	·37	·89		13
14	·61	·02	tr	—	·15	—		—	—	—	·01	~~[illegible]~~		14
15	·29	·03	—	—	·17	—	⊛ —	·15	—	·47	·12	·26		15
16	·40	·01	·13	—	tr	—	·74	—	—	·01	·23	tr		16
17	tr	·22	·03	—	·13	—	tr	—	·29	·33	·08	·05		17
18	·37	—	—	—	·14	·01	·01	·10	·20	·03	·27	tr		18
19	·06	—	—	—	—	—	tr	·12	·44	tr	·93	—		19
20	·08	—	—	—	—	—	—	tr	·06	—	·26	tr		20
21	·09	—	—	—	—	—	—	—	·07	·05	·32	tr		21
22	·04	—	—	—	tr	·08	—	1·10	tr	·12	·40	·02		22
23	·01	—	—	* ·09	tr	tr	—	tr	—	—	·04	—		23
24	tr	—	·35	—	·06	·04	—	·02	·05	—	·65	—		24
25	·23	·47	·02	—	·17	—	·46	·06	—	·03	1·23	·02		25
26	·24	·22	·01	—	·62	·07	·14	—	—	·11	tr	·17		26
27	·28	·10	—	—	·06	·24	·37	·65	—	·06	·38	—		27
28	·39	·24	—	—	·21	—	—	1·00	·15	tr	tr	·01		28
29	·30	—	—	tr	·46	tr	tr	—	·18	·34	·48	·01		29
30	·06	✕	—	—	·02	—	·04	—	·07	—	·22	·03		30
31	·19	✕	—	✕	·32	✕	·01	—	✕	·30	✕	·27		31
TOTAL	5·89	1·56	·54	·12	3·19	1·14	3·90	4·91	2·17	4·98	7·34	3·94	Year's Total 39·68	✓
* Days with .01 in. or more.	25	11	5	2	15	14	18	12	13	22 ~~19~~	26	19	182 ~~176~~	✓
* Days with .04 in. or more.	23	7	2	1	14	8	15	10	13	15	20	12	142 ~~137~~	✓

* See Instruction 3 (f) on other side. ⊛ away from home

† Spare column, no entries required.

(*Signed*) W. N. Patey

[P.T.O.

File No 749289/27

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1670/1

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Kingsbridge

in the County of Devon

Diameter of Funnel of Gauge 5¼ in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 150 ft.

Oct. & Nov. values adjusted from nearby stations. w.r.r.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·11	—	·01	·07	tr	—	—	tr	tr	—	(·63) x	x		1
2	·01	—	—	·34	—	—	tr	·26	·48	—	~~1·03~~ x	x ·28		2
3	·41	—	·06	·75	—	—	·09	·02	—	tr	—	·39		3
4	tr	—	·66	·09	·48	—	·34	·16	—	x	·51	·12		4
5	tr	—	·06	·37	—	—	·86	—	—	x	x	—		5
6	·68	tr	·11	·03	tr	—	·85	·12	—	x ·83	x 1·55	—		6
7	·03	·92	tr	—	—	—	·03	·11	—	·03	·46	1·24		7
8	·02	·20	·02	—	·07	—	·05	·12	—	x	·14	·08		8
9	·06	·05	·01	—	—	—	—	·38	—	x	—	·15		9
10	·33	·02	·01	—	—	—	—	·35	—	x 1·90	·08	·16		10
11	tr	·05	·06	tr	—	—	—	—	—	·84	—	·01		11
12	tr	·11	—	·01	—	—	—	—	·12	x	✓	—		12
13	·03	tr	—	·10	—	·30	·40	—	·09	x	x	—		13
14	·74	tr	tr	—	·03	·07	·72	—	—	x 1·79	✓	·13		14
15	·55	·01	—	·01	·05	1·05	·19	—	—	—	x	·20		15
16	·15	·01	tr	·24	·01	—	·84	—	—	—	x	—		16
17	·53	·07	—	tr	·03	·12	·43	—	—	—	ϕ x ·78	·20		17 ϕ 5·15 pm
18	·08	—	·01	—	—	—	·29	—	—	—	·83	—		18
19	·38	—	—	—	—	—	·06	·08	—	—	—	—		19
20	·05	·05	—	—	—	·24	·07	1·15	—	—	—	—		20
21	·02	·25	·11	—	·03	1·39	·05	·01	—	—	·76	—		21
22	·50	·39	·16	tr	—	·53	·22	—	tr	—	1·75	—		22
23	·04	—	·03	·23	—	—	·07	tr	·06	—	—	—		23
24	·86	·04	·10	·12	—	·48	tr	—	—	x	—	—		24
25	·17	·07	—	·16	—	·01	·42	·23	—	x	·51	—		25
26	tr	·04	—	·01	—	—	·02	·07	—	·39	·45	—		26
27	—	·31	—		—	—	·02	—	—	—	·09	—		27
28	·01	·07	—	22	—	·08	·71	—	—	—	·41	—		28
29	·03	X	tr	·03	—	·09	·02	—	—	·77	·05	—		29
30	—	×	tr	·19	—	—	—	·02	—	(1·30) x	·14	—		30
31	—	×	—	×	—	×	—	·10	×	See Nov 2nd x	×	—		31
TOTAL	6·69	2·66	1·41	2·97	·70	4·36	6·75	3·18	·75	(7·75) ~~6·45~~	(9·14) ~~10·44~~	2·96	Year's Total 49·32	
* Days with .01 in. or more.	23	17	14	17	7	11	22	15	4	16 ~~7~~	23 ~~16~~	12	~~165~~	181 "d"
* Days with .04 in. or more.	16	13	8	13	3	10	18	12	4	15 ~~6~~	21 ~~16~~	11	~~130~~	144

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) W. N. Patey

[P.T.O.

File number 7492889/27

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1670/1

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1930

Kept at Kingsbridge
in the County of Devon
Diameter of Funnel of Gauge 5¼ in.
Height of top of Gauge above Ground 1 ft. 6 in.
,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf ✓

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	tr	—	tr	·03	—	—	—	—	—	·13	—		1
2	—	·46	—	·33	—	—	·05	—	—	—	·66	·05		2
3	·25	·71	—	tr	—	—	—	—	—	·20	1·05	·50		3
4	tr	—	—	·15	—	—	·06	—	—	·36	·25	·08		4
5	·02	·01	—	—	—	—	—	tr	—	·02	·32	·25		5
6	·29	·68	—	—	—	—	·03	—	—	·41	·05	·26		6
7	·13	·02	—	—	—	—	·15	—	·09	·06	—	·01		7
8	—	—	—	—	—	—	·04	tr	·04	·47	·51	·49		8
9	—	—	—	—	—	—	·48	·05	·05	·18	·51	·43		9
10	—	—	—	—	—	—	—	—	·02	·10	·11	·05		10
11	—	·02	·05	·04	—	—	·12	—	—	—	1·27	·18		11
12	—	—	·20	—	—	·07	·19	—	·56	—	·26	tr		12
13	—	—	x	—	—	—	tr	tr	·01	·38	1·49	·32		13
14	—	·02	(-) ·59	·04	·10	—	tr	·02	·19	·18	·03	·63		14
15	—	1·41	—	—	—	tr	·10	—	·22	·18	·64	tr		15
16	—	1·67	1·13	·03	—	—	·08	—	·06	·13	·65	·03		16
17	—	·29	·73	·04	—	—	·18	—	·01	tr	·32	tr		17
18	·04	·58	·19	·83	—	—	·02	tr	-	·18	·02	·24		18
19	tr	·11	—		—	—	·05	tr	·53	·03	·35	tr		19
20	—	—	·01	·14	—	—	tr	·01	tr	·03	·06	—		20
21	—	—	—	—	·04	—	—	tr	·03	·04	·45	—		21
22	—	tr	·13	·08	tr	·58	·03	tr	tr	tr	·02	—		22
23	—	·02	·18	·07	·01	—	·01	tr	·02	·36	·07	—		23
24	—	—	·04	·04	·02	·03	·52	—	tr	—	tr	—		24
25	✓	tr	·20	·03	·47	tr	—	—	—	—	—	—		25
26	·89	·48	—	—	·25	·12	—	—	—	—	·03	—		26
27	·32	·12	·06	—	·75	—	—	—	—	—	—	—		27
28	·69	·14	—	·15	·02	—	—	tr	—	—	—	·08		28
29	·25	—	·22	2·06	tr	·17	—	tr	—	·02	—	·64		29
30	·12	✕	·01	tr	—	—	tr	—	—	·44	—	·63		30
31	·01	✕	tr	✕	—	✕	—	—	✕	·53	✕	·90		31
TOTAL	3·01	6·74	3·74	4·03	1·69	·97	2·11	·08	1·83	4·30	9·25	5·77	Year's Total 43·52	^
* Days with .01 in. or more.	12	16	15	15	9	5	16	3	14	20	23	18	166	^
* Days with .04 in. or more.	10	11	13	13	5	4	12	1	9	16	19	16	129	^

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) W. N. Patey

[P.T.O.

1670

Section **A** for the entry of
AIR MINISTRY

FOR OFFICIAL USE.
FALL ORGANIZATION.

FORM 1090.

REGIST 931.

1670
KINGSBRIDGE
1931

780306

Kept at KINGSB
in the County of DE
Diameter of Funnel of Gauge
Height of top of Gauge above Ground
,, Ground ,, Sea Le

THE MORNING MEASU DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
—

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·05	·03	·83					·73	·11			1
2	·42		·01	·46								·43	2
3			1·30						·26	·46	1·49	·23	3
4			·16		·23	tr	·94	·06					4
5		·50	·98	·06	—	·35					·01	·84	5
6		·03	·01		·07	1·02				·30	·24		6
7		·67		·31	·30		·36	·29			1·01	·22	7
8						·65	·10	·02				·15	8
9	·04	·36			·06	·11	·15				·27	·05	9
10	·41	·01				·04		·01	·17		·36		10
11		·51			·11	·19	·19				·21		11
12	tr	·10						tr		·22			12
13		·03	·03		·07	·73	1·09				·35		13
14	·01	·10			·07			rr					14
15	·04				·08			·49					15
16	·01	·11		·03		·97						·05	16
17	·02	·01				rr	·28		·07				17
18			·02	·12		·50	·26	1·63			·35		18
19	·07	·07	·04			·35							19
20	·01	·32	·41										20
21	·41	·01	·13	·01	·10			·38					21
22	·80			·06	·15						1·44		22
23	·37		rr	·20			·05	1·29					23
24	·17	·01		1·15	1·1	·32							24
25		·05		·09		·16	1·22				·37		25
26	·03	·08			·31						·60		26
27	·37	·18									·45		27
28	·09	·16	·22		·10			·07			·13	·06	28
29	·01						·22	·46					29
30	·10	×	·06		·20				·18				30
31	·80	×	·36	×		×			×		×	·05	31 d
TOTAL	4·18	3·36	3·76	3·32	2·95	4·79	4·86	4·70	1·41	1·09	7·28	2·08	YEAR'S TOTAL 43·78
*Days with ·01 in. or more.	19	20	14	11	14	12	11	10	5	(?)	14		139(?)
*Days with ·04 in. or more.	13	14	9	9	14	12	11	8	5	(?)	13		112(?)

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) J. A. Munch

[P.T.O.

1670

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at KINGSBRIDGE

in the County of DEVON

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 10 in.

,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following —

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·05	·03	·83					·73	·11			1
2	·42		·01	·46								·43	2
3			1·30						·26	·46	1·49	·23	3
4			·16		·23	tr	·94	06					4
5		·50	·98	·06	–	·35					·01	·84	5
6		·03	·01		·07	1·02				·30	·24		6
7		·67		·31	·30		·36	·29			1·01	·22	7
8						·65	·10	·02				·15	8
9	·04	·36			·06	·11	·15				·27	·05	9
10	·41	·01				·04		·01	·17		·36		10
11		·51			·11	·19	·19				·21		11
12	tr	·10						tr		·22			12
13		·03	·03		·07	·13	1·09				·35		13
14	·01	·10			·07			tr					14
15	·04				·08			·49					15
16	·01	·11		·03		·97						·05	16
17	·02	·01				tr	·28		·07				17
18			·02	·12		·50	·26	1·63			·35		18
19	·07	·07	·04			·35							19
20	·01	·32	·41										20
21	·41	·01	·13	·01	·10			·38					21
22	·80			·06	·15					[illegible]	1·44		22
23	·37		tr	·20			·05	1·29					23
24	·17	·01		1·15	1·1	·32							24
25		·05		·09		·16	1·22			[illegible]	·37		25
26	·03	·08			·31					[illegible]	·60		26
27	·37	·18								[illegible]	·45		27
28	·09	·16	·22		·10			·07		[illegible]	·13	·06	28
29	·01						·22	·46					29
30	·10	×	·06		·20				·18				30
31	·80	×	·36	×		×			×		×	·05	31 d
TOTAL	4·18	3·36	3·76	3·32	2·95	4·79	4·86	4·70	1·41	1·09	7·28	2·08	YEAR'S TOTAL 43·78
*Days with ·01 in. or more.	19	20	14	11	14	12	11	10	5	7(?)	14		139(?)
*Days with ·04 in. or more.	13	14	9	9	14	12	11	8	5	4(?)	13		112(?)

40-9999

*See Instruction 2 (*f*) on other side

(*Signed*) J. A. Munch

[P.T.O.

STOKE F

1671

Section **A** for the entry of

AIR MINISTRY

FOR OFFICIAL USE.

...FALL ORGANIZATION.

STOKE FLEMING (THE GLEN)

FORM 1090.

REGIS...

...931.

Kept at The Glen 10th in...
onwards at WIND Ward, Sto...
in the County of De...

Gauge blown over recently night of 14th–15th.

Diameter of Funnel of Gauge...

Height of top of Gauge above Ground...

,, Ground ,, Sea L...

da

3

1671

STOKE FLEMING (WINDWARD)

1931 —— 40

780306

THE MORNING MEASU... DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	·78	—	—	—	·02	·23	·22	—	—	1
2	·57	Tr	·01	·52	—	·01	—	—	·53	·11	—	·57	2
3	·41	—	·93	—	—	—	·20	·04	·23	·05	1·35	·35	3
4	·01	—	·23	—	·10	—	·30	·02	·03	·35	·05	·04	4
5	·01	·35	·65	·03	—	·47	·10	—	—	·01	·15	·33	5
6	—	·01	—	·10	·10	·67	—	—	·10	—	·45	·33	6
7	—	·29	—	—	·22	·57	·45	·55	—	—	·75	·13	7
8	·04	·35	—	·20	—	·61	·11	—	—	Tr	·08	·08	8
9	—	·04	—	—	—	·18	·20	—	—	Tr	·60	—	9
10	·01	·74	—	—	·09	·21	·04	·02	·03	—	·55	—	10
11	·18	·10	—	—	—	·20	·11	—	·10	—	·15	—	11
12	·01	·05	—	—	—	—	·04	—	·10	·18	—	—	12
13	—	·04	·04	—	—	·02	·51	·09	—	—	—	—	13
14	—	·10	·01	—	·01	·21	1·00	·19	—	—	·28	—	14
15	·03	·18	—	—	Gauge blown over	—	—	·13	—	—	—	·18	15
16	·01	·02	—	—	—	·84	Tr	·04	·08	—	—	—	16
17	·03	—	—	—	—	—	·26	Tr	·01	—	—	—	17
18	Tr	—	—	—	—	·22	·05	1·55	—	—	·27	—	18
19	·05	—	·04	·09	—	·15	·03	·05	·04	—	·70	—	19
20	·01	—	·50	—	—	—	—	·30	—	—	·15	—	20
21	·31	—	—	—	·21	—	—	—	—	·03	·11	—	21
22	·76	—	·14	·23	·12	—	—	—	—	—	·03	—	22
23	·28	—	—	·40	·69	—	—	·25	—	—	·62	—	23
24	·09	Tr	·02	·65	·10	·10	·89	·35	—	—	·05	—	24
25	·09	·03	·02	·08	·05	—	·28	—	—	—	·28	—	25
26	·01	·12	—	·08	—	—	·36	—	—	—	·62	—	26
27	·28	·25	—	—	·15	—	·13	—	—	—	·15	—	27
28	·18	·23	·25	—	·04	—	—	·07	—	—	—	·42	28
29	·01	X	·16	—	·01	—	·25	·52	Tr	—	·15	—	29
30	·04	X	·02	—	—	—	·05	—	—	·03	—	—	30
31	·67	X	·18	X	·14	X	·04	·01	X	—	X	—	31
TOTAL	4·06	2·90	3·20	3·16	~~2·03~~ 2·13	4·46	5·40	4·30	1·48	·98	7·19	2·13	41·39 YEAR'S TOTAL ~~[illegible]~~
*Days with ·01 in. or more.	~~10~~ 24	~~8~~ 16	~~5~~ 15	~~1~~ 11	~~2~~ 14	~~2~~ 14	~~1~~ 21	~~4~~ 17	~~8~~ 11	~~3~~ 8	21 ~~1~~	9	~~35~~ 181
*Days with ·04 in. or more.	14	13	10	10	11	12	20	13	8	5	20	9	145

40-9999

MISS (Signed) Eva L. Garrett

[P.T.O.

*See Instruction 2 (*f*) on other side.

STOKE F

Section **A** for the entry of

+ Previously [illegible] at STOKE FLEMING (THE GLEN)

FOR OFFICIAL USE.

1671

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at The Glen to & including 20/3/31 onwards at WIND Ward, Stoke Fleming
in the County of Devon

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft — in.
,, Ground ,, Sea Level 300 + 380 ft.

Observer says gauge blown over, rendered lost in gale on night of 14th–15th May.

969591/29.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	·78	—	—	—	·02	·23	·22	—	—	1
2	·57	Tr	·01	·52	—	·01	—	—	·53	·11	—	·57	2
3	·41	—	·93	—	—	—	·20	·04	·23	·05	1·35	·35	3
4	·01	—	·23	—	·10	—	·30	·02	·03	·35	·05	·04	4
5	·01	·35	·65	·03	—	·47	·10	—	—	·01	·15	·33	5
6	—	·01	—	·10	·10	·67	—	—	·10	—	·15	·33	6
7	—	·29	—	—	·22	·57	·45	·55	—	—	·75	·13	7
8	·04	·35	—	·20	—	·61	·11	—	—	Tr	·08	·08	8
9	—	·04	—	—	—	·18	·20	—	—	Tr	·60	—	9
10	·01	·74	—	—	·09	·21	·04	·02	·03	—	·55	—	10
11	·18	·10	—	—	—	·20	·11	—	·10	—	·15	—	11
12	·01	·05	—	—	—	—	·04	—	·10	·18	—	—	12
13	—	·04	·04	—	—	·02	·51	·09	—	—	—	—	13
14	—	·10	·01	—	·01	·21	1·00	·19	—	—	·28	—	14
15	·03	·18	—	—	Gauge blown	—	—	·13	—	—	—	·18	15
16	·01	·02	—	—	—	·84	Tr	·04	·08	—	—	—	16
17	·03	—	—	—	—	—	·26	Tr	·01	—	—	—	17
18	Tr	—	—	—	—	·22	·05	1·55	—	—	·27	—	18
19	·05	—	·04	·09	—	·15	·03	·05	·04	—	·70	—	19
20	·01	—	·50	—	—	—	—	·30	—	—	·15	—	20
21	·31	—	—	—	·21	—	—	—	—	·03	·11	—	21
22	·76	—	·14	·23	·12	—	—	—	—	—	·03	—	22
23	·28	—	—	·40	·69	—	—	·25	—	—	·62	—	23
24	·09	Tr	·02	·65	·10	·10	·89	·35	—	—	·05	—	24
25	·09	·03	·02	·08	·05	—	·28	—	—	—	·28	—	25
26	·01	·12	—	·08	—	—	·36	—	—	—	·62	—	26
27	·28	·25	—	—	·15	—	·13	—	—	—	·15	—	27
28	·18	·23	·25	—	·04	—	—	·07	—	—	—	·42	28
29	·01	×	·16	—	·01	—	·25	·52	Tr	—	·15	—	29
30	·04	×	·02	—	—	—	·05	—	—	·03	—	—	30
31	·67	×	·18	×	·14	×	·04	·01	×	—	×	—	31 41·39
TOTAL	4·06	2·90	3·20	3·16	~~2·03~~ 2·13	4·46	5·40	4·30	1·48	·98	7·19	2·13	YEAR'S TOTAL
*Days with ·01 in. or more.	~~10~~ 24	~~8~~ 16	~~5~~ 15	11	~~2~~ 14	14	21	17	~~8~~ 11	~~3~~ 8	21	9	~~35~~ 181
*Days with ·04 in. or more.	14	13	10	10	11	12	20	13	8	5	20	9	145

40-9999

MISS (Signed) Eva L. Garrett [P.T.O.

*See Instruction 2 (*f*) on other side.

1671

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1671

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at WINDWARD, Stoke Fleming

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" Ground " Sea Level 380 ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·17	—	—	·27	—	—	Tr	·13	·06	—	·02	—	1
2	·12	—	·11	·47	—	—	·01	—	·25	—	—	·63	2
3	·05	—	Trace	—	—	1·28	—	·03	·62	—	—	—	3
4	·03	—	—	—	—	·18	—	·08	—	—	·33	—	4
5	·85	—	·07	—	—	—	—	—	·67	—	—	—	5
6	·96	—	·07	·40	—	—	—	—	·53	—	—	—	6
7	·03	—	·02	·05	·15	—	·27	—	·75	1·09	—	—	7
8	—	—	·47	·23	·12	—	·01	—	·47	·06	·01	—	8
9	·95	Snow Trace	—	·62	·07	—	Tr	·01	—	·01	—	—	9
10	·26	—	—	·41	·07	—	—	—	·13	·29	—	—	10
11	·16	—	—	·04	·07	—	—	Tr	·06	·03	—	·51	11
12	1·22	—	—	—	·50	—	·04	—	·01	·35	—	·05	12
13	·22	—	—	·43	·13	—	·05	·78	—	1·15	—	·41	13
14	·30	—	—	·05	·23	—	—	—	—	·06	—	—	14
15	·04	—	—	·16	·13	—	·04	—	Tr	·01	—	—	15
16	·10	—	—	·29	—	—	—	—	—	—	—	·16	16
17	·08	—	—	·09	·02	·05	—	—	·07	·27	—	—	17
18	·08	—	—	—	·41	—	—	—	·10	—	·35	·01	18
19	·03	—	—	—	·86	—	—	—	—	·87	Tr	—	19
20	[illegible]	—	—	·10	1·41	—	—	·19	—	1·68	·23	·30	20
21	·05	—	·05	—	Tr	—	—	·13	·22	·86	·30	·30	21
22	—	—	—	·05	·04	—	·07	·03	1·76	1·00	·78	·21	22
23	—	—	—	—	·03	—	·19	—	·05	·89	·13	·18	23
24	—	—	—	—	·03	—	·88	—	·29	·06	·10	—	24
25	—	—	·60	·05	—	—	·04	—	·04	·61	·45	—	25
26	—	—	·37	·23	—	—	·15	—	—	·21	·32	—	26
27	—	—	·28	·39	·08	—	·30	—	—	·39	·01	·37	27
28	—	—	·38	·08	·15	—	·36	—	·01	—	—	·18	28
29	—	—	·67	·08	·13	—	Tr	·69	·80	1·06	·20	·44	29
30	—	×	·07	·05	·01	1·95	·35	—	·87	·39	1·65	—	30
31	—	×	·28	×	·18	×	·01	—	×	·01	×	1·20	31
TOTAL	5·69	— 0	3·38	4·44	4·82	3·46	2·77	2·07	7·76	11·35	4·88	4·95	YEAR'S TOTAL 55·57
*Days with ·01 in. or more.	~~3~~ 19	— 0	~~2~~ 13	— 21	~~X~~ 21	— 4	~~3~~ 15	~~3~~ 9	~~2~~ 20	~~4~~ 22	~~3~~ 14	X 14	~~25~~ 173
*Days with .04 in. or more.	16	— 0	11	21	17	4	12	6	18	18	11	13	147

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Eva L. Garrett

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1671

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Stoke Fleming

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" Ground " Sea Level 380 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·58	·49	·28	·00	·05	·28	·00	·00	·00	·14	·01	1·48		1
2	·74	1·24	1·54	·00	·69	·59	·00	·00	·00	·03	·00	·21		2
3	·28	·12	·45	·00	·02	·01	·00	·00	·00	·00	·00	·00		3
4	·43	·23	·00	·00	·11	·00	·00	·00	·00	·00	·00	·00		4
5	·33	·09	·52	·00	·11	·00	·00	·00	·02	Tr	·00	·00		5
6	·01	·84	·06	·00	·23	·00	·19	·00	·00	·08	·00	·00		6
7	·05	·19	·32	·00	·13	·00	·05	·00	·00	·03	·00	·Tr		7
8	·Tr	·09	·00	·00	·24	·00	·21	·00	·00	·01	·00	·00		8
9	·00	·10	·00	·00	·04	·07	·51	·01	·00	·15	·06	·00		9
10	·05	·22	·00	·00	·00	·00	·11	·13	·00	·37	·00	·00		10
11	·09	·09	·00	·02	·00	·04	·09	·03	·00	·03	·00	·00		11
12	·08	·00	·00	·32	·12	·18	·33	Tr	·36	·06	·00	·00		12
13	·04	·00	·00	·00	·07	·00	·29	·11	·00	·08	·01	·00		13
14	·18	·00	·00	·00	·00	·06	·85	·00	·00	·02	·45	·00		14
15	·58	·00	·57	·00	·00	·00	·34	·10	·00	·66	1·17	·00		15
16	·Tr	·00	1·26	·00	·00	·09	·00	·02	·02	·02	·00	·04		16
17	·18	Snow Tr	·32	·00	·00	·10	·00	·33	·25	·00	·01	·00		17
18	·47	·05	·24	·00	·00	·05	·00	·00	·00	·00	·65	Tr		18
19	·00	·00	·40	·00	·00	·00	·00	·01	Tr	·00	·48	·00		19
20	·00	·00	Tr	·00	Tr	·24	·00	·01	·13	·00	Tr	·00		20
21	·00	Snow 02	·00	·00	·00	·13	·00	·09	·27	·00	·00	·00		21
22	·00	·00	·00	·21	·00	·31	·00	·33	·95	·30	Tr	·00		22
23	·00	·80	·00	·35	·00	·13	·00	·00	·54	·57	·00	·00		23
24	·00	·57	·00	·42	·00	·00	·00	·00	·25	·03	·00	·21		24
25	·00	1·14	·00	·14	·00	·00	·00	·00	·14	·00	·00	·00		25
26	·00	·67	·00	·25	·10	·02	·00	·00	Tr	·03	·00	Tr		26
27	·00	·01	·00	·01	·00	·00	·00	·00	·00	·16	·02	·36		27
28	·00	·06	·00	·29	·00	·00	·37	·00	·00	·15	·00	·21		28
29	·00	×	·00	·02	·00	·00	·08	·00	·15	·00	·00	·01		29
30	·15	×	·05	·00	·00	·00	·10	·00	·19	·00	·00	·09		30
31	·15	×	·09	×	·10	×	·00	·00	×	·03	×	·00		31
TOTAL	4·39	7·02	6·10	2·03	2·01	2·24	3·52	1·17	3·27	2·29	2·20	2·61	Year's Total 38·85	
*Days with ·01 in. or more.	17 ~~8~~	~~2~~ 19	13	~~8~~ 10	~~1~~ 13	~~2~~ 14	13	~~5~~ 11	~~2~~ 12	~~9~~ 19	~~4~~ 8	~~1~~ 8	157 ~~30~~	
*Days with ·04 in. or more.	16	17	13	7	12	12	13	6	10	10	4	7	127	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Eva L. Garrett (Miss)

[P.T.O.

1671

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 167~~7~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Windward, Stoke Fleming

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 380 ft.

File 96 9591/29

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05	—	·07	—	—	·06	—	·55	·03	·02	·21	1·29		1
2	·37	—	·05	—	—	—	—	·05	1·01	·07	·05	·42		2
3	·19	—	—	·03	—	—	—	—	—	·57	·09	·62		3
4	·36	—	·27	—	·26	—	—	·07	·02	·12	·08	·31		4
5	Tr	—	·09	·02	·13	·13	—	·53	—	·01	—	·59		5
6	·05	·01	·73	·21	·45	—	—	·01	·03	·57	·45	·68		6
7	·07	—	—	—	—	—	—	·06	—	·25	·84	·73		7
8	Tr	—	—	—	·08	—	—	—	·02	—	·53	·27		8
9	·02	—	·33	·02	—	—	—	·01	·01	·01	·02	·17		9
10	·11	·01	·18	·63	—	—	Tr	·18	Tr	—	—	·26		10
11	·68	Tr	·21	·47	—	—	—	·04	—	—	—	·45		11
12	·04	—	·09	Tr	—	—	·01	·17	—	—	·33	·28		12
13	·69	—	—	·33	—	—	—	—	—	·01	—	·19		13
14	·73	—	·40	·01	—	—	—	—	—	·10	·08	·37		14
15	·15	—	·24	·01	·14	—	—	—	·02	·19	·08	·44		15
16	·36	—	·50	·01	·01	—	—	·01	·02	—	—	·40		16
17	·47	—	·51	·23	·01	—	—	—	·29	·08	—	·49		17
18	·11	—	·20	·40	·01	·04	—	—	·04	·02	—	·30		18
19	Tr	—	·12	·10	Tr	·07	—	·09	·16	—	—	·29		19
20	—	—	·03	·29	·05	—	·02	—	·03	·03	—	·07		20
21	—	·01	·28	·01	·01	·28	—	·05	·01	·40	—	·38		21
22	·05	—	·12	·06	—	·03	—	·04	·68	·02	—	·32		22
23	·12	—	·02	·33	—	·87	·01	—	·28	·07	—	·25		23
24	—	·04	·02	·05	—	·22	·03	·34	·09	·01	—	Tr		24
25	·30	Snow ·10	—	·21	—	·09	—	—	—	·29	Tr	·77		25
26	·22	—	·01	·22	—	·12	—	—	·20	·05	—	·14		26
27	—	—	—	—	—	·06	—	Tr	·08	·04	·02	·63		27
28	—	—	—	·01	—	—	—	·62	·18	—	·01	·85		28
29	—		—	—	—	—	—	—	·05	—	—	·03		29
30	—	×	—	—	—	—	·01	·15	21	·03	—	·70		30
31	·01	×	—	×	—	×	·14	·09	×	—	×	·01		31
TOTAL	5·16	·17	4·47	3·65	1·15	1·97	·22	3·06	3·46	2·96	2·79	12·80	Year's Total. 41·86	
* Days with .01 in. or more.	21	5 3	21 4	21 8	10 4	11 X	6 5	18 3	21 9	22 8	14 4	30 1	~~52~~	200
* Days with .04 in. or more.	19	2	17	13	6	10	1	15	12	14	10	29	148	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) Eva L. Garrett

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1671

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Windward, Stoke Fleming

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 380 ft.

File No. 969591/29

[illegible]

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05	·01	·63	—	Tr	·33	·63	—	·14	·25	·31	·52		1
2	—	·01	·07	—	—	·02	·09	—	·14	·51	·02	·31		2
3	—	·01	·10	—	·61	·38	·07	—	·78	·61	·06	·17		3
4	—	·26	·02	·04	·04	·23	—	—	·10	·30	·17	·47		4
5	—	·36	·12	·12	—	·20	—	—	·28	·23	·28	·26		5
6	—	·02	Tr	·33	—	1·35	—	—	—	·40	·08	·53		6
7	—	—	—	·63	—	·03	—	—	—	·60	·35	·10		7
8	—	—	—	·64	—	—	—	·01	·24	·38	·66	—		8
9	—	—	Snow ·03	—	—	·13	·02	—	—	·98	·27	—		9
10	·02	—	·40	—	—	·11	·01	—	—	·31	·01	—		10
11	·30	·06	Tr	—	—	·53	—	—	·10	·16	·60	·07		11
12	—	·26	~~Tr~~	—	—	·80	—	·06	·11	·18	·50	—		12
13	—	·25	—	·15	—	·20	—	—	—	·23	·11	—		13
14	—	·27	—	·07	—	·18	—	—	·28	·42	·94	·43		14
15	—	·30	Tr	·77	·04	·18	—	—	·09	·36	·41	·23		15
16	—	·10	·28	·22	—	·24	—	—	·50	·06	1·39	—		16
17	—	·01	Tr	Tr	·78	·78	Tr	·02	·26	·12	·05	—		17
18	—	·06	—	·63	—	·10	—	Tr	·25	·30	·70	·51		18
19	—	·06	—	·63	·36	·30	·29	—	·03	·40	·10	—		19
20	—	·44	—	·14	·36	·17	—	—	·34	·05	—	—		20
21	—	·79	·02	·16	—	·05	·01	—	·03	·07	Tr	—		21
22	—	·10	·61	·10	—	—	—	—	·13	·11	—	—		22
23	Tr	·07	·12	—	·02	—	—	·25	·08	·42	—	·64		23
24	·09	·66	—	·01	·28	—	—	·55	·90	·26	—	·24		24
25	·19	½ snow ·68	·01	·01	·79	·75	—	·03	—	·12	—	·31		25
26	·01	·48	—	—	—	·14	—	·41	·40	·08	·07	·75		26
27	—	·30	Tr	—	—	—	Tr	·27	·20	·20	·25	·54		27
28	—	·02	—	—	—	—	—	·07	·31	·16	·31	·40		28
29	—	×	—	—	·03	—	—	·01	·81	·18	·24	·75		29
30	·03	×	—	·01	—	·26	—	1·26	·26	·39	1·33	1·63		30
31	—	×	—	×	—	×	—	·12	×	·98	×	·51		31 4604
		4·56		5·06	2·31	4·40			4·70	4·77	7·71	6·37	Year's Total	
TOTAL	·04	5·58	1·81	4·06	3·31	7·46	·52	3·06	6·70	9·77	9·21	9·37	61·54	47·63
* Days with .01 in. or more.	~~3~~ 7	~~6~~ 24	~~5~~ 12	~~4~~ 17	~~2~~ 10	23 ~~2~~	~~4~~ 7	12 ~~3~~ ✓	24 ~~2~~	31	~~2~~ 24	20	~~33~~ 211 ✓	
* Days with .04 in. or more.	4 ✓	18 ✓	7 ✓	~~12~~ 13 ✓	8 ✓	21 ✓	3 ✓	8 ✓	22 ✓	31 ✓	22 ✓	20 ✓	~~176~~	177 ✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Iva L. Garrett [P.T.O.

4·4 × 4·7 5·2 7·8 6·5

2/1/36

16

Days.

Section **A** **for the entry of Daily Observations.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Windward, Stoke Fleming

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft ..... in.

,, Ground ,, Sea Level 380 ft.

Station 1671

File Nº 969591/29

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·14	·02	—	·22	—	·33	·35	·05	—	—	·02	·04	1
2	·15	—	Tr	·11	—	·08	·31	·07	·04	—	·10	Tr	2
3	·01	—	·05	1·04	—	—	·07	—	·51	—	·13	·03	3
4	·01	—	·16	·03	·01	·06	·02	—	·Tr	—	·12	·15	4
5	·38	·25	·11	—	—	—	·13	·10	·29	—	Tr	·15	5
6	·20	—	·01	—	—	·04	·10	·17	·36	—	·63	—	6
7	·26	—	·58	—	Tr	—	·49	—	·01	—	·53	·23	7
8	·59	—	·64	—	—	·01	·49	—	—	—	·90	—	8
9	·30	1·02	·22	—	—	—	·04	—	·20	·03	·04	—	9
10	·18	·50	—	—	—	—	·01	—	—	—	·19	—	10
11	·82	·05	—	—	—	·11	·16	·03	·09	—	·01	·05	11
12	·06	—	·05	—	—	·63	1·13	·02	·44	Tr	1·25	—	12
13	·23	—	·05	—	·25	—	·01	·02	·02	·04	·19	·88	13
14	—	·02	—	—	—	·11	·84	—	·14	·02	·02	·80	14
15	—	—	—	—	—	—	—	—	·20	—	·60	·49	15
16	Tr Snow	·11	—	·13	—	—	·31	·01	·05	—	·30	·29	16
17	·20	·65	—	—	·19	—	·09	·01	—	·12	—	·19	17
18	·50	·27	·17	—	—	Tr	·49	—	—	·01	—	—	18
19	·52	—	·66	—	—	·04	·62	·16	·01	—	—	—	19
20	—	·23	·31	—	—	·08	·65	—	·40	—	—	—	20
21	—	·47	·06	·08	—	—	·18	—	·01	—	—	—	21
22	·23	·16	·06	·60	—	—	·31	—	—	—	—	·04	22
23	·04	·23	·01	—	·21	—	·23	—	—	·12	—	—	23
24	·48	·02	·12	·23	—	—	—	—	·19	·40	Tr	—	24
25	·14	—	·56	·04	·41	—	—	—	·01	·53	·04	·03	25
26	·48	·07	·12	—	·01	·31	—	—	·02	·20	·01	—	26
27	·31	—	·03	—	—	—	·28	—	·Tr	·04	—	—	27
28	1·18	·02	·52	Tr	—	—	—	—	—	—	·10	·31	28
29	·02	·03	·11	—	—	·01	·07	—	—	—	—	·05	29
30	·26	×	·02	—	Tr	·26	—	—	—	·17	—	—	30
31	·23	×	·83	×	·16	×	·14	—	×	—	×	·60	31
TOTAL	7·92	4·12	5·45	2·48	1·24	1·47	6·32	·64	2·99	1·68	5·18	4·13	YEAR'S TOTAL 43·62
Days with ·01 in. or more.	26	17	23	9	27	13	24	10	18	11	18	16	192
Days with ·04 in. or more.	23	12	19	8	5	10	21	5	12	8	14	13	150

40-9999

(Signed) Eva L. Garrett

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1671

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Windward, Stoke Fleming

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 380 ft.

File 96 5·5·91/29

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·17	·09	Sleet Tr	·44	—	—	—	—	·09	·07	—	·63		1
2	·13	1·30	·16	·24	—	—	—	PR	·10	·66	—	·27		2
3	·04	·15	·01	·02	·18	—	·04	P.R	—	—	—	—		3
4	·06	1·05	·05	—	·04	·02	—	—	P.R	—	—	·63		4
5	·46	—	·01	—	—	—	·30	P.R.	P.R	—	—	·02		5
6	·06	1·01	·90	·01	—	—	·27	—	·01	—	—	·50		6
7	—	·83	snow ·87	·25	·05	·04	—	—	—	·01	·02	Snow ·12		7
8	·01	·05	·16	·82	—	—	·16	—	·03	—	—	Snow ·15		8
9	·24	snow ·01	snow ·53	·25	·84	—	·06	—	·46	—	—	—		9
10	·01	·01	·21	·09	—	·54	—	—	—	—	—	·63		10
11	·09	—	·20	·33	·84	·05	·14	—	—	—	—	—		11
12	·87	·42	1·06	·02	·04	·30	·04	2·00	·09	—	—	·44		12
13	—	Tr	·06	·19	·05	—	—	·30	·08	—	—	·01		13
14	Tr	·05	·31	—	·06	—	·75	·04	·19	—	—	·03		14
15	·29	·35	·15	·74	—	—	Tr	—	·18	—	—	·15		15
16	·09	·22	·30	—	Tr	—	·09	·10	·77	—	·48	—		16
17	·90	snow ·16	·35	—	—	—	Tr	—	·04	PR	·77	—		17
18	·07	·16	·21	—	—	—	—	PR	·15	—	·16	·07		18
19	·44	·15	·05	·41	·14	·18	—	—	·03	—	·17	·06		19
20	·40	·01	·30	·03	·14	—	—	—	—	Tr	·12	·48		20
21	·72	·62	·03	—	·28	—	·07	—	·23	·08	·42	·11		21
22	·18	·01	·03	—	·54	·01	·17	—	·07	·81	—	·20		22
23	·20	·36	—	—	·05	·05	·07	—	·05	·05	—	·06		23
24	·64	·16	·01	—	—	—	·02	—	·03	1·72	—	·09		24
25	—	·66	·45	·63	·07	—	—	—	·04	·15	—	Tr		25
26	—	Hail ·36	—	—	·05	—	—	—	—	·01	—	·09		26
27	·30	snow ·26	—	—	—	—	—	PR	—	·28	·01	—		27
28	·60 snow	snow ·10	—	—	—	—	—	—	—	·17	—	Tr		28
29	·15	—	—	—	—	Tr	—	PR	—	·19	·21	Tr		29
30	·28	✕	—	—	—	·06	—	PR	·03	·06	·50	—		30
31	·41	✕	—	✕	—	✕	—	—	✕	·40	✕	—		31
TOTAL	6·61	8·55	6·41	4·47	3·37	1·25	2·18	2·44	2·67	4·06	2·86	4·74	Year's Total 49·61	= 49.61
* Days with .01 in. or more.	~~2~~ 26	~~4~~ 25	~~6~~ 23	~~5~~ 15	15	~~4~~ 9	~~4~~ 13	4	~~6~~ 19	~~2~~ 14	~~2~~ 10	~~3~~ 20	30	193
* Days with .04 in. or more.	24	21	18	10	15	7	12	4	14	12	8	17	162	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Eva L. Garrett

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations — Station No. 1671

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Windward, Stoke Fleming

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 380 ft.

File No 96 ~~9~~5-91/29

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	Thunder in.	in.	in.	in.	in.		
1	—	·09	—	—	—	·34	—	·20	·08	·53	—	·09		1
2	—	—	—	·02	Tr	—	Thunder ·75	—	—	·13	·06	·17		2
3	—	—	—	—	·15	·01	Tr	Thunder 1·74	—	·84	·47	—		3
4	—	—	—	—	·02	·02	·06	·66	—	·34	·03	·34		4
5	—	—	—	—	—	—	·96	Tr	·01	·44	·04	·01		5
6	·24	—	—	—	—	—	·04	—	·05	·11	·08	·38		6
7	·14	—	—	—	—	·16	·14	—	·23	·10	·05	·05		7
8	·34	—	—	—	—	·04	·13	·01	·05	·40	—	·02		8
9	Sleet ·23	·08	—	—	—	—	·02	—	—	·03	—	·83		9
10	Hail ·26	—	—	—	—	·06	·05	—	—	Tr	—	·38		10
11	·40	·01	—	—	—	—	·05	—	—	—	·31	·05		11
12	·63	—	—	—	·37	—	·05	—	—	·83	·32	·01		12
13	·30	—	—	—	·25	—	—	—	Tr	·40	·42	·96		13
14	·68	—	—	—	·14	—	·85	—	Tr	—	·01	—		14
15	·34	—	—	—	·21	—	—	·06	—	·49	·12	·14		15
16	·62	·01	·10	—	—	—	—	·03	—	·07	·30	—		16
17	—	·19	·03	—	·11	—	—	—	·44	·38	·64	·13		17
18	·61	—	—	—	—	·02	—	·07	·35	·05	·25	—		18
19	·04	—	—	—	—	—	—	·33	·33	Tr	·85	—		19
20	·01	—	—	—	—	—	—	·11	·03	—	·24	—		20
21	·10	—	—	—	—	—	—	·01	·05	—	·26	—		21
22	·03	—	—	·01	—	·07	—	·63	—	·06	·48	Snow ·05		22
23	Tr	—	—	·07	—	—	—	Tr	—	—	·05	—		23
24	·01	—	·14	—	·01	—	Tr	Tr	·05	—	·79	—		24
25	·15	·41	·01	—	·10	—	·45	—	·02	·03	1·61	·01		25
26	·23	·31	Tr	—	·39	·01	—	·02	—	·20	·01	·12		26
27	·11	·10	—	—	·05	·34	·11	·58	·01	·13	·45	—		27
28	·23	—	—	—	·27	·05	·53	1·15	·10	—	—	·02		28
29	·25	·25	—	—	·51	·01	—	—	·23	·26	·64	·02		29
30	·08		—	—	·01	—	·01	—	·07	—	·22	·02		30
31	Sleet ·24		—		·28		·02	—		·37		·35		31
TOTAL	6·27	1·45	·28	·10	2·80	1·13	4·22	5·60	2·10	6·18	7·95	4·15	Year's Total 42·23	
* Days with .01 in. or more.	~~2~~ 24	~~2~~ 9	~~2~~ 4	2 3	~~3~~ 15	~~5~~ 12	3 16	~~4~~ 14	~~4~~ 16	2 21	~~3~~ 25	4 21	~~40~~ 180	
* Days with .04 in. or more.	21	7	2	1	12	7	13	10	~~16~~ 12	19	22	14	~~144~~ 140	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Eva L. Garratt

P.T.O.

1671

Section **A** **for the entry of Daily Observations.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 19~~3~~29.

Station No 1671

march June July
corrected for ....

Kept at Windward Stoke Fleming

in the County of Devon

File No 969591/29

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft ...... in.
,, Ground ,, Sea Level 380 ft.

Taken at 9 AM Days.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10	—	Tr	·07	·03	—	·01	—	·13	—	·64	·19	1
2	·05	—	—	—	·05	—	·01	·27	·73	—	·04	·05	2
3	·44	—	·04	—	—	—	·09	·15	·24	—	·24	·20	3
4	Tr	—	·59	·47	·33	—	·28	·14	—	·28	·14	·19	4
5	—	—	·09	·24	—	—	·53	—	—	·34	1·06	Tr	5
6	·44	Tr	·09	·13	—	—	1·10	·08	—	·36	·49	Tr	6
7	·65	1·04	·01	·12	—	—	·05	·08	—	—	·38	1·10	7
8	·03	·23	—	—	·05	—	·08	·08	—	1·12	·18	·16	8
9	·04	—	·01	—	—	—	—	·44	—	·12	·08	·22	9
10	·22	·04	·04	—	—	—	—	·30	·04	·15	Tr	·09	10
11	—	·09	·05	—	—	—	—	·24	—	·49	·01	·03	11
12	—	·02	—	·01	—	—	—	—	·03	·29	—	—	12
13	·04	—	—	·Tr	—	·17	1·55	—	·11	1·34	·01	—	13
14	·90	—	—	·14	·08	·06	·26	—	·03	·15	·06	·04	14
15	·22	—	—	·02	·07	1·06	·25	—	—	—	·46	·16	15
16	·22	—	—	·14	·02	·09	·26	—	—	—	·38	—	16
17	·52	·12	—	—	·03	·03	·53	—	—	—	·02	—	17
18	·13	·01	·02	—	—	—	·20	—	—	—	·59	·12	18
19	·52	—	—	—	—	·01	·52	·09	—	—	—	·14	19
20	·74	—	—	—	Tr	·19	·04	Thunder 1·18	—	—	—	·10	20
21	·04	·26	·06	—	—	1·03	·06	—	—	—	—	—	21
22	·80	·31	·08	Tr	—	·45	·17	—	·04	—	·63	—	22
23	Tr	—	·02	·13	—	·03	·02	—	—	·02	2·05	—	23
24	1·03	·15	·32	·22	—	Tr	·11	—	—	Tr	—	—	24
25	Pt snow ·30	—	·01	·03	—	Tr	·17	·04	—	·01	1·03	—	25
26	Tr	·10	—	—	—	·01	Tr	·08	—	·08	·51	—	26
27	—	·34	Tr	—	—	·01	·07	—	—	·01	·20	—	27
28	—	·12	—	·20	—	·09	·48	—	—	·64	·42	—	28
29	Tr	·07	—	·06	—	·12	·08	—	—	·01	·16	Tr	29
30	—	×	·02	—	—	Tr	Tr	·06	—	·74	·20	—	30
31	—	×	—	×	—	×	—	·13	×	·34	×	—	31 48·06
TOTAL	6·83	2·90	1·4~~3~~5	1·98	·66	~~2~~3·35	6·9~~8~~2	3·36	1·35	6·49	9·98	2·79	YEAR'S TOTAL ~~47·50~~
Days with ·01 in. or more.	~~1~~ 20	~~2~~ 14	~~6~~ 15	~~3~~ 14	~~3~~ 8	~~5~~ 14	~~3~~ 24	~~0~~ 15	~~2~~ 8	~~4~~ 18	~~3~~ 24	~~1~~ 14	~~33~~ 188
Days with ·04 in. or more.	19	12	9	11	5	9	21	~~16~~ 15	6	14	21	13	~~167~~ 156

40-9999

(Signed) Eva L. Garrett

[P.T.O.

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

1671

REGISTER OF RAINFALL IN 1940.

Kept at Windward Stoke Fleming
in the County of Devon
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft in.
,, Ground ,, Sea Level 380 ft.

Station No 1671
File 9695-91/29

Days

Jan 27-9, Feb 3 & 4 est'd for snow.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in	in	in.	in.	in.	in	in.	in.	in.	in.	in.	in.	
1	—	·02	—	·01	·01	—	—	—	—	—	·18	—	1
2	—	·33	—	·44	—	—	—	—	—	—	·79	—	2
3	·24	Tr (·75)	—	·01	—	—	·03	Tr	—	·14	1·43	·39	3
4	·01	—	—	·10	—	—	·06	—	Tr	·43	·23	·08	4
5	—	·01	—	—	—	—	·02	—	—	·05	·60	·30	5
6	·27	·53	—	Tr	·09	—	·02	—	—	·55	·02	·45	6
7	·09	·02	—	—	—	—	·01	—	·05	·03	—	·01	7
8	·01	·01	—	—	—	—	—	—	—	·37	·32	·57	8
9	—	—	—	—	·02	—	·65	·07	·04	·50	·69	·27	9
10	—	—	—	—	—	—	·03	—	·02	·15	·10	·48	10
11	—	·04	·03	·07	—	—	·13	—	—	—	1·70	·04	11
12	—	—	·24	—	·23	·10	·16	—	·56	—	·09	—	12
13	—	—	·62	—	—	—	—	—	·01	·07	1·63	—	13
14	—	Snow ·01	·04	·04	—	—	·01	·01	·06	·12	·03	·01	14
15	—	·06	—	·03	—	—	·19	—	·14	·05	·37	—	15
16	Snow ·03	·72	·95	·03	—	—	·06	—	·05	·28	·34	·06	16
17	—	·28	·99	—	—	—	·10	Tr	—	·02	·53	—	17
18	Snow ·10	·51	·24	1·10	—	—	·02	—	—	·12	·01	·08	18
19	·05	·06	·20	·15	—	—	·16	—	·70	·02	·48	—	19
20	—	Tr	Tr	·01	—	—	—	—	—	·08	·14	—	20
21	—	·01	·03	—	·04	—	—	—	·14	—	·64	—	21
22	—	·03	·07	·16	—	·54	·01	—	·12	—	·03	—	22
23	—	·01	·19	·03	·02	—	·03	—	—	·15	·03	Tr	23
24	·01	·02	·03	·01	·01	Tr	·44	—	—	—	·01	—	24
25	·23	—	·44	·03	·32	—	—	—	—	—	—	—	25
26	·55	·52	—	·62	·44	—	—	—	—	—	—	—	26
27	~~·34~~ (1·09)	·15	·04	·22	·76	—	—	—	—	—	—	Tr	27
28	~~·35~~ (·49)	·02	·01	·07	—	·01	—	—	—	[illegible]	—	·04	28
29	~~·09~~	·06	·24	2·22	—	—	—	—	—	·01	—	·67	29
30	·09	×	—	·04	—	·01	—	—	—	·47	—	·42	30
31	—	×	·01	×	—	×	—	—	×	·74	×	Rain some Snow (2 inch) 1·64	31
TOTAL	~~2·46~~ 3·26	~~3·42~~ 4·17	4·37	4·79	1·94	·66	2·12	·08	1·89	4·35	10·39	5·47	YEAR'S TOTAL ~~41·90~~ 43·49
Days with ·01 in. or more.	~~4~~ 15	~~10~~ 23	~~5~~ 17	20 8	~~4~~ 10	~~2~~ 4	~~9~~ 18	~~1~~ 2	~~2~~ 11	~~5~~ 20	~~5~~ 23	~~2~~ 16	~~57~~ 179
Days with ·04 in. or more.	11	N 12	12	11 ~~10~~	6	2	9	1	9	16	~~18~~ 17	14	~~119~~ 120

40-9999

(Signed) Garrett

P.T.O.

1673

Section **A** for the entry of D

AIR MINISTRY.-

COPY FOR OFFICIAL USE.

LL ORGANIZATION.

FORM 1090.

REGIST

I.

1673
YEALMTON. THE QUARRY/TORRE
1931 — 40
780306

Kept at THE QUARRY. TORRE. Y

in the County of DEVON

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Leve

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·03	·01	·97	—	Tr	·01	·01	·58	·03	—	·01	1
2	·43	·01	·01	·45	—	·01	—	—	·34	·02	·11	·34	2
3	·16	—	·73	·01	—	—	·23	—	·13	·05	1·10	·15	3
4	·01	·02	·07	—	·04	Tr	·36	·05	—	·10	Tr	·03	4
5	Tr	·66	·18	·09	Tr	·91	·07	·01	·02	Tr	·03	·20	5
6	—	·02	Tr	·02	·23	·30	Tr	—	—	·31	·12	·48	6
7	—	·03	—	Tr	·35	·47	·39	·10	—	·05	·64	·35	7
8	—	·41	—	·30	—	·50	·11	·07	—	Tr	·18	·05	8
9	·02	·21	—	·01	—	·18	·14	·02	—	Tr	·43	Tr	9
10	·02	·03	—	—	·13	·13	Tr	·08	·05	—	·27	—	10
11	·15	·31	—	—	·02	·44	·13	Tr	·03	—	·24	—	11
12	·01	·07	—	—	·01	—	·24	Tr	·09	·30	—	—	12
13	—	·10	·03	—	·10	·01	·25	·25	—	·02	·06	—	13
14	·03	·12	Tr	—	·06	·09	·65	·16	·02	—	·34	—	14
15	Tr	·09	Tr	Tr	·05	Tr	—	·11	·03	—	·01	—	15
16	·03	·14	—	·05	·09	·96	·02	·02	·01	—	Tr	·07	16
17	·03	·01	—	·06	—	·02	·17	—	·01	—	—	—	17
18	·01		·02	·05	—	·28	·06	1·89	—	—	·39	—	18
19	·06	·49x	·14	·01	—	·05	·17	·26	—	—	·30	Tr	19
20	✓	·14	·53	—	—	—	Tr	·22	—	—	·11	—	20
21	x·42	·01	Tr	·01	·14	—	·02	—	—	·01	·08	—	21
22	·70	·02	·04	·20	·14	—	—	—	—	—	·07	—	22
23	·11	·01	Tr	·41	·85	—	·03	·17	—	—	·57	—	23
24	·05	·03	—	·89	·08	·35	·92	·55	—	—	·01	Tr	24
25	·13	·05	—	·15	—	—	·15	—	—	—	·18	—	25
26	·04	·08	—	·02	·02	—	·25	—	—	—	·66	·01	26
27	·43	·24	—	Tr	·79	—	·10	—	—	·03	·16	—	27
28	·14	·17	·17	·01	·09	—	Tr	·14	—	·01	·02	·15	28
29	·12		·15	—	·03	—	·12	·53	Tr	Tr	·16	·10	29
30	·13	×	Tr	—	·01	—	·01	·03	·21	·02	—	—	30
31	·81	×	·50	×	·06	×	·27	—	×	Tr	×	·35	31
TOTAL	4·05	3·20	2·58	3·71	3·29	4·70	4·87	4·67	1·52	·95	6·24	2·29	YEAR'S TOTAL 42·07
*Days with ·01 in. or more.	25	26	13	18	20	15	24	19	12	12	24	13	228
*Days with ·04 in. or more.	15	15	9	11	15	12	19	14	6	5	20	10	151

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Mary Wimbush

P.T.O.

1673

Section **A** for the entry of D COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at THE QUARRY, TORRE, YEALMPTON

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 11 in.

„ Ground „ Sea Level 100 ft.

afp ✓

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·03	·01	·97	—	Tr	·01	·01	·58	·03	—	·01	1
2	·43	·01	·01	·45	—	·01	—	—	·34	·02	·11	·34	2
3	·16	—	·73	·01	—	—	·23	—	·13	·05	1·10	·15	3
4	·01	·02	·07	—	·04	Tr	·36	·05	—	·10	Tr	·03	4
5	Tr	·66	·18	·09	Tr	·91	·07	·01	·02	Tr	·03	·20	5
6	—	·02	Tr	·02	·23	·30	Tr	—	—	·31	·12	·48	6
7	—	·03	—	Tr	·35	·47	·39	·10	—	·05	·64	·35	7
8	—	·41	—	·30	—	·50	·11	·07	—	Tr	·18	·05	8
9	·02	·21	—	·01	—	·18	·14	·02	—	Tr	·43	Tr	9
10	·02	·03	—	—	·13	·13	Tr	·08	·05	—	·27	—	10
11	·15	·31	—	—	·02	·44	·13	Tr	·03	—	·24	—	11
12	·01	·07	—	—	·01	—	·24	Tr	·09	·30	—	—	12
13	—	·10	·03	—	·10	·01	·25	·25	—	·02	·06	—	13
14	·03	·12	Tr	—	·06	·09	·65	·16	·02	—	·34	—	14
15	Tr	·09	Tr	Tr	·05	Tr	—	·11	·03	—	·01	—	15
16	·03	·14	—	·05	·09	·96	·02	·02	·01	—	Tr	·07	16
17	·03	·01	—	·06	—	·02	·17	—	·01	—	—	—	17
18	·01	·19	·02	·05	—	·28	·06	1·89	—	—	·39	—	18
19	·06		·14	·01	—	·05	·17	·26	—	—	·30	Tr	19
20	✓ ·42	·14	·53	—	—	—	Tr	·22	—	—	·11	—	20
21		·01	Tr	·01	·14	—	·02	—	—	·01	·08	—	21
22	·70	·02	·04	·20	·14	—	—	—	—	—	·07	—	22
23	·11	·01	Tr	·41	·85	—	·03	·17	—	—	·57	—	23
24	·05	·03	—	·89	·08	·35	·92	·55	—	—	·01	Tr	24
25	·13	·05	—	·15	—	—	·15	—	—	—	·18	—	25
26	·04	·08	—	·02	·02	—	·25	—	—	—	·66	·01	26
27	·43	·24	—	Tr	·79	—	·10	—	—	·03	·16	—	27
28	·14	·17	·17	·01	·09	—	Tr	·14	—	·01	·02	·15	28
29	·12		·15	—	·03	—	·12	·53	Tr	Tr	·16	·10	29
30	·13	×	Tr	—	·01	—	·01	·03	·21	·02	—	—	30
31	·81	×	·50	×	·06	×	·27	—	×	Tr	×	·35	31
TOTAL	4·05	3·20	2·58	3·71	3·29	4·70	4·87	4·67	1·52	·95	6·24	2·29	YEAR'S TOTAL 42·07
*Days with ·01 in. or more.	25	26	13	18	20	15	24	19	12	12	24	13	222
*Days with ·04 in. or more.	15	15	9	11	15	12	19	14	6	5	20	10	151

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Mary Wimbush

P.T.O.

1673

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 1673

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at THE QUARRY TORRE, YEALMPTON

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 11 in.

,, Ground ,, Sea Level 100 ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09	—	—	·06	—	Tr	·02	·11	·04	—	·04	·03	1
2	·06	Tr	·07	·31	·01	—	—	·10	·07	—	·04}	·33	2
3	·05	—	—	Tr	—	·74	Tr	Tr	·69	·09		·04	3
4	·02	Tr	—	—	—	·37	·06	·06	Tr	—	·23	—	4
5	·44	—	·08	—	—	—	—	Tr	·61	—	·01	—	5
6	·38	—	·04	·19	Tr	—	·09	—	·52	·01	—	—	6
7	·08	—	—	·01	—	—	Tr	—	1·02	1·02	—	—	7
8	·01	—	·38	·11	·18	—	—	—	·01	·09	·01	—	8
9	·95	·02	Tr	·29	·12	—	—	—	—	·01	—	—	9
10	·46	Tr	·02	·19	·27}	—	—	—	·01	·23	—	·05	10
11	·17	—	—	·14		—	·01	—	·06}	·04	—	·18	11
12	·88	—	—	·02	·87	—	·01	—		·23	—	·05	12
13	·17	—	—	·16	·06	—	·09	·23	Tr	·66	—	·39	13
14	·16	—	—	·05	·35	—	Tr	·09	—	·06	—	·02	14
15	·01	—	—	·11	·11	—	Tr	Tr	—	·01	—	·07	15
16	·11	—	—	·03	Tr	—	—	—	—	—	—	·01	16
17	·05	—	—	—	·16	—	—	—	·09	·07	—	—	17
18	·07	—	—	—	·52	—	—	—	·03	—	·23	—	18
19	·04	—	—	·08	·38	—	—	—	·11	·50	·01	—	19
20	·02	—	—	·07	·74	—	·01	·13	·01	1·39	·11	·12	20
21	·06	—	·04	·10	·01	—	·01	·34	·08	·50	·07	·16	21
22	Tr	—	—	·01	·06	—	Tr	·06	·59	·47	·28	·09	22
23	—	Tr	—	—	·03	—	·28	·01	·02	·77	·04	·19	23
24	—	Tr	—	—	·02	—	·76	—	·07	·06	·02	·01	24
25	—	—	·15	·06	·07	—	·04	—	·08	·67	·08	·01	25
26	—	—	·11	·25	·02	—	·17	—	Tr	·07	·04	—	26
27	—	—	·36	·46	·17	—	·31	—	—	·21	·01	·49	27
28	—	—	·20	·07	·15	Tr	·16	·01	—	·44}	—	·14	28
29	—	—	·63	·32	·11	·90	Tr	·84	·79	+	·16	·55	29
30	—	×	—	·28	·03	1·60	·43	·01	·56	·10	·78	Tr	30
31	—	×	·02	×	·27	×	·03	—	×	·05	×	·69	31
TOTAL	4·28	·02	2·10	3·37	4·71	3·61	2·48	1·99	5·46	7·75	2·16	3·62	YEAR'S TOTAL 41·55
*Days with ·01 in. or more.	21	1	12	23	24	4	16	12	21	24	18	20	196
*Days with ·04 in. or more.	17	0	10	19	18	4	10	9	15	21	11	15	149

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Mary Wimbush

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1673

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at THE QUARRY TORRE YEALMPTON.

in the County of DEVON.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 11 in.

,, Ground ,, Sea Level 100 ft.

~~Days~~

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·14	·72	1·11	—	·02	·01	—	—	Tr	Tr	·04	1·81		1
2	·27	·04		—	·63	·47	—	—	—	—	·01	·17		2
3	·02	·08	·40	Tr	·06	·02	—	—	—	—		Tr		3
4	·21	·05	·03	—	·09	—	—	—	—	—	—	—		4
5	·07	·02	·25	—	·15	—	—	—	·02	—	—	—		5
6	—	·54	·02	—	·28	—	·19	—	—	·16	—	—		6
7	·01	·07	·02	—	·06	—	·06	—	—	·10	—	·01		7
8	·02	·02	—	—	·04	—	·09	—	—	·13	—	—		8
9	—	·05	—	—	·01	—	·66	·03	—	·17	·13	—		9
10	·05	·10	—	—	—	—	·22	·09	—	·76	·06	—		10
11	·04	—	—	·05	—	—	·05	·14	—	·05	·01	—		11
12	—	—	—	·34	·05	·26	·52	·08	·30	—	—	·04		12
13	·05	—	—	—	·04	·07	·21	·22	—	·19	·08	—		13
14	·17	—	—	—	—	—	·25	·12	—	·02	·44	—		14
15	·36	—	·39	—	—	—	·21	·08	—	·04	·30	—		15
16	·01	—	1·01	—	—	·03	—	·04	·04	·02	·02	—		16
17	·08	·07	·14	—	—	·06	·02	·08	·11	—	—	—		17
18	·16	Tr	·17	—	—	·08	Tr	·01	Tr	·02	·03	—		18
19	·36	·01	·12	—	—	·01	—	·11	·13	·02	·50	—		19
20	·01	·02	—	—	·03	·10	—	·14	·16	—	·11	Tr		20
21	—	·08	—	—	Tr	·13	—	·19	—	·23	Tr	—		21
22	—	—	—	·38	—	·05	—	·42	·76	·04	—	—		22
23	—	·63	—	·36	—	·25	—	·06	·09	1·20	—	—		23
24	—	·17	—	·35	—	·01	—	·01	1·28	·12	—	—		24
25	—	·66	—	·16	·04	·26	—	—	·13	—	—	·23		25
26	—	·14	—	·49	·12	—	—	—	—	·04	—	Tr		26
27	—	·07	—	·12	Tr	—	—	—	—	·29	—	·68		27
28	—	·30	—	·70	—	—	·36	·02	·10	·22	—	·06		28
29	·04		Tr	·09	—	—	·06	·03		—	—	·03		29
30	·06	×	·02	·04	—	—	·06	—	·13	—	—	·06		30
31	·22	×	·30	×	·34	×	·01	Tr	×	·01	×	·01		31
TOTAL	2·35	3·84	3·98	3·08	1·96	1·81	2·97	1·87	3·25	3·83	1·73	3·10	Year's Total 33·77	
*Days with ·01 in. or more.	20	20	13	11	15	15	15	18	12	20	12	10	181	
*Days with ·04 in. or more.	15	16	9	11	12	10	13	13	11	15	8	7	140	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Mary Wimbush.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1673

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at THE QUARRY TORRE YEALMPTON

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 11 in.

,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·07	—	·05	—	—	—	—	·67	·08	·01	·13	1·46		1
2	·17	—	·08	—	—	—	—	·02	·78	·09	·01	x ·68		2
3	·13	—	Tr	—	·04	—	—	—	·01	·44	·01	x		3
4	·13	—	·31	Tr	·41	—	—	·14	·22	·08	·02	·45		4
5	·01	—	·13	—	·16	·22	—	1·55	·07	·10	Tr	·57		5
6	·03	—	·53	·12	·34	·10	—	Tr	·01	·50	·02	·59		6
7	·07	—	·01	·01	—	·01	—	·09	Tr	·25	·06	·63		7
8	—	—	—	—	·07	·01	—	·02	Tr	Tr	·82	·52		8
9	·07	—	·56	—	—	—	—	·03	—	—	·51	·15		9
10	·21	Tr	·39	·20	—	—	Tr	·06	—	—	·03	·01		10
11	·38	·01	·06	·54	—	—	—	·02	—	—	—	·93		11
12	·14	—	—	·01	—	Tr	·04	·23	—	Tr	—	·15		12
13	x ·81	—	—	·27	—	·01	·01	·01	—	·01	·22	·34		13
14	x	—	·33	·02	—	Tr	—	—	—	·06	·02	·24		14
15	·17	—	·08	·04	·26	—	—	Tr	—	·15	—	·22		15
16	·14	—	·36	·01	·02	—	—	—	·19	·01	—	·41		16
17	·33	—	·40	·22	·31	—	·01	—	·02	·07	—	·46		17
18	·13	—	·37	·27	·01	·01	—	—	x ·25	·01	—	·36		18
19	Tr	Tr	·25	Tr	Tr	·06	—	·04	x	—	—	·17		19
20	—	Tr	Tr	·30	·03	—	·02	Tr	·08	·03	—	·15		20
21	—	Tr	·36	·02	·01	·33	—	·11	·03	·43	—	·20		21
22	·08	—	·03	Tr	—	·01	·17	·19	·54	—	—	·43		22
23	·07	—	·01	·14	—	·60	·01	·01	·38	·11	—	·46		23
24	—	—	·03	x ·34	—	·25	·06	·43	·01	·06	—	·30		24
25	·32	·08	—	x	—	·26	Tr	·01	Tr	·24	—	·75		25
26	·06	Tr	·04	·21	—	·11	Tr	—	·07	·04	—	·15		26
27	—	—	—	·03	—	·04	—	·10	·10	·02	·02	·31		27
28	·01	—	—	Tr	—	·02	—	·73	·40	—	—	·72		28
29	—		—	—	—	—	—	·03	·13	—	—	·05		29
30	—	×	—	—	—	—	Tr	·02	·23	·09	—	·27		30
31	—	×	—	×	—	×	·02	·12	×	·12	×	·01		31
TOTAL	3·53	·09	4·38	2·75	1·66	2·04	·34	4·63	3·60	2·92	1·87	12·14	Year's Total. 39·95	
* Days with .01 in. or more.	22	2	20	18	11	15	8	22	20	22	12	31	203	
* Days with .04 in. or more.	19	1	16	12	7	9	3	13	15	16	5	29	145	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1673.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at THE QUARRY TORRE YEALMPTON

in the County of DEVON.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 11 in.

,, Ground ,, Sea Level 100 ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·08	·05	·76	·01	—	·25	·20	—	·32	·25	·01	·21		1
2	—	·01	·06	—	—	·14	·01	—	·34	·45	·03	·05		2
3	Tr	—	·11	—	·41	·14	·01	—	·10	·33	·09	·09		3
4	—	·06	Tr	·06	Tr	·07	—	—	·07	·12	·28	·40		4
5	—	·27	—	·05	—	·19	—	—	·20	·71	·11	·21		5
6	—	·01	—	·39	—	1·03	—	—	·01	—	·03	·18		6
7	—	—	—	·50	—	·09	—	—	—	·54	·27	·09		7
8	—	—	Tr	·54	—	Tr	·01	—	·10	·06	·59	·01		8
9	·03	—	·01	·40	—	·01	·02	—	Tr	·55	·39	—		9
10	·08	—	·27	·01	—	·16	Tr	—	—	·10	·06	·02		10
11	·26	Tr	·03	·04	—	·40	—	—	·23	—	·46	—		11
12	·09	·19	—	—	—	·38	—	·07	·11	—	·48	—		12
13	·06	·13	—	·22	—	·05	—	—	·01	·06	·20	—		13
14	Tr	·24	—	·13	—	·05	—	—	·25	·05	1·44	·62		14
15	Tr	·05	—	·85	·07	·25	—	Tr	·15	·03	·26	·06		15
16	—	·03	·04	·14	}·50	·05	—	Tr	·26	·03	·93	·10		16
17	—	·04	Tr	·06		·59	·02	·05	·02	·04	·01	Tr		17
18	—	·10	—	·50	·03	Tr	—	·01	·21	·12}	·04	·21		18
19	—	·03	—	·11	{·56	·17	·24	—	·24		·79	·01		19
20	—	·31	—	·42		·07	·02	—	·02	Tr	·10	—		20
21	—	·64	·03	·04	·01	Tr	·07	—	·04	·16}	—	·02		21
22	—	·02	·01	·32	—	—	Tr	—	·32		·01	—		22
23	—	·30	·09	Tr	·03	—	—	·67	·05	·48	—	·64		23
24	Tr	·45	—	·34	·02	—	—	·31	·50	·05	—	·22		24
25	·27	·10	—	·06	·38	—	—	·02	—	—	—	·18		25
26	·04	·41	—	—	·01	·03	—	·44	·55	Tr	·02	·90		26
27	—	·15	—	—	—	—	—	·03	·21	·01	·17	·47		27
28	—	·03	—	—	—	—	·01	·08	·15	·02	·06	·08		28
29	—		—	—	·02	—	—	·02	·28	Tr	·12	·54		29
30	·03	×	—	—	Tr	·14	—	1·32	·05	·25	·85	·64		30
31	—	×	—	×	—	×	—	·05	×	·77	×	·65		31
TOTAL	·94	3·62	1·41	5·19	2·04	4·26	·61	3·07	4·79	5·18	7·80	6·60	Year's Total. 45·51	
* Days with .01 in. or more.	9	22	10	21	12	20	10	12	26	24	26	24	216	
* Days with .04 in. or more.	7	16	6	19	6	18	3	8	22	20	20	20	165	

40-9999

† Spare column, no entries required.

(*Signed*) Mary Wimbush.

[P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1673

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Days O/c

Totals

Kept at THE QUARRY Torre, VEALMPTON
in the County of DEVON
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ... ft. 11 in.
,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·17	·07	—	·07	—	·43	·32	·04	—	—	·09	Tr		1
2	·15	·01	—	·05	—	·07	·50	·04	·27	—	·08	—		2
3	·02	—	·10	·40	—	·02	·02	Tr	·83	—	·04	·02		3
4	·01	—	·30	—	—	·03	·05	—	·40	—	·13	·11		4
5	·40	·44	·11	—	·06	—	·21	·11	·03	—	·02	·18		5
6	·13	Tr	·08	—	·01	·01	1·03	·16	·40	—	·49	—		6
7	·42	—	·30	—	—	—	·09	·01	·40	—	·52	·08		7
8	·29	—	·39	—	—	—	·54	—	·01	·05	·60	·09		8
9	·16	1·09	·33	—	—	·02	·38	—	·29	—	·05	Tr		9
10	·05	·73	·01	—	—	—	·11	—	·01	—	·24	·25		10
11	·61	·06	—	—	—	·16	·09	·06	·10	—	·89			11
12	·06	—	—	·15	—	—	1·66	Tr	·78	—	·02	·01		12
13	·05	—	—	·02	Tr	—	·03	·03	·01	·05	·16	·67		13
14	—	·03	—	Tr	·01	·10	·66	Tr	·08	·05	·01	·42		14
15	Tr	—	—	Tr	·02	—	·02	—	·07	—	·39	·30		15
16	—	·12	—	·23	·09	—	·34	—	·02	—	·16	·27		16
17	·18	·86	—	·01	·08	—	·14	·09	—	·08	·07	1·73		17
18	·38	·28	·19	—	—	—	·38	·02	—	—	—	·38		18
19	·77	·03	·21	·28	—	·07	·02	·15	Tr	—	—	·01		19
20	·12	·24	·02	·11	—	·15	·04	·01	·16	Tr	—	·01		20
21	·01	·21	·08	·60	—	·01	·20	—	·01	·02	—	Tr		21
22	·29	·09	·01	—	—	—	·44	—	·01	Tr	—	·11		22
23	·06	·15	·02	·23	·56	—	·10	—	Tr	·15	—	—		23
24	·56	·02	·14	·01		—	—	—	·20	·32	—	·02		24
25	·24	—	·27	·24	—	—	·01	—	·02	·39	—	Tr		25
26	·37	·15	·50	·01	·02	—	—	—	·04	·08	—	—		26
27	·41	·03	·02	—	—	—	·31	—	·02	·03	—	—		27
28	·95	Tr	·75	·02	—	—	·33	—	—	·05	—	·32		28
29	·02	—	·04	—	—	—	Tr	—	—	·23	·03	·07		29
30	·25		·02	—	Tr	·18	·01	—	—	·03	Tr	·01		30
31	·15		·87		·06		·34	—		—		·63		31
TOTAL	7·28	4·61	4·76	2·43	·91	1·25	8·37	·72	4·16	1·53	3·99	5·69	Year's Total 45·70	
* Days with .01 in. or more.	28	18	22	15	10	12	28	11	22	13	18	22	219	
* Days with .04 in. or more.	24	13	16	10	6	4	22	4	13	10	14	15	150	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Mary Wimbush [P.T.O.

COPY FOR OFFICIAL USE

Section A **for the entry of Daily Observations** **Station No.** 1673

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

20
Dalgo

Kept at THE QUARRY TORR YEALMPTON

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 11 in.

,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·23	·04	·06	·58	—	—	·02	—	·13	·14	Tr	1·02		1
2	·08	·88	·12	·30	—	—	—	—	·10	—	—	Tr		2
3	·07	·13	·03	·04	Tr	—	·03	—	—	—	—	—		3
4	·09	1·10	Tr	·01	Tr	·01	—	—	—	—	—	·86		4
5	·35	—	—	·22	—	—	·65	—	—	—	—	·04		5
6	·12	·98	·64	·28	·05	Tr	·17	—	Tr	—	—	·26		6
7	·01	1·01	·17	·02	Tr	·04	Tr	—	·02	—	·05	·03		7
8	Tr	·07	Tr	Tr	·98	·04	·30	—	—	—	—	—		8
9	·14	·09	·24	·23	·05	—	·04	—	·74	—	—	—		9
10	·24	·01	·53	·50	·03	·19	·02	·05	Tr	—	—	·63		10
11	·06	—	·21	·29	·44	·10	·60	—	—	—	—	·01		11
12	·67	·63	·16	·02	·30	·27	·06	·62	·22	—	—	·38		12
13	Tr	·09	·70	·18	Tr	Tr	—	·59	·16	—	—	·01		13
14	—	·06	·09	Tr	—	—	—	·05	·12	—	—	·15		14
15	·30	·25	·33	·75	—	—	—	·02	·46	—	—	·33		15
16	·14	·17	·20	·01	—	—	·11	·09	·29	—	·43	—		16
17	·63	·12	·32	—	—	—	—	·01	·01	Tr	·80	—		17
18	·15	·17	·12	—	—	·12	—	·05	·09	Tr	·18	·19		18
19	·24	·12	·04	·43	·18	·06	—	·01	·10	Tr	·06	✗ ·84 ✗		19
20	·27	—	·25	·24	·27	·01	—	—	·01	—	·01			20
21	·46	·83	Tr	·04	·38	—	·07	—	·35	·09	·30	·05		21
22	·13	Tr	·03 ✓	Tr	·69	·08	·17	—	·09	·57	·68	·15		22
23	·10	·63		—	·12	Tr	Tr	—	—	·13	·02	·06		23
24	·21	·47	·03	—	·02	—	·01	—	·08	·95	—	·10		24
25	·05	·64	·55	—	·02	—	—	—	Tr	·39	Tr	·05		25
26	Tr	·34	·01	—	·01	—	—	—	—	·05	—	·03		26
27	·22	·39	—	—	—	—	—	—	—	·53	·02	—		27
28	·11	·22	—	—	—	·02	—	—	—	·06	—	Tr		28
29	·04	✕	—	—	—	·01	—	—	—	·28	·49	—		29
30	·40	✕	—	—	—	·01	—	·01	·02	·05	·68	—		30
31	·15	✕	—	✕	—	✕	—	—	✕	1·03	✕	—		31
TOTAL	5·66	9·44	4·83	4·14	3·54	·96	2·25	1·50	2·99	4·27	3·72	5·19	Year's Total 48·49	✓ ✓
* Days with .01 in. or more.	27	24	21	17	14	13	13	10	17	12	12	20 ~~19~~	200	✓ ✓
* Days with .04 in. or more.	26	23	17	13	10	9	9	6	13	12	9	16	162	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1673

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at The QUARRY. TORR YEALMPTON.
in the County of DEVON
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 9 in.
,, Ground ,, Sea Level 100 ft.

Totals
✓ W.S.R.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	·05	—	—	—	·34	—	·42	·05	·38	·01	·05		1
2	—	·02	—	·02	·01	Tr	Tr	Tr	—	·13	·01	·12		2
3	Tr	Tr	—	—	·01	—	Tr	·23	Tr	·47	·43	Tr		3
4	—	—	—	—	·01	·01	·32	·37	—	·18	·01	·32		4
5	—	—	—	—	—	Tr	·11	Tr	·07	·34	·05	Tr		5
6	·21	—	—	—	—	·25	1·28	·02	·05	·08	·10	·19		6
7	·24	—	—	—	—	·03	·19	—	·15	·05	·03	·16		7
8	·54	·02	—	—	—	—	·15	—	·01	·22	—	·04		8
9	·20	·17	—	—	—	Tr	Tr	Tr	—	·02	·03	·40		9
10	·35	—	—	—	—	·19	·08	·01	—	Tr	—	·47		10
11	·25	·01	—	—	—	·07	·09	Tr	—	—	·42	·75		11
12	·46	Tr	—	—	·35	·03	·01	—	—	·37	·78	Tr		12
13	·31	—	—	—	·56	—	·02	Tr	—	·20	·20	1·05		13
14	·82	—	—	—	·19	—	·55	—	—	—	·02	Tr		14
15	·23	—	—	—	·20	—	—	·07	—	·63	·49	·28		15
16	·33	—	·10	—	·01	—	—	·02	—	Tr	·08	Tr		16
17	Tr	·14	·04	—	·04	—	—	—	·14	·27	·12	·08		17
18	·38	—	—	—	·17	Tr	Tr	·13	·17	·05	·24	—		18
19	·01	—	—	—	Tr	—	Tr	·08	1·72	—	·90	Tr		19
20	·03	—	—	—	—	—	—		—	—	·26	Tr		20
21	·10	—	—	—	—	—	—	·02	·17	·14	·28	—		21
22	·07	—	—	Tr	Tr	·09	—	1·01	—	·02	·38	·01		22
23	·01	—	—	·29	—	Tr	—	Tr	Tr	—	·03	—		23
24	·02	—	·31	·01	·07	·02	—	·04	·03	—	·91	—		24
25	·14	·55	·03	—	·21	—	·46	Tr	Tr	·06	2·70	·02		25
26	·39	·26	·02	—	·49	·03	·04	—	—	·18	·02	·23		26
27	·38	·13	—	—	·10	·26	·35	·78	—	·19	·49	·01		27
28	·37	·26	Tr	—	·10	·14	·01	·83	·13	·01	·01	·02		28
29	·33		—	—	·50	—	·01	Tr	·32	·42	·40	·01		29
30	·09	×	—	—	·01	—	·08	—	·01	—	·28	·01		30
31	·24	×	—	×	·31	×	·02	—	×	·36	×	·33		31
TOTAL	6·50	1·61	·50	·32	3·34	1·46	3·77	4·03	3·02	4·77	9·68	4·55	Year's Total 43·55	✓
* Days with .01 in. or more.	25	10	5	3	18	12	17	14	13	22	28	20	187	✓
* Days with .04 in. or more.	21	7	3	1	13	7	12	10	10	19	19	14	136	✓

† Spare column, no entries required.

(*Signed*) Mary Wimbush

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1673

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~40~~ 1939

Kept at THE QUARRY TORR . YEALMPTON.

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 9 in.

,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·22	—	·01	·06	·01	—	·04	·02	—	—	·59	·20		1
2	·08	—	—	·37	—	—		·24	·32	—	Tr	·08		2
3	·41	—	·08	·73	—	—	Tr	—	·01	Tr	·26	·42		3
4	·01	—	·61	·13	·49	—	·36	Tr	—	·44	·53	·21		4
5	·02	—	·04	·18	·05	—	·84	·19	—	·36	1·46	·03		5
6	·88	—	·15	·07	·01	—	1·04		—	·06	·32	·01		6
7	·03	·76	·01	Tr	—	·01	·04	·14	—	Tr	·27	1·26		7
8	·05	·24	·04	—	·08	—	·25	·19	—	2·11	·29	·10		8
9	·12	·07	·01	—	—	—	—	·28	—	·07	·11	·11		9
10	·20	·02	·01	—	—	Tr	—	·28	·08	·21	·04	·48		10
11	—	·05	·13	—	—	—	—	—	—	·44	Tr	·01		11
12	—	·10	—	·04	—	—	—	—	·17	·12	·07	—		12
13	—	—	Tr	·13	Tr	·29	·44	—	·09	1·05	·09	·01		13
14	·98	—	—	·09	·07	·11	·41	—		—	·18	·02		14
15	·34	Tr	—	·03	·05	·92	·13	—	·01	·03	·32	·10		15
16	·10	·02	·06	·23	·01	Tr	·86	—	—	—	·22	·01		16
17	·63	·08	—	Tr	Tr	·44	·56	—	—	—	·01	—		17
18	·23	·03	·01	—	—	·03	·43	—	—	—	·61	·09		18
19	·46	·01	Tr	—	—	—	·19	·11	—	—	·01	·08		19
20	·73	—	—	—	—	·57	·05	·46	—	—	—	·02		20
21	·03	·20	·08	·01	·03	·94	·07	·42	—	—	—	—		21
22	·71	·22	·12	·02	—	·21	·30	·01	—	—	·78	—		22
23	·06	Tr	·03	·16	—	Tr	·04	Tr	—	·01	1·40	—		23
24	1·08	·03	·06	·09	—	·56	·01	—	—	·05	—	—		24
25	·20	·07	—	·28	—	—	·18	·99	—	·07	·65	—		25
26	·01	·23	—	·11	—	·02	·06	·10	—	·02	·49	—		26
27	Tr	·06	—	·01	—	·08	·11	·32	—	Tr	·12	—		27
28	·01	—	·20	·05	—	·09	·58	—	—	—	·36	·04		28
29	·03	[illegible]	·01	·01	—	·06	·08	—	—	·60	·11	—		29
30	—	✕	·01	·08	—	—	Tr	—	—	·41	·09	—		30
31	—	✕	—	✕	—	✕	·01	·17	✕	·63	✕	—		31
TOTAL	7·62	21·9	1·67	2·88	·80	4·33	7·08	3·92	·68	6·68	9·38	3·28	Year's Total 50·51	
* Days with .01 in. or more.	25	16	19	21	9	14	25	15	6	17	25	19	211	
* Days with .04 in. or more.	18	11	11	16	5	11	21	13	4	14	23	12	159	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Mary Wimbush

[P.T.O.

COPY FOR OFFICIAL USE

698787/26

Section **A** for the entry of Daily Observations — Station No. ~~1673~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40.

File number 1673

Kept at THE QUARRY TERR YEALMPTON

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 9 in.

,, Ground ,, Sea Level 100 ft.

[illegible]

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·17	Tr	—	·08	—	—	—	—	—	·25	—		1
2	Tr	·56	—	·28	·01	—	·03	—	—	—	·67	·09		2
3	—	·89	—	Tr	—	—	—	—	—	·10	1·02	·43		3
4	·07	Tr	—	·10	—	—	·14	—	Tr	·31	·25	·08		4
5	·04	—	—	Tr	—	—	·02	—	—	·03	·33	·24		5
6	·43	·79	—	—	—	—	·06	—	—	·33	·08	·34		6
7	·17	·01	—	Tr	—	—	·03	—	·10	Tr	Tr	·03		7
8	·01	·01	—	—	·02	—	·04	Tr	·02	·41	·61	·48		8
9	Tr	Tr	—	—	—	Tr	·06	·02	—	·16	·38	·46		9
10	—	—	—	—	—	—	·02	—	·03	·01	·16	·58		10
11	—	Tr	·03	Tr	—	—	·36	—	—	—	1·27	·02		11
12	—	—	·37	Tr	—	·14	·11	—	·71	—	·28	—		12
13	—	Tr	·51	—	—	—	·07	—	Tr	·37	1·04	·50		13
14	—	·03	—	·09	Tr	—	—	·05	·34	·15	·07	·31		14
15	—	·10	·01	Tr	Tr	—	Tr	—	·28	—	·42	—		15
16	·05	1·23	1·40	·08	—	—	·17	—	·05	·17	·29	·06		16
17	—	·32	·65	·07	—	—	·21	—	Tr	·01	·22	·02		17
18	·12	·77	·21	·64	—	—	x	—	—	·05	·03	·18		18
19	—	·14	·21	·11	—	—	x 22	—	·81	·07	·41	·01		19
20	—	Tr	·02	·04	—	—	·01	·02	Tr	·09	·08	—		20
21	—	—	Tr	—	·08	—	Tr	·04	·03	·04	·46	—		21
22	—	Tr	·13	·08	—	·58	·01	·03	·19	✓ ·14	·05	—		22
23	—	Tr	·16	·02	·01	Tr	·02	—	—	x	·07	—		23
24	Tr	—	·01	Tr	—	—	·42	—	—	·01	·01	—		24
25	·32	—	·11	·08	·69	Tr	—	—	—	—	—	—		25
26	·53	·57	—	·03	·28	·04	—	—	—	—	·06	—		26
27	·35	·06	·07	Tr	·75	—	—	—	—	—	Tr	—		27
28	·54	·15	Tr	·19	·16	—	—	—	—	—	—	—		28
29	·18	·03	·24	1·36	Tr	·08	—	Tr	—	·04	—	·64		29
30	—	✕	—	·02	·01	—	—	—	—	·39	—	·59		30
31	·05	✕	—	✕	—	✕	—	—	✕	·54	✕	·72		31
TOTAL	2·86	5·83	4·13	3·19	2·09	·84	2·54	·16	2·56	3·42	8·51	5·78	Year's Total 41·91	✓
* Days with ·01 in. or more.	13	16	15	15	10	4	19	5	10	21	24	19	171	✓
* Days with ·04 in. or more.	12	12	11	12	6	4	12	2	7	16	22	15	131	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

YEALMPTON (

~~698787~~ 33

Section X **A** for the entry o

AIR MINISTR

COPY FOR OFFICIAL USE.

NFALL ORGANIZATION. Cin A.

FORM 1090.

REGIS 1932.

1673/2

YEALMTON (WEST PARK)
1932 — 40

780306

1673/2

S Devon/3.

Kept at Westpark

in the County of Devo

Diameter of Funnel of Gauge

Height of top of Gauge above Gro

,, Ground ,, Sea

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	·11	—		·01	·15	—	—	·03	—	1
2	·37	—	·07	·30	·01	—	tr	·16	·14	—	·01	·48	2
3	·13	—	tr	—	—	—	—	—	·85	·07	·03	·05	3
4	·11	—	—	—	—	·74	·04	·06	·56	—	·23	—	4
5	·07	—	·08	—	—	·35	—	tr	·61	—	—	—	5
6	·02	—	0·3	·24	—	—	·09	—	1·09	·01	—	—	6
7	·49	—	—	—	—	—	—	—	·01	1·04	—	—	7
8	·61	—	·44	·12	·19	—	—	—	—	·09	—	—	8
9	·07	—	—	·40	·13	—	—	—	—	—	—	—	9
10	tr	—	·02	·14	·14	—	—	—	·08	·24	—	·03	10
11	·65	—	·01	·15	·14	—	·01	—	—	·04	—	·16	11
12	·31	tr snow	—	·02	—	—	—	—	·03	·25	—	·04	12
13	·13	—	—	·16	·07	—	—	—	—	·75	—	·43	13
14	1·09	—	—	·15	·35	—	·09	·27	—	·05	—	·02	14
15	·20	—	—		·11	—	tr	·03	—	·02	—	·07	15
16	·20	—	—	·02	—	—	—	—	—	tr	—	—	16
17	·01	—	—	—	·15	—	—	—	·10	·10	—	—	17
18	·14	—	—	—	·49	—	—	—	·02	—	·23	—	18
19	·03	—	—	·11	·39	—	—	—	·08	·53	·01	tr	19
20	·07	—	—	·09	·80	—	tr	·21	—	1·53	·11	·11	20
21	·02	—	·04	·13	—	—	tr	·40	·08	·54	·43	·12	21
22	·03	—	—	·01	·05	—	—	·07	·57	·50		·10	22
23	·05	tr	—	—	·04	—	·31	—	·03	·85	·05	·21	23
24	tr	—	—	—	·02	—	·79	—	·07	·07	—	·02	24
25	—	—	·15	·06	·08	—	·04	—	·07	·73	·12		25
26	—	—	·17	·30	·01	—	·17	—	—	·09	·05	—	26
27	—	—	·37	·57	·17	—	·31	—	—	·28	·01	·52	27
28	—	—	·18	·06	·15	—	·21	tr	—	tr	—	·18	28
29	—	—	·83	·31	·12	·72	tr	·93	·77	·52	·13	·60	29
30	—	×	—	·25	·02	1·79	·43	—	·54	·07	·98	·01	30
31	—	×	·01	×	·26	×	—	—	×	·06	×	·63	31
TOTAL	4·80	·00	2·40	3·70	3·89	3·60	2·50	2·28	5·70	8·43	2·42	3·78	YEAR'S TOTAL 43·50
*Days with ·01 in. or more.	21 ~~5~~	0	13 ~~4~~	21 ~~3~~	22 ~~6~~	4 ~~8~~	12 ~~2~~	9 ~~1~~	18 ~~4~~	23 ~~2~~	14 ~~8~~	19 ~~6~~	176
*Days with ·04 in. or more.	16	0	9	18	18	4	10	8	14	21	9	13	140

40-9999

*See Instruction 2 (*f*) on other side.

N X

(Signed) D. M. YONGE ESQ. X

P.T.O.

YEALMPTON(

Section **A** for the entry 33 COPY FOR OFFICIAL USE. ~~698/87/61~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION. Circ A

FORM 1090.

REGISTER OF RAINFALL IN 1932.

(1673/2)

Kept at Westpark, Yealmpton

in the County of Devon

C 1932

S Devon/3.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	·22	—		·01	·15	—	—	·03	—	1
2	·37	—	·07	·30	·01	—	tr	·16	·14	—	·01	·48	2
3	·13	—	tr	—	—	—	—	—	·85	·07	·03	·05	3
4	·11	—	—	—	—	·74	·04	·06	·56	—	·23	—	4
5	·07	—	·08	—	—	·35	—	tr	·61	—	—	—	5
6	·02	—	0·3	·24	—	—	·09	—	1·09	·01	—	—	6
7	·49	—	—	—	—	—	—	—	·01	1·04	—	—	7
8	·61	—	·44	·12	·19	—	—	—	—	·09	—	—	8
9	·07	—	—	·40	·13	—	—	—	—	—	—	—	9
10	tr	—	·02	·14	·14	—	—	—	·08	·24	—	·03	10
11	·65	—	·01	·15	·14	—	·01	—	—	·04	—	·16	11
12	·31	tr snow	—	·02	—	—	—	—	·03	·25	—	·04	12
13	·13	—	—	·18	·07	—	—	—	—	·75	—	·43	13
14	1·04	—	—	} ·15	·35	—	·09	·27 }	—	·05	—	·02	14
15	·20	—	—		·11	—	tr	·03	—	·02	—	·07	15
16	·20	—	—	·02	—	—	—	—	—	tr	—	—	16
17	·01	—	—	—	·15	—	—	—	·10	·10	—	—	17
18	·14	—	—	—	·49	—	—	—	·02	—	·23	—	18
19	·03	—	—	·11	·39	—	—	—	·08	·53	·01	tr	19
20	·07	—	—	·09	·80	—	tr	·21	—	1·53	·11	·11	20
21	·02	—	·04	·13	—	—	tr	·40	·08	·54	} ·43	·12	21
22	·03	—	—	·01	·05	—	—	·07	·57	·50		·10	22
23	·05	tr	—	—	·04	—	·31	—	·03	·85	·05	·21	23
24	tr	—	—	—	·02	—	·29	—	·07	·07	—	} ·02	24
25	—	—	·15	·06	·08	—	·04	—	·07	·23	·12		25
26	—	—	·17	·30	·01	—	·17	—	—	·09	·05	—	26
27	—	—	·37	·57	·17	—	·31	—	—	·28	·01	·52	27
28	—	—	·18	·06	·15	—	·21	tr	—	tr	—	·18	28
29	—	—	·83	·31	·12	·72	tr	·93	·77	·52	·13	·60	29
30	—	✕	—	·25	·02	1·79	·43	—	·54	·07	·98	·01	30
31	—	✕	·01	✕	·26	✕	—	—	✕	·06	✕	·63	31
TOTAL	4·80	·00	2·40	3·70	3·89	3·60	2·50	2·28	5·70	8·43	2·42	3·78	YEAR'S TOTAL 43·50
*Days with ·01 in. or more.	21 ~~8~~	0	13 ~~4~~	21 ~~3~~	22 ~~4~~	4 ~~8~~	12 ~~2~~	9 ~~1~~	18 ~~4~~	23 ~~2~~	14 ~~8~~	19 ~~6~~	176
*Days with ·04 in. or more.	16	0	9	18	18	4	10	8	14	21	9	13	140

40-9999

*See Instruction 2 (*f*) on other side.

N

(Signed) D. M. YONGE ESQ.

P.F.O.

Posted

1673/2

Section **A** for the entry of Daily Observations. ↓VG COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Westpark, Yealmpton

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level 150 ft.

Station No 1673/2

File No 231312/33

Days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·24	·89	·13	tr	·01	·04	—	—	—	—	·04	1·49	1
2	·38	·04	·93	—	·59	·44	—	—	—	—	—	·19	2
3	·01	·09	·43	—	·05	—	—	—	—	—	—	—	3
4	·13	·08	·09	—	·08	·02	—	—	—	—	—	—	4
5	·05	·01	·27	—	·13	—	—	—	·02	—	tr	—	5
6	·03	·59	·01	—	·31	—	·16	—	—	·17	tr	—	6
7	·02	·08	·01	—	·08	—	·06	—	—	·09	—	—	7
8	·02	·04	·01	—	·03	—	·09	—	—	·12	—	—	8
9	—	·06	—	tr dew	·01	—	·70	·02	—	·19	·13	—	9
10	·04	·12	—	—	—	—	·27	·08	—	·77	·07	—	10
11	·04	tr	—	·04	—	—	·05	·16	—	·05	·01	—	11
12	—	—	—	·38	·05	·20	·52	·08	·31	tr	—	·02	12
13	·04	—	—	—	·04	·07	·21	·21	·01	·19	·09	—	13
14	·16	—	—	—	—	— ·07	·31	·14	—	·01	·44	—	14
15	—	—	·41	—	—	—	·19	·07	—	·01	·42	—	15
16	·38	·01	1·01	tr dew	—	—	—	·03	·05	·07	·02	—	16
17	·09	·08	·24	—	—	·13	·01	tr	·12	—	—	—	17
18	·16	tr	·17	—	—	·10	·01	—	—	·01	·03	—	18
19	·34	tr	·19	—	—	·01	—	} ·27	·12	·02	·49	—	19
20	·01	·01	tr	—	·03	·10	—	}	·18	—	·21	tr	20
21	—	·07	—	—	—	·16	—	·10	·01	·22	·01	—	21
22	—	—	—	·39	—	·06	—	·44	·76	·03	tr	—	22
23	—	·73	—	·41	—	·29	—	·06	·10	1·23	—	—	23
24	—	·19	—	·40	—	·01	—	—	1·16	·12	—	—	24
25	—	·66	—	·15	} ·16	·06	—	—	·12	—	—	·24	25
26	—	·14	—	·53	}	tr dew	—	—	tr	·04	·01	—	26
27	—	·04	—	·06	—	—	—	—	—	·29	—	·71	27
28	—	·34	—	·75	—	—	·41	·01	tr	·24	—	·04	28
29	·04	×	tr	·09	—	—	·09	·03	·09	—	—	·02	29
30	·07	×	·02	·03	—	—	·06	tr	·13	tr	—	·05	30
31	·24	×	·31	×	·37	×	—	—	×	·01	×	tr	31
TOTAL	2·49	4·27	4·26	3·23	1·94	1·69	3·14	1·80	3·18	3·98	1·97	2·76	YEAR'S TOTAL 34·71
*Days with ·01 in. or more.	20	20	15	11	14	14	15	14	14	20	13	8	~~42~~ 178
*Days with ·04 in. or more.	15	17	11	10	10	11	13	10	11	14	8	6	136

40-9999

(Signed) Duke M. Yonge

*See Instruction 2 (*f*) on other side.

[P.T.O.

1673/2

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1673/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934 File No. 231312/33

Kept at Westpark, Yealmpton

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level 150 ft.

Bapp

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·05	—	·06	—	—	—	—	·76	·05	tr	—	1·45		1
2	·16	—	·09	—	—	—	—	·02	·83	·09	·13	·29		2
3	·14	—	—	—	—	—	—	—	—	·40	·01	·43		3
4	·16	—	·33	—	·46	—	—	·08	·23	·08	·02	·53		4
5	—	—	·10	—	·18	·16	—	1·64	—	·09	tr	1·18		5
6	·03	—	·60	·12	·39	·15	—	·08	02	·65	·01			6
7	·10	—	—	—	—	—	—	—	—	·25	06	·75		7
8	—	—	—	—	·10	—	—	·01	—	tr	·84	·57		8
9	·06	·01	·46	—	—	—	—	·09	—	—	—	·15		9
10	·27	·tr	·40	—	—	—	—		—	—	·01	·01		10
11	·43	tr	·06	·75	—	—	—	·02	—	tr	—	·99		11
12	·18	—	—	—	—	—	·05	·23	—	—	tr	·16		12
13	·42	—	·01	·27	—	·03	·01	—	—	—	20	·31		13
14	·83	—	·36	·14	—	—	—	—	—	tr	·02	·28		14
15	·18	tr	·09	—	·20	—	—	—	·01	·06	—	·26		15
16	·18	—	·44	·06	—	—	—	—	·19	·14	—	·40		16
17	·19	—	·40	·24	·31	—	·01	—	·04	·09	—	·50		17
18	—	—	·39	·25	—	—	—	—	·04	—	—	·48		18
19	—	—	·24	—	—	·07	—	·03	·28	·01	—	·19		19
20	—	·01	—	·32	·04	—	—	—	·09	·04	—			20
21	—	—	·33	·03	·01	·36	·02	·10	·03	·40	—	·33		21
22	·08	—	·04	·19	—	—	·18	·19	·59	—	—	·43		22
23	·07	—	tr	·02	—	·63	—	—	·42	~~·12~~	—	·38		23
24	—	·09	·08	·35	—	·24	·07	·39	·02	·02	—	1·16		24
25	·33	—	—	—	—	·27	—	—	—	·02 ~~·27~~	—			25
26	·05	—	·08	·20	—	·13	—	—	·08	·29	—	·18		26
27	—	—	—	·02	—	·05	—	·12	·10	·05	·02	·28		27
28	—	—	—	tr	—	·02	—	·76	·41	·02	—	·81		28
29	—	✕	—	—	—	—	—	·24	·12	—	—	·05		29
30	tr	✕	—	—	—	—	tr	·03	·21	·09	—	·36		30
31	—	✕	—	✕	—	✕	·02	·11	✕	·10	✕	·01		31
TOTAL	3·91 ~~4·34~~	0·11	4·56	2·96	1·69	2·11	·36	4·90	3·76	2·99	1·32	12·92	Year's Total 41·9~~2~~	59
*Days with ·01 in. or more.	1 19	2 3	1 19	3 15	1 8	2 11	4 7	5 18	4 19	3 19	6 10	~~2~~ 34	~~34~~ 179	
*Days with ·04 in. or more.	~~19~~ 18	1	18	~~11~~ 12	7	9	3	13	15	16	4	29	145	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Duke M. Yonge

1-1-35

[P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 1673/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

File No. 231312/33

afe
Hays

Kept at Westpark, Yealmpton

in the County of Devon

Diameter of Funnel of Gauge five in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·09	·06	·79	·01	—	·23	·14	—	·42	·24		·21		1
2	—	tr	·06	—	—	·15	~~·02~~ ·02	—	·35	·49	·04	·04		2
3	—	—	·11	—	·40	·13	·02	—	·10	·31	·09	·09		3
4	—	·10	tr	·06	—	·06	~~·02~~	—	·07	·05	·29	·38		4
5	—	·32	tr	—	—	·19	—	—	·20	·73	·38 +	·22		5
6	—	·01	—	·40	—	1·04	—	—	tr	—	+	·23		6
7	—	—	—	·54	—	·11	—	—	·10	·55	~~·11~~ +	·09		7
8	—	—	—	57	—	—	tr	—	—	·06	·61	—		8
9	·04	—	tr	·45	—	—	·01	—	—	·59	·42	—		9
10	·08	—	+	—	—	·17	—	—	—	·08	·06	—		10
11	·27	·02	·18	·03	—	·46	—	—	·19	—	·46	—		11
12	·09	·23	—	—	—	·40	—	·06	·10	—	·45	—		12
13	·05	·15	—	·23	—	·05	—	—	—	·09	1·76 +	—		13
14	—	·24	—	·12	—	·05	—	—	·25	·06	+	·61		14
15	—	·13	tr	·76	·08	·31	—	tr	·13	·04	·26	·05		15
16	—	·06	·04	·16	—	·04	—	~~·04~~	·32	·04	·95	·09		16
17	—	·02	—	·06	·62	·64	·01	·04	·01	—	tr	—		17
18	—	·12	—	·59	·03	—	—	tr	·23	·16	·05	·22		18
19	—	·03	—	·11	·54	·17	·24	—	·26	—	·77	—		19
20	—	·35	—	·35	·15	·07	—	—	·02	—	·09	—		20
21	—	·67	·03	·04	—	·01	·10	—	·04	·07	·01	—		21
22	—	·02	—	·32	—	—	tr	—	·36	·08	—	—		22
23	—	·33	·13	·33	·02	—	—	·69	·05	·52	—	·67		23
24	·01	·54	—	·14	·01	—	—	·30	·55	·04	—	·34		24
25	·29	·11	—	—	·38	·12	—	tr	—	—	—	·17		25
26	·01	·50	—	—	—	·04	—	·03	·56	tr	—	·87		26
27	—	·16	—	—	—	—	tr	·08	·19	—	·19	·46		27
28	—	·04	—	—	—	—	—	—	·15	·02	·05	·08		28
29	—	X	—	—	—	—	—	—	·26	tr	·06	·57		29
30	·04	X	—	—	·02	·20	—	1·51	·06	·33	·82	·66		30
31	trace	X	—	X	—	X	—	·06	X	·84	X	·61	8	31
TOTAL	·97 ✓	4·21 ✓	1·34 ✓	5·27 ✓	2·25 ✓	4·64 ✓	·54 ✓	2·77 ✓	4·97 ✓	5·39 ✓	8 7·~~4~~1	6·66 ✓	Year's Total. 46·~~4~~2	
* Days with .01 in. or more.	10	22	7	19	10	21	7	8	24	21	23	20	~~24~~	192
* Days with .04 in. or more.	8	17	6	17	6	20	3	7	22	20	22	20	168	

40-9999

† Spare column, no entries required

* See Instruction 2 (f) on other side.

(Signed) Duke M. Yonge 1-1-36

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 1673/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

File No 23 1312/33

Kept at Westpark, Yealmpton
in the County of Devon
Diameter of Funnel of Gauge five in.
Height of top of Gauge above Ground 1 ft. 3 in.
,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·17	·07	–	·12	–	·42	·30	·03	–	–	–	tr		1
2	·16	–	–	·04	–	·06	·48	·03	·29	–	·18	tr		2
3	·01	·01	·11	·37	–	·03	·02	–	·83	–		·01		3
4	·01	–	·28	–	–	·03	·04	–	·40	–	·13	·11		4
5	·36	39	·09	–	·05	–	·19	·09	·02	–	–	·13		5
6	·14	–	·06	–	–	·01	·96	·14	·44	–	·44	–		6
7	·39	–	·28	–	–	–	·09	–		–	·43	·08		7
8	·26	–	·40	–	–	–	·54	–	·02	·04	–	·07		8
9	·17	1·10	·33	–	–	·03	·36	–	·25	–	·49	–		9
10	·03	·81	–	–	–	–	·09	–	·01	–	·19	·03		10
11	·60	·06	–	–	–	·15	·11	·06	·10	–	·86	·20		11
12	·06	–	–	·16	–	–	1·58	–	·82	–	·02	–		12
13	·03	–	–	·01	tr	–	·01	·03	–	·05	·15	·65		13
14	–	·03	–	–	–	·10	·69	–	·08	·04	tr	·49		14
15	–	–	–	–	–	–	–	–	·07	–	·35	·32		15
16	–	·11	–	·24	·09	–	·33	–	–	–	·13	·30		16
17	·17	·87	–	–	·06	–		·07	·01	·06	·05	·68		17
18	·35	·26	·21	–	–	–	·49	·02	–	–	–	·31		18
19	·72	–	·19	·24	–	·10	·02	·13	–	–	–	tr		19
20	·11	·27	·02	·11	–	·14	·04	tr	·15	–	–	tr		20
21	·01	·20	·07	·52	–	·01	·22	–	–	·01	–	–		21
22	·30	·10	tr	–	–	–	·42	–	tr	–	–	·10		22
23	·06	·08	·01	·21	·13	–	·09	–	–	·13	–	–		23
24	·48	·01	·14	tr	·40	–	–	–	·20	·29	–	·03		24
25	·31	–	·27	·25	–	–	·01	–	·02	·35	–	–		25
26	·35	–	·45	–	tr	–	–	–	·02	·07	–	–		26
27	·39	·16	·01	–	–	–	·30	–	·02	–	–	–		27
28	·96	–	·74	·01	–	–	·24	–	–	–	–	·28		28
29	·02	–	·04	–	–	–	–	–	–	·29	·03	·06		29
30	·23	✕	·02	–	–	·16	tr	–	–	·02	–	tr		30
31	·17	✕	·78	✕	–	✕	·32	–	✕	·09	✕	·59		31
TOTAL	7·02	4·53	4·50	2·28	~~79~~ 73	1·24	7·94	·60	3·75	1·44	3·45	4·44	Year's Total 41·92	~~41·92~~
* Days with .01 in. or more.	~~8~~ 28	~~3~~ 16	~~4~~ 20	~~7~~ 12	~~7~~ 6	~~5~~ 12	~~4~~ 26	~~4~~ 9	~~7~~ 19	~~3~~ 12	~~7~~ 15	~~3~~ 18	~~42~~	193
* Days with .04 in. or more.	22	13	16	10	6	7	22	5	12	10	~~7~~ 13	15	~~150~~	151

* See Instruction 3 (f) on other side.

7.01 4.53

† Spare column, no entries required.

(Signed) Bertha M. Yonge [P.T.O.

2nd January 1937

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1673/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

File No. 231312/33

Kept at Westpark Yealmpton

in the County of Devon

Diameter of Funnel of Gauge five in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·23	·03	·06	·54	—	—	tr	—	·12	·14	·01	·96		1
2	·08	·90	·17	·31	—	—	—	—	·08	—	—	tr		2
3	·06	·13	·01	·03	tr	—	·03	—	—	—	—	·01		3
4	·08	1·12	—	—	—	—	—	—	—	—	—	·80		4
5	·28	—	—	·21	—	—	·66	—	—	—	—	—		5
6	·10	·97	·65	·30	·04	·01	·16	—	—	—	—	·68		6
7	—	1·04	·15	tr	—	·03	—	—	·02	—	·06	·03		7
8	—	·06	—	—	·95	·04	·30	—	—	—	—	—		8
9	·13	·09	·09	·24	·05	—	·04	—	·76	tr	—	—		9
10	·23	·01	·67	·44	·03	·22	—	·05	—	—	—	·54		10
11	·06	—	·18	·29	·45	·09	·53	—	—	—	—	·02		11
12	·66	·57	·11	—	·29	·28	·85	·64	·21	—	—	·42		12
13	tr	·08	·70	·19	—	—	tr	·60	·14	—	—	·03		13
14	tr	·06	·10	—	—	—	—	·03	—	—	—	·13		14
15	·31	·10	·35	·79	—	—	—	·01	·54	—	—	·31		15
16	·13	·16	·19	tr	—	—	·11	·07	·31	—	·46	—		16
17	·65	·12	·31	—	—	—	—	—	tr	—	·83	—		17
18	·13	·15	·12	—	—	·12	~~·12~~	·05	·09	~~·09~~	·19	·16		18
19	·21	·09	·01	·42	·18	·05	—	—	·10	·02	·06	·09		19
20	·30	—	·25	·21	·30	—	—	—	·01	—	tr	·74		20
21	·41	·71	—	·02	·39	—	·06	—	·32	·12	·33	·06		21
22	·53	·01	·03	—	·68	—	·15	—	·07	·49	·73	·15		22
23	·10	·63	—	—	·12	·06	—	—	—	·12		·06		23
24	·17	·41	·04	—	—	—	—	—	·07	1·12	tr	·10		24
25	·05	·63	·53	—	·01	—	tr	—	—	·28	—	·03		25
26	·01	·34	·01	—	—	—	—	—	·01		—	·02		26
27	·29	·14	—	—	—	—	—	—	—	·52	·81	—		27
28		·34	—	—	—	·01	—	—	—	·07	—	—		28
29	·04	×	—	—	—	—	—	—	—	·26	·48	—		29
30	·37	×	—	—	—	·01	—	·01	·03	—	·65	—		30
31	·15	×	—	×	—	×	—	—	×	1·08	×	—		31
TOTAL	5·76	8·99	4·73	3·99	3·49	·92	2·09	1·46	2·88	4·22	3·81	5·34	Year's Total. 47·68	
* Days with .01 in. or more.	27	25	21	13	12	11	10	8	16	12	12	20	187	
* Days with .04 in. or more.	16	22	17	11	10	7	9	5	12	11	9	14	153	

40-9999

† Spare column, no entries required.

(Signed) Duke M. Yonge 1-1-38

* See Instruction 2 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No 1673-2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

File No 231312/33

Kept at Westpark Yealmpton Devon

in the County of Devon

Diameter of Funnel of Gauge five in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 150 ft.

ap
Days

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·04	—	—	—	·33	[illegible]	·43	—	·42	·01	·06		1
2	—	·02	tr	—	tr	·01	·tr	—	·06	·14	—	·12		2
3	—	tr	—	—	·02	—	·29	·22	—	·53	·44	tr		3
4	—	—	—	—	·01	·02	·04	·41	—	·18	—	·33		4
5	~~·01~~	—	—	—	—	·01	1·33	·02	·10	·31	·05	tr		5
6	·01	—	—	—	—	·27	·20	—	·04	·08	·10	·18		6
7	·18	—	—	—	—	·04	·13	—	·18	·05	·03	·17		7
8	·20	·02	—	—	—	—	tr	—	tr	·21	—	·03		8
9	·55	·17	—	—	—	·02	~~·08~~	—	—	·02	·03	·45		9
10	·34	—	—	—	—	·16	·05	·02	—	—	—	·49		10
11	·23	tr	—	—	—	·07	·09	—	—	—	·42	·76		11
12	·42	—	—	—	·38	·02	·tr	—	—	·33	·28	tr		12
13	·31	—	—	—	·21	—	— ·55	—	—	·18	·24	1·09		13
14	·80	—	tr	—	·09	—	—	—	—	—	·01	·01		14
15	·30	—	—	—	·19	—	tr	·06	—	·58	·52	·30		15
16	·32	—	·10	—	tr	—	—	·02	—	·01	·09	·01		16
17	tr	·14	·03	—	·03	—	—	·13	·16	·26	·12	·07		17
18	·35	—	—	—	·17	·01	·tr	·06	·15	·05	—	tr		18
19	·02	—	—	—	·16	—	—	·08	1·94	—	1·13	—		19
20	·01	—	—	—	—	—	—	—	tr	—	·22	—		20
21		—	—	—	—	—	—	·02	·17	·14	·29	tr		21
22	·15	—	—	—	tr	·10	—	1·02	tr	·04	·39	tr		22
23	tr	—	—	·27		—	—	tr	·03	—	·02	—		23
24	·04	—	·33	—	·66	·02	—	·04	—	tr	·84	—		24
25	·14	·54		—		tr	—	—	—	·06	2·66	—		25
26	·38	·25	·02	—		·02	·49	—	tr	·10	·03	24		26
27	·36	·11	—	—	·11	·25	·03	·89	tr	·26	·49	—		27
28	·31	·25	—	—	·10	·09	·36	·73	·13	—	tr	·02		28
29	·31		tr	—	·49	—	tr	—	·32	·48	·47	·01		29
30	·08	✕	—	—	·02	—	tr	—	·02	—	·25	·01		30
31	·22	✕	—	✕	·31	✕	·06	—	✕	·35	✕	·36		31
TOTAL	6·00	1·54	·48	·27	2·95	~~3·72~~ 1·44	3·72	4·15	3·30	4·78	9·63	4·71	Year's Total 42·97	
* Days with .01 in. or more.	24	9	5	1	18	16	13	15	12	22	24	19	~~47~~ 178	
* Days with .04 in. or more.	19	7	~~8~~ 2	1	12	8	12	11	~~20~~ 10	20	18	13	13~~4~~ 3	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Duke M. Yonge

P.T.O.

Average for seven years 43·06 inches

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1673/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

File 23/312/33

Kept at Westpark Yealmpton

in the County of Devon

Diameter of Funnel of Gauge five in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 150 ft.

[illegible] Days

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·20	—	·01	·05	—	—	—	·02	—	—	·62	·14		1
2	·07	—	—	—	—	—	·02	·25	·36	—	·01	·05		2
3	·43	—	·12	1·08	—	—	tr	—	—	tr	·27	·40		3
4	·02	—	·66	·13	·50	—	·37	tr	—	·47	·51	·04		4
5	—	—	·03	·14	·04	—	·91	—	—	·39	1·44	·01		5
6	·99	tr	·15	·10	tr	—	1·09	·19	—	·06	·35	—		6
7		·79	—	—	—	—	·04	·16	—	·01	·54	1·27		7
8	·05	·24	·03	—	·08	—	·25	·19	—	2·10		·10		8
9	·11	·06		—	—	—	tr	·29	—	·06	·04	·61		9
10	·22	—	·01	—	—	—	—	·23	·07	·28	·10			10
11	—	·04	·12	—	—	—	—	—	—	·44	~~·06~~ ·01	—		11
12	tr	·08	—	tr	—	—	—	—	~~tr~~ ·17	·10	~~·07~~ ·06	—		12
13	·01	—	—	·17	—	·32	·46	—	~~tr~~ ·07	1·06	~~·14~~ ·07	·01		13
14	1·16	tr	—	·08	·07	·08	·43	—	—	—	~~·29~~ ·14	·02		14
15	·34	tr	—	·02	·05	1·00	·15	—	—	—	~~·15~~ ·29	·09		15
16	·12	·03	·06	·21	—	—	·81	—	—	—	~~·01~~ ·15	—		16
17	·77	·07	—	—	·01	·45	·52	—	—	—	·01	—		17
18	·25	·03	·01	—	—	—	·50	—	—	—	·56	·10		18
19	·55	—	—	—	—	—	·21	·10	—	—	—	·09		19
20	·79	—	—	—	—	·49	·03	·44	—	—	—	·02		20
21	·53	·21	·07	tr	·02	·80	·06	·29	—	—	—	—		21
22	—	—	·10	·01	—	·42	·30	—	—	—	·25	—		22
23	·03	—	·02	·25	—	tr	·03	—	—	·02	1·33	—		23
24	1·05	·02	·06		—	·54	tr	—	—	·04	—	—		24
25	·25	·07	—	·28	—	tr	·19	1·13	—	·06	1·09	·04		25
26	tr	·07	—	·10	—	—	·05	·03	—	·02		—		26
27	—	·22	—	—	—	·08	·10	·20	—	—	·17	—		27
28	·02	·04	·21	·04	—	·09	·64	—	—	—	·33	·04		28
29	·03		—	tr	—	·05	·10	—	—	·54	·09			29
30	—		·01	·14	—	—	tr	—	—	·44	·08			30
31	—		—		—		tr	·17		·67				31
TOTAL	7·99	1·97	1·87	2·80	·77	4·32	7·26	3·69	·67	6·76	9·01	3·03	Year's Total 50·14	
* Days with .01 in. or more.	23	14	17	16	7	11	22	14	4	17	26	17	~~35~~	188
* Days with .04 in. or more.	17	11	9	~~13~~ 14	5	11	19	12	4	14	23	13	~~150~~	152

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Duke M. Yonge

1st January 1940

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations   Station No. 1673/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Acc. of ·70 in from 1941 return credited to Dec 31st 1940. obs. not notified

File No 231312/33

Station No 1673/2

Dup. Recd.

Kept at Westpark, Yealmpton

in the County of Devon

Diameter of Funnel of Gauge five in.

Height of top of Gauge above Ground ......ft......in.

,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·70

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	·15	–	–	·07	–	–	–	–	–	·22	–		1
2	–	·54	–	·25	–	–	/	–	–	–	·63	·06		2
3	·06	·84	–	–	–	–	·03	–	–	·09	1·01	·40		3
4	–	·01	–	·08	–	–	·12	–	–	·32	·24	·06		4
5	·03	·01	–	–	–	–	–	–	–	·03	·33	x		5
6	·42	·88	–	–	–	–	·07	–	·05	·32	·05	·54 x		6
7	·15	·01	–	tr	–	–	·01	~~tr~~	·02	–	–	·02		7
8	tr	·01	–	–	tr	–	·04	~~tr~~	–	·44	·46	·41		8
9	–	–	–	–	–	–	·61	·01	·01	·13	x ·67	·41		9
10	–	–	tr	–	–	–	–	–	·02	·01	x	·48		10
11	–	·02	·04	·01	–	–	·34	–	–	–	1·20	·02		11
12	–	–	·31	–	–	·13	·08	–	·66	–	·22	–		12
13	–	–	·52	–	–	–	·06	–	·03	x ·54	1·08	·54		13
14	–	·02	·02	·07	tr	–	–	·04	·32	x	·06	·30		14
15	–	x	–	·01	–	–	·01	–	·28	·17	·41	–		15
16	tr	1·44 x	1·45	·06	–	–	x	–	·04	–	·26	–		16
17	–	·32	·57	·07	–	–	·34 x	–	tr	–	·22	–		17
18	·14	·75	·19	·58	–	–	·04	·01	–	·09	·03	·23		18
19	–	·13	·17	·10	–	–	·17	–	·83	·07	·45	–		19
20	–	·01	·01	·04	–	–	–	·04	–	·07	·06	·01		20
21	–	tr	·01	–	·06	–	–	·02	·02	·03	·44	–		21
22	–	·01	·11	·07	–	·58	·01	–	·12	·02	·05	–		22
23	–	·01	·16	·02	·02	–	·45	–	–	·14	·07	–		23
24	–	–	·01	tr	tr	–	–	–	–	–	·01	–		24
25	x	–	·09	·06	·73	·01	–	–	–	–	·04	–		25
26	·82 x	·57	–	·01	·28	·03	–	–	–	–	–	–		26
27	x	·06	–	–	·72	–	–	–	–	–	–	–		27
28	x ·81	·11	·05	·17	·13	–	–	tr	–	–	–	–		28
29	·18	·05	–	1·33	–	·07	–	–	–	·05	–	·62		29
30	–	✕	·24	·03	–	–	–	–	–	·43	–	·58		30
31	·05	✕	–	✕	–	✕	–	–	✕	·65	✕	·70		31
TOTAL	2·66	5·95	3·55	2·96	2·01	·82	2·38	·12	2·40	3·60	8·21	5·38	Year's Total ~~39·74~~	41·44
* Days with .01 in. or more.	11	22	16	17	7	5	16	5	12	19	24	~~16~~ 17	~~43~~	~~170~~ 171
* Days with .04 in. or more.	10	13	12	12	6	3	12	2	7	15	22	~~13~~ 14	~~126~~	~~127~~ 128

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Duke M. Yonge

[P.T.O.

LODDISWELL (HAZELWOOD

Section **A** for the entry of

AIR MINISTRY

Station No. 1673/6

FALL ORGANIZATION.

FORM 1090.

REGIS 35.

S. Devon /3

1673/6

LODDISWELL (HAZELWOOD HSE)

1935 — 40

780306

Kept at HAZELWOOD

in the County of S. DEV

Diameter of Funnel of Gauge

Height of top of Gauge above Grou

,, Ground ,, Sea

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	.02	—	—	—	.18	—	.05	.09	1.08	1.19		1
2	—	.06	.01	—	—	.35	—	—	.24	.62	.11	.35		2
3	—	.02	.61	—	—	.16	.03	—	.24	.67	.04	.10		3
4	—	.01	.05	—	.44	.18	.04	—	.04	.17	.13	.04		4
5	—	.20	.15	.09	—	.25	—	—	.09	.07	.14	.33		5
6	—	.36	—	.08	—	.07	—	—	.31	.18	.20	.19		6
7	—	—	.01	.38	—	1.19	—	—	—	—	.24	—		7
8	—	—	—	.68	—	—	—	—	—	.71	.23	.26		8
9	—	—	—	.73	—	—	.04	—	.23	.08	.66	—		9
10	—	—	—	.63	—	.01	.03	—	—	.75	.33	—		10
11	—	—	.66	—	—	.12	T.R	—	—	.02	—	.04		11
12	—	.06	.01	.64	—	.41	—	—	—	—	.66	—		12
13	—	.33	—	—	—	.38	—	—	.17	—	.63	—		13
14	—	.16	—	.29	—	.11	—	—	.18	.17	.22	—		14
15	—	.30	—	.07	—	.10	—	—	.08	.21	1.76	.58		15
16	—	.13	—	.72	.10	.17	—	—	.23	.09	.45	.06		16
17	—	.11	.12	.25	—	.11	—	—	—	.02	.76	.05		17
18	—	—	—	.02	.57	.64	.01	.05	.60	—	T.R	—		18
19	—	.24	—	.79	—	T.R.	—	—	.15	.12	.06	.26		19
20	—	.03	—	.06	.71	.27	.36	—	.50	.19	.58	—		20
21	—	.38	—	.54	.08	.11	—	—	.33	.01	.13	—		21
22	—	.83	.01	.10	—	—	.12	—	—	.04	—	—		22
23	—	—	—	.14	—	—	—	.62	.23	—	—	—		23
24	TR	.16	.18	—	—	—	—	.49	.25	.33	—	.59		24
25	.06	.86	—	.91	.15	—	—	—	—	.02	—	.18		25
26	.26	.40	—	.03	.73	.24	—	.53	—	—	—	.23		26
27	—	.65	—	—	—	.05	—	.07	.67	—	.29	.77		27
28	—	.16	—	—	—	—	.02	—	—	.25	.09	.54		28
29	—		—	—	—	—	—	.04	.12	.12	—	.20		29
30	—	✕	—	—	.07	—	—	.02	.58	.04	.10	.68		30 Print
31	.05	✕	—	✕	—	✕		1.48	✕	.47	✕	.83		31
TOTAL	(1.00) ~~.35~~	5.45	1.83	6.55	2.85	4.95	.83	3.30	5.29	5.33	8.32	7.47	Year's Total ~~52.4~~	53.17
* Days with .01 in. or more.	~~3~~ 10	20	11	19	8	19	9	8	20	24	22	20	+83	190
* Days with .04 in. or more.	~~3~~ 7	17	6	17	8	18	5	7	20	20	21	20	162	166

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

N

(*Signed*) Joan Peek [P.T.O.

HON. MRS PEEK

LODDISWELL (HAZELWOOD

Section **A** for the entry of Daily Observations. Station No. 1673/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

S. Devon
/3

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at HAZELWOOD Hse LODDISWELL
in the County of S. DEVON
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level ft.

Jan 1 – 14 to be estimated
Jan est by surr stns maps.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	.02	—	—	—	.18	—	.05	.09	1.08	1.19		1
2	—	.06	.01	—	—	.35	—	—	.24	.62	.11	.35		2
3	—	.02	.61	—	—	.16	.03	—	.24	.67	.04	.10		3
4	—	.01	.05	—	.44	.18	.04	—	.04	.17	.13	.04		4
5	—	.20	.15	.09	—	.25	—	—	.09	.07	.14	.33		5
6	—	.36	—	.08	—	.07	—	—	.31	.18	.20	.19		6
7	—	—	.01	.38	—	1.19	—	—	—	—	.24	—		7
8	—	—	—	.68	—	—	—	—	—	.71	.23	.26		8
9	—	—	—	.73	—	—	.04	—	.23	.08	.66	—		9
10	—	—	—	.63	—	.01	.03	—	—	.75	.33	—		10
11	—	—	.66	—	—	.12	T.R	—	—	.02	—	.04		11
12	—	.06	.01	.64	—	.41	—	—	—	—	.66	—		12
13	—	.33	—	—	—	.38	—	—	.17	—	.63	—		13
14	—	.16	—	.29	—	.11	—	—	.18	.17	.22	—		14
15	—	.30	—	.07	—	.10	—	—	.08	.21	1.76	.58		15
16	—	.13	—	.72	.10	.17	—	—	.23	.09	.45	.06		16
17	—	.11	.12	.25	—	.11	—	—	—	.02	.76	.05		17
18	—	—	—	.02	.57	.64	.01	.05	.60	—	T.R	—		18
19	—	.24	—	.79	—	T.R	—	—	.15	.12	.06	.26		19
20	—	.03	—	.06	.71	.27	.36	—	.50	.19	.58	—		20
21	—	.38	—	.54	.08	.11	—	—	.33	.01	.13	—		21
22	—	.83	.01	.10	—	—	.12	—	—	.04	—	—		22
23	—	—	—	.14	—	—	—	.62	.23	—	—	—		23
24	TR	.16	.18	—	—	—	—	.49	.25	.33	—	.59		24
25	.06	.86	—	.91	.15		—	—	—	.02	—	.18		25
26	.25	.40	—	.03	.73	.24	—	.53	—	—	—	.23		26
27	—	.65	—	—	—	.05	—	.07	.67	—	.29	.77		27
28	—	.16	—	—	—	—	.02	—	—	.25	.09	.54		28
29	—		—	—	—	—	—	.04	.12	.12	—	.20		29
30	—	✕	—	—	.07	—	—	.02	.58	.04	.10	.68		30 Print
31	.05	✕	—	✕	—	✕		1.48	✕	.47	✕	.83		31
TOTAL	(1.00) .35	5.45	1.83	6.55	2.85	4.95	.83	3.30	5.29	5.33	8.32	7.47	Year's Total ~~[illegible]~~	53.17
* Days with .01 in. or more.	3 10	20	11	19	8	19	9	8	20	24	22	20	+83	190
* Days with .04 in. or more.	3 7	17	6	17	8	18	5	7	20	20	21	20	162	166

40-9999.

* See Instruction 2 (f) on other side.

N

† Spare column, no entries required.

(*Signed*) Joan Peek [P.T.O.

HON. MRS PEEK

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1673/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Hazelwood Loddiswell

in the County of Devon

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft.........in.

,, Ground ,, Sea Level ....ft.

Totals

Corr: for B.A. Annual total, Feb: Mar, July Aug: Nov: December ~~totals~~

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.52	.04	—	.77	—	.07	.30	.41	—	—	—	—		1
2	.15	.01	—	.21	—	.37	.43	.10	—	—	.11	.11		2
3	.11	—	—	.10	—	.13	.48	.03	.98	—	.07	—		3
4	.02	—	.21	.74	—	.01	.02	TR.	.68	—	.10	.04		4
5	—	.01	.23	.01	—	.01	.10	—	.26	—	.12	.11		5
6	.45	.28	.14	—	.02	—	.32	.18	.01	—	.09	.16		6
7	.42	—	.07	—	—	.02	.26	.14	.48	—	.61	.08		7
8	.45	—	.40	—	—	—	.05	—	T.R.	—	.49	.01		8
9	.42	—	.70	—	—	—	.31	—	.03	.03	.72	—		9
10	.28	1.32	.23	—	—	.04	.15	—	.15	—	.31	—		10
11	.07	.81	—	—	—	—	.03	.06	—	—	.09	—		11
12	.68	.05	—	—	—	.09	.73	.10	.57	—	1.0	.15		12
13	.12	—	—	.28	.22	.02	.66	—	.06	—	T.R.	.02		13
14	.11	—	—	.~~04~~	.01	—	.12	—	.01	.12	.23	.94		14
15	.01	.06	—	—	—	.14	1.13	—	.03	.06	.01	.99		15
16	—	—	—	~~15~~	.15	—	—	.02	.13	—	.76	.55		16
17	—	.15	—	—	—	—	.26	—	—	—	.48	.45		17
18	.27	.92	—	.08	.08	—	.14	.08	—	.13	.11	1.09		18
19	.48	.25	.40	—	—	.05	.81	.02	—	—	—	.19		19
20	.53	.01	.41	.30	—	.05	.02	.35	—	—	—	T.R.		20
21	.22	.32	.13	.20	—	.06	.04	.02	.26	—	—	—		21
22	—	.47	.11	.41	—	—	.35	—	—	.06	—	—		22
23	.36	.05	—	—	—	—	.49	—	—	—	—	.09		23
24	T.R.	.06	—	.32	.40	—	.13	—	—	.25	—	TR		24
25	.40	—	.08	.~~23~~	.23	—	—	—	.34	.43	—	—		25
26	.37	—	.43	—	—	—	—	—	.04	.58	—	.02		26
27	.44	.16	.24	.31	.02	—	.19	—	.02	.15	.03	—		27
28	.39	—	.12	—	—	—	.18	—	—	.11	—	—		28
29	1.07	—	.78	—	—	—	—	—	—	.07	—	.41		29
30	.02	✕	.09	—	—	—	.01	—	—	.21	.10	.07		30
31	.50	✕	.02	✕		✕	—	—	✕	.04	✕	.01		31 50.82
TOTAL	8.86	9 4.~~8~~7	4.79 ~~4.64~~	3.63	1.13	1.06	7 ~~6~~.71	5 1.~~4~~1	4.05	2.19	5.43 ~~4.53~~	.4 5.~~5~~9	Year's Total 4[illegible]	48.61
* Days with .01 in. or more.	26	17	18	12	8	13	26	12	16	13	18	19	198	✓
* Days with .04 in. or more.	23	14	17	11	5	9	23	8	11	11	16	15	163	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Joan Peek [P.T.O.

~~Hon: Mrs Peek~~

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations** **Station No.** 1673/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Hazelwood – Loddiswell

in the County of Devon

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.87	.22	—		—	—	.01	—	—	—	.59	.72		1
2	.30	.10	.13	—	—	—	—	—	.21	—	—	.81		2
3	.17	1.39	—	.63	.24	—	—	—	.10	.13	—	—		3
4	.10	.10	.13	.06	.01	—	.02	—	—	—	—	—		4
5	.13	1.22	—	—	.05	.02	—	—	—	—	—	.73		5
6	.40	—	—	.12	.01	—	.94	—	—	—	—	.06		6
7	.11	.93	.86	.35	.01	—	.19	—	—	—	—	.65		7
8	—	1.16	.40	T.R	—	—	—	—	.04	—	—	.29		8
9	—	.05	T.R	T.R.	—	.07	.30	—	—	—	—	T.R		9
10	.16	.04	.32	.32	.25	—	—	.01	.58	—	.04	—		10
11	.35	.01	.60	.68	.64	.49	.03	.43	—	—	—	.64		11
12	.05	—	.25	.30	.01	.08	.29	—	—	—	—	—		12
13	.98	.42	.11	T.R	—	.62	.08	1.37	.28	—	—	.47		13
14	—	.10	1-17	.20	—	—	—	.28	.07	—	—	.01		14
15	—	.07	.02	—	—	—	—	—	.15	—	.40	.05		15
16	.47	.41	.39	.84	.08	—	T.R.	—	.26	—	.89	.21		16
17	.20	.10	.45	T.R	—	—	.20	.18	.62	—	.15	—		17
18	.92	.09	.79	—	—	—	—	—	.03	—	.07	—		18
19	.61	.33	.12	.57	—	.22	—	.02	.08	—	—	.13		19
20	.34	.04	T.R	.36	.21	—	—	—	.02	—	—	.11		20
21	.50	—	.14	.08	.13	—	—	—	—	—	—	.85		21
22	.90	.83	—	.01	.28	—	.13	—	.65	.11	—	.10		22
23	.07	.01	.04	—	.54	.08	.20	—	.08	.70	.84	.27		23
24	.18	.58	—	—	.03	—	.02	—	—	.08	.04	.10		24
25	.19	.60	.05	—	—	—	.01	—	.11	.88	—	.01		25
26	.02	.90	.55	—	.04	—	—	—	.01	.36	—	.11		26
27	.27	.34	—	—	—	—	—	—	—	—	—	.03		27
28	.42	.45	—	T.R.	—	—	—	—	—	.31	—	—		28
29	.18	X	—	—	—	—	—	—	—	.15	.01	—		29
30	.11	✕	—	—	—	—	—	—	—	.22	.57	—		30
31	.52	✕	—	✕		✕			✕	.02	✕			31
TOTAL	7-82	9-79	6-33	4-62	2-53	1.58	2-42	2.50	2.96	2-96	3-60	6-43	Year's Total 53-54	✓
* Days with .01 in. or more.	27	25	18	13	15	7	13	6	10	10	10	20	174	✓
* Days with .04 in. or more.	26	23	17	12.	10	6	8	4.	9	9	10	16	150	✓

† Spare column, no entries required.

(*Signed*) Joan Peek [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1673/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Hazelwood Loddiswell
in the County of Devon
Diameter of Funnel of Gauge 5 in.ches
Height of top of Gauge above Ground 1 ft. in.
„ Ground „ Sea Level 420 ft.

Totals ✓ wesR

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.29	—	—	—	.34	—	.01	—	.06	.48	.28		1
2	—	.08	—	—	—	.32	—	.27	—	.66	—	.24		2
3	—	.04	—	.06	—	—	.01	—	—	.11	.02	—		3
4	—	—	—	—	—	.10	—	1.15	—	.82	.61	—		4
5	—	—	—	—	.10	—	.26	.40	—	.48	—	.44		5
6	—	—	—	—	—	.44	.02	—	.12	.47	.05	.01		6
7	.30	—	—	—	—	.07	1.38	—	.05	.08	.14	.27		7
8	.16	—	—	—	—	—	.19	—	.51	.43	.02	.11		8
9	.40	.10	—	—	—	.04	.02	.08	—	.02	.03	.02		9
10	.26	.11	—	—	—	.10	.13	.07	—	—	—	.36		10
11	.32	—	—	—	—	.03	.07	—	—	—	.01	.02		11
12	.36	.03	—	—	T.R.	.02	TR.	—	—	.99	.42	1.18		12
13	.64	—	—	—	.46	—	.03	—	—	.40	.94	—		13
14	.35	—	—	—	.44	—	.54	—	—	.05	.27	.89		14
15	.75	—	—	—	.19	—	.04	.14	—	.75	.01	—		15
16	.44	—	T.R.	—	.18	—	—	.05	—	—	.25	.38		16
17	.65	.36	.26	—	—	—	—	—	—	.01	.22	—		17
18	—	—	.03	—	.14	.01	TR	—	.48	.33	.37	.16		18
19	.40	—	—	—	.05	—	—	.34	.05	.08	1.12	—		19
20	.01	—	—	—	—	—	—	.10	1.03	—	.13	—		20
21	.10	—	—	—	—	—	—	.06	.01	—	.54	—		21
22	.11	—	—	—	—	—	—	.14	.05	.05	.53	—		22
23	.08	—	—	—	.01	.08	—	1.28	—	—	.87	—		23
24	.02	—	—	.12	—	—	—	TR.	—	—	2.08	—		24
25	.06	—	.34	—	.08	—	—	.06	.05	.13	.04	—		25
26	.10	.53	.02	—	.14	—	.59	—	—	.19	.58	—		26
27	.40	.25	—	—	.61	—	.01	—	—	—	.03	—		27
28	.33	.21	—	—	.05	.54	.42	.77	.15	TR	.63	—		28
29	.50	.29	—	—	.28	.11	—	.93	.26	.44	.56	.01		29
30	.32	×	—	—	.51	—	.03	—	—	—	.02	—		30
31	.16	×	—	×	.03	×	.08	—	×	—	×	—		31
TOTAL	7-32	2-26	0.59	.18	3.27	2-20	2.68	5.85	2.76	6.55	7.84	4.38	Year's Total 45.88 ✓	
* Days with .01 in. or more.	24	10	4	2	15	13	16	16	11	20	27	14	172	✓ ✓
* Days with .04 in. or more.	22	10	2	1	13	10	10	15	10	18	21	10	142	✓ ✓

† Spare column, no entries required.

*See Instruction 3 (f) on other side.

(*Signed*) Joan Peek

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 1673/b

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Hazelwood, Loddiswell

in the County of S. Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" Ground " Sea Level ft.

W.D.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.55	—	—	—	.28	—	—	.02	.15	—	.80	.20		1
2	.19	—	.01	.11	.02	—	—	T.R.	—	—	.70	.28		2
3	.02	—	—	.45	—	—	—	.28	.54	—	.10	.09		3
4	.52	—	.28	.85	—	—	.12	.11	.01	.49	.40	.52		4
5	—	—	.50	.05	.48	—	.33	.04	—	.38	.27	.20		5
6	—	—	.05	.32	—	—	1.04	—	—	.11	1.63	.02		6
7	.73	.02	.15	.04	—	—	1.39	.11	—	—	.21	—		7
8	.08	1.99	.01	—	—	—	.07	.10	—	1.68	.57	1.72		8
9	.14	.30	.04	—	.02	—	.36	.16	—	.06	.40	.10		9
10	.17	.04	—	—	—	—	—	.64	—	.27	.16	.26		10
11	.19	.08	.02	—	—	—	—	.15	.06	.44	—	.17		11
12	—	.07	.06	—	—	—	—	—	—	.03	—	—		12
13	—	—	—	.03	—	—	—	—	.14	1.25	.10	—		13
14	.01	—	—	.17	—	.25	.65	—	.03	.03	.09	—		14
15	.96	.01	—	.02	—	.12	.64	—	—	—	.35	—		15
16	.47	—	—	.04	—	1.32	.10	—	—	—	.46	—		16
17	.25	.15	—	.23	.06	.15	.18	—	—	—	.22	.23		17
18	.63	.08	—	—	.11	.27	.60	—	—	—	.05	—		18
19	—	—	—	—	—	.01	.32	1.23	—	—	.91	—		19
20	.76	—	—		—	—	.13		—	—	—	.05		20
21	1.13	—	—	—	—	.34	.13	.93	—	—	1.15	—		21
22	.15	.40	.10	—	—	1.25	.11	—	.01	—	2.11	—		22
23	.68	.49	.17	—	—	.28	.19	—	.04	—	—	—		23
24	.01	.11	.16	.27	—	.01	.04	—	—	.03	1.13	—		24
25	.97	.11	—	.07	—	.65	—	—	—	.04	.67	—		25
26	.07	.09	—	.22	—	—	.22	.33	—	—	.15	—		26
27	—	.25	—	.09	—	—	.05	.10	—	—	.61	—		27
28	—	.06	—	.14	—	.09	.17	.01	—	—	.13	—		28
29	.02	—	—	—	—	.17	1.12	—	—	—	—	—		29
30	.05	✕	—	.06	—	.05	.13	—	—	1.01	.17	—		30
31	—	✕		✕ .28	—	✕	~~.02~~	.02	✕	.55 .80	✕ .20	—		31
TOTAL	~~8.75~~ 8.20	4.29	1.55	~~3.18~~ 3.46	~~.97~~ .69	3.24	~~8.10~~ 8.12	~~4.21~~ 4.34	.88 1.73	~~5.27~~ 6.07	~~13.35~~ 12.75	~~3.94~~ 3.74	Year's Total ~~57.73~~	57.18
* Days with .01 in. or more.	2~~3~~2	16	12	1~~7~~8	~~6~~5	14	2~~2~~3	14	7 8	1~~4~~5	25	1~~8~~2	18~~4~~3	
* Days with .04 in. or more.	1~~9~~8	15	9	15~~5~~6	~~4~~3	12	22	~~11~~12	4 5	1~~4~~5	25	121	16~~8~~2	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Joan Peek

P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1673/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Circ C sent 16/4/41

Kept at HAZELWOOD. LODDISWELL

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 420 ft.

Dup. W.D.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: ·85

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	.06	—	—	.01	—	—	—	—	—	.62	—		1
2	—	·15	—	.34	.10	—	—	—	—	—	·24	—		2
3	—	.71	—	—	—	—	—	—	—	—	.88	.12		3
4	.22	.77	—	.16	—	—	—	—	—	.02	1-37	·42		4
5	·01	—	—	·10	—	—	·18	—	—	·60	·26	—		5
6	·01	·81	—	—	—	—	—	—	—	·06	·39	·44		6
7	·46	·01	—	—	—	—	.17	—	—	.52	·05	·49		7
8	·13	·02	—	—	—	—	·02	—	—	·05	.80	—		8
9	—	—	—	—	—	—	·11	—	—	.50	·59	·65		9
10	—	—	—	—	—	—	·73	.04	.09	·11	.19	·45		10
11	—	—	—	—	—	—	·23	—	—	·04	1-30	.41		11
12	—	—	—	·04	—	—	—	—	—	—	·08	—		12
13	—	—	—	—	—	.09	.17	—	·71	·47	1.49	—		13
14	—	—	.65	—	—	—	·01	—	—	·22	·02	.40		14
15	—	—	·67	.06	.05	—	—	.04	·14	—	·47	.55		15
16	—	—	—	—	—	—	.28	—	·23	—	.55	—		16
17	—	1.17	1.42	·12	—	—	·20	—	·08	.35	·24	—		17
18	—	·19	.76	—	—	—	·02	—	—	—	·02	—		18
19	—	.95	.23	.97	—	—	·14	—	·84	.15	·66	.29		19
20	—	·09	·20	.15	—	—	—	—	—	.07	·06	—		20
21	—	T.R.	—	—	—	—	—	—	.10	—	—	—		21
22	—	—	T.R.	—	—	—	—	·04	·09	.03	.79	—		22
23	—	·02	—	·14	—	.65	.06	—	·19	—	·01	—		23
24	—	·01	.29	—	—	—	—	—	—	·03	.11	—		24
25	—	—	·02	—	—	.03	·40	—	—	—	—	—		25
26	·36	—	.17	.05	.68	.08	—	—	—	—	T.R	—		26
27	1.0	·61	—	—	·12	.08	—	—	—	—	—	—		27
28	.57	.69	—	·04	.52	—	—	—	—	—	—	—		28
29	.75	.21	—	1.70	·06	—	—	—	—	—	—	—		29
30	.42	✕	.31	—	—	.15	—	—	—	.04	—	.71		30
31	—	✕	—	✕		✕		—	✕	.60	✕	.48		31
	·06	—	—	·01	—	—	—	—	—	·62	—	6·85 6·26	Year's Total	
TOTAL	~~3.75~~ 3·81	~~5.08~~ 5·87	4-72	3.87	1.57	1.08	2.72	.12	2.87	~~3.92~~ 4·54	~~X.34~~ 10·72	~~5.44~~	~~47.30~~ 48·15	
* Days with .01 in. or more.	~~10~~ 11	~~16~~ 15	10	~~12~~ 13 8	6 8 6	6	14	3	9	~~18~~	~~25~~ 22	~~12~~ 13	~~141~~ 140	
* Days with .04 in. or more.	9 ~~8~~	11 ~~12~~	9.	12	6	5	11	3	9	15	~~20~~ 19	~~12~~ 13	~~122~~ 122	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) B. Joan Peek [P.T.O.

1674

Section A for the entry

AIR MINIST

FORM 1090.

FOR OFFICIAL USE.

INFALL ORGANIZATION.

REGI

193/.

1674

ERMINGTON, STRODE

1931 — 40

780306

Kept at Strode E

in the County of De

Diameter of Funnel of Gauge

06

Height of top of Gauge above Gro

,, Ground ,, Sea

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	nil	.01	nil	.79	nil	nil	.01	.01	.40	.03	nil	.01	1
2	.43	.01	.01	.54	~	.01	.21	nil	.36	.05	.08	.40	2
3	.41	nil	.75	.01	~	nil	.42	~	.17	.04	1.35	.24	3
4	nil	.01	.15	nil	.18	~	.20	~	.03	.11	.08	.04	4
5	~	.65	.18	.16	nil	.95	nil	.06	.01	nil	.03	.29	5
6	~	.06	nil	.01	.07	.30	~	nil	nil	.40	.16	.38	6
7	~	.03	~	nil	.30	.47	2.63	.12	~	.08	.73	.38	7
8	.02	.38	~	.26	nil	.59	.10	.04	~	.02	.22	.10	8
9	.01	.38	~	nil	~	.16	.24	.02	~	nil	.46	.03	9
10	.01	.03	~	~	.09	.17	.01	.17	.24	~	.34	.01	10
11	.17	.52	~	~	.03	.45	.15	nil	.02	~	.26	nil	11
12	.01	.10	~	~	.01	nil	.28	~	.06	.18	nil	~	12
13	nil	.06	.04	~	.08	~	.24	.18	nil	nil	.03	~	13
14	.02	.12	nil	~	.04	.21	.88	.10	.01	~	.39	~	14
15	.02	.07	~	.01	.07	nil	.01	.12	.04	~	.01	.01	15
16	.01	.14	~	.04	.24	1.06	.02	.02	.03	~	nil	.04	16
17	.01	.02	~	nil	nil	.03	.37	nil	.03	~	~	nil	17
18	.01	nil	.01	.12	~	.26	.15	1.95	nil	~	.34	~	18
19	.07	.10	.09	.04	~	.08	.12	.35	~	~	1.51	~	19
20	.01	.38	.49	nil	~	nil	nil	.24	~	~	.15	.01	20
21	.42	nil	.02	~	.04	~	.02	nil	~	.01	.10	nil	21
22	.85	~	.02	.12	.15	~	nil	~	~	nil	.05	~	22
23	.19	.01	nil	.44	.99	~	.04	.16	~	~	.55	~	23
24	.09	.03	~	.08	.15	.01	.86	.87	~	~	.04	~	24
25	.11	.07	~	.19	.03	nil	.15	nil	~	~	5.86 .18	~	25
26	.03	.10	~	.05	nil	~	.31	~	~	~	.83	.07	26
27	.42	.27	~	.01	.43	~	.30	~	~	~	.16	nil	27
28	.12	.28	.17	.21	.05	~	nil	.05	~	~	.01	.20	28
29	.06	×	.08	nil	.02	~	.18	.38	.01	~	.18	.09	29
30	.11	×	.01	nil	.01	~	.02	.04	.21	~	nil	nil	30
31	.95	×	.38	×	.07	×	.31	nil	×	.01	×	.45	31
TOTAL	4.56	3.83	2.40	2.88	3.05	4.75	8.17	4.98	1.62	.93	7.34	2.69	YEAR'S TOTAL 47.10
*Days with ·01 in. or more.	25	24	14	17	20	14	26	18	14	10	25	17	224
*Days with ·04 in. or more.	14	16	9	12	15	11	20	15	7	6	21	11	157

40-9999

*See Instruction 2 (*f*) on other side

(*Signed*) A J Hawker

[P.T.O.

1674

Section A for the entry

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Strode Ermington

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft in.

,, Ground ,, Sea Level 75 ft.

780306

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	nil	.01	nil	.79	nil	nil	.01	.01	.40	.03	nil	.01	1
2	.43	.01	.01	.54	~	.01	.21	nil	.36	.05	08	.40	2
3	.41	nil	.75	.01	~	nil	.42	~	.17	.04	1.36	.24	3
4	nil	.01	.15	nil	.18	~	.20	~	.03	.11	.08	.04	4
5	~	.65	.18	.16	nil	.95	nil	.06	.01	nil	03	.29	5
6	~	.06	nil	.01	.07	.30	~	nil	nil	.40	.16	.38	6
7	~	.03	~	nil	.30	.47	2.63	.12	~	.08	.73	.38	7
8	.02	.38	~	.26	nil	.59	.10	.04	~	.02	.22	.10	8
9	.01	.38	~	nil	~	.16	.24	.02	~	nil	.46	.03	9
10	.01	.03	~	~	.09	.17	.01	.17	.24	~	.34	.01	10
11	.17	.52	~	~	.03	.45	.15	nil	.02	~	.26	nil	11
12	.01	.10	~	~	.01	nil	.28	~	.06	.18	nil	~	12
13	nil	.06	.04	~	.08	~	.24	.18	nil	nil	.03	~	13
14	.02	.12	nil	~	.04	.21	.88	.10	.01	~	.39	~	14
15	.02	.07	~	.01	.07	nil	.01	.12	.04	~	.01	01	15
16	.01	.14	~	.04	.24	1.06	.02	.02	.03	~	nil	.04	16
17	.01	.02	~	nil	nil	.03	.31	nil	.03	~	~	nil	17
18	.01	nil	.01	.12	~	.26	.15	1.95	nil	~	.34	~	18
19	.07	.10	.09	.04	~	.08	.12	.35	~	~	.51	~	19
20	.01	.38	.49	nil	~	nil	nil	.24	~	~	.15	.01	20
21	.42	nil	.02	~	.04	~	.02	nil	~	.01	.10	nil	21
22	.85	~	.02	.12	.15	~	nil	~	~	nil	.05	~	22
23	.19	.01	nil	.44	.99	~	.04	.16	~	~	.55	~	23
24	.09	.03	~	.08	.15	.01	.86	.87	~	~	.04	~	24
25	.11	.07	~	.19	.03	nil	.15	nil	~	~	5.88 .18	~	25
26	.03	.10	~	.05	nil	~	.31	~	~	~	.83	.07	26
27	.42	.27	~	.01	.43	~	.30	~	~	~	.16	nil	27
28	.12	.28	.17	.21	.05	~	nil	.05	~	~	.01	.20	28
29	.06	×	.08	nil	.02	~	.18	.38	.01	~	.18	.09	29
30	.11	×	.01	nil	.01	~	.02	.04	.21	~	nil	nil	30
31	.95	×	.38	×	.07	×	.31	nil	×	.01	×	.45	31
TOTAL	4.56	3.83	2.40	2.88	3.05	4.75	8.17	4.98	1.62	.93	7.24	2.69	YEAR'S TOTAL 47.10
*Days with ·01 in. or more.	25	24	14	17	20	14	26	18	14	10	25	17	224
*Days with ·04 in. or more.	14	16	9	12	15	11	20	15	7	6	21	11	157

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) H.G. Hawker

[P.T.O.

1674

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Strode Ermington

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ~ in.

,, Ground ,, Sea Level 75 ft.

Capt H G Hawker

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in	in.	in.	in.	in.	in.	in.	in.	in.	
1	.16	nil	nil	·11	nil	Nil	·01	·03	·07	nil	.08	.02	1
2	.13	·01	.07	·53	—	nil	nil	·07	·16	~	.02	.52	2
3	.05	nil	.01	·01	—	·92	—	nil	·77	~	.03	.04	3
4	.04	—	nil	nil	—	·41	·03	·03	nil	.01	.18	.01	4
5	.61	—	.06	—	—	nil	nil	nil	·53	nil	nil	nil	5
6	.60	—	.07	·37	—	—	·14	—	·53	.02	~	~	6
7	.06	—	·07	·03	—	—	nil	—	·88	.99	~	~	7
8	.02	—	·53	·13	·27	—	—	—	·02	[illegible]	~	~	8
9	1.25	—	·02	.41	·11	—	—	—	·10	.05	~	.	9
10	.43	—	·01	.34	·13	—	—	—	·05	.33	~	.06	10
11	.16	~~nil~~	nil	·16	·15	—	·15	—	·11	[illegible]	~	.25	11
12	1.10	—	—	·01	·84	—	nil	—	·05	.35	~	.04	12
13	.16	—	—	·23	·08	—	·02	·16	·01	.72	~	.47	13
14	.35	—	—	·04	·22	—	nil	·04	nil	.08	~	.01	14
15	.06	—	—	·15	·09	—	nil	nil	—	.02	.07	.12	15
16	.16	—	—	·07	nil	—	·02	—	—	.01	.01	.01	16
17	.07	—	—	·02	·12	—	nil	—	·04	.08	nil	nil	17
18	.11	—	—	nil	·41	—	—	—	·02	nil	.22	~	18
19	.05	—	—	·05	·30	—	—	—	·01	.68	.01	~	19
20	.03	—	—	·07	·97	—	·02	·09	·01	1.55	.12	.06	20
21	.06	—	.04	·13	nil	—	nil	·60	·12	.55	.14	.14	21
22	.01	—	nil	·05	·03	—	·01	·06	·52	.57	.51	.06	22
23	nil	.01	—	nil	·01	—	·31	nil	·08	.88	.07	.20	23
24	~	.02	—	~	nil	—	·85	—	·10	.08	.03	.01	24
25	~	nil	.24	·13	·09	—	·11	—	·07	.80	.12	.01	25
26	~	—	.18	·28	nil	—	·34	—	·01	.09	.05	nil	26
27	~	—	.34	·61	·11	—	·36	—	nil	.22	.01	.37	27
28	~	—	·14	·07	·13	—	·28	—	—	nil	nil	.15	28
29	~	—	·75	·20	·10	·80	·02	·64	·84	.89	.12	.65	29
30	~	×	nil	·22	·01	1·45	·35	·02	·56	9·14 .13	1.15	.04	30
31		×	·02	×	·19	×	·03	nil	×	.05	×	.53	31
TOTAL	5·66	·04	2·55	4·42	4·36	3·58	3·05	1·74	5·66	9.32	2.94	3.77	YEAR'S TOTAL 47.09
*Days with ·01 in. or more.	22	3	15	25	20	4	17	10	24	25	18	22	205
*Days with ·04 in. or more.	19	nil	10	21	17	4	9	7	18	21	12	16	154

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) H G Hawker

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1674

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Strode, Ermington

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 75 ft.

Capt Henry G Hawker MA

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.34	.97	.15	nil	.02	.06	nil	nil	nil	nil	.08	1.30	1
2	.48	.04	1.09	~	.45	.54	~	~	~	~	.01	.25	2
3	.03	.07	.27	~	.02	nil	.	~	~	~	nil	nil	3
4	.25	.10	.03	~	.10	~	~	~	~	~	~	~	4
5	.07	.03	.25	~	.12	~	~	~	~	~	~	~	5
6	.02	.57	.01	~	.37	~	.27	~	~	.25	~	~	6
7	.04	.14	.02	~	.16	~	.07	~	~	.12	~	.02	7
8	.04	.08	.01	~	.07	~	.07	~	~	.04	~	nil	8
9	nil	.08	nil	~	.01	~	.57	.02	~	*.16	.08	~	9
10	.05	.10	~	~	nil	~	.37	.03	~	.91	.06	~	10
11	.03	nil	~	.04	~	~	.08	nil	.	.04	nil	~	11
12	nil	~	~	.53	.02	.23	.42	.05	.33	nil	~	~	12
13	~	~	~	nil	.05	nil	.28	.06	nil	.26	.12	~	13
14		~	~	~	nil	~	.32	.10	~	.02	.54	~	14
2 days 15	.55 }	.	.38	~	~	~	.20	.12	~	.05	.41	~	15
16	nil	.01	.95	~	~	.05	nil	.03	.04	.04	nil	~	16
17	~	.10	.16	~	~	.05	~	.13	.15	nil	~	~	17
18	.24	nil	.24	~	~	.14	~	.01	nil	.01	.02	~	18
19	.33	~	.12	~	.	nil	~	.10	15	nil	.56	.01	19
20	.01	.02	.02	~	.03	.26	~	.10	.04	.01	.01	nil	20
21	nil	nil	nil	~	nil	.15	~	.19	.03	.21	.01	〃	21
22	~	~	~	~	~	.04	~	.47	.70	.02	nil	〃	22
23	~	.72	~	.45	~	.22	~	nil	.09	1.00	~	.30	23
24	~	.31	~	.44	.	.02	~	~	.29	.04	~	〃	24
25	~	.70	~	.19	.07	.08	~	~	.18	nil	~	.30	25
26	~	.23	~	.44	.12	nil	~	~	nil	.05	~	nil	26
27	~	.05	~	.06	nil	~	~	~	~	.29	.04	.62	27
28	~	.28	.	.55	~	~	.43	~	~	.20	nil	.08	28
29	.04	×	.	.05	.06	~	.12	~	.10	.01	~	.01	29
30	.18	×	.07	.43	nil	~	.07	~	.05	.01	~	.06	30
31	.32	×	.31	×	.21	×	nil	~	×	.15	×	nil	31
													YEAR'S TOTAL
TOTAL	3.02	4.60	4.08	3.18	1.88	1.86	3.27	1.41	2.15	3.89	1.94	2.65	33.93
*Days with ·01 in. or more.	18	19	16	10	16	12	13	13	12	22	12	9	172
*Days with .04 in. or more.	14	16	11	10	11	11	13	9	11	16	6	6	146

40-9999

*See Instruction 2 (*f*) on other side. 31.28 0

(*Signed*) HG Hawker

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1674

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Ermington

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft ... in.

,, Ground ,, Sea Level 75 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	07	nil	.04	nil	nil	nil	nil	.80	.15	nil	.25	1.70		1
2	14	~	.10	~	~	~	~	.01	.96	.02	.01	.38		2
3	15	~	nil	~	~	~	~	nil	nil	.33	.02	.43		3
4	16	~	.43	~	.39	~	~	~	.24	.12	.02	.39		4
5	04	~	.09	~	.17	.06	~	1.54	nil	.07	nil	.66		5
6	09	~	.53	.08	.43	.01	~	nil	.03	.69	.04	.56		6
7	09	~	nil	nil	nil	nil	~	.06	nil	.31	.07	.75		7
8	nil	~	~	~	.04	~	~	.01	~	.01	.92	.53		8
9	05	~	.42	.04	nil	~	~	.02	~	.05	.43	.22		9
10	.19	~	.78	.35	~	~	~	.10	~	.01	.03	.01		10
11	.46	~	.05	.57	~	~	.04	.01	~	nil	nil	.93		11
12	.15	~	nil	nil	~	~	.04	.19	~	~	~	.20		12
13	.40	~	~	.32	~	~	nil	nil	~	~	.46	.42		13
14	.48	~	.46	.02	~	~	~	~	~	.10	.08	.45		14
15	.19	~	.20	.05	.13	~	~	~	~	.09	.03	.31		15
16	.20	~	.50	.03	.04	~	~	~	.14	.01	nil	.37		16
17	.49	~	.34	.15	.42	~	.01	~	.09	.14	~	.57		17
18	.17	~	.37	.33	nil	.03	nil	~	.09	.01	~	.47		18
19	.01	~	.20	.01	.01	.10	~	.05	.23	nil	~	.37		19
20	nil	~	nil	.37	.04	nil	.10	nil	.10	.05	~	.08		20
21	~	~	.19	.03	.01	.42	nil	.06	.03	.60	~	.25		21
22	.06	~	.03	nil	nil	.02	.22	.17	.55	nil	~	.37		22
23	.06	~	.01	.24	~	.74	.01	nil	.40	.10	~	.46		23
24	nil	.11	.05	.05	~	.23	.04	.05	.02	.09	~	.11		24
25	.38	.01	nil	.41	~	.03	nil	nil	nil	.32	~	.88		25
26	.09	nil	.02	.18	~	.18	~	~	.10	.05	~	.12		26
27	nil	~	nil	.01	~	.03	.01	.06	.12	.03	.02	.30		27
28	~	~	~	nil	~	.03	nil	.69	.40	nil	.01	1.01		28
29	~	~	~	~	~	nil	~	.01	.08	~	nil	.05		29
30	~	×	~	~	~	~	~	.03	.31	.05	.01	.35		30
31	~	×	~	×	~	×	.01	.03	×		×	.04		31
TOTAL	4.12	.12	4.81	3.24	1.68	1.88	.44	3.89	4 4.0x	25 3.86	2.40	13.74 ~~[illegible]~~	Year's Total ~~44.07~~	
*Days with ·01 in. or more.	22	2	19	18	10	12	8	18	18	23	15	31	43.69	
*Days with .04 in. or more.	21	1	16	13	8	6	4	11	15	17	7	30	196	

149

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(Capt) (*Signed*) Henry G. Hawker M.A.

[P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE. ✓

Station No. 1674

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Strode, ERMINGTON

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. , in.

,, Ground ,, Sea Level 75 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.17	.06	.74	.03	nil	.24	.04	nil	.61	.09	.01	.24		1
2	nil	.01	.04	nil	~	.10	nil	~	.17	.65	.05	.04		2
3	.01	.01	.15	.01	.44	.15	.04	~	.21	.36	.09	.11		3
4	.01	.08	nil	.10	nil	.07	nil	~	.07	.16	.22	.41		4
5	nil	.38	.01	.05	~	.33	~	~	.25	.32	.12	.16		5
6	~	nil	nil	.44	~	1.04	~	~	nil	nil	.18	.18		6
7	~	~	~	.65	~	.09	~	~	~	.69	.37	.08		7
8	~	~	~	.60	~	nil	.05	~	.13	.11	.58	.02		8
9	~	~	~	.52	~	.01	.01	~	nil	.67	.49	nil		9
10	.10	~	.35	nil	~	.10	nil	~	~	.06	.03	.01		10
11	.27	.02	.05	.01	~	.44	~	~	.17	nil	.60	.05		11
12	.08	.23	nil	nil	~	.39	~	~	.18	~	.44	nil		12
13	.09	.13	~	.28	~	.07	~	~	nil	.09	.29	~		13
14	.01	.18	~	.07	~	.21	~	~	.16	.08	1.77	.57		14
15	nil	.08	~	.81	~	.44	~	~	.22	.04	.47	.06		15
16	~	.06	.04	.16	.08	.12	~	~	.42	.02	.96	.11		16
17	~	.02	nil	.05	nil	.60	.01	.04	.08	nil	.03	nil		17
18	~	.11	~	.58	.48	.01	nil	nil	.36	.09	.06	.20		18
19	~	.02	~	.10	nil	.19	.26	~	.30	.26	.69	.01		19
20	~	.41	~	.34	.45	.08	nil	~	.03	nil	.10	nil		20
21	~	.80	.02	.15	.16	.01	.12	~	.04	.07	.01	~		21
22	~	.01	nil	.21	nil	nil	nil	~	.29	.06	nil	~		22
23	~	.33	.18	nil	~	~	~	.38	.08	.40	~	.19		23
24	.01	.66	nil	.47	.	.	~	.40	.68	.01	~	.18		24
25	.39	.31	~	.18	.06	.18	~	nil	nil	nil	nil	.19		25
26	nil	.59	~	nil	.46	.04	~	.52	.65	~	.08	.82		26
27	~	.15	~	~	nil	nil	~	.08	.24	.05	.22	.49		27
28	~	.03	~	~	~	~	~	.18	.12	.06	.05	.08		28
29	~	×	~	~	~	~	~	nil	.28	.02	.08	.72		29
30	.08	×	~	~	.01	.16	~	1.52	.04	.33	.98	.72		30
31	nil	×	~	×	nil	×	~	.04	×	.86	×	.55		31
TOTAL	1.22	4.67	1.58	5.81	2.14	5.07	.53	3.16	5.78	5.55	8.90	6.21	Year's Total. 50.62	
* Days with .01 in. or more.	11	23	9	21	8	23	7	8	24	24	26	24	208	
* Days with .04 in. or more.	7	16	7	18	7	20	5	8	23	22	22	21	176	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) H G Hawker

P.T.O.

COPY FOR OFFICIAL USE

Section A **for the entry of Daily Observations**

Station No. 1674

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Strode Ermington

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 75 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.11	03	nil	.14	nil	.40	.38	.02	nil	nil	.17	nil		1
2	.16	nil	~	.05	~	.05	.44	.05	.45	~	.07	~		2
3	.01	~	.08	.38	~	.03	.05	nil	.95	~	.12	~		3
4	.01	~	.25	nil	~	.08	.08	~	.35	~	.12	.12		4
5	.35	.35	.17	~	~	nil	.14	~	.03	~	.01	.18		5
6	.16	nil	.07	~	~	.03	.46	.20	.45	~	.47	nil		6
7	.46	~	.30	~	~	.02	.36	nil	.01	~	.62	.08		7
8	.29	~	.64	~	~	nil	.61	~	.03	.04	.52	.04		8
9	.18	1.39	.39	~	~	~	.19	~	.25	nil	.03	nil		9
10	.09	.64	nil	~	~	~	.04	~	nil	~	.22	.04		10
11	.65	.10	~	~	~	~	.09	~	.24	~	.84	.15		11
12	.06	nil	~	~	~	~	1.12	.06	.69	~	.04	nil		12
13	.05	~	~	.16	~	~	.04	.05	nil	.05	.18	.55		13
14	nil	.08	~	.03	~	.09	.73	nil	.04	12	.05	.57		14
15	~	nil	~	nil	.01	nil	nil	~	.05	nil	.47	.35		15
16	~	.16	~	~	.18	~	.35	~	.06	~	.37	.39		16
17	.16	.88	~	.08	.07	~	.27	~	nil	.07	.10	.96		17
18	.43	.23	.22	nil	nil	~	.58	01	~	nil	nil	.42		18
19	.61	03	.32	29	~	.10	.01	.22	~	~	~	nil		19
20	.15	.37	.03	.06	~	.10	nil	nil	.23	~	~	.01		20
21	.03	.30	.11	.58	~	nil	.13	~	nil	.05	~	nil		21
22	.34	.10	.01	nil	~	~	.57	~	~	nil	~	.09		22
23	.03	.17	.01	.23	.17	~	.15	~	~	.13	~	nil		23
24	.39	.02	.07	nil	.40	~	nil	~	29	.35	~	.03		24
25	.36	nil	.29	.30	nil	~	~	~	.02	.40	~	nil		25
26	.37	.12	.43	nil	.04	~	~	~	.06	.07	~	~		26
27	.45	.02	.02	~	nil	~	.21	~	.02	.17	~	~		27
28	.89	nil	.73	.01	~	~	.48	~	nil	.17	~	.35		28
29	.08	~	.05	nil	~	~	nil	~	~	.28	.04	.06		29
30	.37	✕	.02	~	~	.29	~	~	~	.02	nil	nil		30
31	.10	✕	.83	✕	.05	✕	.43	~	✕	nil	✕	.66		31
TOTAL	7.34	4.99	5.03	2.31	.92	1.19	7.91	.61	4.22	1.92	4.44	5.05	Year's Total 45.93	
* Days with .01 in. or more.	28	17	21	13	7	10	24	8	18	13	18	18	195	
* Days with .04 in. or more.	24	13	16	10	6	7	23	6	13	12	15	16	161	

† Spare column, no entries required.

(*Signed*) H G Hawker [P.T.O.

(Capt)

ma

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 1674

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Totals

Kept at Strode, Ermington

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. .. in.

,, Ground ,, Sea Level 75 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.26	.04	.05	.57	nil	nil	nil	nil	.13	.10	nil	1.08		1
2	.10	1.10	.12	.24	~	~	~	~	.11	nil	~	nil		2
3	.04	.12	.08	.01	.05	~	.07	~	nil	~	~	.01		3
4	.10	1.13	nil	nil	nil	.02	nil	~	~	~	~	.82		4
5	.33	nil	~	.14	~	nil	.86	~	~	~	~	.08		5
6	.08	.76	.77	.34	.06	~	.09	~	~	~	~	.50		6
7	nil	1.06	.30	.01	.73	.01	nil	~	.02	~	.05	.06		7
8	~	.05	nil	nil	.04	.07	.27	~	nil	~	nil	nil		8
9	.12	.05	.25	.24	nil	nil	.08	~	~	~	~	~		9
10	.28	.03	.70	.55	.76	.31	.01	.05	.67	~	~	.70		10
11	.05	nil	.17	.35	.04	.19	.50	nil	nil	~	~	.01		11
12	.78	.47	.14	nil	.06	.41	.08	.88	.43	~	~	.45		12
13	nil	.08	1.05	.25	nil	nil	nil	.43	.22	~	~	nil		13
14	~	.17	.08	nil	~	~	~	.01	.12	~	~	.15		14
15	.41	.37	.47	.77	~	~	~	nil	.53	~	~	.39		15
16	.23	.12	.19	.03	~	~	.17	.12	.58	~	.39	nil		16
17	.72	.12	.71	.01	~	~	nil	nil	.05	~	1.15	~		17
18	.13	.15	.16	nil	~	.20	~	.05	.07	~	.39	.14		18
19	.21	.10	.05	.50	.29	.03	~	nil	.03	~	.07	.07		19
20	.32	nil	.32	.26	.21	nil	~	~	.03	~	nil	.92		20
21	.58	.81	nil	.07	.43	~	.09	~	.67	.19	.61	.06		21
22	.15	.02	.05	nil	.65	.08	.26	~	.14	.63	.70	.13		22
23	.17	.53	nil	~	.07	nil	.04	~	nil	.22	.05	.08		23
24	.27	.62	.12	~	.04	~	.05	~	.06	.84	nil	.09		24
25	.01	.71	.53	~	nil	~	nil	~	.02	.17	~	.05		25
26	nil	.41	.02	~	~	~	~	~	nil	.01	~	.03		26
27	.25	.32	nil	~	~	~	~	~	~	.27	.02	nil		27
28	.27	.26	~	~	~	.01	~	~	~	.08	nil	.01		28
29	.07	X	~	~	~	nil	~	~	~	.18	.40	nil		29
30	.37	✕	~	~	~	.08	~	~	.03	.07	.78	~		30
31	.14	✕	~	✕	~	✕	~	~	✕	.65	✕	~		31
TOTAL	6.44	9.60	6.33	4.34	3.43	1.41	2.57	1.54	3.91	3.41	4.61	5.83	Year's Total 53.42	✓ ✓
* Days with .01 in. or more.	26	25	21	16	13	11	13	6	18	12	11	21	193	✓ ✓
* Days with .04 in. or more.	25	23	20	12	13	7	12	5	13	11	10	17	169	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Henry G. Hawker [P.T.O.

(Capt.)

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1674

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Strode Ermington

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" Ground " Sea Level 75 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	nil	.08	nil	nil	nil	.39	nil	.16	.04	.50	.02	.05		1
2	~	.07	~	.03	.01	nil	.03	nil	nil	.24	nil	.15		2
3	~	nil	~	nil	.02	~	nil	1.26	~	.67	.60	nil		3
4	.01	~	~	~	.02	.04	.29	.23	~	.12	.03	.48		4
5	.02	~	~	~	nil	nil	.09	.03	.08	.44	.03	nil		5
6	.19	~	~	~	~	.27	1.05	nil	.10	.14	.07	.22		6
7	.13	~	~	~	~	.06	.22	~	.34	.13	.03	.15		7
8	.47	.26	~	~	~	nil	.19	~	nil	.31	nil	.07		8
9	.17	nil	~	~	~	~	nil	.05	~	.03	~	.33		9
10	.31	.03	~	~	~	.26	.09	.11	~	nil	~	.44		10
11	.27	nil	~	~		.04	.08	nil	~	~	.40	.92		11
12	.47	.02	~	~	.46	nil	nil	~	~	.64	.91	nil		12
13	.39	nil	~	~	.54	~	~	~	~	.25	.24	.83		13
14	.87	~	~	~	.29	~	.57	~	~	nil	.02	nil		14
15	.43	~	~	~	.22	~	nil	.09	~	.53	.46	.29		15
16	.37	.01	.11	~	nil	~	.02	.03	~	.02	.17	nil		16
17	.01	.09	.05	~	.15	~	nil	nil	.29	.22	.08	.04		17
18	.43	nil	nil	~	.16	~	~	.20	.08	.07	.26	nil		18
19	.03	~	~	~	nil	~	~	.12	1.24	nil	.95	~		19
20	.04	~	~	~		~	~	.08	.02	~	.19	~		20
21	.08	~	~	~		~	~	nil	.17	.06	.34	~		21
22	.08	~	~	~	.01	.12	~	1.44	nil	.04	.44	~		22
23	.01	~	~	.11	nil	nil	~	.01	~	nil	.04	~		23
24	nil	~	.33	nil	.13	.03	~	.04	.04	~	.87	~		24
25	.19	.50	.11	~	.17	nil	.45	nil	nil	.03	2.86	~		25
26	.52	.23	.02	~	.43	.10	.43	~	~	nil	nil	.18		26
27	.43	.15	nil ~~.02~~	~	.10	.28	nil	.72	~	.40	.59	nil		27
28	.38	.27	nil	~	.26	.13	~	.87	.12	nil	nil	~		28
29	.30	×	nil	~	.48	nil	~	nil	.32	.44	.62	.03		29
30	.12		.01	~	.03	~	.08	nil	.05	nil	.26	.15		30
31	.09		nil		.33		.13	nil ~		.35		.21		31
TOTAL	6.81	1.71	.63	.14	3.81	1.72	3.72	5.44	2.89	5.63	10.48	4.54	Year's Total 47.52	✓
* Days with .01 in. or more.	27	11	6	2	18	11	14	16	13	21	24	16	179	✓
* Days with .04 in. or more.	22	8	4	1	13	10	12	13	12	18	19	15	147	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) (Capt) H G Hawker

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1674

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Strode ERMINGTON

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ……ft.……in.

,, Ground ,, Sea Level 75 ft.

Query sent re. May 4th–6th. Obs. agrees.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.25	nil	nil	.04	nil	nil	nil	.02	nil	nil	.67	.25		1
2	nil	~	~	.41	~	~	.06	.26	.50	~	.05	.06		2
3	.66	~	.13	.92	~	~	.06	.03	nil	~	.36	.46		3
4	nil	~	.53	.08	~ x	~	.37	nil	~	.45	.41	.23		4
5	.02	~	.04	.16	(·50) ~	~	.68	~	~	.30	1.43	.04		5
6	.73	~	.10	.03	✓	~	1.38	.17	~	.14	.32	nil		6
7	.05	1.22	nil	.02	~	~	.05	.11	~	.01	.31	1.29		7
8	.07	.28	.07	nil	~	~	.30	.12	~	1.72	.28	.15		8
9	.10	.03	.01	~	.03	~	nil	.30	~	.06	.08	.24		9
10	.17	.02	.03	~	nil	~	~	.28	.07	.20	.03	.36		10
11	nil	.05	.09	~	~	~	~	nil	nil	nil	.03	nil		11
12	~	.06	nil	.06	~	~	~	~	.12	.08	.05	~		12
13	~	nil	~	.16	~	.24	.55	~	.14	1.15	.09	~		13
14	.93	~	~	.03	.04	.09	.53	~	nil	.06	.22	.04		14
15	.28	~	~	.02	.03	~~nil~~	.11	~	~	nil	.37	.15		15
16	.15	~	~	nil	nil	1.19	.59	~	~	~	.22	nil		16
17	1.07	.17	~	~	~	.35	.53	~	~	~	nil	~		17
18	.09	.05	~	~	~	nil	.48	~	~	~	.74	.16		18
19	.51	nil	~	~	~	~	.23	.26	~	~	nil	.03		19
20	.83	~	~	~	~	1.11	.02	.81	~	~	~	nil		20
21	.03	.33	.13	~	~	.94	.05	nil	~	~	~	~		21
22	.76	.29	.11	.04	~	.24	.24	~	~	.04	.88	~		22
23	.05	nil	nil	.24	~	nil	.04	~	~	nil	1.65	~		23
24	.68	.04	~	.04	~	.66	nil	.81	~	.13	nil	~		24
25	.18	.11	~	.37	~	nil	.19	.64	~	.19	.72	~		25
26	nil	nil	~	nil	~	~	.04	.38	~	.06	.54	~		26
27	~	.34	~	~	~	.09	.11	.04	~	nil	.20	~		27
28	~	.04	~	.18	~	.13	.76	nil	~	~	.39	~		28
29	~	x	~	.03	~	.04	.07	~	~	.65	.09	~		29
30	.03		.03	.20	~	nil	.03	.04	~	.52	.16	~		30
31	.04		nil		~		.04	.21		.73		~		31
TOTAL	7.68	3.03	1.27	3.03	(·60) ~~.40~~	5.08	7.51	3.68	.83	6.49	10.26	3.46	Year's Total ~~52.42~~	52.92
* Days with .01 in. or more.	22	14	11	18	~~3~~6	11	25	16	4	19	25	13	~~179~~	182
* Days with .04 in. or more.	19	12	8	13	~~1~~2	11	23	13	4	16	23	13	~~156~~	157

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) H G Hawker

T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 1674

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at STRODE, ERMINGTON

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 75 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	nil	.12	nil	nil	.28	nil	nil	nil	nil	nil	.24	nil		1
2	~	.42	~	.32	nil	[illegible]	.04	~	~	~	.64	.06		2
3	.13	.80	~	nil	~	~	nil	~	~	.09	1.08	.46		3
4	nil	nil	~	12	~	~	.13	~	~	.37	.22	.05		4
5	.02	nil	~	nil	~	~	nil	~	~	.05	.34	.31		5
6	.42	.91	~	~	~	~	.03	~	~	.06	.10	.43		6
7	.15	.02	~	~	~	~	nil	~	~	.03	nil	.03		7
8	nil	.02	~	~	~	~	~	~	~	.38	.55	.57		8
9	~	nil	~	~	~	~	.71	.03	.07	.16	.73	.41		9
10	~	~	~	~	~	~	.03	nil	.13	.06	.17	.47		10
11	~	~	.04	.01	~	~	.41	~	nil	nil	1.47	.07		11
12	~	~	.32	nil	~	.07	.20	~	.66	~	.14	nil		12
13	~	~	.56	~	~	nil	.05	~	.04	.41	1.73	.41		13
14	~	~	nil	.05	08	~	.01	~	.17	.27	.07	.43		14
15	~	.15	~	.02	nil	~	.09	~	.23	nil	.53	nil		15
16	~	1.43	1.42	nil	~	~	.13	~	.08	.64	.42	.05		16
17	~	30	.66	.17	~	~	.26	~	nil	nil	.18	nil		17
18	~	.76	.29	.82	~	~	.03	~	~	.07	.04	.31		18
19	~	.11	.18	.12	~	~	.13	~	.92	.03	.62	nil		19
20	~	nil	nil	.03	~	~	nil	~	.03	.06	.11	~		20
21	~	~	.03	nil	.05	~	~	~	.01	.02	.54	~		21
22	~	~	.14	.08	nil	.60	~	.06	nil	.04	.02	~		22
23	~	.03	.15	nil	~	nil	.04	nil	.03	.03	.07	~		23
24	~	nil	.17	.02	~	.05	.38	~	nil	nil	nil	~		24
25	.29	~	.15	.03	63	.10	nil	~	~	~	~	~		25
26	.71	.57	nil	nil	.22	nil	~	~	~	~	.05	~		26
27	.40	.10	.06	~	.74	~	~	~	~	~	nil	~		27
28	.58	.08	nil	.09	.04	~	~	~	~	~	~			28
29	.18	.09	.29	1.36	nil	.08	~	~	~	.07	~	.59		29
30	.08	✕	nil	.02	03	nil	~	~	~	.48	~	.48		30
31	.05	✕	~	✕	nil	✕	~	~	✕	.57	✕	.72		31
TOTAL	3.11	5.94	4.46	3.26	2.12	.90	2.67	.09	2.37	3.89	10.06	5.88	Year's Total 44.75	
* Days with .01 in. or more.	11	17	14	15	8	5	16	2	11	19	23	17	168	
* Days with .04 in. or more.	10	13	13	9	7	5	13	1	8	16	22	16	133	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Henry G. Hawker MA

P.T.O.

1675

Section **A** for the entry of
AIR MINISTRY

FOR OFFICIAL USE.
ALL ORGANIZATION.

FORM 1090.

REGIST 31.

Kept at Filham House
in the County of D

Diameter of Funnel of Gauge
Height of top of Gauge above Ground
,, Ground ,, Sea Le

1675
IVYBRIDGE, FILHAM HSE.
1931 — 40

780306

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·02	~~·93~~	·93	–	–	–	–	·39	·03	–	·46	1
2	·44	·02	·06	·53	–	–	·02	–	·40	·05	·13	–	2
3	·47	–	·82	–	–	–	·26	–	·19	·05	1·17	·15	3
4	·04	·08	·15	–	·20	–	·45	–	·03	·09	·01	·02	4
5	–	·65	·25	·12	–	·92	·21	·09	·03	·01	·05	·24	5
6	–	·09	–	–	·11	·29	·10	–	–	·37	·12	·42	6
7	–	·03	–	–	·32	·46	1·81	–	–	·04	·86	·44	7
8	·04	·43	–	·32	–	·61	·10	·12	–	–	·22	·10	8
9	–	·27	–	–	–	·22	·21	·05	–	·02	·61	·03	9
10	·01	·04	–	–	–	·17	–	·09	·30	–	·27	–	10
11	·16	·44	–	–	·15	·56	·15	–	·03	–	·25	–	11
12	–	·15	–	–	–	–	–	–	·06	·21	–	–	12
13	–	·08	·03	–	·10	·01	·61	·20	–	–	·08	–	13
14	·04	·12	–	–	–	·26	·65	·10	·01	–	·44	–	14
15	–	·10	–	·02	·12	–	–	·18	–	–	–	·03	15
16	–	·12	–	–	·17	1·17	·04	–	·10	–	–	·03	16
17	·04	·06	–	·05	–	·01	·23	–	–	–	·39	–	17
18	–	–	·02	·20	–	·28	·11	2·02	–	–	–	–	18
19	·05	·12	·10	·04	–	·07	·10	·15	–	–	·49	–	19
20	·03	·24	·53	–	–	–	–	·36	–	·06	·15	–	20
21	·39	·01	–	·06	·09	–	·03	–	–	–	·10	–	21
22	·92	–	–	·44	·17	·04	–	–	–	–	·07	–	22
23	·15	–	–	1·12	·95	–	·05	·20	–	–	·66	–	23
24	·09	·02	·05	·17	·15	–	·95	1·09	–	–	·03	–	24
25	·06	·05	–	·05	–	–	·15	–	–	–	·25	–	25
26	·05	·08	–	·02	–	–	·34	–	–	–	·60	·02	26
27	1·08	·29	–	–	·60	–	·40	–	–	·04	·20	–	27
28	·39	·22	·22	–	·08	–	–	·05	–	·01	·01	·17	28
29	·17	×	·10	–	–	–	·24	·25	–	–	·12	·13	29
30	·12	×	·03	–	·04	–	·04	–	·25	–	–	–	30
31	1·00	×	·45	×	·07	×	·25	–	×	·02	×	·54	31
TOTAL	5·74	3·72	2·81	4·07	3·32	5·07	7·50	4·95	1·79	1·00	7·28	2·78	YEAR'S TOTAL 50·03
*Days with ·01 in. or more.	21	24	13	14	15	14	24	14	11	13	24	14	201
*Days with ·04 in. or more.	19	19	10	12	15	12	22	14	7	8	21	9	168

40-9999

(Signed) [P.T.O.

*See Instruction 2 (*f*) on other side.

1675

Section A for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193/.

Kept at Filham House, Ivybridge

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" Ground " Sea Level 161 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·02	~~·93~~	·93	–	–	–	–	·39	·03	–	·46	1
2	·44	·02	·06	·53	–	–	·02	–	·40	·05	·13	–	2
3	·47	–	·82	–	–	–	·26	–	·19	·05	1·17	·15	3
4	·04	·08	·15	–	·20	–	·45	–	·03	·09	·01	·02	4
5	–	·65	·25	·12	–	·92	·21	·09	·03	·01	·05	·24	5
6	–	·09	–	–	·11	·29	·10	–	–	·37	·12	·42	6
7	–	·03	–	–	·32	·46	1·81	–	–	·04	·86	·44	7
8	·04	·43	–	·32	–	·61	·10	·12	–	–	·22	·10	8
9	–	·27	–	–	–	·22	·21	·05	–	·02	·61	·03	9
10	·01	·04	–	–	–	·17	–	·09	·30	–	·27	–	10
11	·16	·44	–	–	·15	·56	·15	–	·03	–	·25	–	11
12	–	·15	–	–	–	–	–	–	·06	·21	–	–	12
13	–	·08	·03	–	·10	·01	·61	·20	–	–	·08	–	13
14	·04	·12	–	–	–	·26	·65	·10	·01	–	·44	–	14
15	–	·10	–	·02	·12	–	–	·18	–	–	–	·03	15
16	–	·12	–	–	·17	1·17	·04	–	·10	–	–	·03	16
17	·04	·06	–	·05	–	·01	·23	–	–	–	·39	–	17
18	–	–	·02	·20	–	·28	·11	2·02	–	–	–	–	18
19	·05	·12	·10	·04	–	·07	·10	·15	–	–	·49	–	19
20	·03	·24	·53	–	–	–	–	·36	–	·06	·15	–	20
21	·39	·01	–	·06	·09	–	·03	–	–	–	·10	–	21
22	·92	–	–	·44	·17	·04	–	–	–	–	·07	–	22
23	·15	–	–	1·12	·95	–	·05	·20	–	–	·66	–	23
24	·09	·02	·05	·17	·15	–	·95	1·09	–	–	·03	–	24
25	·06	·05	–	·05	–	–	·15	–	–	–	·25	–	25
26	·05	·08	–	·02	–	–	·34	–	–	–	·60	·02	26
27	1·08	·29	–	–	·60	–	·40	–	–	·04	·20	–	27
28	·39	·22	·22	–	·08	–	–	·05	–	·01	·01	·17	28
29	·17	X	·10	–	–	–	·24	·25	–	–	·12	·13	29
30	·12	X	·03	–	·04	–	·04	–	·25	–	–	–	30
31	1·00	X	·45	X	·07	X	·25	–	X	·02	X	·54	31
TOTAL	5·74	3·72	2·81	4·07	3·32	5·07	7·50	4·95	1·79	1·00	7·28	2·78	YEAR'S TOTAL 50·03
*Days with ·01 in. or more.	21	24	13	14	15	14	24	14	11	13	24	14	201
*Days with ·04 in. or more.	19	19	10	12	15	12	22	14	7	8	21	9	168

40-9999

(Signed) .... [P.T.O.

*See Instruction 2 (*f*) on other side.

1675

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Station No. 1675

Kept at Fillham House, Ivybridge

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 161 ft.

This record is not W.D.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·12	–	–	·12	–	–	·03	–	·01	–	·05	·02	1
2	·05	–	·08	·41	–	–	·01	·16	·10	–	·02	·45	2
3	·04	–	–	–	–	·72	–	–	·67	–	·07	–	3
4	·03	–	–	–	–	·44	·09	·05	–	–	·20	·02	4
5	·49	–	·05	–	–	–	·10	–	·60	–	–	–	5
6	·58	–	–	·24	–	–	–	–	·43	·03	–	–	6
7	·05	–	–	·05	·02	–	–	–	·98	1·17	–	–	7
8	·01	–	·50	·04	–	–	–	–	·09	·25	–	–	8
9	1·23	·02	–	·32	·17	–	–	–	–	·05	–	–	9
10	·45	–	–	·32	·10	–	–	–	·04	·39	–	·09	10
11	·30	–	–	·18	·15	–	·35	–	·04	·09	–	·35	11
12	1·18	–	–	·01	·12	–	–	·21	·05	·29	–	·14	12
13	·08	–	–	·22	·95	–	–	–	–	·68	–	·50	13
14	·20	–	–	·07	–	–	–	·04	–	·08	–	·02	14
15	·03	–	–	·12	·20	–	–	–	–	·03	·14	·08	15
16	·10	–	–	·13	·10	–	·85	–	–	–	–	–	16
17	·03	–	–	·03	·18	–	–	–	·05	·06	–	–	17
18	·09	–	–	–	·44	–	–	–	·12	–	·21	–	18
19	·04	–	–	·09	·37	–	–	–	·08	·75	·02	–	19
20	·02	–	–	·06	·96	–	·02	·10	·02	1·46	·18	·12	20
21	·10	–	·04	·30	–	–	–	·52	·13	·52	·15	·22	21
22	–	–	–	·05	·07	–	–	·09	·53	·50	·41	·11	22
23	–	·01	–	–	–	–	·30	–	·03	·80	·09	·20	23
24	–	·03	–	–	–	–	·76	–	·09	·04	·04	·03	24
25	–	–	·33	·10	·12	–	·11	–	·12	·84	·06	·02	25
26	–	–	·24	·41	–	–	·53	–	–	·04	·07	–	26
27	–	–	·37	·66	·12	–	·26	–	–	·14	·02	·45	27
28	–	·06	·19	·09	·16	–	·22	–	–	–	–	·13	28
29	–	–	·74	·21	·05	1·06	·02	·67	·95	·85	·12	·74	29
30	·02	×	–	·25	·02	1·80	·42	·02	·65	·15	1·04	·03	30
31	–	×	·08	×	·23	× ~~·03~~	·03	~~·31~~	×	·05	×	·67	31
TOTAL	5·24	·12	2·62	4·48	4·64	4·02	4·10	1·86	5·68	9·28	2·89	4·39	YEAR'S TOTAL 49·32
*Days with ·01 in. or more.	22	4	10	24	19	4	16	9	21	23	17	20	189
*Days with .04 in. or more.	16	1	10	22	17	4	11	8	17	21	14	14	155

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Harold Algar

P.T.O.

1675

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~[illegible]~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Filham House, Ivybridge
in the County of Devon
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft – in.
,, Ground ,, Sea Level 161 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·33	1·06	·19	–	·03	·10	–	–	–	–	·07	1·30	1
2	·31	·03	1·21	–	·60	·54	–	–	–	–	·01	·35	2
3	·01	·07	·29	–	·04	·02	–	–	–	–	–	–	3
4	·22	·05	–	–	·14	–	–	–	–	–	–	–	4
5	·06	·12	·37	–	·16	–	–	–	–	–	–	–	5
6	·02	·69	·02	–	·50	–	·26	–	–	·23	·71	–	6
7	·01	·15	–	–	·20	–	·09	–	–	·12	·35	–	7
8	·04	·10	–	–	·06	–	·06	–	–	·02	–	–	8
9	–	·05	–	–	·01	–	·80	·03	–	·26	–	–	9
10	·07	·13	–	–	–	–	·20	–	–	·70	–	–	10
11	–	–	–	·04	–	–	·19	·05	–	·09	–	–	11
12	–	–	–	·46	·03	·24	·45	·06	·41	–	–	–	12
13	·03	–	–	–	·05	–	·25	·12	–	·30	–	·02	13
14	·08	–	–	–	–	–	·40	·15	–	·01	·04	·03	14
15	·68	–	·44	–	–	–	·17	·10	–	·09	·26	–	15
16	–	·02	1·04	–	–	·15	–	·03	·10	·05	·11	–	16
17	·06	·10	·14	–	–	·05	–	·12	·20	–	–	–	17
18	–	–	·25	–	–	·15	–	–	–	·01	–	–	18
19	·52	–	·10	–	–	·03	–	·11	–	–	·02	·01	19
20	·01	·04	–	–	·02	·13	–	–	·15	–	·28	–	20
21	–	·06	–	–	–	·20	–	·14	–	·24	·02	–	21
22	–	–	–	·43	–	·05	–	·43	·66	–	–	–	22
23	–	·84	–	·60	–	·26	–	–	·17	·92	–	–	23
24	–	·25	–	·50	–	·07	–	–	·32	·02	–	–	24
25	–	·80	–	·21	·05	·11	–	–	·38	–	–	·31	25
26	–	·17	–	·45	·15	–	–	–	–	·06	–	–	26
27	–	·06	–	·14	–	–	–	–	–	·29	·05	·60	27
28	·02	·37	–	·47	–	–	·46	–	–	·19	–	·08	28
29	·06	×	·02	·29	·03	–	·05	·01	·13	·01	–	·03	29
30	·11	×	–	·13	–	–	·04	–	·05	·01	–	·07	30
31	·12	×	·40	×	·25	×	–	–	×	·09	×	·01	31
TOTAL	2·76	5·16	4·47	3·72	2·32	2·10	3·42	1·36	2·57	3·71	1·92	2·81	YEAR'S TOTAL 36·32
*Days with ·01 in. or more.	19	20	12	11	16	14	13	12	10	20	11	11	169
*Days with .04 in. or more.	13	18	10	11	11	12	13	9	10	14	8	6	135

73

40-9999

*See Instruction 2 (*f*) on other side,

D

(*Signed*) Harold Alger

P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 1675

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Filham House, Ivybridge

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 161 ft.

~~Days~~

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·15	-	·04	-	-	-	-	·76	·15	·02	·30	1·58		1
2	·14	-	·07	-	-	-	-	·01	·75	·04	·01	·30		2
3	·09	-	-	-	-	-	-	-	-	·64	·01	·39		3
4	·16	-	·40	-	·40	-	-	-	·20	·09	-	·45		4
5	-	-	·08	·03	·17	·08	-	1·59	-	·09	·02	·70		5
6	·07	-	·48	·11	·37	-	-	-	·03	·65	·05	·57		6
7	·04	-	-	-	-	·04	-	·06	-	·28	·07	·65		7
8	-	-	-	-	·03	-	-	-	-	·01	1·03	·54		8
9	·05	-	·45	·01	-	-	-	·07	-	·03	·44	-		9
10	·25	·01	·65	·39	-	-	-	·06	-	-	·02	·25		10
11	·38	-	·04	·52	-	-	-	·03	-	-	-	1·03		11
12	·16	-	-	-	-	-	·03	·15	-	-	·01	·16		12
13	·36	-	-	·26	-	-	·05	-	-	·01	·54	·41		13
14	·46	-	·32	·02	-	-	-	-	-	·09	·08	·43		14
15	·16	-	·21	·05	·12	-	-	-	-	·70	·05	·28		15
16	·15	-	·46	·02	·20	-	-	-	·16	·01	-	·35		16
17	·31	-	·37	·18	-	-	-	-	·20	·15	-	·52		17
18	·10	-	·40	·35	·09	·02	-	-	·13	-	-	·54		18
19	·01	-	·25	·03	-	·10	-	·04	·25	-	-	·37		19
20	-	-	-	·35	·04	-	·12	-	·13	·04	-	·08		20
21	-	·01	·21	·02	·02	·26	·01	·10	·03	·52	-	·30		21
22	-	-	-	-	-	-	·35	·09	·58	-	-	·30		22
23	·15	-	-	·26	-	·67	·02	-	·45	·13	-	·50		23
24	-	·12	·08	·06	-	·24	·04	·06	·03	·05	-	·14		24
25	·30	·01	·01	·31	-	·04	-	-	-	·25	-	·90		25
26	·10	-	·01	·20	-	·14	-	-	·10	·07	-	·15		26
27	-	-	-	-	-	·09	-	·06	·14	·05	·03	·32		27
28	-	-	-	-	-	·03	·01	·65	·36	·01	-	1·04		28
29	-	x	-	-	-	-	·01	·07	·10	·01	·01	·05		29
30	-	x	-	-	-	-	·01	·21	·37	·12	-	·38		30
31	-	x	-	x	·02	x	·05	·05	x	·13	x	·06		31
TOTAL	3·58	0·15	4·53	3·27	1·46	1·81	0·70	4·06	4·16	3·59	2·67	13·74	Year's Total 43·72	
*Days with ·01 in. or more.	20	4	18	18	10	11	11	17	18	25	15	30	197	
*Days with .04 in. or more.	19	1	16	12	7	9	5	15	15	18	8	30	155	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Harold Alger

[P. T. O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1675

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Filham House, Ivybridge

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 161 ft.

[illegible]

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·17	·06	·70	·04	–	·21	·05		·50	·09	·01	·30		1
2	–	·02	·01	–	–	·12	·03	–	·20	·65	·05	·07		2
3	–	–	·11	·02	·50	·16	·02	–	·03	·40	·10	·10		3
4	–	·09	–	·11	–	·07	–	–	·18	·15	·21	·44		4
5	–	·36	·04	·07	–	·19	–	–	·26	·30	·17	·13		5
6	–	·03	·01	·43	–	1·15	–	–	–	·02	·15	·19		6
7	–	–	–	·64	–	·18	–	–	–	·58	·34	·07		7
8	–	–	–	·68	–	–	·07	–	·22	·16	·43	·02		8
9	·03	–	–	·41	–	·11	·02	–	·01	·69	·63	–		9
10	·13	–	·44	·01	–	·06	–	–	–	·05	·04	·04		10
11	·22	·02	–	·01	–	·63	–	–	·20	–	·53	–		11
12	·11	·25	–	–	–	·40	–	–	·15	·02	·36	–		12
13	·10	·16	–	·39	–	–	–	–	·03	·07	·29	–		13
14	–	·25	–	·16	–	·30	–	–	·18	·08	1·75	·65		14
15	–	·02	–	·82	·10	·61	–	–	–	·04	·44	·05		15
16	–	·03	·11	·26	–	·44	–	–	·62	·04	·98	·05		16
17	–	–	–	·01	·61	·57	·04	·03	·05	–	·03	–		17
18	–	·11	–	·52	·05	·02	–	–	·30	·06	·06	·22		18
19	–	·02	–	·08	·35	·17	·26	–	·33	·26	·66	–		19
20	–	·27	–	·35	·23	·06	·02	–	·01	–	·12	–		20
21	–	·60	·03	·07	–	–	·12	–	·04	·09	·01	·02		21
22	–	·09	·03	·27	–	–	–	–	·12	·05	–	–		22
23	–	·26	·11	·35	–	–	–	·31	·11	·37	–	·66		23
24	–	·60	–	·23	·14	–	–	·35	·66	–	–	·18		24
25	·34	·37	–	·20	·40	–	–	–	–	–	–	·21		25
26	–	·63	–	–	–	·26	–	·52	·50	·01	–	·87		26
27	·02	·24	–	–	–	–	–	·03	·21	·06	·19	·54		27
28	–	·04	–	–	–	·04	–	·14	·13	·06	·07	·06		28
29	–	×	·01	–	·02	–	–	–	·31	·03	·08	·65		29
30	·07	×	–	–	–	·15	–	1·40	·11	·23	·90	·71		30
31	–	×	–	×	–	×	–	·6	×	·77	×	·52		31
TOTAL	1·19	4·52	1·60	6·13	2·40	5·90	0·63	2·84	5·46	5·33	8·60	6·75	Year's Total. 51·35	
* Days with .01 in. or more.	9	22	11	23	9	21	9	8	25	26	25	23	211	✓
* Days with .04 in. or more.	7	16	6	19	8	20	5	6	21	22	22	21	173	✓

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Harold Alger

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1675

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Fillham House, Ivybridge

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 161 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·12	·03	–	·11	–	·35	·53	·06	–	–	·16	·01		1
2	·15	–	–	·10	–	·05	·45	·05	·40	–	·06	–		2
3	·03	–	·08	·52	–	·05	·04	–	–	–	·12	–		3
4	–	·02	·29	–	–	·07	·06	–	·27	–	·09	·05		4
5	–	·30	·11	–	·85	·01	·16	·09	–	–	·02	·20		5
6	·55	–	·08	–	–	–	·68	·10	·33	–	·57	·01		6
7	·45	–	·25	–	–	·03	·11	–	·07	–	·38	·09		7
8	·30	–	·66	–	–	·02	·63	–	·02	·04	·52	·06		8
9	·15	1·41	·35	–	–	–	·21	–	·25	–	·03	–		9
10	·09	·75	–	–	–	–	·05	–	–	–	·24	·04		10
11	·86	·09	–	–	–	·12	·07	·09	·20	–	·86	·14		11
12	·05	–	–	·23	–	–	·75	·08	·65	–	–	–		12
13	·07	–	·02	·01	–	–	·12	·02	·04	·15	·24	·55		13
14	–	·09	–	–	–	·08	·71	·16	·05	·03	·03	·46		14
15	–	–	–	–	·09	–	–	–	·02	–	·40	·26		15
16	–	·16	–	·04	–	–	·35	–	·09	–	·23	·37		16
17	·12	1·01	–	–	·09	–	·21	–	–	–	·11	·61		17
18	·44	·16	·43	–	–	·04	·49	–	–	·06	–	·24		18
19	·61	·02	·25	·27	–	·09	·03	–	–	–	–	·01		19
20	·15	·25	–	·10	–	·08	·03	·16	·24	–	–	–		20
21	·44	·49	·11	·52	–	–	·03	–	–	–	–	·02		21
22	·16	·12	·02	–	–	–	·60	–	–	·03	–	–		22
23	·02	·10	·03	·24	·21	–	·10	–	–	·11	–	·08		23
24	·55	·02	·08	·03	·31	–	–	–	·40	·30	–	·03		24
25	·25	–	·34	·20	–	–	–	–	·05	·36	–	–		25
26	·32	·10	·35	–	–	–	–	–	·05	·06	–	–		26
27	·59	·03	·03	–	–	–	·22	–	·03	·14	–	–		27
28	·90	·01	·73	·01	–	–	·15	–	–	·06	–	·32		28
29	·04	·01	–	–	–	–	–	–	–	–	·04	·12		29
30	·42	×	·09	–	–	·17	–	–	–	·22	–	– ~~·12~~		30
31	·11	×	1·00	×	·09	×	·50	–	×	–	×	·62		31
TOTAL	7·64	5·17	5·29	2·38	0·84	1·16	7·28	0·81	3·10	1·56	4·09	4·29	Year's Total. 43·61	
* Days with .01 in. or more.	26	20	20	13	6	13	25	9	17	12	17	21	199	
* Days with .04 in. or more.	24	13	16	10	6	10	22	8	13	10	14	16	162	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1675

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Filham House, Ivybridge

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 161 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06	·05	·04	·60	–	–	–	–	·11	·08	–	·88		1
2	·04	–	·11	·24	·05	–	–	–	·08	·02	–	–		2
3	·04	·95	·10	·04	–	–	·04	–	–	–	–	–		3
4	–	·12	–	·01	–	·02	–	–	–	–	–	·72		4
5	·25	1·18	–	·15	–	–	·70	–	–	–	–	·07		5
6	·05	·79	·72	·35	·06	–	·10	–	–	–	–	·45		6
7	·02	·99	·42	·02	–	·02	–	–	–	–	·05	·08		7
8	–	·04	–	–	·75	·04	·25	–	–	–	–	–		8
9	·15	·05	·22	·24	·04	–	–	·01	·68	–	–	–		9
10	·27	·04	·73	·68	·05	·36	·05	·10	–	–	–	·49		10
11	·07	·48	·19	·27	·79	·20	·53	–	–	–	–	·03		11
12	·69	·20	·09	–	·11	·35	·12	1·09	·31	–	–	·44		12
13	–	·07	1·28	·21	–	–	–	·40	·24	–	–	·03		13
14	–	–	·12	–	–	–	–	–	·08	–	–	·14		14
15	·40	·27	·40	·87	–	–	–	·03	·53	–	–	·26		15
16	·22	·05	·19	·03	–	–	·10	·09	·25	–	·44	–		16
17	–	·14	·81	–	–	–	–	–	·30	–	1·25	–		17
18	·95	·14	–	–	–	·19	·10	·03	·10	–	·12	·14		18
19	·16	·05	·11	·42	·25	–	–	–	·05	–	·04	·07		19
20	·25	–	·26	·20	·20	–	–	–	·04	–	–	1·06		20
21	·48	·81	–	·04	·44	–	·09	–	–	·15	·47	·06		21
22	·07	·04	·06	–	·67	·04	·19	–	·60	·67	·80	·15		22
23	·11	·45	–	–	·10	–	–	–	·11	·19	·04	·05		23
24	·28	·54	·13	–	–	–	·03	–	·07	·90	–	·08		24
25	·02	·68	·57	–	·04	–	–	–	·02	·15	–	·03		25
26	·32	·31	·02	–	–	–	–	–	–	·01	–	·03		26
27	·41	·24	–	–	–	–	–	–	–	–	–	–		27
28	–	·35	–	–	–	·05	–	–	–	·08	·02	·02		28
29	·38	✕	–	–	–	–	–	–	–	·15	·40	–		29
30	·18	✕	–	–	–	·03	–	·02	·06	·10	·60	–		30
31	–	✕	–	✕	–	✕	–	–	✕	·69	✕	–		31
TOTAL	5·92	9·03	6·37	4·37	3·55	1·30	2·30	1·77	3·63	3·19	4·23	5·28	Year's Total 50·94	✓
* Days with .01 in. or more.	24	25	20	16	13	10	12	8	17	12	11	21	189	✓
* Days with .04 in. or more.	22	25	19	13	13	7	11	4	16	10	10	16	166	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Harold Alger

[P.T.O.

T

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 1675

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Filham House, Ivybridge

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 161 ft.

[illegible] VR

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·08	–	–	–	·34	–	·26	·05	·35	·02	·26		1
2	–	·06	–	–	–	–	–	–	–	·22	·02	·17		2
3	–	–	·01	–	·03	–	·08	1·65	–	·52	·41	–		3
4	–	–	–	–	–	·03	·35	·36	–	·13	·02	·26		4
5	·02	–	–	–	–	·02	·07	–	–	·13	·53	·01		5
6	·17	–	–	–	–	·21	1·12	·03	–	·44	·04	·25		6
7	·15	–	–	–	–	·02	·16	–	–	–	·03	·17		7
8	·45	·03	–	–	–	–	·11	–	–	·21	–	·06		8
9	·15	·17	–	–	–	–	–	·12	–	·04	·04	·46		9
10	·30	–	–	–	–	·11	·08	·02	–	·03	·10	·42		10
11	·18	·04	–	–	–	·10	·07	–	·35	–	·28	1·03		11
12	·41	–	–	–	·46	–	–	–	–	·48	·80	–		12
13	·31	·02	–	–	·60	–	·03	–	–	·16	·29	·86		13
14	·62	–	–	–	·30	–	·49	–	–	–	·03	–		14
15	·36	–	–	–	·25	–	–	·10	–	·53	·47	·37		15
16	·23	·24	·05	–	–	–	–	·03	–	·01	·19	·01		16
17	–	·24	·04	–	·19	–	–	–	·17	·20	·06	·20		17
18	·30	–	–	–	·15	·01	–	·15	·28	·07	·21	–		18
19	·13	–	–	–	–	–	·03	·04	·94	–	·99	–		19
20	·06	–	–	–	–	–	–	·17	·03	–	·42	–		20
21	·04	–	–	–	–	–	–	·05	·29	·07	·40	–		21
22	·07	–	–	–	–	·14	–	1·30	–	·05	·46	·04		22
23	–	–	–	–	–	–	–	·03	–	–	·13	–		23
24	·01	–	·31	–	·25	–	–	·03	·05	–	·92	–		24
25	·15	·61	·09	·12	·45	·01	·35	–	–	·04	2·46	–		25
26	·52	·21	·02	–	–	·06	·03	–	–	·19	·10	·18		26
27	·35	·13	–	–	·08	·21	·35	·82	–	·22	·47	–		27
28	·25	·21	–	–	·24	·06	–	·77	·19	–	·03	·05		28
29	·29	✕	–	–	·45	–	–	–	·36	·31	·44	·04		29
30	·12	✕	–	–	·04	–	·07	–	·12	–	·26	·05		30
31	·15	✕	–	✕	·26	✕	·03	–	✕	·29	✕	·33		31
TOTAL	5·69	2·04	0·52	0·12	3·75	1·32	3·42	5·93	2·83	4·69	10·52	5·22	Year's Total 46·05	✓
* Days with .01 in. or more.	25	12	6	1	14	13	16	17	11	22	29	20	186	✓
* Days with .04 in. or more.	22	10	4	1	13	8	12	12	10	20	22	18	152	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) H. Alger

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 1675

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Filham House, Ivybridge

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 161 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·25	–	·04	·06	·03	–	–	·07	–	–	·68	·09		1
2	·10	–	·01	·42	–	–	·05	·23	·46	–	·06	·18		2
3	·50	–	–	·80	–	–	–	·03	·01	–	·33	·33		3
4	–	–	·06	·10	·49	–	·43	–	–	–	·35	·23		4
5	–	–	·64	·18	·01	–	·64	–	–	·52	1·25	·07		5
6	·70	–	·04	·07	·02	–	1·08	·13	–	·28	·24	–		6
7	·03	x	·09	–	–	–	·06	·11	–	·52	·28	1·09		7
8	–	x	–	–	·04	–	·25	·10	–	1·67	·25	·15		8
9	·26	✓	·08	–	–	–	–	·12	–	·14	·15	·13		9
10	–	✓	·04	–	–	–	–	·32	·29	·16	·06	·30		10
11	·04	2·23 x	·09	–	–	–	–	–	–	·45	·01	·01		11
12	–	x	–	·05	–	–	–	–	–	·05	·05	–		12
13	·03	–	–	·13	–	·15	·57	–	·29	1·23	·44	·01		13
14	·95	–	–	·02	·07	·07	·47	–	–	·06	·12	·05		14
15	·21	–	–	·01	·07	1·13	–	–	–	–	·13	·08		15
16	·10	–	·02	·25	–	–	·48	–	–	–	·01	–		16
17	·95	x	–	–	·03	·43	·61	–	–	–	·30	·02		17
18	·15	x	·01	–	–	·04	·44	–	–	–	·61	·13		18
19	·46	–	–	–	–	–	·30	·19	–	–	–	·06		19
20	·81	–	–	–	–	·30	·04	·04	–	–	–	·05		20
21	·05	x	·08	·02	·04	·85	·10	·31	–	–	–	–		21
22	·51	x	·15	·03	–	·35	·18	–	·02	–	·68	–		22
23	·05	–	·02	·22	–	·02	·35	·04	–	·04	1·47	–		23
24	·91	–	·10	·05	–	·80	·04	1·16	–	·21	–	–		24
25	–	·15	–	·34	–	–	·15	·03	–	·17	·40	–		25
26	·15	–	–	·01	–	–	·03	·06	–	·10	·29	–		26
27	–	·25	–	–	–	·12	·09	–	–	–	·14	–		27
28	–	·02	–	·15	–	·07	·56	–	–	–	·31	·03		28
29	·09	✕	–	·06	–	·04	·08	–	–	·70	·05	–		29
30	–	✕	·04	·24	–	–	–	·07	–	·64	·07	–		30
31	–	✕	–	✕	–	✕	·03	·21	✕	·19	✕	–		31
TOTAL	7·40	2·65	1·50	3·21	0·80	4·37	6·71	3·22	1·07	8·13	8·43	3·01	Year's Total 50·50	"d"
* Days with .01 in. or more.	21	~~8~~ 13	16	20	9	13	23	17	5	17	26	18	198	
* Days with .04 in. or more.	19	~~8~~ 10	11	14	5	13	21	15	3	17	24	14	166	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) H. W. Alger [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 1675

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Filham House, Ivybridge

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 161 ft.

Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	'13	–	–	'19	–	–	–	–	–	'24	–		1
2	–	'43	–	'32	–	–	'04	–	–	–	'38	'08		2
3	'11	'91	–	–	–	–	–	–	–	'10	'89	'40		3
4	–	'03	–	'07	–	–	'15	–	–	'31	'22	'04		4
5	'04	–	–	–	–	–	'04	–	–	'04	'37	'22		5
6	'45	1'11	–	–	–	–	'06	–	–	'39	'02	'37		6
7	'17	'02	–	–	–	–	–	–	'02	'01	–	'04		7
8	–	'04	–	–	–	–	–	–	'05	'42	'65	'44		8
9	–	'02	–	–	–	–	'74	'04	'04	'15	'48	'35		9
10	–	–	–	–	–	–	–	–	'04	'82	'17	'49		10
11	–	'01	'02	'02	–	–	'20	–	–	–	1'09	'14		11
12	–	–	'27	–	–	'08	'19	–	'53	–	'08	'01		12
13	–	–	'50	–	–	–	'05	–	'04	'42	1'46	'56		13
14	–	–	–	'04	'06	–	–	'03	'18	'36	'88	'30		14
15	–	'09	–	–	–	–	'04	–	'24	'02	·53	'01		15
16	–	1'41	1'47	–	–	–	·12	–	'04	'46	·39	'03		16
17	–	'37	'56	'15	–	–	'31	–	'02	–	'17	–		17
18	'13	'70	'26	'88	–	–	'08	'02	–	'07	'03	'25		18
19	–	'12	'20	'12	–	–	'20	–	'84	'04	'43	–		19
20	–	'01	'01	'04	–	–	–	–	'12	'06	'06	–		20
21	–	–	'03	–	'04	–	–	'07	'03	–	'43	–		21
22	–	'02	·12	'05	–	'61	–	–	'04	'10	'03	–		22
23	–	–	'20	'05	'02	–	'03	–	'04	'04	'08	–		23
24	–	–	·05	'02	·02	'03	'35	–	–	–	'02	–		24
25	28	–	'17	'03	'56	'03	–	–	–	–	–	–		25
26	'75	'04	–	–	'28	'02	–	–	–	–	'03	–		26
27	·43	–	–	'11	'71	–	–	–	–	–	–	–		27
28	·73	24	–	'07	'14	–	–	–	–	–	–	–		28
29	·13	–	'29	1'25	–	'07	–	–	–	'07	–	'47		29
30	'24		–	'07	'06	–	–	–	–	'37	–	'39		30
31	'04		'01		–		–	–		'55		'89		31
													Year's Total	
TOTAL	3'50	6'30	4'16	3'29	2'08	'84	2'65	'16	2'32	4'00	8'83	5'48	43'61	
* Days with .01 in. or more.	12	18	15	16	10	6	15	4	15	20	24	19	174	
* Days with .04 in. or more.	12	12	11	13	~~7~~ 8	3	13	2	12	17	19	16	~~137~~ 138	

1939 50'50

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Harold Alger

P.T.O.

1676.

Section **A** for the ent

AIR MIN

FORM 1093.

REC

Kept at BLAC

in the County of D

Diameter of Funnel of Gauge

Height of top of Gauge above

,, Ground ,,

THE MORNING M

An observer who does not conf

year in the space on the right of this paragraph.

1676

BLACKADON

1931 - 40

780306

COPY FOR OFFICIAL USE.

LL ORGANIZATION.

AY.

following

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·09	0·78	0·30	0·46	-	-	0·01	0·17	-	0·30	0·05	-	1
2	-	-	-	1·11	-	-	-	-	0·40	0·08	-	-	2
3	0·45	0·01	0·01	0·44	-	0·02	-	-	0·08	0·06	0·18	0·62	3
4	0·35	-	0·84	-	-	-	0·27	0·01	0·27	0·07	1·78	0·36	4
5	-	-	0·38	-	0·13	0·59	0·65	-	0·06	0·28	0·01	0·09	5
6	-	0·55	0·35	0·13	-	0·26	0·22	-	-	0·39	0·03	0·42	6
7	-	0·05	-	-	0·09	0·51	0·60	-	-	-	0·31	0·44	7
8	-	0·01	-	-	0·28	0·70	1·66	0·10	-	0·08	0·94	0·54	8
9	0·03	0·45	-	0·30	-	0·31	0·10	0·02	-	-	0·25	0·13	9
10	-	0·56	-	-	-	0·21	0·25	0·01	-	-	0·53	0·06	10
11	-	0·08	-	-	0·08	0·63	0·02	0·14	0·28	-	0·23	-	11
12	0·23	0·63	-	-	0·11	-	0·14	0·01	-	-	0·31	-	12
13	-	0·17	-	-	0·01	-	0·23	-	0·13	0·26	-	-	13
14	-	0·12	-	-	0·11	0·22	0·22	0·17	-	-	-	-	14
15	0·03	0·09	-	-	0·02	-	0·79	0·14	0·04	-	0·44	-	15
16	0·03	0·08	-	-	0·16	1·29	0·02	0·18	0·05	-	-	0·04	16
17	-	0·16	-	0·07	0·08	0·03	0·12	0·12	0·03	-	-	0·04	17
18	0·06	0·03	-	0·04	-	0·40	0·47	0·01	0·03	-	-	-	18
19	0·02	-	0·02	0·09	-	0·52	0·26	2·07	-	-	0·24	-	19
20	0·06	0·11	0·11	0·02	-	-	0·11	0·07	-	-	0·34	-	20
21	-	0·19	0·47	-	-	-	-	0·65	-	-	0·20	-	21
22	0·49	-	0·01	-	0·11	-	0·09	-	-	0·05	0·06	-	22
23	0·75	-	0·05	0·05	0·17	-	0·01	-	-	-	0·04	-	23
24	0·25	-	-	0·33	0·78	0·09	0·07	0·13	-	-	0·66	-	24
25	0·10	0·03	0·02	0·88	0·13	-	0·88	0·63	-	-	0·05	-	25
26	0·03	0·08	-	-	0·03	-	0·39	-	-	-	0·23	-	26
27	0·02	0·21	-	0·12	0·48	-	0·38	-	-	-	0·71	-	27
28	0·42	0·42	-	0·02	0·06	-	0·23	-	-	0·05	0·09	0·02	28
29	0·07	×	0·27	0·02	0·02	-	-	0·07	-	0·05	-	0·17	29
30	0·01	×	0·11	-	0·03	-	0·31	0·34	-	-	0·11	0·09	30
31	0·09	×	-	×	-	×	0·04	-	×	-	×	-	31
TOTAL	3·58	4·81	29 4	4·08	2·88	5·78	8·54	5·04	1·37	1·67	7·79	3·01	YEAR'S TOTAL 51·49
*Days with ·01 in. or more.	20	21	13	15	19	14	27	19	10	11	23	13	195
*Days with ·04 in. or more.	13	17	9	12	14	12	23	14	8	11	22	12	167

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) H Victor Prigg

[P.T.O.

1676.

Section **A** for the ent COPY FOR OFFICIAL USE.

AIR MINISTRY.— LL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193 .

Kept at BLACKADON

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 607½ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·09	0·78	0·30	0·46	-	-	0·01	0·17	-	0·30	0·05	-	1
2	-	-	-	1·11	-	-	-	-	0·40	0·08	-	-	2
3	0·45	0·01	0·01	0·44	-	0·02	-	-	0·08	0·06	0·18	0·62	3
4	0·35	-	0·84	-	-	-	0·27	0·01	0·27	0·07	1·78	0·36	4
5	-	-	0·38	-	0·13	0·59	0·65	-	0·06	0·28	0·01	0·09	5
6	-	0·55	0·35	0·13	-	0·26	0·22	-	-	0·39	0·03	0·42	6
7	-	0·05	-	-	0·09	0·51	0·60	-	-	-	0·31	0·44	7
8	-	0·01	-	-	0·28	0·70	1·66	0·10	-	0·08	0·94	0·54	8
9	0·03	0·45	-	0·30	-	0·31	0·10	0·02	-	-	0·25	0·13	9
10	-	0·56	-	-	-	0·21	0·25	0·01	-	-	0·53	0·06	10
11	-	0·08	-	-	0·08	0·63	0·02	0·14	0·28	-	0·23	-	11
12	0·23	0·63	-	-	0·11	-	0·14	0·01	-	-	0·31	-	12
13	-	0·17	-	-	0·01	-	0·23	-	0·13	0·26	-	-	13
14	-	0·12	-	-	0·11	0·22	0·22	0·17	-	-	-	-	14
15	0·03	0·09	-	-	0·02	-	0·79	0·14	0·04	-	0·44	-	15
16	0·03	0·08	-	-	0·16	1·29	0·02	0·18	0·05	-	-	0·04	16
17	-	0·16	-	0·07	0·08	0·03	0·12	0·12	0·03	-	-	0·04	17
18	0·06	0·03	-	0·04	-	0·40	0·47	0·01	0·03	-	-	-	18
19	0·02	-	0·02	0·09	-	0·52	0·26	2·07	-	-	0·24	-	19
20	0·06	0·11	0·11	0·02	-	-	0·11	0·07	-	-	0·34	-	20
21	-	0·19	0·47	-	-	-	-	0·65	-	-	0·20	-	21
22	0·49	-	0·01	-	0·11	-	0·09	-	-	0·05	0·06	-	22
23	0·75	-	0·05	0·05	0·17	-	0·01	-	-	-	0·04	-	23
24	0·25	-	-	0·33	0·78	0·09	0·07	0·13	-	-	0·66	-	24
25	0·10	0·03	0·02	0·88	0·13	-	0·88	0·63	-	-	0·05	-	25
26	0·03	0·08	-	-	0·03	-	0·39	-	-	-	0·23	-	26
27	0·02	0·21	-	0·12	0·48	-	0·38	-	-	-	0·71	-	27
28	0·42	0·42	-	0·02	0·06	-	0·23	-	-	0·05	0·09	0·02	28
29	0·07	×	0·27	0·02	0·02	-	-	0·07	-	0·05	-	0·17	29
30	0·01	×	0·11	-	0·03	-	0·31	0·34	-	-	0·11	0·09	30
31	0·09	×	-	×	-	×	0·04	-	×	-	×	-	31
TOTAL	3·58	4·81	2·94	4·08	2·88	5·78	8·54	5·04	1·37	1·67	7·79	3·01	YEAR'S TOTAL 51·49
*Days with ·01 in. or more.	20	21	13	15	19	14	27	19	10	11	23	13	195
*Days with ·04 in. or more.	13	17	9	12	14	12	23	14	8	11	22	12	167

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) H. Victor Prigg

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. **Station No.** 1676

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Blackadon, Ivybridge.

in the County of Devon.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

" Ground " Sea Level 607' - 6" ft.

This is likely W.D. [illegible]

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·44	–	–	0·18	–	0·22	1·90	0·03	–	–	0·03	1·36	1
2	0·18	–	–	0·08	–	–	–	0·30	0·23	–	0·07	0·71	2
3	0·24	–	0·08	0·36	–	0·63	–	0·16	0·30	–	0·05	–	3
4	0·08	–	–	–	–	0·32	–	–	0·40	–	0·05	–	4
5	0·06	–	–	–	–	–	0·11	0·06	–	–	0·19	–	5
6	1·10	–	0·04	–	–	–	–	–	0·44	–	–	–	6
7	0·56	–	0·04	0·56	–	–	–	–	0·56	–	–	–	7
8	0·05	–	–	0·03	0·03	–	0·06	–	0·98	1·09	–	–	8
9	–	–	0·54	0·10	0·21	–	–	–	0·04	0·27	–	–	9
10	1·50	0·02	–	0·42	0·10	–	–	–	0·04	0·01	–	–	10
11	0·59	–	–	0·24	0·15	–	–	–	0·12	0·41	–	0·14	11
12	0·09	–	–	0·16	0·18	–	–	–	–	0·06	–	0·55	12
13	1·35	–	–	0·01	1·05	–	–	–	0·20	0·20	0·01	0·03	13
14	0·03	–	–	0·32	0·09	0·01	0·04	0·23	–	0·58	–	0·45	14
15	0·22	–	–	0·01	0·22	–	–	0·03	–	0·03	–	–	15
16	0·20	–	–	0·07	0·10	–	0·07	–	–	0·05	0·10	0·05	16
17	–	–	–	0·07	–	–	0·02	–	–	0·04	–	–	17
18	0·09	–	–	0·02	0·18	–	–	–	0·02	–	–	–	18
19	0·14	–	–	0·17	0·50	–	–	–	0·03	–	0·17	–	19
20	0·05	–	–	–	0·40	–	–	–	0·12	0·57	0·02	–	20
21	0·05	–	–	0·07	0·94	–	0·02	0·07	0·03	1·48	0·15	0·14	21
22	0·08	–	0·06	0·09	–	–	–	0·68	0·13	0·62	0·22	–	22
23	–	–	–	0·07	0·09	–	–	0·21	0·68	0·43	0·61	0·13	23
24	–	–	–	0·06	–	–	0·38	–	–	0·60	0·06	0·23	24
25	–	0·03	–	–	–	–	0·80	–	0·15	0·04	–	–	25
26	–	–	0·40	0·52	0·08	–	0·21	–	0·14	1·03	0·08	–	26
27	–	–	0·17	0·43	–	–	0·25	–	–	0·08	0·03	–	27
28	–	–	0·32	0·10	0·10	–	0·30	–	–	0·24	0·02	0·41	28
29	–	–	0·10	0·21	0·16	–	0·52	–	0·85	–	–	0·12	29
30	–	X	0·74	0·19	0·07	1·10	0·09	0·80	0·62	0·95	0·02	0·63	30
31	0·03	X	0·11	X	0·02	X ~~0·~~1·90	0·52	–	X	0·20	X 1·36	0·40	31
TOTAL	6·69 ~~7·13~~	0·05 ✓	0·18 2·78 ~~2·60~~	4·36 ~~4·54~~	0·22 4·89 ~~4·67~~	43·98 ~~2·28~~	0·03 3·42 ~~5·29~~	2·5~~7~~4	6·08 ✓	0·03 9·0121 ~~9·18~~	3 21 ~~1·88~~	3·99 ~~5·35~~	YEAR'S TOTAL 50·98 ·18 ~~51·83~~
*Days with ·01 in. or more.	~~21~~ 20	2 ✓	~~11~~ 12	~~25~~ 24	~~19~~ 20	5 ✓	15 ✓	~~10~~ 9	20 ✓	~~21~~ 22	17 ✓	~~14~~ 13	~~180~~ 179
*Days with .04 in. or more.	~~10~~ 18	0 ✓	~~11~~ 12	~~21~~ 20	~~17~~ 18	4 ✓	~~13~~ 12	8 ✓	17 ✓	19 ✓	~~11~~ 12	~~13~~ 12	15~~3~~2

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) A Victor Prigg

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1676

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Blackadon, Ivybridge.

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 607½ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·31	1·40	0·18	-	-	-	-	-	-	-	0·11	1·50		1
2	0·33	-	1·12	-	0·44	0·75	-	-	-	-	-	0·15		2
3	-	0·12	0·38	-	0·04	0·03	-	-	-	-	-	-		3
4	-	0·20	0·43	-	0·14	-	-	-	-	-	-	-		4
5	0·16	0·04	-	-	0·21	-	-	-	0·01	-	-	-		5
6	-	0·59	-	-	0·31	-	0·13	-	-	0·20	-	-		6
7	0·07	0·17	0·04	-	0·37	-	0·12	-	-	0·14	-	0·02		7
8	0·02	0·05	-	-	0·09	-	0·20	-	-	0·02	-	-		8
9	-	0·04	-	-	0·03	-	0·96	0·04	-	0·41	0·08	-		9
10	0·03	0·27	-	-	-	-	0·31	-	-	0·97	-	-		10
11	0·01	-	-	0·02	-	-	0·16	-	-	0·04	-	-		11
12	-	-	-	0·53	-	0·13	0·50	0·05	0·41	-	-	-		12
13	-	-	-	-	0·05	-	0·27	0·19	-	0·22	0·10	0·02		13
14	0·01	-	-	-	-	-	0·36	0·11	-	0·03	0·29	-		14
15	0·33	-	0·37	-	-	-	0·21	0·21	-	-	0·20	-		15
16	-	-	0·97	-	-	0·13	-	0·01	0·03	0·05	-	-		16
17	0·04	0·13	0·12	-	-	0·14	-	0·29	0·28	-	-	-		17
18	-	-	0·18	-	-	0·10	-	0·01	-	-	0·02	-		18
19	0·38	0·02	0·11	-	-	0·04	-	0·06	0·09	0·01	0·57	-		19
20	-	0·02	-	-	0·01	0·11	-	0·09	0·09	-	-	-		20
21	-	0·05	-	-	-	0·12	-	0·20	-	0·33	-	-		21
22	-	-	-	0·28	-	-	-	0·61	0·58	-	-	-		22
23	-	0·85	-	0·39	-	0·32	-	-	0·11	1·11	-	-		23
24	-	0·25	-	0·48	-	0·02	-	-	0·25	0·02	-	-		24
25	-	0·75	-	0·26	0·02	0·11	-	-	0·24	-	-	0·27		25
26	-	-	-	0·43	0·13	-	-	-	-	0·07	-	-		26
27	-	0·23	-	0·08	-	-	-	-	-	0·28	-	-		27
28	-	0·29	-	0·45	-	-	0·42	-	-	0·11	-	0·04		28
29	-	X	-	0·03	0·02	-	0·03	0·02	0·16	-	-	-		29
30	0·13	X	0·16	0·26	-	-	0·08	-	0·03	-	-	0·14		30
31	0·17	X	0·37	X	0·07	X	-	-	X	0·07	X	-		31
													Year's Total	
TOTAL	1·99	5·47	4·43	3·21	1·93	2·00	3·75	1·89	2·28	4·08	1·37	2·14	34·54 ✓	
*Days with ·01 in. or more.	13	18	12	11	14	12	13	13	12	17	7	7	149	
*Days with .04 in. or more.	9	16	12	9	10	10	12	10	9	13	6	5	121	

40-9999

*See Instruction 2 (*f*) on other side.

①

† Spare column, no entries required.

(*Signed*) H Victor Prigg

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1676

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Blackadon, Ivybridge

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 607' 6" ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	0·05	–	–	–	–	0·88	–	–	0·40	1·54		1
2	0·08	–	0·10	–	–	–	–	0·01	0·98	0·08	0·05	0·40		2
3	0·10	–	–	–	–	–	–	–	–	–	–	0·56		3
4	0·12	–	0·33	–	0·35	–	–	–	0·20	0·12	–	0·50		4
5	0·20	–	0·15	–	0·15	0·04	–	1·56	–	–	–	0·50		5
6	0·05	–	0·33	0·14	0·49	–	–	0·19	0·03	0·62	0·03	0·50		6
7	0·08	–	–	–	–	–	–	0·07	–	0·30	0·08	0·77		7
8	–	–	–	–	0·06	–	–	0·01	–	–	0·88	0·49		8
9	0·05	–	0·34	–	–	–	–	0·07	–	–	0·43	0·20		9
10	0·28	–	0·75	0·30	–	–	–	0·08	–	–	–	–		10
11	0·52	–	0·05	0·54	–	–	–	0·04	–	–	–	0·89		11
12	0·05	–	–	0·30	–	–	0·05	0·31	–	–	–	–		12
13	0·29	–	–	–	–	–	0·15	–	–	0·03	0·75	0·56		13
14	0·58	–	0·65	0·04	–	–	–	–	–	0·11	0·07	0·56		14
15	0·29	–	0·24	0·08	0·15	–	–	–	–	0·14	0·04	0·18		15
16	0·31	–	0·53	0·03	–	–	–	–	–	0·02	–	0·29		16
17	0·51	–	0·33	0·23	0·13	–	–	–	0·40	0·22	–	0·52		17
18	0·08	–	0·34	0·39	–	0·06	–	–	0·90	–	–	0·33		18
19	–	–	0·26	0·05	0·01	0·07	–	0·06	0·27	–	–	0·13		19
20	–	–	–	0·42	0·07	–	0·15	–	0·21	0·06	–	0·06		20
21	–	–	0·19	0·06	0·02	0·52	–	0·16	–	0·56	–	0·25		21
22	0·08	–	0·02	–	–	–	0·42	0·16	0·61	–	–	0·34		22
23	0·06	–	–	0·34	–	0·51	–	–	0·48	0·12	–	0·36		23
24	–	0·09	0·08	0·05	–	0·18	–	0·50	0·03	0·06	–	0·16		24
25	0·26	–	–	0·25	–	0·04	–	–	0·06	0·26	–	0·73		25
26	0·05	–	–	0·05	–	0·16	0·05	–	0·20	–	–	0·12		26
27	0·01	–	–	–	–	0·02	–	0·05	–	–	0·04	0·27		27
28	–	–	–	–	–	–	–	0·66	0·39	0·01	0·02	0·88		28
29	–	X	–	–	–	–	0·04	0·06	0·12	0·01	–	0·05		29
30	–	X	–	–	–	–	0·01	0·15	0·41	0·06	–	0·34		30
31	–	X	–	X	–	X	–	0·25	X	0·14	X	0·04		31
TOTAL	4·05	0·09	4·74	3·27	1·43	1·60	0·87	5·27	5·29	2·92	2·79	12·52	Year's Total. 44·84	
* Days with .01 in. or more.	21	1	17	16	9	9	7	19	15	18	11	29	172	
* Days with .04 in. or more.	20	1	16	15	7	8	6	17	13	14	9	29	155	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) H Victor Prigg

[P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 1676

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at BLACKADON

in the County of DEVON

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 607½ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·25	0·08	0·60	—	—	0·19	0·02	—	0·58	0·39	—	0·30		1
2	—	0·02	0·04	—	—	0·11	—	T	0·19	0·55	0·06	0·13		2
3	—	—	0·07	0·03	0·40	0·16	0·05	—	0·06	0·38	0·06	0·08		3
4	—	0·15	—	0·12	—	0·70	—	—	0·17	0·06	0·13	0·33		4
5	—	0·36	0·03	—	—	0·19	—	—	0·26	0·12	0·06	0·06		5
6	—	—	—	0·62	—	1·20	—	—	—	—	0·13	0·19		6
7	—	—	—	0·75	—	0·34	—	—	—	0·42	0·31	0·09		7
8	—	—	—	0·69	—	—	0·03	—	0·17	0·06	0·40	—		8
9	0·04	—	—	0·61	—	—	—	—	—	0·73	0·49	—		9
10	0·13	—	0·93	0·06	—	0·11	0·02	—	—	—	—	0·01		10
11	0·28	0·11	—	0·01	—	0·50	—	—	0·21	—	0·52	0·03		11
12	0·11	0·29	—	—	—	0·33	—	0·01	0·18	—	0·31	—		12
13	0·10	0·27	—	0·31	—	0·06	—	—	—	0·14	0·39	—		13
14	—	0·18	—	0·27	—	0·20	—	—	0·23	0·14	1·64	0·47		14
15	—	0·22	—	0·71	0·08	0·54	—	—	0·11	0·07	0·38	0·02		15
16	—	0·21	0·13	0·21	—	0·33	—	—	0·30	0·03	0·38	0·03		16
17	—	—	—	0·01	0·42	0·53	0·03	0·02	0·15	—	—	—		17
18	—	0·17	—	0·56	0·02	0·01	—	—	0·58	—	0·04	0·19		18
19	—	0·04	—	0·07	0·30	0·20	0·32	—	0·43	0·16	0·45	—		19
20	—	—	—	0·29	0·14	0·12	0·02	—	—	0·21	0·06	—		20
21	—	0·40	0·03	0·13	—	—	0·18	—	0·04	0·06	—	—		21
22	—	0·49	—	0·21	—	—	—	—	0·06	0·04	—	—		22
23	—	0·20	0·29	—	—	—	—	0·26	0·13	0·27	—	0·58		23
24	0·03	0·53	—	0·38	—	—	—	0·38	0·89	—	—	0·16		24
25	0·40	0·30	—	0·10	0·05	0·54	—	—	—	—	—	0·19		25
26	0·02	0·53	—	—	0·34	0·05	—	0·50	0·66	—	—	0·82		26
27	—	0·21	—	—	—	—	—	—	0·28	0·08	0·28	0·35		27
28	—	0·03	—	—	—	—	0·02	0·10	0·08	0·13	0·13	0·06		28
29	—	—	—	—	—	—	—	—	0·23	0·02	0·05	0·71		29
30	0·07	✕	—	—	—	0·17	—	1·44	0·10	0·18	0·48	0·66		30
31	—	✕	—	✕	—	✕	—	0·08	✕	0·61	✕	0·37		31
TOTAL	1·43	4·79	2·12	6·14	1·75	6·58	0·69	2·79	6·09	4·85	6·75	5·83	Year's Total 49·81	
* Days with .01 in. or more.	10	20	8	20	8	21	9	8	23	22	21	22	192	
* Days with .04 in. or more.	8	18	6	17	7	20	3	6	23	20	21	18	167	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) H. Victor Prigg

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations **Station No.** 1676-

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at BLACKADON

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 607½ ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·15	0·02	0·03	0·39	–	0·38	0·75	–	–	–	0·26	0·05		1
2	0·09	–	–	0·16	–	0·13	0·62	0·25	0·52	–	0·05	0·02		2
3	–	–	0·06	0·76	–	0·10	0·07	–	1·16	–	0·12	–		3
4	0·03	–	0·41	–	–	0·07	0·11	–	0·57	–	0·07	0·27		4
5	0·36	0·25	0·14	–	0·03	–	0·21	–	0·01	–	0·01	0·18		5
6	0·09	–	0·10	–	–	0·04	0·78	0·22	0·76	–	0·50	–		6
7	0·46	–	0·29	–	–	0·02	0·33	–	0·06	–	0·54	0·10		7
8	0·31	–	0·69	–	–	–	0·62	–	–	–	0·84	0·06		8
9	0·17	1·10	0·45	–	–	–	0·33	–	0·27	–	0·06	–		9
10	0·06	0·81	–	–	–	–	–	–	–	–	0·27	0·02		10
11	0·62	0·04	–	–	–	0·09	0·08	0·12	0·22	–	1·23	0·11		11
12	0·04	–	–	0·27	–	–	1·02	–	0·79	–	0·05	0·02		12
13	0·06	–	–	–	–	–	0·07	0·03	–	0·22	0·29	0·88		13
14	–	–	–	–	–	0·20	0·81	–	0·07	–	0·30	0·80		14
15	–	0·07	–	–	–	–	–	–	0·05	–	0·45	0·61		15
16	–	0·02	–	–	0·15	–	0·38	–	0·03	–	0·56	0·42		16
17	0·08	1·20	–	–	0·06	–	0·26	0·14	–	0·22	0·22	1·47		17
18	0·26	–	0·30	–	–	0·06	0·78	–	–	–	–	0·36		18
19	0·50	–	0·60	0·37	–	–	0·10	0·46	–	–	–	–		19
20	0·14	0·40	–	0·11	–	0·06	0·11	0·02	0·54	–	–	0·04		20
21	0·03	0·23	0·14	0·66	–	–	0·12	–	–	0·02	–	–		21
22	0·34	0·13	0·02	–	–	–	0·59	–	–	–	–	0·08		22
23	0·01	0·07	–	0·28	0·28	–	0·37	–	–	0·13	–	0·04		23
24	0·03	–	0·08	0·07	0·51	–	–	–	0·45	0·45	–	–		24
25	0·30	–	0·36	0·48	–	–	–	–	–	0·56	–	–		25
26	0·33	0·20	0·26	–	0·03	–	–	–	0·04	0·22	–	–		26
27	0·46	0·06	–	–	–	–	0·16	–	–	0·05	–	0·53		27
28	0·95	–	0·92	–	–	–	0·46	–	–	–	–	0·13		28
29	0·02	–	0·11	–	–	–	–	–	–	0·40	0·09	–		29
30	0·43	×	0·04	–	–	0·36	0·03	–	–	–	–	–		30
31	0·11	×	1·11	×	0·04	×	0·86	–	×	–	×	0·84		31
TOTAL	6·43	4·60	6·11	3·55	1·10	1·51	10·02	1·24	5·54	2·27	5·91	7·03	Year's Total 5531	
* Days with .01 in. or more.	27	14	19	10	7	11	25	7	15	9	18	21	183.	
* Days with .04 in. or more.	22	12	17	10	5	10	24	5	13.	8	17	18	161.	

† Spare column, no entries required.

(*Signed*) Messrs. L. Grigg, Lindon & Ivory [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 1676

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Wrangaton
Kept at Blackadon, Ivybridge

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 607½ ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·25	0·03	0·03	0·58	–	–	–	–	–	–	–	1·00		1
2	0·33	1·67	0·07	0·24	–	–	–	–	0·07	0·12	–	–		2
3	0·06	0·23	–	0·09	0·08	–	1·12	–	0·18	–	–	–		3
4	0·10	1·46	–	–	0·02	–	–	–	–	–	–	0·83		4
5	0·53	–	–	0·18	–	–	1·02	–	–	–	–	–		5
6	0·17	0·82	0·89	0·48	0·15	–	0·35	–	–	–	–	0·36		6
7	–	1·20	0·48	0·03	–	0·09	–	–	–	–	0·05	0·15		7
8	–	0·07	–	0·01	0·80	0·09	0·32	–	0·06	–	–	–		8
9	0·15	0·03	0·25	0·30	0·05	–	0·02	–	–	–	–	–		9
10	0·43	0·01	0·69	0·63	0·06	0·41	–	0·10	0·68	–	–	0·70		10
11	0·09	–	0·19	0·32	0·74	0·10	0·80	–	–	–	–	0·02		11
12	1·20	0·48	0·16	–	0·11	0·42	0·23	1·08	–	–	–	0·58		12
13	–	0·20	1·03	0·20	–	–	–	0·25	0·43	–	–	–		13
14	–	0·10	0·09	–	–	–	–	–	0·10	–	–	0·20		14
15	0·43	0·39	0·36	1·10	–	–	–	0·06	0·17	–	–	0·26		15
16	0·24	0·05	0·22	0·07	–	–	0·24	0·25	0·59	–	0·43	–		16
17	0·98	0·15	0·67	–	–	–	–	–	0·60	0·03	1·55	–		17
18	0·15	0·30	0·17	–	–	0·17	–	0·04	0·18	–	0·13	0·13		18
19	0·26	0·24	–	0·68	0·28	–	–	–	0·11	–	0·04	0·07		19
20	0·40	–	0·27	0·27	0·20	–	–	–	0·08	–	–	1·05		20
21	0·71	1·28	–	0·15	0·43	–	0·19	–	0·71	0·12	0·35	0·21		21
22	0·20	0·02	0·04	–	0·78	0·16	0·40	–	0·21	0·76	0·91	0·36		22
23	0·25	0·52	–	–	0·14	–	–	–	–	0·29	0·07	0·10		23
24	0·26	0·68	0·08	–	–	–	0·05	–	0·07	1·00	–	0·18		24
25	0·05	0·87	0·60	–	0·03	–	–	–	0·02	0·20	–	0·03		25
26	–	0·35	–	–	–	–	–	–	–	0·31	–	–		26
27	0·29	0·44	–	–	–	–	–	–	–	–	–	–		27
28	0·40	0·28	–	–	–	–	–	–	–	0·07	–	0·05		28
29	–		–	–	–	–	–	–	–	0·24	0·62	–		29
30	0·53	✕	–	–	–	0·06	–	–	0·04	0·08	0·94	–		30
31	0·26	✕	–	✕	–	✕	–	–	✕	0·71	✕	–		31
TOTAL	8·72	11·87	6·56	5·33	3·87	1·50	3·74	1·78	4·30	3·93	5·09	6·28	Year's Total 62·97	✓ ✓
* Days with .01 in. or more.	25	25	18	16	14	8	11	6	17	12	10	18	180	✓ ✓
* Days with .04 in. or more.	25	21	17	14	12	8	10	6	16	11	10	16	166	✓ ✓

† Spare column, no entries required.

(*Signed*) Trigg, Lindon & Ivory [P.T.O.

* See Instruction 3 (f) on other side.

1676

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1676

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at BLACKADON.

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 607½ ft.

f 660428/26

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	0·11	–	–	–	0·45	–	0·20	0·03	0·63	0·01	0·08		1
2	–	0·09	–	0·06	–	–	–	–	–	0·14	0·01	0·28		2
3	–	–	–	–	0·05	–	0·08	1·08	–	0·89	0·77	–		3
4	–	–	–	–	0·04	0·03	0·31	0·38	–	0·18	0·04	0·65		4
5	0·01	–	–	–	–	0·02	0·06	–	0·11	0·46	0·05	–		5
6	0·43	–	–	–	–	0·38	1·33	–	0·08	0·23	–	0·20		6
7	–	–	–	–	–	0·08	0·22	–	0·12	0·09	0·14	0·20		7
8	0·83	0·01	–	–	–	–	0·25	–	–	0·50	–	0·05		8
9	0·16	0·45	–	–	–	–	–	0·14	–	0·02	0·05	0·76		9
10	0·43	–	–	–	–	–	0·34	–	–	–	–	0·36		10
11	0·54	–	–	–	–	0·06	0·05	–	–	–	0·47	1·02		11
12	0·74	0·04	–	–	0·64	0·04	0·04	–	–	1·11	1·06	–		12
13	0·35	–	–	–	0·65	–	–	–	–	0·55	0·44	1·18		13
14	0·94	–	–	–	0·30	–	0·62	–	–	–	0·01	–		14
15	0·65	–	–	–	0·36	–	–	0·23	–	0·74	0·45	0·44		15
16	–	–	0·19	–	0·02	–	–	0·05	–	–	0·32	–		16
17	–	0·21	0·04	–	0·22	–	0·02	–	0·40	0·27	0·12	0·15		17
18	0·54	–	–	–	0·18	–	–	0·38	0·22	0·09	0·35	–		18
19	0·02	–	–	–	–	–	–	0·18	0·85	–	1·05	–		19
20	0·10	–	–	–	–	–	–	0·15	0·01	–	0·49	–		20
21	0·20	–	–	–	–	–	–	–	0·19	–	0·28	0·05		21
22	0·12	–	–	–	–	0·18	–	–	–	0·14	0·62	0·03		22
23	0·01	–	–	0·17	–	–	–	–	–	–	0·03	–		23
24	0·02	–	0·52	–	0·06	0·08	–	0·07	0·03	–	0·97	–		24
25	0·20	0·73	0·05	–	0·26	–	0·41	–	–	0·06	2·32	–		25
26	0·61	0·32	0·08	–	0·50	0·15	0·01	–	–	0·25	0·02	0·18		26
27	0·56	0·42	–	–	0·11	0·40	0·57	0·71	–	0·17	0·68	–		27
28	0·42	0·30	0·01	–	0·23	0·22	–	0·84	0·21	–	–	0·01		28
29	0·50	–	–	–	0·64	–	0·04	–	0·35	0·41	0·81	0·07		29
30	0·24	✕	0·03	–	0·05	–	0·25	–	0·36	–	0·45	0·05		30
31	0·36	✕	–	✕	0·43	✕	0·04	–	✕	0·53	✕	0·52		31
TOTAL	8·98	2·68	0·92	0·23	4·74	2·09	4·64	4·41	2·96	7·46	12·01	6·28	Year's Total 57·40"	
* Days with .01 in. or more.	24	10	7	2	17	12	17	12	13	20	26	19	179	
* Days with .04 in. or more.	20	9	5	2	16	10	15	12	10	19	21	17	156	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) G. H. Ivory + Partners

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 1676

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at BLACKADON (IVYBRIDGE).

in the County of DEVON

Diameter of Funnel of Gauge 5 ins

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 607½ ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·34	–	–	0·03	0·03	–	–	0·15	–	–	0·67	0·38		1
2	0·05	–	–	0·41	–	–	0·06	0·33	0·52	–	–	–		2
3	0·95	–	0·15	0·83	–	–	0·06	0·02	–	–	0·39	0·50		3
4	–	–	0·70	0·12	0·54	–	0·42	–	–	0·59.	0·43	0·33		4
5	–	–	0·06	0·13	–	–	0·83	–	–	0·50	1·79	0·04		5
6	0·93	–	0·08	0·07	–	–	1·68	0·14	–	–	0·11	–		6
7	0·10	1·88	0·01	–	–	–	0·10	0·12	–	0·11	0·41	1·70		7
8	0·13	0·40	0·10	–	0·06	–	0·43	0·14	–	1·80	0·39	0·21		8
9	0·15	0·07	0·03	–	–	–	–	0·26	–	0·12	0·38	0·36		9
10	0·22	0·07	–	–	–	–	–	0·41	0·11	0·18	–	0·32		10
11	–	0·10	–	–	–	–	–	–	–	0·42	0·04	–		11
12	0·01	0·06	–	–	–	–	–	–	0·10	0·02	0·06	–		12
13	–	–	–	0·30	–	0·13	0·75	–	0·11	1·11	0·09	–		13
14	1·21	–	–	–	0·06	0·14	0·62	–	–	0·06	0·29	0·06		14
15	0·31	–	–	0·08	0·10	1·58	0·11	–	–	–	0·49	–		15
16	0·12	–	0·14	0·29	–	–	0·41	–	–	–	0·35	–		16
17	1·30	0·18	–	–	0·05	0·59	0·60	–	–	–	–	0·04		17
18	0·21	0·08	–	–	–	0·01	0·51	–	–	–	1·28	0·15		18
19	0·57	–	–	–	–	–	0·71	0·12	–	–	–	0·04		19
20	1·20	–	–	–	–	0·45	0·15	1·58	–	–	–	0·15		20
21	0·03	0·43	0·13	–	0·07	1·11	0·11	0·07	–	–	–	–		21
22	1·15	0·30	0·25	–	–	0·41	0·31	–	0·02	–	1·21	–		22
23	0·02	0·02	0·03	0·45	–	–	0·07	–	–	0·09	1·88	–		23
24	0·86	0·07	0·17	0·03	–	0·88	0·01	–	–	0·18	–	–		24
25	0·46	0·15	–	0·24	–	–	0·11	0·95	–	0·26	1·29	–		25
26	0·02	0·02	–	–	–	–	0·03	0·18	–	0·14	0·95	–		26
27	–	0·25	–	–	–	0·13	0·19	0·10	–	–	0·23	–		27
28	0·02	–	–	0·20	–	0·16	0·71	–	–	–	0·64	–		28
29	0·06	–	–	0·08	–	0·02	0·21	–	–	0·60	0·26	–		29
30	–	✕	0·03	0·24	–	–	–	0·12	–	0·55	0·31	–		30
31	–	✕	–	✕	–	✕	0·05.	0·30	✕	0·74.	✕	–		31
TOTAL	10·42	4·08	1·88	3·50	0·91.	5·61	9·24	4·99.	0·86.	7·47.	13·94	4·28	Year's Total 67.18	
* Days with .01 in. or more.	24.	15	13.	15	7.	12	25	16.	5.	17.	23	13.	185	
* Days with .04 in. or more.	19.	13.	9.	13.	6.	10	23.	15.	4.	16.	23	13	164.	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) G. H. Ivory + Partners

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1676

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at BLACKADON IVYBRIDGE.
in the County of DEVON.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 607½ ft.

Acks. Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	0·17	–	–	0·10	–	–	–	–	–	0·28	–		1
2	–	0·55	–	0·38	–	–	0·08	–	–	–	0·98	0·08		2
3	0·11	1·04	–	–	–	–	–	–	–	0·14	1·73	0·56		3
4	–	0·19	–	–	–	–	0·20	–	–	0·49	0·23	–		4
5	–	–	–	–	–	–	–	–	–	0·06	0·42	0·51		5
6	0·69	1·24	–	–	–	–	–	–	–	0·73	–	0·50		6
7	–	–	–	0·20	–	–	0·02	–	–	0·02	–	0·04		7
8	–	0·05	–	–	–	–	0·14	–	–	0·51	0·89	0·78		8
9	–	–	–	–	–	–	0·92	0·06	0·03	0·18	0·42	0·45		9
10	–	–	–	–	–	–	0·03	–	–	0·07	0·17	0·39		10
11	–	–	0·04	–	–	–	0·28	–	–	–	1·84	0·09		11
12	–	–	0·52	–	–	0·15	✗	–	1·40	–	0·11	–		12
13	–	–	0·57	–	–	–	✗ 0·48	–	–	0·48	1·94	0·63		13
14	–	0·04	–	0·05	0·06	–	0·01	0·07	0·16	0·34	0·05	0·48		14
15	–	0·08	–	–	–	0·03	0·17	–	0·31	–	0·60	–		15
16	0·33	1·80	1·41	0·12	–	–	0·17	–	0·21	0·54	0·39	–		16
17	–	0·34	1·04	0·09	–	–	0·30	–	–	–	0·08	–		17
18	0·08	1·15	0·39	0·77	–	–	0·03	–	–	0·16	0·03	0·35		18
19	–	0·15	0·15	0·14	–	–	0·33	–	0·90	0·04	0·88	–		19
20	–	–	–	0·04	–	–	–	0·09	–	0·04	0·19	–		20
21	–	–	–	–	0·03	–	–	–	0·04	–	0·75	–		21
22	–	0·04	0·20	0·08	–	0·59	–	–	0·08	0·08	–	–		22
23	–	–	0·26	–	0·02	–	0·02	–	–	0·03	0·18	–		23
24	–	–	0·04	0·05	–	–	0·38	–	–	–	–	–		24
25	0·35	–	0·22	0·04	0·50	0·05	–	–	–	–	–	–		25
26	–	0·87	0·04	–	0·35	–	–	–	–	–	0·07	–		26
27	1·59	0·16	–	0·15	–	–	–	–	–	–	–	–		27
28	0·91	0·20	–	0·06	0·10	–	–	–	–	–	–	–		28
29	0·44	0·12	0·40	1·26	–	0·19	–	–	–	0·09	–	0·70		29
30	0·07	✗	–	0·02	–	–	–	–	–	0·75	–	0·40		30
31	0·17	✗	0·04	✗	–	✗	–	–	✗	0·80	✗	1·09		31
TOTAL	4·74	8·19	5·32	3·45	1·16	1·01	3·56	0·22	3·13	5·55	12·23	7·06	Year's Total 55·61	
* Days with .01 in. or more.	10	17	14	15	7	5	17	3	8	19	21	15	151	
* Days with .04 in. or more.	10	17	14	14	5	4	12	3	7	17	20	15	138	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) J. H. Corry + Partners.

SOUTH BRENT (M

1676/8

SOUTH BRENT (MILLSWOOD)
1939, 40

780306

Section A for the entry of I
AIR MINISTRY

Station No. 1676/8
ALL ORGANIZATION

FORM 1090

REGIS
39

Kept at SOUTH BRENT
in the County of DEVON
Diameter of Funnel of Gauge 5
Height of top of Gauge above Grou
,, Ground ,, Sea Level 400 ft.

registering ~~¢b~~ (8") in red
square
ard Rain guage
44490/38

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.35	--	.01	.03	.05	--	--	.10 ~~--~~	.14 ~~.10~~	--	.59	.31		1
2	.13	--	--	.44	--	--	.04		.75	--	.12	.13		2
3	.88	--	.07	1.03	--	--	.01	.30	.03	--	.35	.42		3
4	.02	--	.72	.18	.59	--	.48	--	--	.45	.33	.25		4
5	--	--	.04	.09	.01	--	.68	--	--	.32	1.55	.08		5
6	.84	--	.08	.14	.01	--	2.56	.06	--	.12	.17	--		6
7	.17	2.06	--	--	--	--	.19	.08	--	.01	.48	1.94		7
8	.17	.49	.13	--	.01	--	.57	.12	--	1.70	.51	.25		8
9	.12	.03	--	--	--	--	--	.56	--	.09	.23	.45		9
10	.28	.03	.03	--	--	--	--	.31	.08	.24	.03	.23		10
11	.01	.11	.07	--	--	.02	--	--	--	.48	--	.02		11
12	.01	.11	--	--	--	--	--	--	.02	.02	.08	Tr.		12
13	.01	.01	--	.34	--	.07	.85 ~~--~~	--	.10	1.21	.10	.01		13
14	1.32	--	--	.01	.04	.13	.77	--	--	.06	.26	.05		14
15	.35	--	--	.04	.08	1.70	.19	--	--	--	.44	.04		15
16	.10	--	--	.32	--	--	.51	--	--	--	.29	--		16
17	.44	.27	--	--	.08	.56	.62	.01	--	--	.02	.01		17
18	1.15	.11	.02	--	.01	.01	.55	--	--	--	.99	.16		18
19	.64	.01	--	--	--	--	.44	--	--	--	--	.04		19
20	.99	--	--	--	--	.41	.42	1.63	--	--	--	.03		20
21	.06	.47	.16	--	.02	1.16	.08	.19	--	.01	--	--		21
22	1.30	.44	.27	.02	--	.55	.20	--	.03	--	1.34	--		22
23	.01	.02	.02	.63	--	.05	.06	--	--	.01	2.26	--		23
24	.98	.09	.16	.06	--	.85	.05	--	--	.07	Tr.	--		24
25	.47	.21	--	.37	--	--	.09	.23	--	.09	1.32	--		25
26	.02	.05	--	.02	--	--	.04	.60	--	.12	.79	--		26
27	--	.32	--	--	--	.16	.20	.06	--	--	.37	--		27
28	.02	.07	--	.26	--	.25	.77	--	--	--	.74	.01		28
29	.08	✕	--	.11	--	.04	.38	--	--	.78	.13	--		29
30	--	✕	.04	--	--	--	--	.09	--	.51	.30	--		30
31	--	✕	--	✕	--	✕	.15	.13	✕	.73	✕	--		31
TOTAL	10.92	4.90	1.82	4.09	0.90	5.96	10.90	4.47	1.15	7.02	13.85	4.43	Year's Total 70.4	
* Days with .01 in. or more.	27	18	14 ~~10~~	17	10	14	25	16 ~~15/18~~	7	19	25	18	~~209~~/210 ~~213~~	
* Days with .04 in. or more.	20	13	10	14	5	12	24	14/~~17~~	4	15	23	13	167/~~170~~	

n/r recorder up to Nov 22

T.P.

SH.

Major-General G. L. Raikes C.B. D.S.O.

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) George L. Raikes

P.T.O.

SOUTH BRENT (M

Section **A** for the entry of Daily Observations

Station No. 1676/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at SOUTH BRENT

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" Ground " Sea Level 400 ft.

Readings by self registering ~~06~~ clock-face gauge (8") Square in red

Readings by Standard Rain guage in Black (5") ∮ 844490/38

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.35	--	.01	.03	.05	--	--	.10 --	.14 ~~.10~~	--	.59	.31		1
2	.13	--	--	.44	--	--	.04	✓	.75	--	.12	.13		2
3	.88	--	.07	1.03	--	--	.01	✓ .30	.03	--	.35	.42		3
4	.02	--	.72	.18	.59	--	.48	–	--	.45	.33	.25		4
5	--	--	.04	.09	.01	--	.68	–	--	.32	1.55	.08		5
6	.84	--	.08	.14	.01	--	2.56	.06	--	.12	.17	--		6
7	.17	2.06	--	--	--	--	.19	.08	--	.01	.48	1.94		7
8	.17	.49	.13	--	.01	--	.57	.12	--	1.70	.51	.25		8
9	.12	.03	--	--	--	--	--	.56	--	.09	.23	.45		9
10	.28	.03	.03	--	--	--	--	.31	.08	.24	.03	.23		10
11	.01	.11	.07	--	--	.02	--	--	--	.48	--	.02		11
12	.01	.11	--	--	--	--	--	--	.02	.02	.08	Tr.		12
13	.01	.01	--	.34	--	.07	.85 --	--	.10	1.21	.10	.01		13
14	1.32	--	--	.01	.04	.13	.77	--	--	.06	.26	.05		14
15	.35	--	--	.04	.08	1.70	.19	--	--	--	.44	.04		15
16	.10	--	--	.32	--	--	.51	--	--	--	.29	--		16
17	.44	.27	--	--	.08	.56	.62	✓ .01	--	--	.02	.01		17
18	1.15	.11	.02	--	.01	.01	.55	--	--	--	.99	.16		18
19	.64	.01	--	--	--	--	.44	--	--	--	--	.04		19
20	.99	--	--	--	--	.41	.42	1.63	--	--	--	.03		20
21	.06	.47	.16	--	.02	1.16	.08	.19	--	.01	--	--		21
22	1.30	.44	.27	.02	--	.55	.20	--	.03	--	1.34	--		22
23	.01	.02	.02	.63	--	.05	.06	--	--	.01	2.26	--		23
24	.98	.09	.16	.06	--	.85	.05	--	--	.07	Tr.	--		24
25	.47	.21	--	.37	--	--	.09	.23	--	.09	1.32	--		25
26	.02	.05	--	.02	--	--	.04	.60	--	.12	.79	--		26
27	--	.32	--	--	--	.16	.20	.06	--	--	.37	--		27
28	.02	.07	--	.26	--	.25	.77	--	--	--	.74	.01		28
29	.08	×	--	.11	--	.04	.38	--	--	.78	.19	--		29
30	--	×	.04	--	--	--	--	.09	--	.51	.30	--		30
31	--	×	--	×	--	×	.15	.13	×	.73	×	--		31
TOTAL	10.92	4.90	1.82	4.09	0.90	5.96	10.90	4.47	1.15	7.02	13.85	4.43	Year's Total 70.41	
* Days with .01 in. or more.	27	18	14 ~~16~~	17	10	14	25	16 ~~15/18~~	7	19	25	18	~~209~~/ 210 ~~213~~	
* Days with .04 in. or more.	20	13	10	14	5	12	24	14/~~17~~	4	15	23	13	167/~~170~~	

No recorder up to Nov 22

T.P. [illegible]

SH.

Major-General G. L. Raikes C.B. B.Sc.

† Spare column, no entries required.

(Signed) George L Raikes

* See Instruction 3 (f) on other side.

P.T.O.

South Brent (Millswood) **COPY FOR OFFICIAL USE**

Section **A** for the entry of Daily Observations

Station No. 1676/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19340

Kept at South Brent

in the County of S. Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 12 in.

" Ground " Sea Level 400 ft.

Readings by standard Rain Gauge

up 1939 f 844490/38 (nonstandard gauge)

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	0·18	–	0·01	0·05	–	–	–	–	–	0·20	TRACE		1
2	–	0·70	–	0·43	–	–	0·05	–	–	–	1·15	0·12		2
3	0·10	1·21	–	0·01	–	–	TRACE	–	–	0·20	2·00	0·66		3
4	TRACE	0·20	–	0·29	–	–	0·22	–	–	0·52	0·21	0·10		4
5	0·03	TRACE	–	–	–	–	0·02	–	–	0·07	0·59	0·34		5
6	0·72	1·17	–	–	–	–	0·11	–	–	0·94	0·02	0·49		6
7	0·25	0·02	–	0·01	–	–	0·07	–	0·01	0·03	–	0·03		7
8	TRACE	0·06	–	–	–	–	0·27	–	TRACE	0·52	0·62	0·77		8
9	–	0·01	–	–	–	–	0·93	0·08	0·02	0·26	0·71	0·29		9
10	–	0·01	–	–	–	–	0·03	0·01	0·01	0·18	0·23	0·71		10
11	–	0·02	0·05	0·01	–	–	0·98	–	–	TRACE	2·10	0·14		11
12	–	–	0·67	–	–	0·34	0·51	–	0·83	–	0·16	TRACE		12
13	–	TRACE	0·62	–	–	–	0·$\overset{0}{2}$6	–	0·01	0·49	1·62	0·63		13
14	–	SNOW TRACE	0·01	0·03	0·04	–	0·01	0·05	0·13	0·34	0·04	0·65		14
15	–	0·07	–	TRACE	–	–	0·10	–	0·26	0·03	0·73	0·01		15
16	SNOW 0·0$\overset{5}{6}$	SNOW 1·59	1·31	0·14	–	–	0·11	–	0·19	0·58	0·44	0·05		16
17	–	0·42	0·82	0·10	–	–	0·16	–	–	–	0·07	TRACE		17
18	SNOW 0·16	0·92	0·50	0·73	–	–	0·05	–	0·01	0·16	0·04	0·18		18
19	–	0·09	0·24	0·15	–	–	0·30	–	0·88	0·06	1·12	–		19
20	–	–	–	0·06	–	–	TRACE	0·08	TRACE	0·05	0·30	–		20
21	–	–	0·03	0·01	0·03	–	–	0·01	0·04	0·01	0·93	–		21
22	–	0·07	0·19	0·12	–	0·65	–	–	0·11	0·02	0·02	–		22
23	TRACE	0·04	0·28	0·01	0·02	–	0·02	–	TRACE	0·10	0·19	–		23
24	–	–	0·03	0·03	0·02	0·02	0·34	–	–	–	TRACE	–		24
25	0·43	–	0·23	0·04	0·49	0·05	0·01	–	–	–	–	–		25
26	0·99	0·94	–	0·01	0·35	0·05	0·03	–	–	–	0·07	–		26
27	0·91	0·23	0·04	0·04	0·82	0·01	–	–	–	–	0·02	–		27
28	1·07	0·18	0·01	0·05	0·08	–	–	–	–	–	TRACE	–		28
29	0·16	0·15	0·42	1·10	–	0·20	–	–	–	0·10	–	0·75		29
30	0·11	✕	0·01	0·06	0·01	–	–	–	–	0·87	–	0·34		30
31	0·06	✕	0·10	✕	–	✕	–	–	✕	0·88	✕	1·24		31
TOTAL	5·04	8·28	5·56	3·44	1·91	1·32	4·38	0·23	2·50	6·41	13·58	7·50	Year's Total 60·15	Print
* Days with .01 in. or more.	13	21	18	22	10 ~~7~~	7	21	5	12	21	24	18	192	Wt
* Days with .04 in. or more.	12	17	13	13	6 ~~4~~	4	15	3	7	17	21	16	144	

X Major General G. L. Raikes C.B., D.S.O.

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) G. L. Raikes

[P.T.O.

1677

Section **A** for the entry

AIR MINIST

INFALL ORGANIZATION.

COPY FOR OFFICIAL USE.

FORM 1090.

REGI **193/.**

1677

SOUTH BRENT, (BEECHFIELD)

1931—40

780306

400

Kept at Beechfield

in the County of De

Diameter of Funnel of Gauge

Height of top of Gauge above Gr

„ Ground „ Sea

2-32 - Observer agrees [illegible] 23/2/32

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	Trace	—	·77	—	—	Tr	—	·69	·06	—	—	1
2	·40	—	·02	·45	—	·02	·02	—	·30	·16	·30	·93	2
3	·63	Trace	1·04	—	—	—	·40	Tr	·35	—	2·19	·42	3
4	·02	·05	·31	·01	·08	·12	·68	—	·06	·17	·06	·13	4
5	—	·75	·18	·17	—	·53	·23	—	—	Tr	·02	·57	5
6	—	·03	—	Tr	·07	·30	·05	Tr	—	·43	·03	·44	6
7	—	·04	—	—	·56	·58	·71	·14	—	·07	1·02	·56	7
8	—	·74	—	·47	—	·68	·09	Tr	—	Tr	·20	·05	8
9	·01	·78	·01	—	—	·41	·26	·01	—	·02	·71	—	9
10	—	·13	—	—	·18	·20	·10	·05	·96	—	·96	Tr	10
11	·25	·85	—	—	·11	·92	·15	Tr	·06	—	·31	—	11
12	Trace	·27	—	—	·02	—	·25	—	·03	·22	—	—	12
13	—	·16	·07	—	·15	·01	·28	·17	Tr	—	·10	—	13
14	·05	·13	—	—	·04	·23	·74	·14	·01	·03	·39	—	14
15	·01	·27	—	·02	·22	—	·01	·39	—	—	—	·02	15
16	·04	·34	—	·09	·07	1·87	·01	·26	·05	—	—	·01	16
17	·06	·03	—	·10	—	·01	·52	Tr	·01	—	—	—	17
18	·08	Tr	·02	·12	—	·39	·26	2·38	—	—	·45	—	18
19	·19	·16	·11	·03	—	·38	·14	·18	·01	—	·42	Tr	19
20	·05	·55	·47	—	—	—	—	·95	—	—	·38	—	20
21	·67	Tr	·05	—	·16	—	·07	—	—	·01	·13	—	21
22	1·24	·01	·03	·13	·21	—	·04	—	—	—	·05	—	22
23	·36	·03	—	·46	1·11	—	·08	·17	—	—	1·30	—	23
24	·27	·03	·01	1·23	·13	·16	·95	·57	—	—	·11	—	24
25	·16	·10	Tr	·37	·03	—	·36	—	—	—	·37	—	25
26	·07	·23	—	·17	—	—	·45	—	—	—	·93	—	26
27	·44	·55	—	·01	·62	—	·41	—	—	·03	·13	·02	27
28	·17	·43	·18	·01	·06	—	—	·03	—	Tr	·01	·24	28
29	·06	×	·12	—	·04	—	·61	·23	Tr	Tr	·09	—	29
30	·15	×	—	—	·05	—	·01	·02	·25	·01	Tr	Tr	30
31	1·56	×	·35	×	·17	×	·16	Tr	×	·02	×	·69	31 64·55
TOTAL	6·94	6·66	2·97	4·61	4·08	7·81	8.04	5·~~72~~ 69	2·78	1·23	10·66	4·08	YEAR'S TOTAL ~~65·58~~
*Days with ·01 in. or more.	~~24~~ 23	23	15	17	20	16	28	15	12	12	24	12	21~~8~~7
*Days with ·04 in. or more.	~~19~~ 20	18	10	12	18	13	24	12	8	6	21	9	17~~0~~1

40-9999

(*Signed*) C. M. Kingwell [P.T.O.

*See Instruction 2 (*f*) on other side.

1677

Section A for the entry [redacted] COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193/ .

Kept at Beechfield, S Brent

in the County of Devon

Diameter of Funnel of Gauge 5 in. —

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 500 ft.

400

c/c D2 sent 18.2.32 - Observer agrees to amendments 23/2/32

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	Trace	—	·77	—	—	Tr.	—	·69	·06	—	—	1
2	·40	—	·02	·45	—	·02	·02	—	·30	·16	·30	·93	2
3	·63	Trace	1·04	—	—	—	·40	Tr	·35	—	2·19	·42	3
4	·02	·05	·31	·01	·08	·12	·68	—	·06	·17	·06	·13	4
5	—	·75	·18	·17	—	·53	·23	—	—	Tr	·02	·57	5
6	—	·03	—	Tr	·07	·30	·05	Tr	—	·43	·03	·44	6
7	—	·04	—	—	·56	·58	·71	·14	—	·07	1·02	·56	7
8	—	·74	—	·47	—	·68	·09	Tr	—	Tr	·20	·05	8
9	·01	·78	·01	—	—	·41	·26	·01	—	·02	·71	—	9
10	—	·13	—	—	·18	·20	·10	·05	·96	—	·96	Tr	10
11	·25	·85	—	—	·11	·92	·15	Tr	·06	—	·31	—	11
12	Trace	·27	—	—	·02	—	·25	—	·03	·22	—	—	12
13	—	·46	·07	—	·15	·01	·28	·17	Tr	—	·10	—	13
14	·05	·13	—	—	·04	·23	·74	·14	·01	·03	·39	—	14
15	·01	·27	—	·02	·22	—	·01	·39	—	—	—	·02	15
16	·04	·34	—	·09	·07	1·87	·01	·26	·05	—	—	·01	16
17	·06	·03	—	·10	—	·01	·52	Tr	·01	—	—	—	17
18	·08	Tr.	·02	·12	—	·39	·26	2·38	—	—	·45	—	18
19	·19	·16	·11	·03	—	·38	·14	·18	·01	—	·42	Tr	19
20	·05	·55	·47	—	—	—	—	·95	—	—	·38	—	20
21	·67	Tr.	·05	—	·16	—	·07	—	—	·01	·13	—	21
22	1·24	·01	·03	·13	·21	—	·04	—	—	—	·05	—	22
23	·36	·03	—	·46	1·11	—	·08	·17	—	—	1·30	—	23
24	·27	·03	·01	1·23	·13	·16	·95	·57	—	—	·11	—	24
25	·16	·10	Tr.	·37	·03	—	·36	—	—	—	·37	—	25
26	·07	·23	—	·17	—	—	·45	—	—	—	·93	—	26
27	·44	·55	—	·01	·62	—	·41	—	—	·03	·13	·02	27
28	·17	·43	·18	·01	·06	—	—	·03	—	Tr	·01	·24	28
29	·06	×	·12	—	·04	—	·61	·23	Tr	Tr	·09	—	29
30	·15	×	—	—	·05	—	·01	·02	·25	·01	Tr	Tr	30
31	1·56	×	·35	×	·17	×	·16	Tr	×	·02	×	·69	31 64·55
TOTAL	6·94	6·66	2·97	4·61	4·08	~~7·81~~ 6·81	8·04	~~5·72~~ 5·69	2·78	1·23	10·66	4·08	YEAR'S TOTAL ~~65·58~~
*Days with ·01 in. or more.	~~24~~ 23	23	15	17	20	16	28	15	12	12	24	12	~~218~~ 217
*Days with ·04 in. or more.	~~19~~ 20	18	10	12	18	13	24	12	8	6	21	9	~~178~~ 171

40-9999

(Signed) C. M. Kingwell [P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1677

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Beechfield, S. Brent

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 500 ft.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·26	—	—	·23	—	—	·07	·11	·29	—	·05	·07	1
2	·41	·01	·09	·29	—	—	·02	·07	·53	—	·04	·91	2
3	·07	—	·01	Trace	—	·64	—	—	·66	Tr.	·04	·05	3
4	·10	—	—	Tr.	—	·33	·06	·03	—	—	·34	—	4
5	1·51	—	·05	—	—	—	Tr.	—	·63	—	—	—	5
6	·98	—	·10	·47	—	—	·07	—	·61	·01	—	—	6
7	·04	—	·02	·13	—	—	—	—	1·40	1·59	—	—	7
8	·63	—	·83	·39	·20	—	—	—	·04	·71	Tr.	—	8
9	2·15	Trace	Trace	·51	·14	—	—	—	·02	—	—	—	9
10	·59	—	—	·45	·12	—	—	—	·22	·59	—	·06	10
11	·19	—	—	·19	·15	—	·05	—	·07	·10	—	·40	11
12	2·20	—	—	·01	1·72	—	·03	—	·10	·36	—	·05	12
13	·19	—	—	·39	·11	·03	·06	·22	Trace	·97	—	·51	13
14	·41	—	—	·04	·26	—	—	—	—	·05	—	·01	14
15	·11	—	—	·08	—	—	·16	—	—	·05	·04	·24	15
16	·27	—	—	·15	·19	—	·01	—	—	·01	Tr.	·01	16
17	·03	—	—	·02	·11	—	—	—	·01	·16	·01	·01	17
18	·38	—	—	—	·63	—	—	—	·06	—	·04	Tr.	18
19	·06	—	—	·12	·49	—	—	·09	·10	1·60	·01	—	19
20	·04	—	·02	·12	·93	—	·02	—	Tr.	1·93	·14	·29	20
21	·11	—	·05	·20	—	—	—	·57	·15	·86	·37	·26	21
22	—	—	—	—	·09	—	·04	—	·65	·53	·77	·14	22
23	—	·02	—	·10	Tr.	—	·36	—	·04	1·21	·07	·29	23
24	—	·02	—	—	—	—	·93	—	·20	·13	·05	—	24
25	—	—	·44	·04	·09	—	·17	—	·27	·93	·34	·01	25
26	—	—	·32	·71	·01	—	·25	—	·01	·12	·09	—	26
27	—	—	·64	·84	·10	—	·48	—	—	34	·05	·45	27
28	—	—	·26	·18	·14	Tr.	·70	—	—	—	—	·23	28
29	—	—	·16	·23	·05	1·28	·26	·82	·74	1·36	·36	·86	29
30	·03	×	·90	·29	·03	2·86	·51	·05	·75	·26	1·97	·01	30
31	—	×	·10	×	·18	×	·04	—	×	·04	×	1·02	31
TOTAL	10·16	·05	3·99	6·18	5·74	5·14	4·29	1·96	7·55	13·91	4·78	5·88	YEAR'S TOTAL 69·63
*Days with ·01 in. or more.	22	3	15	24	20	5	20	8	22	23	18	21	201
*Days with .04 in. or more.	19	0	12	22	18	4	16	7	19	21	16	16	170

40-9999

*See Instruction 2 (*f*) on other side,

(Signed) C. M. Kingwell

P.T.O.

√ 152

Section | **A** | for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 1677

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Beechfield, S. Brent
in the County of Devon
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level 500 ft.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·39	1·72	·18	—	·03	·14	—	—	—	·01	·16	1·52		1
2	1·12	·04	1·62	—	·43	·91	—	—	—	—	—	·36		2
3	·02	·15	·43	—	·07	·03	—	—	—	—	—	—		3
4	·39	·38	·01	—	·19	—	—	—	—	—	—	—		4
5	·09	·03	·67	—	·24	—	—	—	·02	—	—	—		5
6	·03	·90	·06	—	·41	—	·20	—	—	·21	Tr.	—		6
7	·05	·21	·02	—	·22	—	·16	—	—	·15	—	·01		7
8	·09	·15	—	—	·06	Tr.	·13	—	—	·01	—	Tr.		8
9	—	·07	—	—	·07	—	1·19	·04	—	·60	·05	—		9
10	·05	·24	—	—	—	—	·53	Tr.	—	1·01	·01	—		10
11	·02	—	—	·03	—	—	·25	·11	—	·28	—	—		11
12	—	—	—	·24	·07	·24	·66	·06	·33	—	—	—		12
13	Tr.	—	—	—	·09	Tr.	·57	·34	—	·47	·12	·02		13
14	·36	—	—	—	—	—	·49	·09	—	·08	·52	Tr.		14
15	·41	—	·61	—	—	—	·20	·45	—	·12	·24	—		15
16	—	—	1·38	—	—	·14	—	·01	·02	·04	Tr.	—		16
17	—	·13	·42	—	—	·15	Tr.	·53	·46	—	—	—		17
18	·24	—	·29	—	—	·07	—	—	—	—	·02	—		18
19	·35	·01	·33	Tr.	—	·09	—	·07	·11	·01	·65	—		19
20	—	·03	·01	—	·01	·23	—	·01	·12	—	Tr.	—		20
21	—	·07	—	—	—	·09	—	·17	·01	·26	—	—		21
22	—	—	—	·48	—	—	—	·70	·79	·01	Tr.	—		22
23	—	1·42	—	·73	—	·20	—	Tr.	·10	·84	—	—		23
24	—	·26	—	1·22	—	—	—	—	·30	·01	—	—		24
25	—	·64	—	·49	·07	·13	—	—	·39	—	—	·33		25
26	—	·24	—	·57	·18	—	—	—	—	·17	—	·01		26
27	—	·14	—	·34	—	—	—	—	—	·40	·05	·60		27
28	—	·36	—	·48	Tr.	—	1·04	Tr.	Tr.	·28	—	·05		28
29	·03	×	·01	·05	—	—	·05	—	·12	—	—	·02		29
30	·15	×	·30	·12	Tr.	—	·18	—	·02	·01	—	·18		30
31	·69	×	·45	×	·18	×	—	—	×	·21	×	·01		31
TOTAL	4·48	7·19	6·79	4·75	2·32	2·42	5·65	2·58	2·79	5·18	1·82	3·11	Year's Total ~~[illegible]~~	Yr's Total 49·08 √
*Days with ·01 in. or more.	17 √	20 √	16 √	11 √	15 √	12 √	13 √	12 √	13 √	21 √	9 √	11 √	170 √	
*Days with .04 in. or more.	13 √	17 √	12 √	10 √	13 √	11 √	13 √	10 √	9 √	15 √	7 √	6 √	136 √	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Catherine M. Kingwell [P.T.O.

W W Ck

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 1677

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Beechfield

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 500 ft.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·13	—	·09	—	—	—	—	1·27	·05	Tr	·40	2·49		1
2	·09	—	·09	—	—	—	—	·03	1·34	·12	·11	·65		2
3	·35	—	—	—	—	—	—	—	·01	·79	—	1·03		3
4	·40	—	·59	·03	·49	—	—	·04	·22	·15	Tr	·79		4
5	—	Tr	·19	—	·26	·06	—	1·81	—	·15	—	1·08		5
6	·37	—	·40	·14	·65	—	—	·03	·06	1·04	·02	·78		6
7	·10	—	—	—	—	—	—	·12	Tr	·57	·10	1·29		7
8	Tr	—	—	—	·03	—	—	·01	—	—	1·07	·71		8
9	·06	—	·38	—	—	—	—	·19	—	·02	·46	·27		9
10	·38	—	·83	·40	—	—	·01	·22	—	—	·09	·35		10
11	·82	—	·02	·58	—	—	—	·10	—	—	—	·74		11
12	·05	—	—	—	—	—	·05	·19	—	—	—	·28		12
13	·59	—	·03	·51	—	·01	·04	—	—	·05	·69	·62		13
14	·91	—	·66	·06	—	—	—	—	—	·12	·04	·69		14
15	·25	—	·23	·13	·19	—	—	—	—	·14	·07	·40		15
16	·63	—	·84	·02	Tr	—	—	—	·23	·02	—	·36		16
17	·83	—	·27	·23	·16	—	—	—	·20	·14	—	·85		17
18	·11	—	·45	·45	Tr	·11	—	—	·08	—	—	1·05		18
19	·02	—	·31	·27	·02	·19	—	·16	·28	·01	—	·69		19
20	—	—	Tr	·67	·06	—	·22	—	·16	·06	—	·12		20
21	—	Tr	·22	·03	·03	·71	·01	·15	·09	1·02	—	·30		21
22	·12	—	·01	—	—	·02	·65	·11	·82	—	—	·47		22
23	·08	Tr	Tr	·56	—	·86	Tr	—	·65	·17	—	·43		23
24	—	·16	·04	·04	—	·24	·04	·37	·04	·12	—	·27		24
25	·45	·03	Tr	·60	—	·10	—	—	Tr	·59	—	1·00		25
26	·23	Tr	Tr	·05	—	·23	—	—	·38	·09	—	·21		26
27	—	—	—	·02	—	·03	—	·09	·26	·05	·03	·45		27
28	—	—	—	—	—	—	·06	·84	·42	·02	·02	1·40		28
29	—	—	—	—	—	—	Tr	·16	·09	·01	·02	·13		29
30	—	×	—	—	—	—	·01	·39	·70	·07	·02	1·05		30
31	—	×	—	×	·02	×	·06	·06	×	·08	×	·16		31
TOTAL	6·97	·19	5·65	4·79	1·91	2·56	1·15	6·34	6·08	5·60	3·14	21·11	Year's Total 65·49	
*Days with ·01 in. or more.	21	2	18	18	~~9~~ 10	11	10	20	19	24	14	31	~~197~~ 8	
*Days with ·04 in. or more.	20	1	15	15 14	6	8	7	17	18	19	9	31	~~166~~ 5	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Catherine M. Kingwell.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1677

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Beechfield, S. Brent

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 500 ft.

✓ ✓ W GR.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·10	·09	·71	—	—	·22	·02	—	·52	·08	·03	·50		1
2	—	·04	·13	—	—	·15	—	—	·22	·90	·05	·25		2
3	—	·02	·09	·02	·56	·16	·03	—	·11	·40	·10	·11		3
4	—	·35	—	·20	—	·13	—	—	·20	·13	·26	·50		4
5	Tr—	·38	—	·30	—	·20	—	—	·53	·18	·17	·16		5
6	—	—	—	·60	—	1·81	—	—	—	—	·26	·31		6
7	Tr—	—	—	1·05	—	·33	—	—	·20	·63	·24	·13		7
8	—	—	—	·83	—	—	·05	—	—	·10	·65	·01		8
9	·04	—	—	1·03	—	—	·02	—	·01	1·36	·72	—		9
10	·12	—	·16	·11	—	·15	—	—	—	·01	·01	·02		10
11	·28	·15	·06	·02	—	·74	—	—	·22	—	·74	·01		11
12	·09	·71	—	—	—	·45	—	Trace	·28	—	·55	—		12
13	·13	·02	—	·39	—	·07	—	—	—	·28	·55	—		13
14	—	·42	—	·28	—	·30	—	—	·33	·20	2·05	·77		14
15	—	·13	—	1·00	·09	·47	—	·01	·36	·15	·78	·09		15
16	—	·32	·14	·21	—	·28	·02	—	·46	·04	·86	·02		16
17	—	·01	Tr—	·04	·67	·75	·05	·07	·25	—	·02	—		17
18	—	·25	·01	1·01	·03	·02	—	—	1·03	·20	·06	·20		18
19	—	·10	—	·13	·66	·32	·50	—	·50	·30	·62	—		19
20	—	·67	—	·42	·13	·11	·02	—	·02	—	·10	—		20
21	—	·97	·03	·21	—	Trace	·11	—	·05	·05	—	—		21
22	—	·01	·05	·22	—	—	—	—	·07	·02	—	—		22
23	Tr—	·35	·27	—	—	—	—	·13	·30	·36	—	·66		23
24	·10	1·02	—	·67	—	—	—	·35	1·36	·01	—	·20		24
25	·45	·33	—	·09	·47	·48	—	—	—	—	—	·20		25
26	—	·74	—	—	—	·12	—	·70	·72	—	—	·99		26
27	·01	·29	—	—	—	—	·02	·06	·30	·26	·48	·49		27
28	—	·08	—	—	—	—	—	·05	·14	·16	·14	·08		28
29	·01	×	—	—	—	—	—	—	·62	·09	·09	·96		29
30	·04	×	—	—	—	·20	—	1·71	·15	·47	1·67	1·13		30
31	Trace	×	—	×	·01	×	—	·11	×	1·49	×	·60		31
TOTAL	✓ 1·37	✓ 7·45	✓ 1·65	✓ 8·83	✓ 2·62	✓ 7·46	✓ ·84	✓ 3·19	✓ 8·95	✓ 7·87	✓ 11·20	✓ 8·39	Year's Total. ✓ 69·82	
* Days with .01 in. or more.	11 ✓	✓ 23	✓ 10	✓ 21	✓ 8	✓ 21	✓ 10	✓ 9	✓ 25	✓ 24	✓ 24	✓ 23	209 ✓	
* Days with .04 in. or more.	9 ✓	✓ 19	✓ 8	~~20~~ 19 ✓	6 ~~7~~	✓ 20	✓ 4	✓ 8	✓ 23	✓ 21	✓ 21	✓ 19	1797	✓

40-9999

~~882~~

* See Instruction 2 (f) on other side. ~~J. A. Kingwell Esq~~

† Spare column, no entries required. C M Kingwell

(Signed) John A. Kingwell

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1677

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Beechfield, S. Brent

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 500 ft.

Totals ? sent 16/3/37

Dec. 13th partially filled "1" inked in. One inch added to Dec. 31st. observer agrees 17-3-37

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·27	·04	·03	·53	—	·54	·74	·10	—	—	·13	·08		1
2	·10	—	—	·07	—	·04	·60	·15	·55	—	·07	·01		2
3	·04	—	·06	·61	—	·10	·05	—	1·25	—	·07	·08		3
4	·05	—	·49	—	—	·09	·07	—	·67	—	·09	·08		4
5	·55	·25	·16	—	·02	—	·18	·20	·11	—	—	·30		5
6	·16	—	·11	—	—	·03	·80	·22	·91	—	·83	—		6
7	·56	—	·33	—	—	·01	·33	—	·11	—	·55	·08		7
8	·56	—	·76	—	—	—	·62	—	Trace	·01	·74	—		8
9	·34	·92	·54	—	—	—	·50	—	·21	—	·17	—		9
10	·23	·36	—	—	—	—	·01	·01	—	—	·21	·04		10
11	·77	·07	—	—	—	·07	·11	·10	·27	—	1·71	·10		11
12	·10	—	—	·33	—	—	1·14	—	·53	—	·04	·03		12
13	·10	—	—	—	—	—	·05	·02	—	·20	·44	1·15		13
14	—	·06	—	—	—	·28	·85	—	·19	·12	·06	·80		14
15	—	—	—	—	—	—	·04	—	·13	—	·98	·93		15
16	—	·15	—	—	·16	—	·39	—	·03	—	·72	·68		16
17	·35	1·16	—	·02	·05	—	·26	·09	—	·36	·16	1·85		17
18	·53	·28	·47	—	—	·01	·80	·02	—	—	·02	·40		18
19	·65	·01	·47	·46	—	·06	·10	·46	—	—	—	·05		19
20	·22	·48	·03	·14	—	·06	·02	·01	·62	·02	—	·20		20
21	·03	·42	·16	·81	—	—	·11	—	—	—	—	—		21
22	·37	·05	—	·34	—	—	·83	—	—	·03	—	—		22
23	—	·09	·01	·18	·44	—	·45	—	—	·18	—	—		23
24	·56	—	·07	—	·28	—	—	—	·40	·57	—	—		24
25	·35	—	·38	·53	—	—	—	—	—	·67	—	—		25
26	·44	·22	·32	—	—	—	—	—	·03	·23	—	—		26
27	·53	·03	·07	—	—	—	·34	—	—	·26	—	—		27
28	·84	—	·98	—	—	Trace	·73	—	—	·06	—	—		28
29	·10	·01	·15	—	—	·42	—	—	—	·29	·05	·20		29
30	·71	×	·07	—	·01	·29	—	—	—	·08	—	—		30
31	·32	×	1·20	×	·01	×	·55	—	×	—	×	1·02		31
TOTAL	9·83	4·60	6·86	4·02	·97	2·00	10·67	1·38	6·01	3·08	7·04	8·03 ~~6·08~~ ~~·02~~ 50·86	Year's Total 64·49 ~~62·54~~	
* Days with .01 in. or more.	27	17	21	11	7	13	26	11	15	14	18	19	199	
* Days with .04 in. or more.	26	14	18	10	4	10	24	7	13	11	17	17 16	170	

40-9999

14·43 21·29 25·31 26·28, 28·28 38·95 40·33 46·34, 49·42 56·46 107·74

† Spare column, no entries required.

(Signed) John Amery

* See Instruction 2 (f) on other side.

P. T. O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1677

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at "Beechfield", S. Brent
in the County of Devon
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level 500 ft.

Totals 2B

Days?

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·90	·03	Trace	·46	—	—	—	—	·17	·13	—	1·05		1
2	·30	2·12	·18	·22	—	—	—	—	·03	Trace	—	—		2
3	·36	·30	—	—	—	—	—	—	·06	—	—	—		3
4	—	1·65	—	—	—	·04	·12	—	·08	—	—	1·11		4
5	·36	—	—	·20	—	—	1·23	—	—	—	—	—		5
6	·20	·80	·47	·50	·13	—	·26	—	—	—	—	Snow ·20		6
7	·24	1·35	·35	·05	—	·13	—	—	·05	—	·08	·15		7
8	·60	·08	—	·14	·85	·20	·47	—	—	—	—	—		8
9	1·70	·03	·48	·20	—	—	·16	·05	·61	—	—	—		9
10	·60	—	·70	·77	—	·20	—	·04	—	—	—	·83		10
11	·24	—	·29	·39	·90	·09	·50	—	—	—	—	·70		11
12	—	·47	·20	—	·30	·75	·15	·90	·32	—	—	—		12
13	—	·12	1·00	·20	—	—	—	·27	·06	—	—	—		13
14	—	—	·05	—	—	—	—	·03	·23	—	—	·15		14
15	—	·62	·42	1·18	—	—	·03	—	·62	—	—	·33		15
16	—	·03	·45	—	—	—	·24	·27	·45	—	·36	—		16
17	1·06	·12	·50	·05	—	—	—	·01	·06	—	2·02	—		17
18	·18	·34	·20	—	—	·14	—	·03	·18	—	·12	—		18
19	·29	·18	·02	·89	·29	—	—	—	·04	—	·05	·27		19
20	·41	—	·29	·45	·17	—	—	—	·02	—	·38	1·11		20
21	1·00	1·31	—	·12	·35	—	·18	—	·17	·13	·80	·23		21
22	·05	—	—	—	·90	—	·42	—	·75	·87	·11	·54		22
23	·24	·51	—	—	·14	—	·09	—	—	·22	·50	·13		23
24	·25	·91	·09	—	—	—	—	—	·02	1·13	—	·30		24
25	—	1·08	·67	—	·05	—	—	—	·06	·25	—	·01		25
26	—	·50	—	—	—	—	—	—	—	—	—	—		26
27	·15	·43	—	—	—	—	—	—	—	·34	—	—		27
28	—	·46	—	—	—	—	—	—	—	·08	—	—		28
29	·50	×	—	—	—	—	—	—	—	·22	—	—		29
30	·30	×	—	—	—	·07	—	—	·03	—	1·28	—		30
31	·23	×	—	×	—	×	—	—	×	·78	×	—		31
TOTAL	10·16	1344	6·36	5·82	4 08	1·62	3·85	1·60	4·01	4·15	5·70	7·11	Year's Total 67·90	✓
* Days with .01 in. or more.	22	22	17	15	10	8	12	8	20	10	10	15	169	✓
* Days with .04 in. or more.	22	19	16	15	10	8	11	5	16	10	10	14	156	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(*Signed*) John Amery Kingwell [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1677

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1938.

Kept at Beechfield South Brent S. Devon
in the County of Devon
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 500 ft.

Totnes
uf

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·14	—	—	—	·60	·48	—	·02	·64	·06	·10		1
2	—	·12	—	·12	—	—	—	·28	—	·40	·05	·35		2
3	—	—	—	—	·05	—	·04	1·16	—	1·19	·90	—		3
4	—	—	—	—	·03	·03	·30	·62	—	·26	·01	·76		4
5	·02	—	—	—	—	·04	·02	—	·08	·54	·01	—		5
6	·47	—	—	—	—	·40	1·20	—	·10	·34	·06	·25		6
7	·28	—	—	—	—	·10	·30	—	·50	·16	·04	·27		7
8	·89	—	—	—	—	—	·40	—	—	·89	·05	·09		8
9	·29	·54	—	—	—	—	·30	·05	—	·02	Trace	·86		9
10	·54	—	—	—	—	·07	—	—	—	—	·05	·34		10
11	·75	·02	—	—	—	·03	·06	—	—	—	·56	·93		11
12	1·11	—	—	—	·80	·07	Trace	—	—	1·58	1·25	·04		12
13	·48	—	—	—	·72	—	·07	—	—	·65	·53	1·35		13
14	1·09	—	—	—	·30	—	·47	—	—	—	·01	—		14
15	·85	—	—	—	·40	—	—	·16	—	·88	·41	·48		15
16	·81	—	·25	—	—	—	—	·04	—	·03	·32	—		16
17	·67	·18	·04	—	·33	—	Trace	—	·70	·35	·09	·13		17
18	Trace	—	—	—	·20	—	—	·60	·26	·09	·49	—		18
19	—	—	—	—	—	—	—	·26	·83	—	1·37	—		19
20	·20	—	—	—	—	—	—	·06	·01	—	·54	—		20
21	·18	—	—	—	—	—	—	·05	·16	·10	·33	—		21
22	·13	—	—	·02	—	·10	—	1·72	—	·09	·72	Snow ·04		22
23	Trace	—	—	·12	—	—	—	·01	Trace	—	·13	—		23
24	·06	—	·36	—	·12	·04	—	·03	·03	—	1·06	—		24
25	·25	·80	·12	—	·24	·32	·45	—	—	·06	2·65	—		25
26	·71	·42	·10	—	·53	—	·01	—	—	·16	·02	·13		26
27	·48	·40	—	—	·15	·52	·70	·67	—	·10	1·04	—		27
28	·53	·35	—	—	·14	·32	—	·71	·28	—	—	—		28
29	·59	×	—	—	·70	—	·11	—	·43	·46	·95	—		29
30	·22	×	·02	—	·08	—	·28	—	·30	—	·25	·06		30
31	·55	×	—	×	·51	×	·01	—	×	·75	×	·69		31
													Year's Total	
TOTAL	12·15	2·97	·89	·26	5·30	2·64	5·20	6·42	3·70	9·73	13·95	6·87	70·08	✓ ✓
* Days with .01 in. or more.	24	9	6	3	16	13	16	15	13	22	28	17	182	✓ ✓
* Days with .04 in. or more.	23	8	5	2	15	11	14	13	10	20	23	17	161	✓ ✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) John Amery Kingwell [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1677

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

July ~~Nov~~ Annual totals corrected for arithmetic.

Kept at Beechfield South Brent
in the County of Devon
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
„ Ground „ Sea Level 500 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	41	—	·03	·05	·01	—	—	·08	—	—	·15	·42		1
2	·07	—	—	·40	—	—	·05	·28	·65	—	·46	·15		2
3	·95	—	·08	1·06	—	—	Trace	·03	·03	—	·42	·45		3
4	—	—	·87	·18	·56	—	·48	—	—	·54	—	·33		4
5	—	·02	·04	·08	·01	—	·75	—	—	·40	1·71	·09		5
6	·92	—	·10	·10	·01	—	2·50	·11	—	·08	·23	—		6
7	·20	2·34	—	—	—	—	·19	·11	—	·01	·54	2·05		7
8	·24	·56	·15	—	—	—	·54	·17	—	1·71	·65	·43		8
9	·15	·04	Trace	—	—	—	—	·46	—	·14	·23	·52		9
10	·26	·05	Trace	—	—	Trace	—	·35	·12	·18	(04) ·64	·29		10
11	—	·13	·12	—	—	·02	—	—	—	·50	·07	—		11
12	—	·11	—	Trace	—	—	—	—	·09	·02	·19	—		12
13	Trace	·01	—	·36	—	·08	·92	—	·05	·92	·48	—		13
14	1·50	—	—	Trace	·04	·14	·73	—	—	·06	—	·06		14
15	·34	—	—	·09	·10	2·02	·74	—	—	—	·56	·03		15
16	·14	—	Trace	·27	—	—	·45	—	—	—	·54	—		16
17	1·53	·30	—	Trace	·06	·59	·57	—	—	—	·08	·01		17
18	·18	·11	·01	—	—	·02	·70	—	—	—	1·37	sleet		18
19	·71	—	—	—	—	—	·38	—	—	—	·01	·14		19
20	1·09	—	—	—	—	·39	·44	—	—	—	—	·04		20
21	·10	·54	·16	—	·03	·95	·08	1·62	—	—	—	—		21
22	1·46	·40	·27	·02	—	·42	·20	·18	·01	—	1·54	—		22
23	·02	·04	·02	·57	—	—	·07	—	—	·04	2·35	—		23
24	·84	·10	·12	·11	—	·72	·05	·01	—	·08	—	—		24
25	·34	·22	—	·29	—	—	·31	·28	—	·09	1·85	—		25
26	·02	·06	—	·01	—	—	·80	·52	—	·10	1·15	Trace		26
27	—	·40	—	·18	—	·16	·40	·12	—	—	·48	—		27
28	—	·05	—	—	—	·22	—	—	—	·86	·86	—		28
29	—	×	—	·08	—	·05	·15	—	—	·35	·21	—		29
30	—	×	Trace	·27	—	—	—	·06	—	·63	·43	—		30
31	—	×	—	×	—	×	—	·39	×	·66	×	—		31
TOTAL	11·47	5·48	1·97	4·12	·82	5·78	10·90 ~~11·01~~	4·77	·95	7·37	~~11·60~~ ster.	5·01	Year's Total ~~70·35~~	75·24
* Days with .01 in. or more.	21	18	12	17	8	13	24	16	6	19	25	14	193	
* Days with .04 in. or more.	19	16	9	15	4	11	24	14	4	17	24	12	169	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) John Amery Kingwell

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 1677

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Beechfield South Brent

in the County of Devon

Diameter of Funnel of Gauge 5 ins

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 500 ft.

Days

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·18	—	·02	·06	—	—	—	—	—	·24	—		1
2	—	·62	—	·43	—	—	·06	—	—	—	1·56	·15		2
3	·12	1·16	—	·11	—	—	·01	—	—	·20	2·26	·73		3
4	—	·18	—	·21	—	—	·23	—	—	·56	·26	·13		4
5	—	—	—	—	—	—	·02	—	—	·08	·57	·52		5
6	·85	1·26	—	—	—	—	·01	—	—	1·10	·02	·50		6
7	·27	·04	—	—	—	—	·08	—	—	·04	—	·04		7
8	—	—	—	—	—	—	·30	Trace	·03	·50	·70	·96		8
9	—	·03	—	—	—	—	1·00	·09	·03	·29	·66	·35		9
10	—	—	—	—	—	—	·04	·01	·01	·15	·25	·85		10
11	—	—	·06	·03	—	—	1·04	—	—	—	2·55	·14		11
12	—	—	·75	—	—	·32	·57	—	·98	—	·18	—		12
13	—	—	·66	—	—	—	·07	—	Trace	·44	1·83	·66		13
14	—	—	·01	·04	·03	—	·01	·07	·15	·40	·05	·61		14
15	—	—	—	—	—	—	·11	—	·28	·02	·77	—		15
16	—	Snow 1·82	1·46	·10	—	—	·13	—	·25	·56	·42	—		16
17	—	Sleet ·24	·92	·16	—	—	·17	—	—	—	·06	—		17
18	—	·96	·51	·52	—	—	·06	—	Trace	·08	·06	·27		18
19	·19	Snow ·10	·28	·30	—	—	·31	—	·93	·11	—	—		19
20	—	—	—	·06	—	—	Trace	·10	—	·04	1·61	—		20
21	—	—	—	—	·03	—	—	·01	·05	·02	1·05	—		21
22	—	·08	·24	·11	—	·66	—	—	·10	Trace	·04	—		22
23	—	·04	·29	·01	·04	—	·01	—	—	·07	·20	—		23
24	—	—	Trace	·03	·03	·02	·34	—	—	—	—	—		24
25	·41	—	·23	·05	·53	·05	·01	—	—	—	—	—		25
26	2·04	1·08	—	·01	·36	·06	·03	—	—	—	·10	—		26
27	·43	·26	·05	·04	·83	·01	—	—	—	—	·02	—		27
28	·90	·17	—	·05	·10	—	—	—	—	—	—	—		28
29	·35	·13	·46	1·12	—	·21	—	—	—	·12	—	·90		29
30	—	✕	Trace	·02	·02	—	—	—	—	·97	—	Snow ·36		30
31	·16	✕	·10	✕	—	✕	—	—	✕	·95	✕	Snow ·50		31
TOTAL	5·72	8·35	6·02	3·42	2·03	1·33	4·61	·28	2·81	6·70	15·46	7·87	Year's Total 64·60	
* Days with .01 in. or more.	10	17	14	20	10 ~~21~~	7	22	5	10	20	23	16	174	
* Days with .04 in. or more.	10	16	13	14	6	5	15	3	7	18	21	16	144	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) John Amery Kingwell

[P.T.O.

1678

Section **A** for the entry of D

AIR MINISTRY.

FORM 1090.

REGIST

Kept at Badworthy,

in the County of Dev

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Lev

THE MORNING MEASUR

1678

SOUTH BRENT (BADWORTHY)

1931 — 40

780306

COPY FOR OFFICIAL USE.

ALL ORGANIZATION.

31.

letter sent re large total 28/4/32

AY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·01	—	1·35	—	—	·02	—	·82	·10	—	—	1
2		—	—	·45	—	·03	—	—	·51	·19	·41	1·20	2
3	1·16	—	1·13	—	—	—	·41	—	·19	·13	3·10	·47	3
4	tr	—	·50	—	·16		·79	·02	·06	·30	·02	·20	4
5	—	1·16	·38	·26	—	x	·21	—	—	·01	·05	·63	5
6	—	·11	—	—	·08	x	·15	—	—	·48	·17	·53	6
7	—	·05	—	—	·56	x	·45	·17	—	—	1·16	·58	7
8	—	·88	—	·49	—	x	—	—	—	—	·20	·06	8
9	—	·79	—	tr	—	x	·33	—	—	·03	·85	—	9
10	·05	·13	—	—	·22	x	·20	·12	·74	—	1·22	—	10
11	·33	1·02	—	—	·14	x	·18	—	·06	—	·44	—	11
12	·02	·40	—	—	—		·28	tr	·01	·20	—	—	12
13	—	·16	·06	—	·17	✓	·20	·21	—	·07	—	—	13
14	·06	·14	—	—	·07	x	1·34	·29	·01	—	·64	—	14
15	·01	·27	—	tr	·31	x	·01	·21	—	—	—	—	15
16	·04	·28	—	·13	·08	x	·05	·15	—	—	—	·10	16
17	·04	·08	—	·10	—	x	·83	·02	—	—	—	—	17
18	·07	—	tr	·15	—	x	·41	2·81	—	—	·57	—	18
19	·22	·16	·16	·05	—	x	·09	·33	—	—	·53	—	19
20	—	·57	·53	—	—	7·42	—	1·10	—	—	·30	—	20
21	1·06	·02	·05	—	·22	—	·12	—	—	·05	·05	—	21
22	1·30	—	·07	·16	·26	—	·02	—	—	—	·06	—	22
23	·57	·06	—	·68	1·40	—	·08	·27	—	—	1·76	—	23
24	·31	—	—	1·20	·15	·22	1·20	1·11	—	—	·17	—	24
25	·20	·13	·06	·82	·04	—	·44	—	—	—	·65	—	25
26	·06	·27	—	·20	—	—	·45	—	—	—	1·20	—	26
27	·53	·60	—	·02	·80	—	·41	—	—	·05	·20	—	27
28	·18	·38 snow	·17	—	·06	—	—	·04	—	·03	·02	·32	28
29	·09	×	·29	—	·08	—	·61	·22	·03	—	·08	·14	29
30	·17	×	·02	—	·08	—	·03	·03	·43	·02	—	—	30
31	1·89	×	·51	×	·39	×	·18	tr	×	·02	×	—	31 8
TOTAL	8·36	7·67	3·93	6·06	5·27	7·67	9·49	7·10	2·86	1·68	3·86	4·23	YEAR'S TOTAL 78·1~~7~~
*Days with ·01 in. or more.	22	22	13	14	19	16	27	16	10	14	23	10	206
*Days with ·04 in. or more.	19	20	12	13	19	14	23	13	7	9	21	10	180

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) D. B. Latham

[P.T.O.

1678

Section **A** for the entry of D

COPY FOR OFFICIAL USE.

AIR MINISTRY.—~~METEOROLOGICAL OFFICE.—BRITISH RAIN~~FALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Badworthy, South Brent
in the County of Devon
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 2 in.
,, Ground ,, Sea Level about 550 ft.

Letter sent re large total 28/4/32

days ✓

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·01	—	1·35	—	—	·02	—	·82	·10	—	—	1
2		—	—	·45	—	·03	—	—	·51	·19	·41	1·20	2
3	1·16	—	1·13	—	—	—	·41	—	·19	·13	3·10	·47	3
4	tr	—	·50	—	·16		·79	·02	·06	·30	·02	·20	4
5	—	1·16	·38	·26	—	x	·21	—	—	·01	·05	·63	5
6	—	·11	—	—	·08	x	·15	—	—	·48	·17	·53	6
7	—	·05	—	—	·56	x	·45	·17	—	—	1·16	·58	7
8	—	·88	—	·49	—	x	—	—	—	—	·20	·06	8
9	—	·79	—	tr	—	x	·33	—	—	·03	·85	—	9
10	·05	·13	—	—	·22	x	·20	·12	·74	—	1·22	—	10
11	·33	1·02	—	—	·14	x	·18	—	·06	—	·44	—	11
12	·02	·40	—	—	—		·28	tr	·01	·20	—	—	12
13	—	·16	·06	—	·17	✓	·20	·21	—	·07	—	—	13
14	·06	·14	—	—	·07	x	1·34	·29	·01	—	·64	—	14
15	·01	·27	—	tr	·31	x	·01	·21	—	—	—	—	15
16	·04	·28	—	·13	·08	x	·05	·15	—	—	—	·10	16
17	·04	·08	—	·10	—	x	·83	·02	—	—	—	—	17
18	·07	—	tr	·15	—	x	·41	2·81	—	—	·57	—	18
19	·22	·16	·16	·05	—	x	·09	·33	—	—	·53	—	19
20	—	·57	·53	—	—	7·42	—	1·10	—	—	·30	—	20
21	1·06	·02	·05	—	·22	—	·12	—	—	·05	·05	—	21
22	1·30	—	·07	·16	·26	—	·02	—	—	—	·06	—	22
23	·57	·06	—	·68	1·40	—	·08	·27	—	—	1·76	—	23
24	·31	—	—	1·20	·15	·22	1·20	1·11	—	—	·17	—	24
25	·20	·13	·06	·82	·04	—	·46	—	—	—	·65	—	25
26	·36	·27	—	·20	—	—	·45	—	—	—	1·20	—	26
27	·53	·60	—	·02	·80	—	·41	—	—	·05	·20	—	27
28	·18	·38	·17	—	·06	—	—	·04	—	·03	·02	·32	28
29	·09	~~×~~	·29	—	·08	—	·61	·22	·03	—	·08	·14	29
30	·17	×	·02	—	·08	—	·03	·03	·43	·02	—	—	30
31	1·89	×	·51	×	·39	×	·18	tr	×	·02	×	—	31 8
TOTAL	8·36	7·67	3·93	6·06	5·27	7·67	9·49	7·10	2·86	1·68	13·86	4·23	YEAR'S TOTAL 78·17
*Days with ·01 in. or more.	22	22	13	14	19	16	27	16	10	14	23	10	206
*Days with ·04 in. or more.	19	20	12	13	19	14	23	13	7	9	21	10	180

40-9999

(Signed) D. B. Latham

[P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. **Station No** 1678

AIR MINISTRY.—MÉTEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Badworthy Cottage

in the County of S. Brent, Devon.

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft 2½ in.

,, Ground ,, Sea Level about 550 ft.

Princetown 99·29 in.

Letter sent re large total 21/3/33

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1·13	—	—	·28	—	—	·25	·11	·29	—	·04	·03	1
2	·60	·05	—	·11	—	—	—	·09	·63	—	·07	·92	2
3	·15	—	·11	—	—	·71	·02	—	—	—	·08	·08	3
4	·07	—	—	—	—	·25	·22	·02	·69	—	·38	—	4
5	1·80	—	·11	—	—	—	—	—	·58	—	—	—	5
6	·96	—	·08	·49	—	—	·10	—	·64	·03	—	—	6
7	·07	—	·02	·13	—	—	—	—	1·90	1·81	—	—	7
8	·09	—	·96	·43	·21	—	—	—	·15	·38	—	—	8
9	2·84	·03 snow	—	·60	·16	—	—	—	a	—	—	—	9
10	·78	—	—	·53	·10	·03	—	—	·29	·71	—	·06	10
11	·07	—	—	·20	·16	—	·02	—	·08	·08	—	·60	11 snow rain
12	2·88	—	—	·03	1·80	—	—	—	·13	·35	—	·07	12
13	·11	—	—	·38	·37	—	·11	·25	—	1·04	·03	·71	13
14	·36	—	—	·23	·34	—	—	a	—	·13	—	·03	14
15	·15	—	—	·07	·11	—	·12	—	—	·05	·06	·24	15
16	·43	—	—	·19	—	—	—	—	—	—	·03	·01	16
17	·17	—	—	·03	·22	—	—	—	—	·18	—	—	17
18	·27	—	—	—	·89	—	—	—	·12	—	·24	·03	18
19	·14	—	—	—	·59	—	—	—	·14	1·71	·02	—	19
20	·07	—	—	·20	1·01	—	a	·07	·09	1·98	·22	·26	20
21	·11	—	·08	·03	—	—	—	·71	·12	·93	·27	·32	21
22	—	·03	—	·15	·14	—	·06	·33	·79	·65	·89	·18	22
23	—	—	—	—	—	—	·37	a	·03	1·21	·08	·33	23
24	—	—	—	—	—	—	·96	—	·30	·24	·12	—	24
25	—	—	·60	·05	·10	—	·15	—	·21	·97	·34	·02	25
26	—	—	·58	·80	—	—	·31	—	·02	·16	·16	—	26
27	—	—	·70	1·09	—	·01	·40	—	—	·53	·05	·52	27
28	—	—	·54	·20	·21	—	1·01	a	—	—	—	·23	28
29	—	—	·98	·26	—	1·50	·32	1·03	1·66	1·47	·44	1·07	29
30	—	×	·11	·30	—	3·88	·54	·06	1·04	·23	1·97	·03	30
31	—	×	·20	×	·30	×	·06	·36	×	·05	×	1·01	31
TOTAL	13·25	·71	5·07	6·78	6·71	6·38	5·02	3·03	9·90	14·89	5·49	6·75	YEAR'S TOTAL 83·38?
*Days with ·01 in. or more.	21	3	13	23	16	6	17	10	21	22	19	21	192
*Days with .04 in. or more.	21	1	12	20	16	4	15	9	19	21	16	15	169

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) D. B. Latham

Part [illegible] year

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1678

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Badworthy, South Brent

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 2 in.

,, Ground ,, Sea Level about 550 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·45	2·24	·25	—	·02	·13	—	—	—	·01	·24	2·02		1
2	1·51	·05	1·84	—	·82	1·04	—	—	—	—	—	·36		2
3	—	·20	·72	—	·09	·03	—	—	—	—	—	—		3
4	·49	·43	·07	—	·21	—	—	—	—	—	—	—		4
5	·06	·04	1·02	—	·32	—	—	—	—	—	—	—		5
6	·03	·93	·08	—	·48	—	·25	—	·01	·19	—	—		6
7	·07	·26	·06	—	·22	—	·20	—	—	·17	—	·02		7
8	·08	·16	—	—	·04	—	·30	—	—	·05	—	—		8
9	—	·15	—	—	·09	—	1·14	·03	—	·73	·02	—		9
10	—	·13	—	—	—	—	·49	·02	—	1·62	·02	—		10
11	·09	—	—	—	—	—	·46	·12	—	·07	—	—		11
12	—	—	—	·03	—	·24	·61	·06	·37	—	—	snow ·07		12
13	—	—	—	·26	·26	tr	·67	·17	—	·54	·12	—		13
14	·46	—	—	—	—	—	·48	·16	—	·18	·67	—		14
15	·59	—	·62	—	—	—	·20	·44	—	·14	·23	—		15
16	—	—	1·67	—	—	·16	—	—	tr	·04	—	—		16
snow 17	·03	·13 rain snow	·36	—	—	·19	—	·69	·63	—	—	—		17
18	·22	—	·32	—	—	·07	—	—	—	—	·03	—		18
19	·42	·01 snow	·50	—	tr	·11	—	·03	·25	·01	·63	·01		19
20	—	·04	·02	—	—	·26	—	—	·18	—	—	—		20
21	—	·10 snow	—	—	—	·18	—	·07	·01	·30	—	—		21
22	—	1·32 snow	—	·12	—	—	—	·70	·41	·01	·01	—		22
23	—	+·38 rain	—	1·22	—	·23	—	tr	·58	·68	—	—		23
24	—	—	—	1·14	—	—	—	—	·53	·22	—	—		24
25	—	·37 snow	—	·53	·06	·15	—	—	·32	—	—	·38		25
26	—	·66 snow	—	·58	·18	—	—	—	—	·07	—	—		26
27	—	·24	—	·12	—	—	—	—	—	·56	·05	·61		27
28	—	·27	—	·89	tr	—	·93	—	·01	·22	—	·12		28
29	·02	×	·04	—	—	—	·08	—	·14	—	—	·03		29
30	·12	×	·24	·20	—	—	·22	—	·05	—	—	·15		30
31	·32	×	·48	×	·28	×	—	—	×	·24	×	—		31
TOTAL	4·96	8·11	8·29	5·09	3·01	2·71	6·03	2·49	3·49	6·05	2·02	3·71	Year's Total 55·96	
*Days with ·01 in. or more.	16	20	16	10	13	12	13	11	13	20	10	10	164	
*Days with .04 in. or more.	13	19	14	9	12	11	13	8	10	17	6	6	138	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) D. B. Latham

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** Station No. 1678

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Badworthy, South Brent,
in the County of Devon
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 2 in.
,, Ground ,, Sea Level abt 550 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·19	—	·09	—	—	—	—	1·68	·10	·08	·53	2·97		1
2	·09	—	·11	—	—	—	—	·04	·69	·10	·15	·58		2
3	·36	—	—	—	—	—	—	—	—	·81	—	1·31		3
4	·44	—	·60	—	·64	—	—	·14	·16	·16	—	·77		4
5	—	—	·20	·03	·34	—	—	2·05	—	·10	—	1·26		5
rain + snow 6	·37	—	·37	·17	·85	·07	—	·04	·08	1·20	·04	·87		6
7	·13	—	—	—	—	—	—	·12	—	·71	·06	1·83		7
8	—	tr	—	—	·03	—	—	—	·04	—	1·15	·94		8
9	·08	—	·50	—	—	—	—	·16	—	—	·64	·35		9
10	·51	tr	·84	·49	—	—	·01	·28	—	—	·11	·06		10
11	·98	—	·03	·74	—	—	—	·07	—	·01	—	1·25		11
12	·06	—	—	—	tr	—	·09	·40	—	—	—	·36		12
13	·82	—	—	·61	—	tr	·04	—	—	·03	·70	·64		13
14	1·13	—	·83	·10	—	—	—	—	—	·16	·07	·62		14
15	·23	—	·27	·09	·23	—	—	—	—	·15	·09	·39		15
16	·65	—	·84	·06	—	—	—	·02	—	—	—	·44		16
17	·85	—	snow + rain ·28	·27	·17	—	tr	—	·49	·15	—	·97		17
18	·20	—	·39	·54	—	—	—	—	·07	—	—	1·25		18
19	·02	—	·36	·65	·03	—	—	·16	·43	—	—	·49		19
20	·01	—	—	·78	·08		·16	—	·22	·09	—	·19		20
21	—	—	·07	·05	·01	·97	·13	·15	·02	1·17	—	·25		21
22	·11	—	·22	—	—	·03	·88	·15	·85	—	—	·60		22
23	·11	—	—	·51	—	·93	—	tr	·21	·12	—	·48		23
24	—	·21	·03	·05	—	—	tr	·57	·64	·23	—	·22		24
25	·48	—	—	·63	—	—	—	—	·01	·75	—	1·47		25
rain + snow 26	·24	·03	tr	·19	—	·71	—	—	·49	·04	—	·32		26
27	—	—	—	·01	—	·05	—	·16	·39	·14	·01	·36		27
28	—	—	—	—	—	tr	·05	·88	·33	·04	·04	1·86		28
29	—	×	—	—	—	—	·01	·17	·22	·01	·02	·09		29
30	—	×	—	—	—	—	·02	·29	·86	·13	·02	1·22		30
31	—	×	—	×	·05	×	—	tr	×	rain + snow ·06	×	·08		31
TOTAL	8·06	·24	6·03	5·97	2·43	2·76	1·39	7·53	7·30	6·44	3·63	24·49	Year's Total 76·27 ✓	
*Days with ·01 in. or more.	22	2	17	18	10	6	9	19	19	23	14	31	190	
*Days with ·04 in. or more.	20	1	15	16	7	5	6	18	17	20	11	31	167	

† Spare column, no entries required.

(*Signed*) D. B. Latham

[P. T. O.

40-9999

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 1678

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Badworthy, South Brent

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 2 in.

,, Ground ,, Sea Level 550 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
rain + mist 1	·19	·07	·75	—	—	·28	·05	—	·51	·04	·03	·51		1
2	—	·09	·03	—	—	·23	·03	—	·26	1·07	·05	·38		2
3	—	·03	·22	—	·56	·31	·01	—	·14	·28	·11	·14		3
4	—	·35	—	·23	·05	·22	—	—	·15	·15	·27	·48		4
5	—	·23	·07	·28	—	·27	—	—	·49	·20	·14	·15		5
6	—	·18	—	·38	—	2·05	—	—	—	tr	·28	·27		6
7	—	—	—	1·24	—	·20	—	—	—	·29	·23	·15		7
8	—	—	—	·94	—	—	·02	—	·13	·40	·64	—		8
9	·05	—	—	·95	—	—	tr	—	·01	1·40	·66	—		9
10	·18	—	·51 snow	·09	—	·20	—	—	—	tr	·09	·03		10
11	·31	·07	·06 snow	·15	—	·78	—	—	·27	·01	·83	·05		11
12	·10	·50	—	—	—	·47	—	tr	·31	—	·56	—		12
13	·12	·30	—	·41	—	·06	—	—	tr	·29	·56	—		13
14	—	·10	—	·25	—	·08	—	—	·33	·24	2·28	·68		14
15	—	·45	—	1·26	·72	·27	—	—	·25	·19	·70	·09		15
16	—	·36	·14	·20	—	·17	—	tr	·64	·04	1·01	·01		16
17	—	—	—	·07	rain + ·83 snow	·80	·07	·05	·41	·18	·04	—		17
18	—	·24	·04	·96	·01	·01	—	—	1·10	—	·06	·26		18
19	—	·05	—	·16	·81	·24	·53	—	·46	·32	·73	—		19
20	—	·86	—	·48	·25	·12	·04	—	·13	·02	·10	—		20
21	—	1·08	·02	·32	—	tr	·11	—	·05	·05	—	—		21
22	—	·08	·14	·29	—	—	—	—	·05	·03	—	—		22
23	—	·36	·24	·01	—	—	—	·18	·24	·37	—	·76		23
24	·07	1·15	—	·15	·06	—	—	·40	1·41	tr	—	·23		24
25	·47	rain + ·41 snow	—	·35	·50	·48	—	tr	—	—	—	·22		25
26	·03	·73	—	—	—	·22	—	·67	·66	—	·02	1·10		26
27	—	·38	—	—	—	—	—	·02	·32	·29	·44	·56		27
28	—	·11	—	—	—	—	tr	·05	·16	·15	·14	·10		28
29	—	×	—	—	—	—	—	tr	·64	·13	·15	1·10		29
30	·05	×	—	—	—	·17	—	1·75	·14	·44	1·76	1·28		30
31	—	×	—	×	tr	×	—	·19	×	1·43	×	·65		31
TOTAL	1·57	8·18	2·22	9·17	3·19	7·63	0·86	3·31	9·26	8·01	11·88	9·20	Year's Total. 74·48	
* Days with .01 in. or more.	10	23	11	21	9	21	8	8	25	24	25	22	207	
* Days with .04 in. or more.	9	22	9	20	8	20	5	7	24	21	23	20	188	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) D. B. Latham ✓ [P.T.O.

COPY FOR OFFICIAL USE

Section A **for the entry of Daily Observations**

Station No. 1678

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Badworthy Cottage S. Brent

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

,, Ground ,, Sea Level about 550 ft.

ack
Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·25	·09	·04	·77	—	·55	·78	·19	—	—	·13	·06		1
2	·07	—	✗	·05	—	·05	·62	·04	·59	—	·03	·03		2
3	·02	—	✗	1·09	—	·07	·04	·01	1·24	—	·11	·08		3
4	·08	—		·03	—	·10	·06	—	·51	—	·09	·14		4
5	·55	·26	✗	—	·03	—	·12	·20	·12	—	·02	·20		5
6	·30	—	✗	—	—	·03	1·10	·23	1·12	—	·80	·07		6
7	·87	—	✗	—	—	·01	·49	—	·13	—	·47	·06		7
8	·44	—	✗	—	—	—	·73	—	—	·01	·94	·02		8
9	·47	1·45	✗ 2·77	—	—	—	·36	—	·19	—	·28	—		9
snow 10	·18	·90	—	—	—	—	·01	—	—	—	·25	·03		10
snow 11	·78	·04	—	—	—	·06	·03	·09	·15	—	1·55	·05		11
12	·06	—	—	snow ·29	—	—	1·10	·01	·70	—	·05	—		12
13	·15	—	—	—	—	—	·07	·64	—	·15	·41	1·39		13
14	·02	·07	—	—	—	·37	·87	—	·27	·21	·02	·97		14
15	—	—	—	—	—	—	·05	—	·07	—	1·02	·95		15
16	—	·25	—	·03	·16	—	·40	—	·18	—	·63	·39		16
17	·36	1·49	—	—	·05	tr	·41	·11	—	·55	·22	2·12		17
18	·53	·39	·30	—	—	—	1·03	—	—	—	—	·54		18
19	·86	tr	·74	·04	—	·07	·20	·48	[illegible]	—	—	—		19
20	·12	·60	·12	·64	—	—	—	—	✗·61	—	—	·05		20
21	—	·44	·09	·82	—	·09	—	—	—	·02	—	—		21
22	·32	·12	·10	—	—	—	1·06	—	—	tr	—	·07		22
23	—	·08		·33	·30	—	·61	—	—	·20	—	—		23
24	·63	—	✗	—	·52	tr	—	—	·46	·70	—	·02		24
25	·60	—	✗	·59	—	—	·04	—	—	·62	—	—		25
26	·48	·24	✗	—	—	—	—	—	—	·33	tr	—		26
27	·71	·03	–·96	—	—	—	·32	—	·03	·22	—	—		27
28	1·24	—	1·18	—	—	—	·72	—	—	—	—	·76		28
29	·10	—	·19	—	—	·58	—	—	—	·36	·06	·30		29
30	·56	✕	·13	—	tr	·26	·04	—	—	·08	—	—		30
31	·53	✕	1·38	✕	—	✕	·60	—	✕	—	✕	1·08		31
TOTAL	11·28	6·45	8·00	4·68	1·06	2·26	11·91	~~6·45~~	6·37	3·45	7·08	9·38	Year's Total 73·37 ✓	
* Days with .01 in. or more.	27	15	20	11	5	12	26	10	15 ✓	12	18	22	193	
* Days with .04 in. or more.	25	14	20.	9	4	10	24	8	14 ✓	10	15	18	171 ✓	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) D. B. Latham

P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations — Station No. 1678

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Badworthy Cottage

in the County of South Brent, Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

„ Ground „ Sea Level 550 ft.

~~SA~~ Total R.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·32	—	·20	·64	—	—	—	—	·25	·17	—	·92		1
2	·42	2·45	~~4·03~~ x	·41	—	—	tr	—	·07	·03	—	tr		2
3	·05	·39		·14	·06	—	·14	—	tr	—	—	—		3
4	·15	1·90		—	tr	·02	—	tr	—	—	—	1·01		4
5	·77	—	—	·25	—	—	·79	—	—	—	—	·05	snow	5
6	·29	·41	·77	·54	·13	—	·49	—	tr	—	—	·18	snow	6
7	—	1·88	·61 snow	·08	—	·22	—	—	·05	—	·10	·13	rain & snow	7
8	—	·09	—	·04	·69	·36	·31	—	—	—	·01	—		8
9	·22	·02	·39 snow	·36	·42	—	·23	·02	·64	—	—	—		9
10	·78	·01	·77	·73	—	x	tr	·04	—	—	—	·89		10
11	·15	—	·32	·40	·90	x	·51	—	—	—	—	·02		11
12	2·02	·45	·23	·02	·10	x	·12	1·01	·35	—	—	·84		12
rain & snow 13	—	·12	·92	·21	—		—	·31	·09	—	—	—		13
rain & snow 14	—	·07	·36	—	—		—	·05	·25	—	—	·16		14
15	·49	·57	·25	1·23	—	1·04	·03	—	·53	—	—	·36		15
16	·27	·10	·56	·03	—		·14	·34	·57	—	·18	—		16
17	1·37	·06	·68	—	—		·05	tr	·03	—	2·28	—		17
18	·22	·35	·31	tr	—	x	—	·03	·19	—	·16	·17		18
19	·37	·22	·06	·76	·29		—	—	·05	—	·09	·14		19
20	·51	—	·31	·36	·21		—	—	·06	—	—	1·13		20
21	1·14	1·33	—	·13	·45		·18	—	·45	·07	·34	·35		21
22	·20		·04 snow	—	1·04	x	x	—	·59	1·02	·81	·48		22
23	·34	x	—	—	·24	—	·60	—	—	·26	·20	·10		23
24	·36	x	·10	—		—	x	—	·05	1·21	—	·31		24
25	tr	x	·70	—	·04	—	—	—	·03	·22	—	·02		25
26	tr	3·85 x	tr	—		—	—	—	—	—	—	·05		26
27	·27	x	—	—	—	—	—	—	—	·42	—	—		27
rain & snow 28	·71	x	—	—	—	tr	—	—	—	·11	·03	tr		28
snow 29	·13		—	—	—	·01	—	—	—	·23	·43	—		29
30	·50		—	—	—	·05	—	—	—	—	1·09	—		30
31	·29		—		—		—	—		·79		—		31
TOTAL	12·34	~~14·25~~ ~~21~~	7·58 ·83	6·33	4·57	1·83	3·59	1·80	4·25	4·53	5·72	7·31	Year's Total 74·10	74·10
* Days with .01 in. or more.	25	24	14	17	13	10	13	7	17	11	12	19	187	
* Days with .04 in. or more.	25	21	16	15	11	8	12	4	15	10	10	17	166	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) D. B. Latham

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1678

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at BADWORTHY, SOUTH BRENT

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

,, Ground ,, Sea Level 550 ft.

BA. Totals

W.J.H. ack

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·12	—	—	tr		·43	·27	—	·59	·06	·14		1
2	—	·08	—	·12	—		—	—	—	·46	·03	·37		2
3	—	—	—	—			·06	1·19	—	1·44	1·12	—		3
4	—	—	—	—	·10		·20	·89	—	·43	·01	·98		4
5	—	—	—	—	—		1·50	—	·12	·61	·01	·02		5
6	—	—	—	—	—			tr	·08	·40	·06	·56		6
7		—	—	—	—	1·44	·51	—	·47	·19	·03	·26		7
8	2·50	—	—	—	—		·40	—	—	1·14	—	·12		8
9		·57	—	—	—		—	·54	—	·02	·06	1·21		9
10		—	—	—	—		·25	—	—	—	—	·36		10
11	·61	—	—	—	—		·22	—	—	—	·59	1·06		11
12	1·28	·03	—	—	·86	—	·01	—	—	1·46	—	·03		12
13	·53	—	—	—	·65	—	—	tr	—	·97	1·32	1·62		13
14	1·39	tr snow	—	—	·55	—	·40	—	—	—	·62	—		14
15	·33	tr	—	—	·58	—	—	·14	—	·63	·36	·58		15
16	1·37	tr	·25	—	·01	—	—	·09	—	·27	·44	—		16
17	—	·25 snow	·03	—	·28	—	—	—	·58	·46	·07	·16		17
18	·69	—	—	—	·19	tr	—	—	·60	·09	·58	—		18
19	·02	—	—	—	—	—	—	·98	·44	—	—	—		19
20	·10	—	—	—	—	—	—	·10	·40	—	1·05	—		20
21	·31	—	—	—	—	—	—	·12	·25	—	·59	·03	snow	21
22	·14	—	—	·02	—	·13	—	1·62	—	·18	·72	·02		22
23	·01	—	—	·12	tr	—	—	·02	—	—	·17	—		23
24	—	—	·17	·01	·07	·02	—	·05	·03	—	·91	—		24
25	·33	·98	·25	—	·24	tr	·52	—	—	·07	2·33	—		25
26	·75	·61	·08	—	·67	·43	—	—	—	·14	·02	·13		26
27	·37	·37	—	—	·09	·37	·78	·34	—	·10	1·05	—		27
28	·60	·31	—	—	·14	·37	—	1·08	·19	—	·03	—		28
29	·54	×	tr	—	·84	—	·13	—	·29	·47	1·15	·05		29
30	·23	×	·01	—	·09	—	·34	—	·25	—	·23	·05		30
31	·65	×	—	×	·55	×	·02	—	×	·76	×	·72		31
TOTAL	12·75	3·32	·79	·27	5·91	2·76	5·77	7·43	3·70	10·88	13·61	8·47	Year's Total 75·66	✓
* Days with .01 in. or more.	25	9	6	4	17	13	16	14	12	21	26	20	184	✓
* Days with .04 in. or more.	22	8	4	2	15	10	13	13	11	20	20	16	155	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) D. B. Latham

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1678

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Badworthy Cottage, S. Brent

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

,, Ground ,, Sea Level 550 ft.

July corr'd for [illegible]

B-A

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·12	—	·04	·04	·19	—	—	·16	—	—	·49	·51		1
rain & snow 2	·42	—	·19	·19	—	—	—	·29	·65	—	·36	·23		2
3	·97	—	—	1·47	—	—	·07	—	·02	—	·44	·66		3
4	·01	—	1·03	·35	·70	—	·11	·03	—	·90	·52	·24		4
5	—	—	·04	·11	tr	—	·94	—	—	·61	1·91	·11		5
6	1·16	—	·08	·12	—	—	—	·09	—	·22	·15	—		6
a 7	·26		—	—	—	—	2·92	·15	—	—	·58	2·12		7
8	·18	2·52	·09	—	tr	—	·52	·12	—	2·02	·57	·55		8
9	·33		·05	—	—	—	·28	—	—	—	·45	—		9
10	·34	·39	·11	—	—	—	—	·59	·12	·30	·01	·78		10
11	—	·16	·09	—	—	·04	—	—	—	·53	tr	—		11
12	·01	·14	—	·09	—	—	—	—	·04	·03	·07	tr		12
13	—	—	—	·38	—	·04	—	—	·08	1·10	·24	—		13
14	1·90	—	—	tr	·06	·17	1·00	—	—	·07	·56	·04		14
15	·64	—	—	·04		2·17	·88	—	—	—	·49	·03		15
16	·25	—	·01	·34	—	—	—	—	—	—	·55	—		16
17	1·68	·27	—	—		·51	·66	—	—	—	·07	—		17
18	·24	·10	tr	—	·14	tr	·78	—	—	—	1·50	·04		18
19	·76	—	—	—	—	—	·30	·02	—	—	tr	·19	snow rain	19
20	1·21	—	—	—	—	·96	·17	1·70	—	—	—	·02		20
21	·13	·58	·19	—	tr	1·05	·20	·45	—	—	—	—		21
22	1·44	·40	·25	—	·03	·34	·25	—	·02	—	1·41	—		22
23	—	·02	·01	·61	—	·18	·04	—	—	·03	2·59	—		23
24	·69	—	·13	·11	—	·87	·03	—	—	·10	—	—		24
rain & snow 25	·60	·33	—	·25	—	—	·09	·20	—	·12	1·86	—		25
26	·05	·05	—	tr	—	—	—	1·06	—	·10	1·11	—		26
27	—	·51	—	tr	—	·15	·31	·18	—	—	·57	—		27
28	·02	·05	—	·21	—	·26	·53	—	—	—	·87	tr		28
29	·05	×	·01	·09	—	·05	·83	—	—	·83	·32	—		29
30	—		·02	·13	—	—	—	·08	—	·55	·50	—		30
132 31	—		—		—		·10	·49		·75		—		31
TOTAL	13·46	5·52	2·34	4·53	1·12	6·79	11·01 ~~10·91~~	5·61	·93	8·26	18·19	5·52	Year's Total ~~83·18~~	83·28
* Days with ·01 in. or more.	24	15 ~~13~~	16	16	6 ~~5~~	13	22 ~~21~~	15	6	16	25	13	187	
* Days with ·04 in. or more.	21	13 ~~12~~	12	16	5 ~~4~~	13	21 ~~20~~	13	4	14	24	11	167	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

11·01 (Signed) D. B. Latham

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1678

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at BADWORTHY, SOUTH BRENT

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

,, Ground ,, Sea Level 550 ft.

arts BA

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	tr	·05	—	—	—	—	—	·23	—		1
2	—	·64	—	·55	—	—	·08	—	—	—	1·67	·17		2
3	·11	1·33	—	—	—	—	—	—	—	·18	2·32	·84		3
4	·03	·23	—	—	—	—	·18	—	—	·60	·36	·12		4
5	·04	—	—	—	—	—	tr	tr	—	·11	·60	·57		5
6	1·07	1·51	—	—	—	—	tr	—	—	1·29	·02	·58		6
7	·28	·05	—	tr	—	—	tr	—	tr	·02	—	·05		7
8	—	—	—	—	—	—	·20	tr	·03		·93	1·02		8
9	—	snow ·05	—	—	—	—	1·23	·13	·02	1·19	·65	·38		9
10	—	—	—	—	—	—	·03	—	tr		·30	·68		10
11	—	·02	—	—	—	—	·67	—	—	—	2·65	·20		11
12	—	—	·85	tr	—	·26	·85	—	1·05	—	·19	—		12
13	—	—	·52	—	—	—	·14	—	tr	·53	1·64	·81		13
14	—	—	rain ·12 & snow	·05	·03	—	tr	·10	·17	·43	·05	·86		14
15	—	·06	—	hail	—	—	·15	—	·25	·04	·73	tr		15
16	snow ·07	snow ·30 & rain	1·26	mix	—	—	·12	—	·37	·60	·44	·08		16
17	—	·60	1·11	& rain	—	—	·21	—	—	—	·05	—		17
18	snow ·27	1·18	·80	1·03	—	—	·05	—	·03	·18	·06	·21		18
19	—	·11	·30	·23	—	—	·42	—	·92	·07	1·33	—		19
20	—	—	·02	·10	—	—	—	·11	tr	·04	·41	—		20
21	—	—	—	—	·03	—	—	·01	·04	—	1·22	—		21
22	—	·08	·20	·11	—	·64	—	—	·17	·03	—	—		22
23	—	·06	·25	·03	·03	—	tr	—	—	·14	·47	—		23
24	·01	—	·03	·04	·02	·01	·35	—	—	—	—	—		24
25	·37	—	·25	·17	·21	·09	—	—	—	—	tr	—		25
26	1·13		—	—	·83	·04	·03	—	—	—	·10	—		26
27	·71	2·16	·03	·09	·95	tr	·01	—	—	—	·02	—		27
28	1·11		·01	—	·20	—	tr	tr	—	—	—	—		28
29	frozen rain ·49	·03	·63	1·16	—	·18	—	—	—	·15	—	·91		29
30	·08	×	·01	·10	·02	—	—	—	—	1·28	—	·32		30
31	·10	×	·18	×	—	×	—	—	×	1·05	×	rain 1·28 & snow		31
TOTAL	5·87	9·41	6·57	3·66	2·37	1·22	4·72	0·35	3·05	7·93	16·44	~~9·03~~ 9·08	Year's Total ~~70·62~~	70·67
* Days with .01 in. or more.	15	18	17	14	10	6	16	4	10	20	23	17	170	
* Days with .04 in. or more.	13	16	12	13	5	5	13	3	7	18	21	17	143	

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(*Signed*) D. B. Lattems

P.T.O.

164

Section **A** for the en[illegible]
AIR MIN[illegible]

FORM 1090. **REC**

FOR ~~OFFICIAL USE.~~ 1678/5.
RAINFALL ORGANIZATION.

1931.

S. Bren[illegible]/3

1678/5
SOUTH BRENT (DIDWORTHY)
1931 — 40

780306

Kept at S. Brent, D[illegible]
in the County of S. D[illegible]

Diameter of Funnel of Gaug[illegible]
Height of top of Gauge above [illegible]
,, Ground ,,

[illegible] 1929/30

Probably from [illegible] with footnote [illegible]

THE MORNING M[illegible]**OUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				1·36					·81	·09			1
2	·30		·02	·37		·03			43	·20	·43	·92	2
3	50		1·01				·55	·01	·43	13	2·89	·63	3
4			48		·14	08	59		·04	29			4
5		1·03	·41	19		59	·20		·07		05	·62	5
6		11			07	45	10		·01	47	14	47	6
7					·54	59	39	·13		14	91	46	7
8		80		48		65	11				40	·16	8
9		·82				43	24	02			77	·01	9
10		13			21	·30	15	·07	·06		1·03		10
11	·22	96			17	91	14		·06		38		11
12		02			·02		21		·07	·25			12
13		·12	·03		16		83	26		02			13
14					·08	19	76	25	·01		57		14
15		35		·01	·32		02	21					15
16	·05	·16		08	·06	2·17	04	08	·07			·08	16
17				·06			81	·01					17
18	06		·02	13		43	35	2·52			52		18
19	·20	·13	·13			·25	·05	·28			48		19
20		55	·50					1·02			·29		20
21	92				·24		11			05	03		21
22	1·26	·02	10	15	·25		02				·05		22
23	·31	·05		·85	1·16		·07	·29			1·65		23
24	·33			1·28	·11	·25	1·20	1·00			·17		24
25	15	·08		41	·02		40				59		25
26		·25		19			·43				1·10		26
27	·57	·54		01	78		·23			04	18		27
28	·15	21	·30		·08			·04		·02		·28	28
29			18		·04		62				·07	11	29
30	12	✕			·07		02	22	·40	02			30
31	1·64	✕	·52	✕	34	✕	17		✕		✕	70	31 np.
TOTAL	~~7·50~~ 6·78	6·33	3·70	5·57	~~4·85~~ 4·86	7·32	8·81	6·41	2·46	1·72	12·70	4·44	YEAR'S TOTAL 71·10
*Days with ·01 in. or more.	15	18	12	14	20	14	27	16	12	12	21	11	192
*Days with ·04 in. or more.	15	16	9	12	18	13	24	13	10	9	20	10	169

40-9999

M

(Signed) ~~A. Tallin~~

THE MEDICAL OFFICER

np. We cannot say that this record is reliable

P.T.O.

*See Instruction 2 (f) on other side.

164

Jan. Circ. [illegible]

1678/5

Section A for the en

FOR OFFICIAL ~~USE.~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

S. Devon/

Kept at S. Brent, Didworthy Sanatorium

in the County of S. Devonshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 675 ft.

Comp 1929/30.

J H [illegible] [illegible] your [illegible] with this on large map.

Probably from [illegible] excessive [illegible]

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				1.36					.81	.09			1
2	.30	—	.02	37	—	.03			.43	.20	.43	.92	2
3	50		1.01				.55	.01	.43	13	2.89	63	3
4			48		.14	.08	59		.04	.29			4
5		1.03	.41	19		.59	.20		.07		05	.62	5
6		11			07	45	10		.01	47	14	47	6
7					.54	59	39	.13		14	91	46	7
8		80		.48		65	11				40	16	8
9		.82				43	24	02			77	.01	9
10		13			21	.30	15	.07	.06		1.03		10
11	.22	96			17	91	14		.06		38		11
12		02			.02		21		.07	.25			12
13		.12	.03		16		.83	.26		02			13
14					.08	.19	76	25	.01		57		14
15		.35		.01	.32		.02	.21					15
16	.05	16		08	.06	2.17	.04	08	.07			.08	16
17				06			81	.01					17
18	06		.02	13		43	.35	2.52			.52		18
19	.20	.13	.13			.25	05	.28			48		19
20		.55	.50					1.02			.29		20
21	92				.24		.11			05	03		21
22	1.26	.02	10	.15	.25		02				.05		22
23	.31	.05		85	1.16		07	.29			1.65		23
24	.33			1.28	.11	.25	1.20	1.00			17		24
25	15	.08		41	.02		40				59		25
26		25		19			43				1.10		26
27	.57	.54		01	78		.23			.04	.18		27
28	.15	.21	.30		08			.04		.02		.28	28
29		✕	18		04		62				07	11	29
30	12				07		.02	22	.40	02			30
31	1.64	✕	.52	✕	34	✕	17		✕		✕	.70	31 n.p.
TOTAL	6.78 ~~7.50~~	6.33	3.70	5.57	4.86 ~~4.85~~	7.32	8.81	6.41	2.46	1.72	12.70	4.44	YEAR'S TOTAL 71.10
*Days with ·01 in. or more.	15	18	12	14	20	14	27	16	12	12	21	11	192
*Days with ·04 in. or more.	15	16	9	12	18	13	24	13	10	9	20	10	169

40-9999 M

*See Instruction 2 (*f*) on other side.

(*Signed*) ~~A. Fallin~~

THE MEDICAL OFFICER

n.p. we are not sure that this record is reliable

P.T.O.

820667/32

(1678/5)

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

S. Devon/3

Kept at S. Brent, Didworthy Sanatorium

in the County of S. Devon

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level..........ft.

1931 ~~Unreliable~~

Terminated end of Sept.

Terminated owing to economies of staff etc.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·35			·27				·12	·38				1
2	·59		·09	·27				·09	·70				2
3	·10					·72			55	Not published			3
4	·10					·24	·21	·02			as		4
5	1·83								·62	unreliable [illegible]			5
6	1·09		·14	·47			·08		·63				6
7	·07		02	13					1·90				7
8	·02		85	·46	·10				·12				8
9	2·71			·45	·32								9
10	·60	·01		·60	·09				·34				10
11	·16			15	·16		·02						11
12	2·78				1·94		·04		15				12
13	·09			50	10		·06						13
14	·34			·17	·31			·25					14
15	·14			·17	·08		·11						15
16	·44			·15									16
17	10			·02	·28								17
18	·40				·77								18
19	·04			·15	·60				·23				19
20	·09				·86				·08				20
21	·09		08	·21				·60	·14				21
22				·16	·11		03	·42	·80				22
23		·03					·38						23
24		·01					·94		·27				24
25			·56	·05	·09		·17		·13				25
26			·48	·73			·27		·02				26
27			·67	1·12	·09	·02	·40						27
28			·10	·16	·08		1·02						28
29			1·35	·22	·04	1·75	·34	1·00	1·32				29
30		×	·10	·32	·06	3·70	·46	·07	1·08				30
31		×	·26	×	·27	×	·03		×		×		31
TOTAL	12·13	·05	4·70	6·93	6·35	6·43	4·56	2·57	9·46				YEAR'S TOTAL in.T
*Days with ·01 in. or more.	21	3	12	23	19	5	16	8	?				
*Days with ·04 in. or more.	20	0	11	22	19	4	13	7	?				

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) The Medical Officer of Health

P.T.O.

f 820667/28

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1678/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

S. Devon /3

X SOUTH BRENT

Kept at (DIDWORTHY SANATORIUM) X

in the County of DEVON.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 675 ft.

~~unreliable~~ ref 1931 estimate Jan

Jan + Part Feb estimated from surrounding stations, good agreement

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			0·23	–	0·04	0·25	–	–	–	–	0·20	–	1
2			1·82	–	0·95	1·03	–	–	–	–	–	1·85	2
3			0·81	–	0·09	–	–	–	–	–	–	–	3
4			–	–	0·21	0·01	–	–	–	–	–	0·19	4
5			1·05	–	0·35	–	–	–	0·02	–	–	–	5
6			–	–	–	–	0·21	–	–	0·19	–	–	6
7			0·10	–	0·74	–	0·17	–	–	–	–	–	7
8		NO RECORD	–	–	0·04	–	–	–	–	0·22	–	0·02	8
9			–	–	0·08	–	1·29	0·03	–	0·65	0·02	–	9
10			–	–	–	–	0·54	0·01	–	1·44	0·01	–	10
11			–	0·02	–	–	0·60	0·11	–	0·07	–	–	11
12			–	0·26	0·07	0·24	0·50	–	0·34	–	Tr	–	12
13			–	–	–	–	0·75	0·19	–	0·60	0·11	–	13
14			–	–	0·11	–	0·33	0·14	–	–	0·62	–	14
15		4·50	0·80	–	–	–	–	0·40	–	0·24	0·21	–	15
16			1·20	–	–	0·14	0·29	0·01	Tr	0·03	Tr	–	16
17	NO RECORD	0·09	0·29	–	–	–	–	0·64	–	Tr	–	–	17
18		–	–	–	–	0·20	–	–	0·69	Tr	–	–	18
19		–	0·83	–	–	0·10	–	0·03	Tr	0·02	0·65	0·01	19
20		0·05	0·02	–	Tr	0·36	–	0·05	–	–	Tr	–	20
21		–	–	–	–	0·06	–	0·66	0·18	–	–		21
22		–	–	–	–	–	–	–	0·70	0·29	Tr		22
23		1·06	–	–	–	0·16	–	0·01	–	0·76	–		23
24		0·37	–	2·48	–	–	–	–	0·64	0·05	–	HOLIDAYS.	24
25		–	–	0·50	0·04	0·19	–	–	0·32	–	–		25
26		0·99	–	0·61	0·17	–	–	–	–	0·10	–		26
27		0·08	–	0·21	–	–	–	–	–	0·39	0·04		27
28		0·43	–	0·81	0·02	–	0·97	–	–	–	–		28
29		X	–	–	–	–	–	–	0·15	0·21	–		29
30		X	0·41	0·19	–	–	0·29	–	0·08	0·01	–		30 5 "do"
31		X	0·50	X	0·27	X	–	–	X	0·21	X	1·20	31 (52·08)
TOTAL	(4·50)	(7·57) ~~3·07~~	8·06	5·08	3·18	2·74	5·94	2·28	3·12	5·48	1·86	3·27	YEAR'S TOTAL
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

OK

40-9999

*See Instruction 2 (*f*) on other side.

D.O

(Signed) ~~H Victor Page~~

X THE MEDICAL OFFICER X

P.T.O.

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1934

At Didworthy Sanatorium ~~Brent.~~

In the County of Devon.

Rain Gauge
- Diameter of Funnel 5 inches in.
- *Height of Top above Ground* 1 *ft* — *in.*
- *Height of Ground above Sea Level* 675 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	7·58	1·97	14th	19	18
FEB.	·22	·22	25th	1	1
MAR.	5·76	·92	14th	14	13
APRIL	5·88	1·18	6th	7	5
MAY	1·77	·74	20th	16	14
JUNE	2·77	1·20	24th	9	7
JULY	1·22	·89	22nd	8	4
AUG.	6·89	2·21	7th	16	15
SEPT.	7·14	1·73	2nd	17	14
OCT.	5·89	1·78	7th	18	14
NOV.	3·45	1·18	8th	12	10
DEC.	24·10	3·35	2nd	25	25
			1oF		
Total	72·67 ✓			162.	123. J

Signature A. L. Bettinson

*See Instruction 2 (*f*) below.

167815

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

M.O. 21 19

(*c*) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as* 0·1 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{r|}17\\18\end{array}\right\}\cdot14\,\Big|$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110

FORM 1090.

1678/5

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1935

At Didworthy Sanatorium

In the County of Devon.

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft* — *in.*
- *Height of Ground above Sea Level* 675 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	1·18	·37	28	8	8
FEB.	6·62	1·05	21	20	20
MAR.	1·69	·24	11	9	9
APRIL	8·80	1·26	15	~~22~~ 19	18
MAY	2·81	·68	17	9	7
JUNE	7·35	2·01	6.	20	18
JULY	·75	·48	19.	9	3
AUG.	3·13	1·72	30	8	6.
SEPT.	8·84	1·24	24	21	20
OCT.	7·77	1·51	9	23.	20
NOV.	9·50	2·24	14	21	20
DEC.	11·15.	1·22.	29	18	15
Total	6959			185	164.

Signature A T Betunson

Med Supt.

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Med. Supt.
Didworthy San. South Brent

Hour of observation by the clock—in Winter 9 am in Summer 9 am

Nearest Railway Station Brent Distance 1¾ ml. Direction from gauge S.

Nearest Parish Church at Brent Distance 1¾ Direction from gauge S.

Nature of objects nearest to gauge	Tree.	Hedge.		
Height of objects	20 ft.	10 ft.		
Distances ..	18 yd.	18 yd.		
Directions from gauge ..	N W.	W.		

If gauge has been moved during the year state—

Date of move ~~——~~ Distance ~~——~~ Direction ~~——~~

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted **in British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
2 JAN 1936

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(586) Wt.283/202 16,000 5/34. Gp.119/110.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1678/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936.

allocate July, Aug, Sept

Allocations & Estimates made as necessary

13.3.37

Kept at Didworthy Sanatorium Brent

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" Ground " Sea Level 675 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·21	x	·03	·77	—	·54	·66	x	—	—	·09	·05		1
2	·07	— ·08	—	·09	—	·07	·51	x	x	—	·06	·01		2
3	·02	—	·04	1·05	—	·03	·04	—	x	—	·05	·05		3
4	x	—	—	—	—	·61	·25	—	x	—	·08	—		4
5	x ·52	—	·17	—	·03	—	—	x	x	—	·01	—		5
6	·4	·25	·21	—	—	✓	1·32	x (·70)	x 2·79	—	·73	·14		6
7	·91	—	x	—	—	✓ ·04	·30	—	·07	—	—	—		7
8	·78	—	x 1·17	—	—	—	·68	—	—	—	1·34	·05		8
9	·43	1·31	·48	—	—	—	·23	—	—	—	·26	—		9
10	·16	·19	—	—	Trace	—	—	—	—	—	·27	·03		10
11	x	·19	—	·27	—	—	—	·07	·26	—	1·63	·09		11
12	x ·75	—	—	—	—	—	1·02	—	—	—	x	—		12
13	·17	—	Trace	—	—	—	·08	·02	—	·15	x ·29	1·21		13
14	·01	·58	—	—	—	x ·36	·82	—	·73	·18	—	·69		14
15	—	—	—	—	Trace	—	·63	—	·05	—	1·04	·49		15
16	—	·24	—	·01	x	—	·41	—	·03	—	·64	1·13		16
17	·33	1·59	—	—	x ·19	—	·62	·07	—	—	·14	2·27		17
18	x	·34	·28	—	—	Trace	x	Trace	—	—	—	·4		18
19	x 1·39	·08	·74	·51	—	—	x ·79	·41	—	—	—	—		19
20	·09	·62	·16	·21	—	—	Trace	—	x ·61	·40	—	·04		20
21	—	·36	x	·79	Trace	·08	·17	—	—	—	—	—		21
22	·34	x	·14	—	—	—	·99	-	—	—	—	x		22
23	—	x ·23	·62	·32	x	—	·63	-	—	·18	—	—		23
24	·83	—	·08	—	x ·06	Trace	—	-	·46	x	—	✓		24
25	x	—	·36	·54	—	—	—	-	—	x 1·27	—	—		25
26	x ·94	·22	·38	—	·01	—	·05	-	-	·19	·01	—		26
27	·74	·03	·65	—	—	—	x	-	✓ ·07	·14	—	—		27
28	1·36	—	x	—	—	—	x	-	—	·64	—	x		28
29	·39	—	1·43	—	—	·51	(1·20)	-	—	·06	·03	1·36		29
30	·64		·06	—	—	·42	-	-	—	—	—	—		30
31	·33		1·42		·01		x	-		—		1·06		31 "d"
TOTAL	11·51	5·81	7·22	4·55	1·10	2·06	10·80	·51	5·03	2·54	6·80	9·51	Year's Total 67·3	
* Days with .01 in. or more.	27	16	20	10	7	10	23	8	13	10	17	19	(180)	
* Days with .04 in. or more.	25	15	18	9	4	6	22	7	11	10	14	16	(157)	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) A. J. Bellman

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 1678/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Didworthy Sanatorium, S. Brent

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 675 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·28	·04	2·7	1·44	—	—	—	—	·22	·13	—	·94		1
2	—	2·33	—	·30	—	—	—	—	·04	—	—	—		2
3	·29	·35	—	—	·06	—	—	—	—	·02	—	—		3
4	·15	1·81	—	—	—	·02	·1	—	—	—	—	—		4
5	·72	—	—	·42	—	—	·61	—	—	—	—	·91		5
6	·16	—	—	·59	·16	—	·26	—	—	—	—	·07		6
7	—	2·28	—	·05	—	·20	—	—	·05	—	·20	·16		7
8	—	·08	1·41	·03	—	·41	·33	—	—	—	—	—		8
9	—	·02	·33	·36	—	—	·13	·06	·58	—	—	—		9
10	·97	—	·78	—	—	·22	—	—	—	—	—	·89		10
11	·18	—	·30	1·04		·10	·38	—	—	—	—	—		11
12	1·90	·44	·33	—	2·08	—	·08	1·00	·32	—	—	·83		12
13	—	—	—	—	—	·85	—	—	·07	—	—	—		13
14	—	·18	—	—	—	—	·03	·31	·23	—	—	·11		14
15	—	·58	1·59	—	—	—	—	·02	·45	—	—	·36		15
16	—	·08	·32	1·44	—	—	·16	·31	·35	—	·50	—		16
17	2·06	·07	·79	·77	—	·16	—	—	·03	—	1·95	—		17
18	·20	·28	·33	·35	—	—	—	—	—	—	·12	—		18
19	·29	·13	·05	·08	—	—	—	·02	·25	—	·07	·23		19
20	·49	—	—	—	—	—	—	—	·04	—	—	1·35		20
21	1·10	1·19	—	—	—	—	—	—	·70	·08	[illegible]	·15		21
22	·20	·02	—	—	—	—	—	—	·31	·95	·83	·47		22
23	·59	·44	—	—	—	—	—	—	—	—	·15	·09		23
24	—	·88	·45	—	2·15	—	·79	—	·05	1·48	—	—		24
25	—	·95	—	—	—	—	—	—	—	·21	—	—		25
26	—	·32	—	—	—	—	—	—	·03	—	—	—		26
27	·49	—	—	—	—	—	—	—	—	·38	—	·35		27
28	—	—	—	—	—	—	—	—	—	·08	—	·03		28
29	—		—	—	—	—	—	—	—	·22	·34	—		29
30	—		—	—	—	·04	—	—	·03	—	1·30	—		30
31	1·36		—		—		—	—		·66		—	d.	31
TOTAL	11·43	12·47	9·38	6·87	4·45	2·0	2·87	1·72	3·93	4·19	5·80	6·46	Year's Total 72·08	72·08
* Days with .01 in. or more.	23	23	16	12	13	8	10	6	18	10	9	19	(167)	
* Days with .04 in. or more.	23	21	16	11	11	7	9	4	15	9	9	19	(154)	

† Spare column, no entries required.

(*Signed*) ....

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1678/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Didworthy S. Brent

in the County of Devon

Diameter of Funnel of Gauge ~~6~~ 5" in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 675 ft.

Acc

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	·15	—	—	Trace	·46	Trace	·36	—	—	·12	·15		1
2	—	·05	—	—	—	Trace	·14	—	—	·98	·04	·35		2
3	—	—	—	·07	·60	Trace	·04	1·19	—	1·38	·99	—		3
4	—	—	—	—	·50	—	·23	·79	—	·75	·01	·81		4
5	—	—	—	—	—	·04	·03	—	·14	·18	— ✓	·02		5
6	·42	—	—	—	—	·44	1·46	—	·08	·38	·06	·47		6
7	·25	—	—	—	—	·05	·40	—	·51	·16	·03	·25		7
8	—	·01	—	—	—	—	·37	·58	—	—	—	·18		8
9	1·29	·60	—	—	—	Trace	—	—	—	1·01	·06	1·08		9
10	·56	—	—	—	—	·01	·31	—	—	Trace	—	—		10
11	·53	·02	—	—	·01	·09	·03	·60	Trace	Trace	·62	1·50		11
12	1·04	—	—	—	·77	—	·01	—	—	1·69	—	— ✓		12
13	·50	—	—	—	·80	—	·03	—	—	·58	—	1·53		13
14	1·32	—	—	—	·90	—	Trace	—	—	—	1·87	Trace		14
15	—	—	—	—	·01	—	·20	·70	—	—	·51	·56		15
16	1·69	·21	·29	—	·23		Trace	—	—	·85	·37	—		16
17	—	—	·03	—	·17	—	Trace	—	—	·43	·06	—		17
18	·67	—	—	—	—	—	—	·85	1·05	—	·51	·14		18
19	·03	—	—	—	—	—	—	·90	·83	·08	— ✓	—		19
20	·21	—	—	—	—	—	—	·60	Trace	—	1·69	—		20
21	·21	—	—	—	—	—	—	·50	·24	·11	·37	—		21
22	—	—	—	·02	—	·12	—	1·51	Trace	—	·67	—		22
23	·15	—	—	—	—	—	—	Trace	—	·07	·31	—		23
24	·04	—	·32	·12	Trace	·01	Trace	·07	—	—	·90	—		24
25	·30	·95	·07	—	·02	—	·53	—	·03	—	2·04	—		25
26	·73	—	— ✓	—	·20	·26	Trace	—	—	·18	—	—		26
27	·41	·92	·05	—	·63	·46	·84	T	—	—	·98	·13		27
28	·47	·30	—	—	·10	·27	Trace	1·37	·18	·08	—	—		28
29	—	✕	—	—	·91	Trace	·04	Trace	·34	—	—	·03		29
30	·73	✕	—	—	·06	—	·01	—	—	·44	·32	—		30
31	·55	✕	—	✕	·49	✕	—	—	✕	·62	✕	·60		31
TOTAL	12·10	3·11	·76	·21	6·40	2·21	4·67	9·32	3·40	9·96	12·44	7·80	Year's Total 72·38	
* Days with .01 in. or more.	21	9	5	3	16	11	16	14	9	18	25	16	163	
* Days with .04 in. or more.	20	7	4	2	13	9	11	14	8	18	22	13	141	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) R. T. Betenson [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 1678/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at DIDWORTHY SANATORIUM.
in the County of DEVON
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 675 ft.

Aug. & Sept. adjusted by reference to nearby stns.

Entries altered throughout after ref. to nearby stations. ~~[illegible]~~

Entries for period 4th–17th July same as Badworthy Cottage

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0·05	–	0·05	✓	0·05	–	–	0·14	=	–	0·92	–		1
2	0·05	–	–	0·56	–	–	–	0·70	–	–	0·80	–		2
3	1·02	–	0·21	1·15	–	–	·06 ~~0·60~~	– ~~0·70~~	–	–	0·64	0·88		3
4	–	–	–	–	0·70	–	0·11	–	=	–	–	–		4
5	0·06	–	1·03	–	0·01	–	0·94	–	–	1·08	–	0·31		5
6	1·01	–	0·07	–	–	–	2·92	0·15	=	0·64	2·41	–		6
7	–	2·19	–	–	–	–	–	0·24	–	0·24	0·80	–		7
8	0·5	0·64	0·16	–	Tr.	–	0·52	–	–	–	0·57	2·16		8
9	0·03	0·02	Tr.	–	–	–	0·28	–	–	2·24	0·59	–		9
10	0·44	0·04	(·04) ~~0·04~~	0·21	–	–	–	·50 ~~0·05~~	–	~~0·70~~	0·40	0·78		10
11	0·01	–	–	–	–	(·03)	–	–	=	0·30	–	–		11
12	–	0·06	0·07	0·36	–	–	–	–	~~0·08~~	0·47 ·03	–	–		12
13	–	–	–	0·08	–	(·10)	–	–	– (·78)	~~0·30~~	0·10	0·01		13
14	–	–	–	Tr.	–	(·15)	1·00	–	–	1·26	–	–		14
15	2·54	–	–	–	0·07	(2·00)	0·88	–	0·10	–	0·74	0·04		15
16	0·21	–	0·01	0·32	0·08	=	–	–	–	– ~~0·60~~	–	–		16
17	1·61	(·30)	–	–	Tr.	(·60)	0·66	0·95	–	–	0·80	–		17
18	0·21	–	–	–	0·04	–	0·84	–	–	–	0·80	–		18
19	0·91	0·09	–	–	–	0·48	0·67	–	–	–	–	0·16		19
20	0·96	–	–	–	–	–	0·10	–	–	–	1·30	0·02		20
21	–	0·54	0·15	–	0·19	1·08	0·57	– NEXT READING SEPT. 12th	–	–	–	–		21
22	1·35	0·51	0·23	–	0·04	~~1·10~~	0·27	–	–	–	–	–		22
23	0·01	–	–	0·50	Tr.	0·50	–	=	–	–	–	–		23
24	0·96	0·13	0·11	–	–	–	~~0·10~~	–	–	–	3·20	–		24
25	0·17	–	–	0·24	–	0·80	–	–	–	0·12	–	–		25
26	0·02	0·19	–	–	–	–	0·11	–	–	·09 ~~0·90~~	–	–		26
27	–	0·54	–	–	–	–	0·30	–	–	0·10	2·81	–		27
28	–	0·04	–	0·21	0·04	0·30	0·80	=	–	–	0·68	Tr.		28
29	0·07	✗	–	–	–	0·19	–	–	–	–	0·24	–		29
30	–	✗	–	0·32	–	~~0·80~~	0·46	–	–	(2·27) ~~1·84~~	0·42	–		30
31	–	✗	0·15	✗	–	✗	0·14	(2·30)	✗	–	✗	–		31
TOTAL	12·17	(5·29) ~~4·99~~	(7) 7·28	3·95	1·22	(6·23) ~~6·23~~	(11·63) ~~12·87~~	4·98 ~~2·93~~	(0·88) ~~3·18~~	(8·84) ~~10·42~~	18·22	4·36	Year's total 80·05 ~~82·84~~	
* Days with .01 in. or more.	23 ~~21~~	13 ~~12~~	12 ~~12~~	12 ~~10~~	9	11 ~~8~~	20 ~~20~~	13 ~~12~~	6	18 ~~14~~	21 ~~18~~ 20	11 8	(~~141~~	164
* Days with .04 in. or more.	19 ~~17~~	12 ~~11~~	10 ~~6~~	11 ~~10~~	8	10 ~~8~~	20 ~~20~~	12 ~~14~~	4	12 ~~11~~	21 ~~15~~ 20	9 8	(~~131~~	146

100

adj.

too many adjusted 54

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) G. H. Ivory + Partners

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 1678/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~39~~40

Kept at (DIDWORTHY SANATORIUM) SOUTH BRENT

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 645 ft.

ap 1939 - too many estimations

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	/	·11	/	·01	·03	/	/	/	/	/	·23	Tr.		1
2	/	/	/	·51	/	/	/	/	/	/		·23		2
3	/		/	·02	/	/	/	/	/	·24	3·42	·64		3
4	·09	2·21	/	·16	/	/	/	/	/	·51	·30	·10		4
5	/	/	/	Tr.	/	/	/	/	/		·56	·49		5
6		/	/	/	/	/		/	/	1·28	/	·46		6
7	1·35	1·66	/	/	/	/	·35	/	/	/	/	/		7
8			/	Tr.	/	/	·14	/	Tr	·61	1·00	·90		8
9		·06	/	/	/	/	·99	·11	·01	·47		·35		9
10			/	/	/	/	·12	/	/	·09	·91			10
11		·01	·10	Tr	/	/	·50	/	/	/	2·45	·64		11
12		/	·64	/	/	·22	·44	/	1·01		/	Tr		12
13		/	·59	/	/	/		·10	/	·53	1·33			13
14		/	/	·05	/	/	·04	Tr		·46	·06			14
15		/	/	/	/	/	·10	/	·41	·04	·44	1·40		15
16		1·91			/	/	·29	/	·28	·55		/		16
17		/	2·36	·14	/	/		/	/	/	·42	Tr		17
18		1·13	·60	·84	/	/	·05	/	·02	·19	·04	·21		18
19		·09	·31	·23	/	/	/	/	·84		1·20	/		19
20		Tr.	·01		/	/	/	/	Tr	·11	·33	/		20
21		/		·11	/		/	/		·03	1·12	/		21
22		·08		·15	/		/	/	·18	/	·03	/		22
23		·04		/	/	·60	·05	/	/	/		/		23
24		/		·04	·04	Tr.	·24	/	/	/	·26	/		24
25		/	·69	·22		·06	Tr.	/	/		Tr	/		25
26		1·44	/	/	·99	·05	·02	/	/			/		26
27		·35	·05	/	1·06	·01	/	/	/			/		27
28		·25	/	·16	·14	/	/	/	/		·08			28
29		·05	·56	1·14	/	/	/	/	/	·21	/	·82		29
30	3·49	✕		/	/	/	/	/	/	1·18	/	/		30
31	·11 /	✕	·16	✕	/	✕	/	/	✕	·92	✕	·53		31
TOTAL	5·34 ~~5·23~~	9·31 ~~9·42~~	6·10	3·81	2·29	·94	3·42	·21	2·78	4·45	11·78	4·13	Year's Total 63·86	[illegible]
* Days with .01 in. or more.														
* Days with .04 in. or more.														"d"

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) X THE MEDICAL SUPERINTENDENT X

P.T.O.

1678/8
BRENT MOOR
1934 — 40

780306

27/35

Section **A** for the entry of
AIR MINISTRY

FORM 1090.

REGIS

Station No. 1678/8

FALL ORGANIZATION.

1934. V/S.Devon/3.

Kept at Brent Moor;

in the County of Devon

Diameter of Funnel of Gauge

Height of top of Gauge above Grou

,, Ground ,, Sea

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·32	—	·18	—	—	·02	—	2·07	·15	—	·66	3·10		1
2	·05	—	·16	—	—	—	—	·04	2·16	·24	·18	1·00		2
3	·60	—	—	—	—	—	—	—	—	1·10	—	1·60		3
4	·69	—	·71	·01	·77	—	—	·27	·15	·11	·01	1·00		4
5	·01	—	·20	·03	·57	·07	—	2·52	·01	·22	·04	1·54		5
6	1·00	—	·41	·20	·88	—	—	·06	·11	1·60	—	1·07		6
7	·18	·01	—	—	—	—	—	·12	·01	·85	·10	2·04		7
8	·01	—	—	—	·06	—	—	·02	·01	—	1·13	1·23		8
9	·10	—	·57	·01	·01	—	—	·26	·01	·05	·56	·18		9
10	·72	·01	·78	·66	—	—	·01	·38	—	—	·08	·14		10
11	1·10	·01	·07	·70	—	—	—	·17	—	—	·01	·54		11
12	·09	—	—	—	·03	·01	·13	·41	—	—	—	·32		12
13	1·15	—	—	·71	—	·02	·03	·01	—	·11	·69	·74		13
14	1·11	·01	1·12	·17	—	—	—	—	—	·22	·05	·71		14
15	·22	—	·26	·17	·31	—	—	—	—	·18	·09	·56		15
16	1·07	—	·90	·06	—	—	—	—	·45	·05	·01	·42		16
17	1·24	—	·30	·35	·23	—	·01	—	·20	·17	—	1·09		17
18	·30	—	·64	·66	·01	·18	—	—	·15	·03	—	1·22		18
19	·04	·01	·26	·52	·09	·23	—	·27	·64	·03	—	·76		19
20	·01	—	·01	·87	·15	—	·20	—	·19	·10	—	·15		20
21	—	—	·39	·09	·03	1·03	·17	·21	·04	1·40	—	·43		21
22	·12	·01	·02	·02	—	·05	1·11	·24	1·19	·01	—	·55		22
23	·12	·01	·02	·68	—	1·03	—	·05	·66	·31	—	·60		23
24	—	·27	·07	·06	—	·35	·01	·39	·17	·23	—	·41		24
25	·53	·03	·01	·86	—	·23	·01	—	·02	·96	—	1·67		25
26	·26	—	·01	·09	—	·57	—	—	·67	·06	·02	·37		26
27	—	—	—	·01	—	·07	—	·20	·42	·19	·02	·40		27
28	—	—	—	—	—	—	·11	1·07	·53	·07	·05	2·13		28
29	—		—	—	—	—	·01	·22	·06	·01	·02	·17		29
30	—	×	—	—	—	—	·01	·31	1·08	·14	·02	1·58		30
31	—	×	—	×	·04	×	·02	·01	×	·15	×	·16		31
TOTAL	11·04	·37	7·09	6·93	3·18	3·86	1·83	9·30	9·08	8·59	3·74	28·88	Year's Total. 93·89	
* Days with .01 in. or more.	24	9	21	21	13	13	13	22	23	26	18	31	234	
* Days with .04 in. or more.	21	1	16	16	9	10	5	19	18	22	11	31	179	

40-9999

* See Instruction 2 (f) on other side.

N

† Spare column, no entries required.

(*Signed*) Walter E Nicholls

X W.E. NICHOLLS ESQ X

[P.T.O.

COPY FOR OFFICIAL USE. 27/35

Section **A** for the entry of Daily Observations. Station No. 1678/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934. V/S.Devon/3

Kept at Brent Moor; South Brent

in the County of Devon

c 1934

Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground ft 9 in.
,, Ground ,, Sea Level 850 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·32	—	·18	—	—	·02	—	2·07	·15	—	·66	3·10		1
2	·05	—	·16	—	—	—	—	·04	2·16	·24	·18	1·00		2
3	·60	—	—	—	—	—	—	—	—	1·10	—	1·60		3
4	·69	—	·71	·01	·77	—	—	·27	·15	·11	·01	1·00		4
5	·01	—	·20	·03	·57	·07	—	2·52	·01	·22	·04	1·54		5
6	1·00	—	·41	·20	·88	—	—	·06	·11	1·60	—	1·07		6
7	·18	·01	—	—	—	—	—	·12	·01	·85	·10	2·04		7
8	·01	—	—	—	·06	—	—	·02	·01	—	1·13	1·23		8
9	·10	—	·57	·01	·01	—	—	·26	·01	·05	·56	·18		9
10	·72	·01	·78	·66	—	—	·01	·38	—	—	·08	·14		10
11	1·10	·01	·07	·70	—	—	—	·17	—	—	·01	·54		11
12	·09	—	—	—	·03	·01	·13	·41	—	—	—	·32		12
13	1·15	—	—	·71	—	·02	·03	·01	—	·11	·69	·74		13
14	1·11	·01	1·12	·17	—	—	—	—	—	·22	·05	·71		14
15	·22	—	·26	·17	·31	—	—	—	—	·18	·09	·56		15
16	1·07	—	·90	·06	—	—	—	—	·45	·05	·01	·42		16
17	1·24	—	·30	·35	·23	—	·01	—	·20	·17	—	1·09		17
18	·30	—	·64	·66	·01	·18	—	—	·15	·03	—	1·22		18
19	·04	·01	·26	·52	·09	·23	—	·27	·64	·03	—	·76		19
20	·01	—	·01	·87	·15	—	·20	—	·19	·10	—	·15		20
21	—	—	·39	·09	·03	1·03	·17	·21	·04	1·40	—	·43		21
22	·12	·01	·02	·02	—	·05	1·11	·24	1·19	·01	—	·55		22
23	·12	·01	·02	·68	—	1·03	—	·05	·66	·31	—	·60		23
24	—	·27	·07	·06	—	·35	·01	·39	·17	·23	—	·41		24
25	·53	·03	·01	·86	—	·23	·01	—	·02	·96	—	1·67		25
26	·26	—	·01	·09	—	·57	—	—	·67	·06	·02	·37		26
27	—	—	—	·01	—	·07	—	·20	·42	·19	·02	·40		27
28	—	—	—	—	—	—	·11	1·07	·53	·07	·05	2·13		28
29	—		—	—	—	—	·01	·22	·06	·01	·02	·17		29
30	—	×	—	—	—	—	·01	·31	1·08	·14	·02	1·58		30
31	—	×	—	×	·04	×	·02	·01	×	·15	×	·16		31
TOTAL	11·04	·37	7·09	6·93	3·18	3·86	1·83	9·30	9·08	8·59	3·74	28·88	Year's Total. 93·89	
* Days with .01 in. or more.	24	9	21	21	13	13	13	22	23	26	18	31	234	
* Days with .04 in. or more.	21	1	16	16	9	10	5	19	18	22	11	31	179	

40-9999

* See Instruction 2 (f) on other side.

N

† Spare column, no entries required.

(Signed) Walter E Nicholls

X W.E. NICHOLLS ESQ X

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1678/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Bala Brook, Shipley, S. Brent.

in the County of DEVON.

Diameter of Funnel of Gauge As previous. in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.30	0.25	0.34	0.01	—	0.33	0.03	—	0.52	0.08	0.02	0.68		1
2	—	0.11	0.08	—	—	0.35	0.04	—	0.15	1.04	0.09	0.39		2
3	0.01	0.09	0.15	0.04	0.65	0.33	0.04	—	0.09	0.39	0.20	0.15		3
4	0.01	0.60	0.01	0.28	0.01	0.17	0.01	—	0.24	0.22	0.22	0.63		4
5	—	0.45	0.07	0.24	—	0.34	—	—	0.50	0.26	0.09	0.17		5
6	—	0.02	—	0.74	—	2.31	—	—	—	—	0.18	0.30		6
7	—	—	0.01	1.13	—	0.20	—	—	—	0.64	0.31	0.14		7
8	0.01	—	—	0.91	—	0.01	0.05	—	0.12	0.11	0.63	0.04		8
9	0.03	0.01	—	1.32	—	0.01	0.02	—	—	2.05	0.87	—		9
10	0.17	—	—	0.14	—	0.27	—	—	—	0.01	0.04	0.06		10
11	0.47	0.16	0.28	0.06	—	0.87	—	—	0.38	0.02	1.06	0.04		11
12	0.17	0.65	1.05	—	—	0.48	—	0.01	0.37	—	0.46	—		12
13	0.35	0.29	0.01	0.53	—	0.07	—	0.01	0.02	0.56	0.60	—		13
14	—	0.36	—	0.20	—	0.22	—	—	0.44	0.36	2.71	0.72		14
15	—	0.52	—	1.52	0.14	0.30	—	0.01	0.20	0.30	0.33	0.12		15
16	—	0.41	0.14	0.16	—	0.16	0.03	—	0.93	0.06	1.03	0.02		16
17	—	0.01	—	0.13	0.99	0.96	0.12	0.06	0.19	—	0.06	—		17
18	—	0.45	0.07	1.28	0.04	—	0.01	0.02	1.51	0.27	0.06	0.28		18
19	—	0.11	—	0.25	0.70	0.47	0.80	—	0.56	0.37	0.93	0.03		19
20	—	0.96	—	0.61	0.40	0.29	0.02	—	0.08	—	0.12	—		20
21	—	1.24	0.03	0.39	—	—	0.18	—	0.10	0.08	—	0.01		21
22	—	0.06	0.17	0.14	—	—	—	—	0.11	0.05	—	0.01		22
23	—	0.39	0.30	—	0.02	—	—	0.30	0.48	0.45	—	0.81		23
24	0.20	1.10	—	0.49	0.18	—	—	0.56	1.54	0.02	—	0.32		24
25	0.63	0.14	—	0.11	0.48	0.64	—	—	—	—	—	0.24		25
26	—	1.00	—	—	—	0.32	—	0.82	0.81	0.01	0.04	1.13		26
27	0.01	0.47	—	—	—	—	0.05	—	0.39	0.47	0.61	0.56		27
28	—	0.12	—	—	—	—	0.02	0.08	0.21	0.31	0.18	0.07		28
29	—	X	—	—	—	—	—	0.04	0.88	0.20	0.08	1.14		29
30	0.07	X	—	—	—	0.22	—	2.10	0.08	0.64	2.20	1.39		30
31	0.01	X	—	X	—	X	—	0.33	X	1.65	X	0.67		31
TOTAL	2.44	9.96	3.21	1068	3.61	9.32	1.42	4.34	1090	1062	1312	1012	Year's Total. 89.764	
* Days with .01 in. or more.	14	25	14	22	10	22	14	12	25	26	25	26	235	
* Days with .04 in. or more.	8	22	10	21	8	20	7	8	24	22	24	22	196	

Sept 24th
1.54
[illegible]

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) W. E. Nicholls

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1678/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Bala Brook, South Brent.

in the County of Devon.

Diameter of Funnel of Gauge As before.

Height of top of Gauge above Ground......ft.......in.

,, Ground ,, Sea Level ....ft.

Corr: for B.A. annual total. LR.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.29	0.13	0.03	0.98	–	0.75	1.00	0.20	–	–	0.16	0.09		1
2	0.04	–	–	0.28	–	0.12	0.42	0.17	0.55	–	0.08	0.03		2
3	0.05	–	0.07	1.01	–	0.11	0.04	0.02	1.30	–	0.07	0.09		3
4	0.05	0.02	0.51	0.01	–	0.14	0.01	–	0.48	–	0.11	0.20		4
5	0.62	0.31	0.26	–	0.04	–	0.19	0.29	0.11	–	0.02	0.24		5
6	0.14	–	0.15	–	–	0.06	1.29	0.29	1.38	–	0.66	0.01		6
7	0.59	–	0.58	–	–	0.03	0.15	–	0.14	–	0.77	0.07		7
8	0.93	–	0.98	–	–	–	0.65	–	–	–	0.70	0.06		8
9	0.66	1.52	0.27	–	–	–	0.38	–	0.19	–	0.35	0.01		9
10	1.24	0.15	–	–	–	0.01	0.03	–	0.01	–	0.31	0.03		10
11	0.18	0.76	–	–	0.03	0.06	0.09	0.14	0.27	–	0.99	0.15		11
12	0.69	0.37	–	0.18	–	–	1.29	–	0.74	–	0.08	0.02		12
13	0.17	0.01	–	–	–	–	0.07	0.08	–	0.27	0.19	1.70		13
14	0.02	0.06	0.01	–	–	0.55	0.79	–	0.25	0.26	–	0.85		14
15	–	–	–	–	–	–	0.06	–	0.03	–	1.30	1.20		15
16	–	0.30	–	0.05	0.18	–	0.42	–	0.21	–	1.03	0.52		16
17	0.35	1.89	–	–	0.08	–	0.55	0.21	–	0.55	0.21	3.38	✓	17
18	0.53	0.42	0.39	–	–	0.02	1.26	0.02	0.01	0.01	–	0.36		18
19	1.20	0.65	0.85	0.57	–	0.08	0.16	0.66	–	–	–	–		19
20	0.10	0.65	0.06	0.22	–	0.08	–	0.01	0.63	0.01	–	0.06		20
21	0.12	0.26	0.19	0.94	–	–	0.28	–	–	0.02	–	–		21
22	0.22	0.29	0.03	–	0.01	–	1.19	–	–	0.01	–	0.07		22
23	0.37	0.13	0.03	0.36	0.25	–	0.67	–	–	0.27	–	–		23
24	1.01	–	0.08	0.26	0.60	0.01	–	–	0.48	0.91	–	0.03		24
25	0.48	–	0.47	0.80	–	–	0.08	–	–	0.72	–	–		25
26	0.56	0.32	0.42	–	0.01	–	0.01	–	0.03	0.30	0.02	–		26
27	0.76	0.08	0.04	–	0.01	–	0.32	–	0.03	0.15	–	–		27
28	1.25	0.01	1.50	0.01	–	–	0.38	–	–	0.10	–	0.96		28
29	0.12	0.01	0.29	+	–	0.16	–	–	–	0.38	0.08	0.16		29
30	0.95	✕	0.25	–	0.02	0.33	0.08	–	–	0.11	–	0.02		30
31	0.37	✕	1.56	✕	–	✕	0.47	–	✕	–	✕	1.42		31
TOTAL	13.07	7.71	9.02	5.67	1.23	2.51	12.69	2.09	6.84	4.07	7.13	11.73	Year's Total 83.76 ~~91.76~~ ✓	
* Days with .01 in. or more.	29	21	23	13	11	15	28	11	18	15	18	25	227 ✓	
* Days with .04 in. or more.	28	16	19	11	5	11	26	8	13	11	16	18	182 ✓	

† Spare column, no entries required.

(*Signed*) W. E. Nicholls [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 1678/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Bala Brook, S. Brent.

in the County of Devon.

Diameter of Funnel of Gauge As previous. in.

Height of top of Gauge above Ground.........ft.........in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.30	0.01	0.72	0.96	)–	–	–	–	0.37	0.15	–	1.15		1
2	0.45	3.00	0.14	0.38	–	–	0.01	–	0.07	0.03	–	0.02		2
3	0.08	0.31	0.09	0.19	0.03	–	0.24	–	–	–	–	–		3
4	0.23	1.84	–	–	–	0.06	–	–	–	–	–	1.11		4
5	0.90	0.01	0.01	0.32	0.02	–	1.12	–	–	–	–	0.06		5
6	0.39	1.01	0.68	0.61	0.16	–	0.47	–	0.02	–	0.01	x)		6
7	–	1.34	0.25	–	–	0.26	0.01	–	0.07	–	0.13	x)		7
8	–	0.09	0.41	0.16	1.26	0.20	0.46	–	–	–	–	0.35)		8
9	0.31	0.04	0.08	0.47	0.11	–	0.20	0.01	0.73	–	0.02	0.01		9
10	0.64	0.02	0.93	0.97	0.02	0.29	0.02	0.11	0.01	–	–	0.82		10
11	0.20	0.01	0.27	0.51	0.78	0.09	0.78	0.01	–	–	–	0.05		11
12	2.10	0.47	0.18	–	0.28	0.75	0.15	0.39	0.46	–	0.01	0.94		12
13	–	0.13	0.96	0.25	–	0.04	0.01	0.33	0.12	–	–	0.01		13
14	–	0.10	0.18	–	–	–	–	0.01	0.34	–	–	0.26		14
15	0.54	0.64	0.38	0.80	–	–	–	0.01	0.36	–	–	0.36		15
16	0.27	0.16	0.32	0.55	–	–	0.24	0.43	0.56	–	0.61	0.03		16
17	1.54	0.12	0.54	–	–	–	–	–	0.05	–	2.21	–		17
18	0.26	0.46	0.46	0.02	–	0.19	0.01	0.06	0.27	–	0.20	0.20		18
19	0.39	0.19	0.08	1.01	0.39	–	–	–	0.09	–	0.10	0.09		19
20	0.53	–	0.49	0.45	0.16	–	–	–	0.03	–	0.01	1.48		20
21	1.42	1.43	–	0.16	0.56	–	0.28	–	0.85	0.08	0.54	0.28		21
22	0.13	0.04	0.06	0.01	1.16	0.01	0.69	–	0.42	1.10	1.08	0.76		22
23	0.35	0.46	–	–	0.32	–	0.08	–	–	0.29	0.10	0.17		23
24	0.36	1.15	0.15	–	–	–	0.05	–	0.05	1.39	–	0.45		24
25	0.01	1.19	0.76	–	0.04	–	–	–	0.03	0.39	0.02	0.04		25
26	–	0.37	0.01	–	–	–	–	–	0.01	0.01	–	0.07		26
27	0.46	x)	–	–	–	–	–	–	–	0.46	0.02	–		27
28	0.25	x) 0.55)	–	–	–	0.02	–	–	–	0.09	0.01	–		28
29	x)	X	–	–	–	0.03	–	–	–	0.29	0.63	0.01		29
30	x) 0.91)	X	–	–	–	0.13	–	–	0.06	–	1.20	–		30
31	0.28	X	–	X	–	X	–	–	X	0.80	X	0.01		31
TOTAL	13.30 ✓	15.14	8.15	7.82	5.19	2.07	4.82	1.86	4.95	5.08	6.90	8.73	Year's Total 0 84.11 ✓	
* Days with .01 in. or more.	26	27 ✓	23	17	14	12	17	9	21	12	17	~~26~~ 25	~~221~~ 220 ✓	
* Days with .04 in. or more.	25 ✓	23 ✓	21	15	11	9	12	5	16	10	10	~~20~~ 19	~~177~~ 176 ✓	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. G. Nicholls [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1678/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Bala Brook

in the County of DEVON

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... in. As before

,, Ground ,, Sea Level .... ft.

S. Brent, Brent Moor.

A/c

snow w.f.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·17	—	—	—	·93	·19	·22	·02	·79	·09	·19		1
2	—	·11	—	·14	—	·01	·01	—	·01	·35	·03	·35		2
3	—	—	—	—	·08	·02	·10	1·38	—	1·77	1·32	·01		3
4	—	—	—	—	·06	·04	·26	·89	—	·87	·01	1·29		4
5	—	—	—	—	—	·08	·12	—	·19	·62	·02	·03		5
6	·54	—	—	—	—	·66	2·05	·04	·12	·60	·10	·48		6
7	·31	—	—	—	—	·10	·57	—	·17	·22	·05	·25		7
8	1·28	·03	—	—	—	—	·60	—	—	1·54	—	·10		8
9	·51	·66	—	—	—	·03	·01	·12	—	·03	·06	1·35		9
10	·44	—	—	—	—	·04	·52	·01	—	·02	—	·39		10
11	·86	·03	—	—	—	·01	·05	—	—	—	·96	1·22		11
12	1·37	·02	—	—	·97	·08	·02	—	—	2·37	1·40	—		12
13	·56	—	—	—	1·12	—	·09	·01	—	·83	·63	2·00		13
14	1·43	—	—	—	·48	—	·48	·01	—	—	·04	·01		14
15	1·03	—	—	—	·89	—	—	·22	—	1·05	·59	·62		15
16	1·26	·01	·46	—	·02	—	—	·12	—	·02	·19	—		16
17	—	·19	·05	—	·30	—	·01	·01	1·15	·52	·08	·18		17
18	·78	·09	—	—	·30	·01	—	1·00	·44	·11	·70	·01		18
19	·02	—	—	—	—	—	·01	·38	1·03	—	1·21	—		19
20	·33	—	—	—	—	—	—	·06	—	—	·41	—		20
21	·22	—	—	—	—	—	—	·16	·24	·09	·44	✓	Snow.	21
22	·24	—	—	·03	—	·18	—	2·12	—	·06	·84	✓ ·05		22
23	·04	—	—	·13	·01	·01	—	·01	·02	—	·12	·02		23
24	·11	—	·46	—	·11	·06	—	·07	·04	—	·99	—		24
25	·34	1·11	·13	—	·30	·02	·50	[illegible]	·01	·08	2·17	·01		25
26	·90	·78	·10	—	·90	·77	·08	~~·10~~	—	·22	·03	·15	✓	26
27	·58	·57	—	—	·16	·38	·89	~~·79~~	—	·14	1·34	—		27
28	·63	·44	·03	—	·10	·49	—	~~·40~~	·27	·03	·04	·02		28
29	·63	✕	·02	—	·97	·02	·18	—	·40	·55	1·21	·10		29
30	·32	✕	—	—	·07	—	·60	~~·92~~	·26	—	·30	·06		30
31	·87	✕	·01	✕	·78	✕	·01	—	✕	·94	✕	·86		31
TOTAL	15·60	4·21	1·26	0·30	7·62	3·94	7·31	8·32	4·39	13·32	15·37	9·75	Year's Total 91·37	
* Days with .01 in. or more.	25	13	8	3	18	20	22	20	15	24	28	25	221	
* Days with .04 in. or more.	24	9	5	2	16	12	16	15	11	20	24	17 ~~18~~	~~172~~	?171

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. E. Nicholls

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1678/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Bala Brook. S. Brent

in the County of Devon

Totnes

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·58	—	·07	·05	·04	—	·01	·20	—	—	·77			1
2	·01	—	—	·70	—	—	·09	·36	·62	—	·13	·68	1	2
3	·98	—	·12	1·22	·01	—	·04	·05	·10	—	·61	·27	2	3
4	·02	—	1·20	·30	·85	—	·52	—	—	1·10	·55	·71	3	4
5	—	·01	·06	·16	·02	—	1·06	—	—	·69	2·02	·31	4	5
6	1·11	·01	·10	·12	·02	—	3·06	·12	—	·10	·08	·10	5	6
7	·37	2·66	—	—	—	—	·33	·12	—	—	·78	—	6	7
8	·53	·75	·26	—	·03	—	·71	·14	—	2·58	·72	2·53	7	8
9	·24	·06	·03	—	·01	—	—	·67	—	·05	·41	·45	8	9
10	·41	·09	·04	—	—	·01	—	·41	·20	·48	·12	·80	9	10
11	—	·26	·13	—	—	·06	—	·02	—	·54	·01	·48	10	11
12	·02	·18	—	·26	—	—	—	—	·08	·06	·11	—	11	12
13	·01	·03	—	·30	—	·40	1·13	—	·08	1·15	·25	·01	12	13
14	2·07	—	—	·01	·09	·24	·96	—	·01	·05	·62	·01	13	14
15	·87	—	—	·10	·12	2·62	·13	—	—	·01	·60	·04	14	15
16	·28	·02	·02	·35	—	—	·60	—	—	—	·66	·03	15	16
17	1·65	·33	—	—	·05	·62	1·16	—	—	—	·14	—	16	17
18	·30	·11	·01	—	—	·02	·56	—	—	—	1·63	—		18
19	·87	—	—	—	—	—	·14	·06	—	—	—	·38		19
20	1·24	—	—	—	·01	·95	·55	1·59	—	—	—	·01		20
21	·06	·60	·23	·01	·09	1·02	·13	1·03	—	—	—	—		21
22	1·68	·46	·32	·03	—	·54	·34	—	·04	—	1·79	—		22
23	·01	·03	·04	·74	—	·07	·09	—	—	·04	2·75	—		23
24	1·00	·11	·22	·10	—	·88	·07	—	—	·14	—	·01		24
25	·15	·25	—	·22	—	—	·08	·75	—	·15	·96	—		25
26	·35	·05	·01	·01	—	—	·05	1·17	—	·11	1·70	·01		26
27	·01	·67	—	—	—	·22	·48	·16	—	—	·13	—		27
28	·02	·06	—	·23	—	·25	·95	—	—	—	·89	·01		28
29	·07	X	·04	·10	—	·17	·68	—	—	·83	·37	·01		29
30	—	✕	·03	·32	—	·01	—	·22	—	·61	·48	—		30
31	—	✕	·01	✕	—	✕	·22	·63	✕	·82	✕	—		31
TOTAL	14·91	6·74	2·94	5·33	1·34	7·78	14·14	7·70	1·13	9·51	20·28	6·85	Year's Total 98·65	
* Days with .01 in. or more.	27	20	19	20	12	16	26	17	7	18	26	19	227	
* Days with .04 in. or more.	20	15	13	16	6	13	25	16	6	17	25	11	183	

Snow

† Spare column, no entries required.

(*Signed*) A E Nicholls

[P.T.O.

* See Instruction 3 (f) on other side.

South Brent (Brent Moor) COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1678/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Bala Brook S. Brent

in the County of Devon

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground = ft. 9 in.

,, Ground ,, Sea Level 850 ft.

Apr + July corrd. for Arith.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·22	—	·03	·04	—	—	—	—	—	·24	·01		1
2	—	·46	—	·60	—	—	·09	—	—	—	1·64	·21		2
3	·06	1·59	—	·03	—	—	—	—	—	·20	2·90	·94		3
4	·07	·31	—	·25	—	—	·22	—	—	·67	·50	·19		4
5	·06	·01	—	·01	—	—	·04	·01	—	·17	·65	·61		5
6	1·13	1·61	—	—	—	—	·02	—	—	1·47	·03	·52		6
7	·37	·06	—	·03	—	—	·29	—	·03	·03	—	·15		7
8	—	·06	—	—	—	—	·27	—	·04	·70	1·12	1·13		8
9	—	·01	—	—	—	—	1·09	·20	·03	·39	·83	·32		9
10	—	·02	—	—	—	—	·03	·01	·01	·05	·36	·64		10
11	—	·01	·08	·02	—	—	·46	—	—	—	3·04	·23		11
12	—	—	·94	—	—	·48	1·00	—	1·23	—	·23	—		12
13	—	—	·65	—	—	·01	·12	—	·01	·68	1·62	1·09		13
14	—	—	·02	·07	·04	—	·02	·17	·22	·56	·05	1·06		14
15	—	·06	—	·01	—	—	·05	—	·38	·17	·88	·03		15
16	↑	1·14	1·28	·13	—	—	·15	—	·40	·52	·34	·10		16
17		1·10	1·36	·07	—	—	·28	—	·01	·01	·08	·01		17
18	Snow	1·96	·54	·80	—	—	·06	·01	·07	·19	·08	·32		18
19		·10	·30	·26	—	—	·15	—	·87	·01	1·46	—		19
20		—	·04	·11	—	—	·01	·14	—	·11	·54	—		20
21		·07	·01	—	·05	—	—	·02	·07	·04	1·29	—		21
22	↓	·07	·25	·12	—	·65	—	—	·14	·01	·03	—		22
23	·33	·12	·32	·01	·18	—	·07	·01	—	·15	·36	—		23
24	·16	—	·03	·08	·03	·03	·39	—	—	—	·01	—		24
25	·37	—	·21	·25	·57	·10	—	—	—	—	·01	—		25
26	1·12	1·61	·01	·02	·58	·08	·05	—	—	—	·14	—		26
27	·67	·51	·07	·10	·86	—	—	—	—	·01	·04	—		27
28	1·18	·30	—	·09	·22	—	—	·01	—	—	·01	·01		28
29	·09	·13	·63	1·14	·07	·27	—	—	—	·24	—	1·20		29
30	—	✕	·01	·01	·06	—	—	—	—	1·38	—	·35		30
31	·40	✕	·25	✕	—	✕	—	—	✕	1·26	✕	1·33		31
													Year's Total	
TOTAL	6·01	11·47	7·00	4·2~~2~~ 4	2·64	1·62	~~3~~ 4·80	0·58	3·51	9·02	18·48	10·45	79·80	2
* Days with .01 in. or more.	13	23	19	23	11	7	21	9	14	23	27	21	211	
* Days with .04 in. or more.	13	18	14	14	9	5	16	3	9	18	22	17	158	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Nicholls [P.T.O.

FORM 1090.

B

Month
Summ

Gauge No. 5.
1679

—
1679
PLYMPTON. YEALM HEAD
1931—40 (95)

780306

*** The following register of monthly t
&c., is NOT required if daily or w
values are given on the other side.

on and also the space for

s register should be sent:—

RAINFALL IN 1931

At Yealm Head, Corwood, Ply

In the County of Devon

in Summer 9 a.m.

nce 2 m gauge S.S.W. Direction from

Nearest Parish Church at Distance 1¼ m gauge S.S.W. Direction from

Rain Gauge
Diameter of Funnel 5
Height of Top above Ground 1 *ft.* 0 *in.*
Height of Ground above Sea Level 540 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 in or more	Number of Days with ·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	7·33	1·43	23rd	24	18
FEB.	6·45	·85	5th	22	19
MAR.	3·30	1·07	31st	14	9
APRIL	4·61	1·05	24th	17	14
MAY	4·50	·87	23rd	22	19
JUNE	6·93	·97	16th	14	14
JULY	8·48	1·70	13th	23	23
AUG.	6·66	2·40	18th	16	16
SEPT.	2·46	·80	1st	10	10
OCT.	1·71	·55	6th	6	6
NOV.	10·69	1·16	23rd	24	23
DEC.	4·01	·99	2nd	14	14
Total	67·13			206	185

Signature

*See Instruction 2 (*f*) below.

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

M. O.
9 JAN 1932

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

FORM 1090.

Gauge No. 5.
1679

B Monthly Summary.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1931

At Yealm Head, Cornwood, Plympton

In the County of Devon

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* 0 *in.*
Height of Ground above Sea Level 540 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	7·33	1·43	23rd	24	18
FEB.	6·45	·85	5th	22	19
MAR.	3·30	1·07	31st	14	9
APRIL	4·61	1·05	24th	17	14
MAY	4·50	·87	23rd	22	19
JUNE	6·93	·98	16th	14	14
JULY	8·48	1·70	13th	23	23
AUG.	6·66	2·40	18th	16	16
SEPT.	2·46	·80	1st	10	10
OCT.	1·71	·55	6th	6	6
NOV.	10·69	1·16	23rd	24	23
DEC.	4·01	·99	2nd	14	14
Total	67·13			206	185

Signature

*See Instruction 2 (*f*) below.

C Particulars

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter 9 a.m. in Summer 9 a.m.

Nearest Railway Station Cornwood G.W.R. Distance 2 m Direction from gauge S.S.W.

Nearest Parish Church at Cornwood Distance 1¼ m Direction from gauge S.S.W.

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

M. O.
9 JAN 1932

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

1679

FORM 1090.

B Monthly Summary.

C Particulars of Station.

Gauge No. 5.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1932

At Yealm Head, Cornwood, Plympton

In the County of Devon

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft* 0 *in.*
- *Height of Ground above Sea Level* 540 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	7·56	2·74	9th	19	19
FEB.	0·05	0·04	9th	2	1
MAR.	3·85	0·86	26th	13	13
APRIL	6·13	0·96	26th	24	23
MAY	6·39	1·90	12th	18	16
JUNE	5·23	2·50	~~29th~~ 30th	5	4
JULY	5·15	0·96	23rd	17	16
AUG.	2·27	0·81	29th	9	7
SEPT.	7·66	1·38	7th	21	19
OCT.	13·04	1·60	7th	26	23
NOV.	5·38	1·76	30th	19	15
DEC.	5·91	1·23	31st	21	18
Total	68·62			194	174

Signature Wm H Thompson
Engineer Surveyor.

PLYMPTON ST. MARY R.D. COUNCIL.
S. Devon

*See Instruction 2 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter 9 am in Summer 9 am

Nearest Railway Station Cornwood G.W.R. Distance 2 m Direction from gauge S.S.W.

Nearest Parish Church at Cornwood Distance 1¼ m Direction from gauge S.S.W.

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
5 JAN 1933

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as* 0·1 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110

1679

FORM 1090.

B Monthly Summary.

*** **The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1933

At Yealm Head, Cornwood, Plympton

In the County of Devon

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft* 0 *in.*
- *Height of Ground above Sea Level* 540 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	4·27	0·80	2nd	21	17
FEB.	6·39	1·36	1st.	22	19
MAR.	6·91	1·40	2nd.	13	13
APRIL	5·26	1·20	24th.	10	10
MAY	2·89	0·60	2nd	16	15
JUNE	2·72	0·63	2nd.	14	12
JULY	5·44	0·92	28th	14	13
AUG.	2·57	0·70	22nd	13	10
SEPT.	3·21	0·85	25th.	14	10
OCT.	6·16	1·40	23rd.	22	17
NOV.	2·33	0·54	14th & 19th.	11	9
DEC.	2·67	0·95	27th.	9	7
Total	50·82 ✓			179	152

Signature

*See Instruction 2(f) below.

C Particulars of Station.

Gauge No. 5.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter 9 am. in Summer 9 am.

Nearest Railway Station Cornwood G.W.R. Distance 2 m. Direction from gauge S.S.W.

Nearest Parish Church at Cornwood Distance 1¼ m. Direction from gauge S.S.W.

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

M.O. 7
5 JAN 1934

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(506) Wt.24107/1845 15000 3/33. Gp. 119/110.

D

1679

FORM 1090.

B Monthly Summary.

⁎ The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1934

At Yealm Head, Cornwood, Plympton

In the County of Devon

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft* 0 *in.*
- *Height of Ground above Sea Level* 540 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	6·44	·72	14th	20	20
FEB.	0·18	·16	24th	2	1
MAR.	5·58	·70	14th	20	18
APRIL	5·40	·73	20th	19	17
MAY	2·52	·73	4th	11	9
JUNE	2·60	·85	23rd	10	9
JULY	1·27	·49	22nd	12	7
AUG.	6·01	1·87	5th	21	17
SEPT.	6·40	1·90	1st	17	16
OCT.	5·46	0·97	6th	24	20
NOV.	3·15	1·30	8th	17	10
DEC.	19·60	2·10	1st	31	30
Total	64·61 ✓			204	174

Signature..............................

*See Instruction 2 (*f*) below.

C Particulars of Station. Gauge No. 5.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

....

....

Hour of observation by the clock—in Winter 9 am in Summer 9 am

Nearest Railway Station Cornwood G.W.R. Distance 2 m Direction from gauge S.S.W.

Nearest Parish Church at Cornwood Distance 1¼ m Direction from gauge S.S.W.

Nature of objects nearest to gauge				
Height of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move.............................. Distance.............................. Direction..............................

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at* 9 *a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following* 9 *a.m. on January 1st; it is therefore the amount measured on January 2nd.* 9 *a.m. Greenwich Mean Time is* 10 *a.m. by the clock during Summer Time Period.*

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as* ·01 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{r|}17\\18\end{array}\right\}\cdot 14\,|$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was **·14 in**.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

M.O. 7

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(586) Wt.283/202 16,000 5/34. Gp.119/110.

1679

FORM 1090.

B Monthly Summary.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1935.

At Yealm Head, Cornwood, Plympton

In the County of Devon

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* 0 *in.*
- *Height of Ground above Sea Level* 540 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	1·85	·52	25th	10	9
FEB.	6·10	·92	21st	23	22
MAR.	1·58	·75	1st	10	8
APRIL	7·90	1·13	15th	20	20
MAY	2·55	·88	17th	8	8
JUNE	7·43	1·52	6th	22	20
JULY	1·12	·58	19th	11	8
AUG.	3·49	1·40	30th	11	10
SEPT.	7·90	·90	26th	23	21
OCT.	8·34	1·15	9th	28	23
NOV.	10·01	1·70	14th	25	22
DEC.	8·49	1·50	30th	23	22
TOTAL	66·76			214	193

Signature ....

*See Instruction 2 (*f*) below.

C Particulars of Station, Gauge No. 5.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

....

....

Hour of observation by the clock—in Winter 9am in Summer 9am

Nearest Railway Station Cornwood. G.W.R. Distance 2 miles Direction from gauge S.S.W.

Nearest Parish Church at Cornwood Distance 1¼ miles Direction from gauge S.S.W.

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.............................. Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) It is known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
7 JAN 1936

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceeding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast, or through any Bookseller. Price 1d. Net.

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone.

Wt.3430/1699 15,000 2/35 W. H. & S. 668/91.

1679

FORM 1090.

B Monthly Summary.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1936

At Yealm Head, Cornwood, Plympton

In the County of Devon

Rain Gauge:
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* 0 *in.*
- *Height of Ground above Sea Level* 540 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	10·53	1·50	19th	28	27
FEB.	6·82	1·95	9th	20	16
MAR.	7·50	1·80	28th	21	17
APRIL	5·12	1·85	1st	12	10
MAY	1·25	·63	23rd	6	6
JUNE	2·31	·65	1st	12	12
JULY	10·69	1·34	6th	30	29
AUG.	1·42	·45	19th	9	7
SEPT.	5·50	1·60	11th	17	14
OCT.	3·26	·56	24th	14	13
NOV.	5·66	1·17	11th	19	18
DEC.	7·98	1·48	17th	23	19
TOTAL	✓ 68·04	✓		✓ 211	✓ 188

Signature ....

* See Instruction 3 *(f)* below.

C Particulars of Station. Gauge No. 5.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter 9 a.m. in Summer 9 a.m.

Nearest Railway Station Cornwood G.W.R. Distance 2 miles Direction from gauge S.S.W.

Nearest Parish Church at Cornwood Distance 1¼ miles Direction from gauge S.S.W.

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91.
S.O. Code No. 40-9999

FORM 1090.

B Monthly Summary.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1937

At Gealm Head Cornwood.

In the County of Devon Plympton

Rain Gauge
- Diameter of Funnel 5" in.
- *Height of Top above Ground* 1 *ft.* 0 *in.*
- *Height of Ground above Sea Level* 540 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	9.46	1·36	12th	26	25
FEB.	11.35	1·45	4th	25	22
MAR.	7.14.	1·36	13th	22	19
APRIL	6.58	1·11	15th	17	15
MAY	4.97	·90	8th	16	12
JUNE	1.68"	·45	12th	11	9
JULY	4.58	1·26	5th	18	11
AUG.	1.49.	·80	12th	7	4
SEPT.	4.48	·83	24th	18	15
OCT.	4.64	1·34	20th	12	12
NOV.	4.60	1·00	22nd	11	10
DEC.	7.12.	1·63	20th	23	18
TOTAL	68·08. ✓			206 ✓	172 ✓

Signature ....

* See Instruction 3 *(f)* below.

C Particulars of Station.

1679

Gauge No. 5.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

PLYMPTON ST. MARY R.D. COUNCIL

Hour of observation by the clock—in Winter 9 am in Summer 9 am

Nearest Railway Station Cornwood G.W.R. Distance 2 miles Direction from gauge S.S.W.

Nearest Parish Church at Cornwood Distance 1¼ miles Direction from gauge S.S.W.

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.................... Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Totals

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91. S.O. Code No. 40-9999

FORM 1090.

B Monthly Summary.

⁎ The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 193.8.

At Yealm Head Cornwood

In the County of Devon Plympton.

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* — *in.*
- *Height of Ground above Sea Level* 540 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	10.68	1.3	8th	25	23
FEB.	3.24	.95	26th	11	11
MAR.	·89	·49	24th	8	6
APRIL	·23	No Readings		(2)	(2)
MAY	5.40	·80	13th	17	15
JUNE	2.88	·52	2nd	19	12
JULY	5.86	1.38	4th	19	18
AUG.	7.66	2.00	22nd	16	13
SEPT.	3.20	.60	30th	13	11
OCT.	8.62	1.28	12th	21	18
NOV.	10.70	1.75	25th	26	25
DEC.	7.46	1.19	11th	18	17
TOTAL	67.82 ✓			195 ~~193~~ ✓	171 ~~169~~ ✓

Signature ....

* See Instruction 3 (*f*) below.

1679

C Particulars of Station.

GAUGE No. 5.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

Hour of observation by the clock—in Winter 9 AM in Summer 9 AM.

Nearest Railway Station Cornwood Distance 2 Mls. Direction from gauge S.S.W.

Nearest Parish Church at Cornwood Distance 1¼ Mls. Direction from gauge S.S.W.

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

April days estimated from nearby stns.

M.O. 7
11 JAN. 1939

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(*a*) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
- (A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
- (B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W.H.&S. 668/91 S.O. Code No. 40-9999

1679

FORM 1090.

B Monthly Summary.

, The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1939.

At Yealm Head. Cornwood

In the County of Devon.

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* — *in.*
Height of Ground above Sea Level 540 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	8.73	1.44	15th	19	17
FEB.	4.93	2.30	7th	16	14
MAR.	2.49	0.71	4th	14	12
APRIL	4.83	0.81	3rd	16	16
MAY	1.07	0.66	4th	7	6
JUNE	5.59	1.83	15th	13	12
JULY	10.09	1.32	6th	25	25
AUG.	6.68	1.41	20th	17	15
SEPT.	0.77	0.36	2nd	6	4
OCT.	7.56	1.30	13th	16	15
NOV.	13.60	2.10	23rd	26	23
DEC.	4.78	1.90	7th	11	11
TOTAL	71.12	✓		186	170 ✓

Signature ....

* See Instruction 3 (*f*) below.

C Particulars of Station.

Gauge No 5

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

Hour of observation by the clock—in Winter 9 AM in Summer 9 AM.

Nearest Railway Station Cornwood Distance 2 M. Direction from gauge S.S.W.

Nearest Parish Church at Cornwood Distance 1¼ M Direction from gauge S.S.W.

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.......................... Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
JAN. 1940

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(*a*) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: York House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 2778/2036 21,000 10/38 W. H. & S. 668/91
S.O. Code No. 40-9999

1679

Gauge No 5

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1940

At Yealm Head, Cornwood

In the County of Devon

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* 0 *in.*
- *Height of Ground above Sea Level* 540 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	3·45	0·90	26th	10	9
FEB.	5·98	1·50	26th	15	14
MAR.	5·16	1·68	15th	13	13
APRIL	3·68	1·17	18th	17	14
MAY	2·24	0·73	25th	8	7
JUNE	1·06	0·45	22nd	5	4
JULY	5·43	1·23	3rd	17	16
AUG.	0·37	0·14	20th	4	3
SEPT.	2·60	0·97	12th	11	8
OCT.	5·79	0·87	30th	19	16
NOV.	13·76	1·80	13th	23	21
DEC.	7·70	1·90	13th	17	16
TOTAL	57·22			159	141

Signature

PLYMPTON ST. MARY R.D.C.

* See Instruction 3 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

Hour of observation by the clock—in Winter 9 A.M. in Summer 9 A.M.

Nearest Railway Station Cornwood Distance 2 M Direction from gauge S.S.W.

Nearest Parish Church at Cornwood Distance 1¼ M Direction from gauge S.S.W.

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M. O. 3a.
24 JAN 1941
B. R.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(*a*) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: York House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 2778/2036 21,000 10/38 W. H. & S. 668/91 S.O. Code No. 40-9999

1680
YEALM HEAD (G.1)
1931—40

780306

FORM 1090. **B** M
S

on. Gauge No. 1.
1680

, The following register of mont
&c., is NOT required if daily
values are given on the other

section and also the space for

o this register should be sent:—

Council Offices, Plympton. S. Devon

RAINFALL IN 193

At Yeam Head, Cornwood,

in Summer 9 a.m.

In the County of Devo

Distance 3½ m gauge Direction from S.S.W.

Rain Gauge
Diameter of Funnel 5
Height of Top above Ground 1 *ft* 0 *in.*
Height of Ground above Sea Level 943·76 *ft.*

Nearest Parish Church at Distance 2¾ m gauge Direction from S.S.W.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	8·49				
FEB.	8·00				
MAR.	3·46				
APRIL	4·56				
MAY	5·14				
JUNE	8·14				
JULY	9·27				
AUG.	7·13				
SEPT.	3·41				
OCT.	2·06				
NOV.	12·24				
DEC.	5·25				
Total	47·15				

Signature W H Thompson
Engineer Surveyor
P.R.D.C.

*See Instruction 2 (*f*) below.

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

9 JAN 1932

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

FORM 1090.

B M
Summary.

C Particulars of Station. Gauge No. 1.

1680

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1931

At Yeam Head, Cornwood, Plympton

In the County of Devon

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* 0 *in.*
Height of Ground above Sea Level 943·76 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 in or more	Number of Days with ·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	8·49				
FEB.	8·00				
MAR.	3·46				
APRIL	4·56				
MAY	5·14				
JUNE	8·14				
JULY	9·27				
AUG.	7·13				
SEPT.	3·41				
OCT.	2·06				
NOV.	12·24				
DEC.	5·25				
Total	77·15				

Signature W. H. Thompson
Engineer Surveyor
P.R.D.C.

*See Instruction 2 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

PLYMPTON ST. MARY R.D. COUNCIL
Council Offices, Plympton. S. Devon

Hour of observation by the clock—in Winter 9 a.m. in Summer 9 a.m.

Nearest Railway Station Cornwood G.W.R. Distance 3½ m. Direction from gauge S.S.W.

Nearest Parish Church at Cornwood Distance 2¾ m. Direction from gauge S.S.W.

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st, it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

9 JAN 1932

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

1680

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1932

At Yealm Head, Cornwood, Plympton

In the County of Devon

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* 0 *in.*
- *Height of Ground above Sea Level* 943·76 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	10·85				
FEB.	0·07				
MAR.	4·70				
APRIL	7·85				
MAY	8·41				
JUNE	4·95				
JULY	6·04				
AUG.	2·47				
SEPT.	9·55				
OCT.	13·58				
NOV.	6·12				
DEC.	6·56				
Total	81·15				

Signature

*See Instruction 2 (*f*) below.

C Particulars of Station.

Gauge No. 1

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter 9 am. in Summer 9 am.

Nearest Railway Station Cornwood G.W.R. Distance 3½ m Direction from gauge S.S.W.

Nearest Parish Church at Cornwood Distance 2¾ m Direction from gauge S.S.W.

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
5 JAN 1933

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110.

1680

Gauge No. 1.

FORM 1090.

B Monthly Summary.

, The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1933

At Yealm Head, Cornwood, Plympton

In the County of Devon

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* 0 *in.*
Height of Ground above Sea Level 943·76 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	5·09				
FEB.	7·09				
MAR.	7·67				
APRIL	5·83				
MAY	3·36				
JUNE	3·08				
JULY	6·12				
AUG.	3·16				
SEPT.	3·45				
OCT.	6·70				
NOV.	2·29				
DEC.	3·79				
Total	57·63 ✓				

Signature J M Thompson
Engineer & Surveyor
Plympton R.D.C.

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter 9 a.m. in Summer 9 a.m.

Nearest Railway Station Cornwood G.W.R. Distance 3½ m. Direction from gauge S.S.W.

Nearest Parish Church at Cornwood Distance 2¾ m. Direction from gauge S.S.W.

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- (a) Is it known that the gauge was empty at the beginning of the measured rainfall?
- (b) What note was made of the times of beginning and end of this fall?
- (c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.* 9 *a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month, the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

5 JAN 1934

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(506) Wt.24107/1845 15000 3/33. Gp. 119/110.

FORM 1090.

1680

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1934

At Yealm Head, Cornwood, Plympton

In the County of Devon

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft* 0 *in.*
Height of Ground above Sea Level 943·76 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	7·73				
FEB.	0·26				
MAR.	6·43				
APRIL	5·63				
MAY	2·81				
JUNE	3·96				
JULY	1·27				
AUG.	7·52				
SEPT.	7·49				
OCT.	7·30				
NOV.	2·92				
DEC.	20·92				
Total	74·24 ✓				

Signature H Thompson
Engineer & Surveyor Plympton R.D.C. S. Devon

*See Instruction 2 (*f*) below.

C Particulars of Station. Gauge No. 1

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter 9 am in Summer 9 am

Nearest Railway Station Cornwood G.W.R. Distance 3½ m. Direction from gauge S.S.W.

Nearest Parish Church at Cornwood Distance 2¾ m. Direction from gauge S.S.W.

Nature of objects nearest to gauge				
Height of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)
If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as* ·01 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}$ ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

M.O. 7
JAN 1935

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(586) Wt.283/202 16,000 5/34. Gp.119/110.

1680

FORM 1090.

B Monthly Summary.

, The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1935

At Yealm Head, Cornwood, Plympton

In the County of Devon

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* 0 *in.*
- *Height of Ground above Sea Level* 943.76 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	1·91				
FEB.	7·00				
MAR.	1·23				
APRIL	9·24				
MAY	2·89				
JUNE	8·64				
JULY	1·42				
AUG.	3·50				
SEPT.	9·10				
OCT.	8·95				
NOV.	11·03				
DEC.	9·19				
TOTAL	74·10				

Signature W Thompson
Engineer & Surveyor
Plympton R.D.C.

*See Instruction 2 (*f*) below.

C Particulars of Station, Gauge No. 1.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

Hour of observation by the clock—in Winter 9 am in Summer 9 am

Nearest Railway Station Cornwood G.W.R. Distance 3½ miles Direction from gauge S.S.W.

Nearest Parish Church at Cornwood Distance 2¾ miles Direction from gauge S.S.W.

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) It is known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
7 JAN 1936

D INSTRUCTIONS.

1. Rules for measuring the rainfull and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceeding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast, or through any Bookseller. Price 1d. Net.

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone.

Wt.3430/1699 15,000 2/35 W. H. & S. 668/91.

1680

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1936

At Yealm Head, Cornwood Plympton

In the County of Devon

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* 0 *in.*
- *Height of Ground above Sea Level* 943·76 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	10·76				
FEB.	8·10				
MAR.	8·90				
APRIL	5·92				
MAY	1·08				
JUNE	3·88				
JULY	12·46				
AUG.	1·54				
SEPT.	6·11				
OCT.	4·31				
NOV.	6·25				
DEC.	8·42				
TOTAL	77·73 ✓				

Signature W. Thompson
Engineer & Surveyor.
Jan: 14/36

* See Instruction 3 *(f)* below.

C Particulars of Station. Gauge No. 1.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

PLYMPTON ST. MARY R.D. COUNCIL.

Hour of observation by the clock—in Winter 9 a.m. in Summer 9 a.m.

Nearest Railway Station Cornwood G.W.R. Distance 3½ miles Direction from gauge S.S.W.

Nearest Parish Church at Cornwood Distance 2¾ miles Direction from gauge S.S.W.

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O.
15 JAN 1937

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91.
S.O. Code No. 40-9999

FORM 1090.

B Monthly Summary.

, **The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1937

At Yealm Head Cornwood Plympton

In the County of Devon

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* 0 *in.*
- *Height of Ground above Sea Level* 943.76 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	12·31				
FEB.	12·98				
MAR.	7·62				
APRIL	6·70				
MAY	5·34				
JUNE	1·95				
JULY	4·84				
AUG.	1·4				
SEPT.	5·33				
OCT.	4·70				
NOV.	6·26				
DEC.	7·79				
TOTAL	77·22 ✓				

Signature W. Thompson
Engineer & Surveyor.

* See Instruction 3 *(f)* below.

C Particulars of Station.

Gauge No. 1

1680

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

PLYMPTON ST. MARY R.D. COUNCIL.
Council Offices, Plympton, S. Devon

Hour of observation by the clock—in Winter 9 a.m. in Summer 9 a.m.

Nearest Railway Station Cornwood G.W.R. Distance 3½ miles Direction from gauge S.S.W.

Nearest Parish Church at Cornwood Distance 2¾ mls. Direction from gauge S.S.W.

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{c}17\\18\end{array}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91. S.O. Code No. 40-9999

1680

FORM 1090.

B Monthly Summary.

C Particulars of Station.

GAUGE No 1.

. The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1938

At Stalm Head Cornwood Plympton

In the County of Devon

Rain Gauge:

Diameter of Funnel 5 in.

Height of Top above Ground 1 *ft.* 0 *in.*

Height of Ground above Sea Level 945.76 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	11.93				
FEB.	3.44				
MAR.	1.04				
APRIL	·37				
MAY	7.30				
JUNE	3.20				
JULY	8.08				
AUG.	5.76				
SEPT.	4.25				
OCT.	11.56				
NOV.	12.60				
DEC.	7.65				
TOTAL	77.18 ✓	✓			

Signature W. Thompson
Engineer & Surveyor.

* See Instruction 3 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

Hour of observation by the clock—in Winter 9 AM in Summer 9 A.M.

Nearest Railway Station Cornwood G.W.R. Distance 3½ mls. Direction from gauge SSW.

Nearest Parish Church at Cornwood Distance 2¾ mls. Direction from gauge SSW.

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
11 JAN. 1939

D INSTRUCTIONS.

1. Section **A** should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 668/91 S.O. Code No. 40-9999

1680

FORM 1090.

B Monthly Summary. 1939.

C Particulars of Station. Gauge 201.

. The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1939.

At Yealm Head. Cornwood.

In the County of Devon Plympton

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* — *in.*
- *Height of Ground above Sea Level* 943·76 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	10.45				
FEB.	5.56				
MAR.	2.67				
APRIL	5.20				
MAY	1.22				
JUNE	6.03				
JULY	8.12				
AUG.	7.20				
SEPT.	0.76				
OCT.	9.25				
NOV.	13.30				
DEC.	8.50				
TOTAL	78.26 ✓				

Signature Wm. Thompson
Engineer & Surveyor.

* See Instruction 3 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—
PLYMPTON ST. MARY R.D. COUNCIL
Council Offices. Plympton S. Devon

Hour of observation by the clock—in Winter 9 A.M. in Summer 9 AM.

Nearest Railway Station Cornwood. Distance 3½ Mls. Direction from gauge 5S. W.

Nearest Parish Church at Cornwood Distance 2¾ M. Direction from gauge 5S.W.

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O.
JAN. 1940

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: York House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone.
Wt. 2778/2036 21,000 10/38 W. H. & S. 668/91 S.O. Code No. 40-9999

1680

FORM 1090.

B Monthly Summary.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1940

At ......Yealm Head, Cornwood........

In the County of ....Devon..................

Rain Gauge
Diameter of Funnel..........5..............in.
Height of Top above Ground.....1....*ft*.......0.....*in.*
Height of Ground above Sea Level...943.76....*ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	~~3.85~~	(5.05)			
FEB.	~~10.26~~	(9.66)			
MAR.	5.81				
APRIL	4.28				
MAY	2.46				
JUNE	1.66				
JULY	5.53				
AUG.	0.52				
SEPT.	3.08				
OCT.	5.35				
NOV.	14.55				
DEC.	6.78				
TOTAL	64.73				

Signature ......W. Thompson......
Engineer & Surveyor

* See Instruction 3 *(f)* below. PLYMPTON ST. MARY R.D.C.

C Particulars of Station.

Gauge No 1.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

....

....

Hour of observation by the clock—in Winter.......9 a.m.........in Summer......9. A.M..

Nearest Railway Station........Cornwood.......... Distance...3½ M.... Direction from gauge.....S.S.W.

Nearest Parish Church at........Cornwood.......... Distance...2¾ M.... Direction from gauge.....S.S.W.

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.. Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Jan & Feb. apportioned.

M. O. 3a.
24 JAN 1941
B. R.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 / 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

(f) The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: York House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 2778/2036 21,000 10/38 W. H. & S. 668/91
S.O. Code No. 40-9999

1680/5

SOUTH BREN, BRENTMOOR HSE

1933 — 37

780306

Section **A** **for the entry**

AIR MINIS AINFALL ORGANIZATION.

Station No. 1680/5

FORM 1090.

REGI **1933.**

OK. S. Devon/3

Kept at Brentmoor H

in the County of Dev

Diameter of Funnel of Gauge

Height of top of Gauge above Gr

,, Ground ,, Sea

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in	in	in.	in.	in.	in.	
1					·07	·08	–	–	–	trace	·46	2·23	1
2					·97	~~1·0~~	–	–	–	trace	–	·33	2
3					·12	1·0	–	–	–	–	–	–	3
4					·27	–	–	–		–	–	–	4
5					·46	–	–	–	–	–	–	–	5
6					·51	–	–	·30	–	·20	–	–	6
7					·36	–	–	·24	–	·30	–	–	7
8					·09	–	trace	·39	–	trace	–	–	8
9					·06	–	·03	1·19	–	·65	·04	trace	9
10					·07	–	·07	·07	–	1·65	–	–	10
11					·15	–	·13	·13	–	·06	–	–	11
12					–	·26	·05	·05	–	trace	–	trace	12
13					–	trace	·08	·08	·40	·60	·14	–	13
14					–	–	–	·01	–	·19	·75	–	14
15					–	–	–	·56	–	·15	·25	–	15
16					–	·20	–	–	trace	·05	–	–	16
17					–	·19	–	–	trace	–	–	–	17
18					–	·12	–	–	·69	·03	·04	–	18
19					–	·18	–	–	trace	·03	·65	–	19
20					trace	–	–	–	trace	trace	trace	–	20
21					–	·06	–	–	·19	–	–	–	21
22				·87	–	trace	–	–	trace	·30	–	–	22
23				·62	–	·17	–	–	·89	·82	–	–	23
24				1·42	–	trace	–	–	·15	·09	–	–	24
25				·56	·07	·22	–	–	–	trace	–	–	25
26				·67	·15	–	–	–	·35	·69	–	·35	26
27				·16	–	–	–	–	–	·46	trace	trace	27
28				·97	·04	–	–	–	–	·31	–	·75	28
29				–	–	–	–	–	–	–	–	·10	29
30		×		·23	–	–	–	–	–	·15	trace	·03	30
31		×		× 6·50	·50	×	–	–	×	·04	×	·11	31
TOTAL				[illegible]	3·89	2·48	·36	3·02	2·67	6·77	2·33	3·90	YEAR'S TOTAL [illegible]
*Days with ·01 in. or more.				–	15	10	5	10	6	19	7	7	–
*Days with ·04 in. or more.				–	15	10	4	9	6	17	7	6	–

40-9999

*See Instruction 2 (*f*) on other side,

D N

(*Signed*) W A PRITCHARD ESQ

P.T.O.

Section **A** for the entry of Daily Observations. Station No. 1680/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

OK. S.Devon/3

W.D.

cf 1678

158027/32

Kept at Brentmoor House S. Brent

in the County of Devonshire

Diameter of Funnel of Gauge.................in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level 1,000 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					·07	·08	-	-	-	trace	·46	2·23	1
2					·97	~~1·0~~	-	-	-	trace	-	·33	2
3					·12	1·0	-	-	-	-	-	-	3
4					·27	-	-	-	-	-	-	-	4
5					·46	-	-	-	-	-	-	-	5
6					·51	-	-	·30	-	·20	-	-	6
7					·36	-	-	·24	-	·30	-	-	7
8					·09	-	trace	·39	-	trace	-	-	8
9					·06	-	·03	1·19	-	·65	·04	trace	9
10					·07	-	·07	·07	-	1·65	-	-	10
11					·15	-	·13	·13	-	·06	-	-	11
12					-	·26	·05	·05	-	trace	-	trace	12
13					-	trace	·08	·08	·40	·60	·14	-	13
14					-	-	-	·01	-	·19	·75	-	14
15					-	-	-	·56	-	·15	·25	-	15
16					-	·20	-	-	trace	·05	-	-	16
17					-	·19	-	-	trace	-	-	-	17
18					-	·12	-	-	·69	·03	·04	-	18
19					-	·18	-	-	trace	·03	·65	-	19
20					trace	-	-	-	trace	trace	trace	-	20
21					-	·06	-	-	·19	-	-	-	21
22				·87	-	trace	-	-	trace	·30	-	-	22
23				·62	-	·17	-	-	·89	·82	-	-	23
24				1·42	-	trace	-	-	·15	·09	-	-	24
25				·56	·07	·22	-	-	-	trace	-	-	25
26				·67	·15	-	-	-	·35	·69	-	·35	26
27				·16	-	-	-	-	-	·46	trace	trace	27
28				·97	·04	-	-	-	-	·31	-	·75	28
29				-	-	-	-	-	-	-	-	·10	29
30		×		·23	-	-	-	-	-	·15	trace	·03	30
31		×		× 6.50	·50	×	-	-	×	·04	×	·11	31
TOTAL					3·89	2·48	·36	3·02	2·67	6·77	2·33	3·90	YEAR'S TOTAL
*Days with ·01 in. or more.				-	15	10	5	10	6	19	7	7	- -
*Days with .04 in. or more.				-	15	10	4	9	6	17	7	6	- -

40-9999

*See Instruction 2 (*f*) on other side.

D

N

(*Signed*) W A PRITCHARD ESQ

R.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1680/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

V/5 Devon/3

Kept at Brentmoor House S. Brent

in the County of Devon

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 1000 ft.

Station Number 1680/5

File Number 321397/34.

Day

C imp 1933.

Cf 1678 1675/5

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	—	·15	—	—	Trace	—	1·86	·08	·03	·62	2·75		1
2	·25	—	·13	—	—	—	—	·01	2·00	·22	·16	1·07		2
3	·12	Trace	Trace	Trace	—	—	—	—	—	·72	—	1·89		3
4	·50	—	·65	Trace	·74	—	—	·20	·16	·55	—	·90		4
5	·60	—	·17	Trace	·42	·07	—	2·33	—	·50	Trace	1·57		5
6	Trace	—	·43	·24	·87	—	—	·03	—	1·85	Trace	1·04		6
7	·80	—	—	—	—	Trace	—	·13	—		·10	1·94		7
8	·20	—	—	—	—	—	—	—	·15	Trace	1·20	·95		8
9	Trace	Trace	·59	—	—	—	—	·23	Trace	·03	·70	·34		9
10	·10	Trace	·75	·57	—	—	·03	·33	—	—		Trace		10
11	·60	—	·05	·75	—	—	Trace	·10	—	—	—	1·41		11
12	1·05	—	—	—	·12	Trace	·12	·46	—	Trace	·82	·29		12
13	·10	—	Trace	·67	—	Trace	Trace	Trace	—	·10	·06	·73		13
14	1·00	—	1·02	·18	—	Trace	Trace	—	Trace	·18	·05	·64		14
15	1·24	—	·28	·18	·38	Trace	·01	—	Trace	·18	·03	·53		15
16	·33	—	·92		Trace	—	—	—	·06	·03	—	·41		16
17	·92	—	—	·26	·23	—	—	—	·16	·14	—	1·02		17
18	1·17	—	·57	·69	—	Trace	—	Trace	·03	·02	—	1·07		18
19	·38	—	·27	·31	·10	·30	Trace	·23	·60	Trace	—	·81		19
20	·04	—	—	·75	·09	·01	·10	—		·10	Trace	·15		20
21	—	—	·29	·09	·02	·85	·18	·17	·06	1·24	Trace	·40		21
22	—	—	·03	·02	—	·03	1·28	·16	1·03	Trace	—	·58		22
23	·10	—	Trace	·63	—	·95	—	·26	·63	·20	—	·54		23
24	·12	·28	·05	·11	—	·27	·03	·37	·65	·28	—	·26		24
25	—	—	Trace	·77	—	·13	Trace	—		·91	—	1·65		25
26	·54	·01	—	·06	—	·34	—	—	·41	·05	Trace	·30		26
27	·22	—	—	—	—	—	—	·22	·45	·28	Trace	·41		27
28	—	—	—	—	—	·01	·09	·90	—		·06	2·07		28
29	—	—	—	—	—	—	—	·24	·20	Trace	Trace	·19		29
30	—	×	—	—	—	—	·02	·46	·83	·10	·04	1·43		30
31	—	×	—	×	·04	×	·01	—	×	·15	×	·12		31
TOTAL	10·38	·29	6·35	6·28	2·91	2·96	1·87	8·69	7·50	7·86	3·84	27·46	Year's Total 86·39	
* Days with .01 in. or more.	21	2	16	17	10	10	10	19	16	22	12	30	189	
* Days with .04 in. or more.	21	1	15	15	9	7	5	17	15	19	10	30	168	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) W. A. Pritchard ESQ

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1680/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193~~5~~6.

Kept at BRENTMOOR HOUSE. S. BRENT

in the County of DEVON

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

,, Ground ,, Sea Level 1000 ft.

Acc

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·20	·18	·75			·36			·50	·06	Trace	1·56		1
2	Trace	·09	·05			·37	·09		·15	1·00	·06	·15		2
3		·09	·17	·03	·67	·30	Trace		·07	·38	·05	·16		3
4			Trace	·27		·16			·22	·19	·38	·52		4
5		·48	·07	·94		·34			·50	·22	·08	·28		5
6		Trace				2·10					·12	·15		6
7				1·12		·22			·11		·28	Trace		7
8				2·17		Trace		Trace	Trace	·62	·63	·08		8
9	·02		Trace			·22			·32	2·10	·72			9
10	·28		·44	·04		·84	·05			Trace	·04			10
11	·45	·20		·11		·47				Trace	1·00			11
12	·13	·62						Trace	·33	Trace	·50			12
13	·18	·21		·55		·70			Trace	·47	·85			13
14	Trace	·24		·27		·11			·36		3·50	·70		14
15		·55	Trace	1·45	·12	·34			·17	·58	·87	·15		15
16		·37	·18	·18		·15	Trace		·80	·05	1·12			16
17		·43	Trace	·13	1·00	·81	·06	·11	·14		·08			17
18			·07	1·20	Trace	Trace	·70		1·42	·27	·04			18
19		·10		·25	·90	·31			·50	·28	·87			19
20		·89		·54	·30	·15			·04					20
21		1·24	Trace	·31					·06					21
22	Trace	·38	·19	·25					·04	·21				22
23			·26	Trace	Trace			·35	·60	·42		1·28		23
24	·77	1·11	Trace	·38	·21	·40		·55	1·34	·04		·48		24
25		·13			·50	·28		·70		Trace		1·40		25
26		·70						Trace	·62		·05			26
27	Trace	·46					·14	·09	·30	·42	·65	·60		27
28		·16					Trace		1·02	·25	·10	Trace		28
29								Trace		·17	·51	·20		29
30	·09	×				·20		2·00	·10	·54	·05	1·25		30
31	Trace	×		×		×		·27	×	1·53	×	·63	d 6	31
TOTAL	2·12	8·63	2·18	10·19	3·70	8·83	1·04	4·07	9·71	9·80	12·62	9·79	Year's Total 82·58	
* Days with .01 in. or more.	~~8~~ 9	~~20~~ 22	9	~~18~~ 20	7	20	6	7	~~23~~ 24	20	23	~~16~~ 17	~~176~~	~~183~~
* Days with .04 in. or more.	~~7~~ 8	~~20~~ 21	9	~~17~~ 19	7	20	5	7	~~23~~ 24	20	23	~~16~~ 17	~~174~~	180

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required

(Signed) W. A. Pritchard

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1680/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Days

Kept at The Moor House, S. Brent.

in the County of Devon

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level 1000 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·33	·17	·06	1·10		·11	1·00	·12			·71	·23		1
2	·01	[illegible]	·07	·35		·76	·59	·24	·49					2
3	·05	Trace	·44	1·03		·88		·02	1·18			·10		3
4	·05	Trace		Trace		·15	·15	Trace			·11	·22		4
5	·60	·28	·25		·03	·04	·21	·22	1·40			·25		5
6	·19		·14			·03	1·14	·29	·15					6
7	·55		·58				·3[illegible]	Trace	·04		·73	·10		7
8	·85		·90				·72		·14		·81	·06		8
9	·61	1·38	·50				·34				·81			9
10	·24	·15	[illegible]								·34			10
11	·86	·70				·06	·24	Trace	·28		·23			11
12		·16	Trace	·21	Trace		1·10	·12	·74		1·86	·12		12
13	·20						·93	·06			·11			13
14	·02	·08	·21			·47	·07		·06		·40	1·65		14
15	Trace	[illegible]							·20		1·24	1·30		15
16	·33	·28			·20		·42				1·05	1·26		16
17	·51	1·81			·0[illegible]	Trace	·57	·14		1·00	·26	3·50		17
18	1·44	·42	·31			Trace	1·13	Trace				·50		18
19	·21	Trace	·79	·67			·25	·58				Trace		19
20		·69	·13			·14	Trace		·60	Trace		·06		20
21	–	·41	·19	1·07			·22							21
22	[illegible]	·09	·04		·04	Trace	·95			Trace		·08		22
23		·16	Trace	·36	·23		·8[illegible]			·25				23
24	·55		·08	·20	·62		Trace		·40	·85		·05		24
25	·37		·44	·75			·08		·06	·63				25
26	·53	·30	·41	Trace			Trace			·37				26
27	·27	·10					·39							27
28	1·32	Trace	1·42			Trace	·53					1·00		28
29	·15	Trace	·38			·41	·05							29
30	·73	✕	·18			·39	Trace					·16		30
31	·47	✕	·33	✕		✕	·67		✕		✕	1·34	d	31
TOTAL	12·46	7·13	8·55	5·74	1·18	2·61	12·94	1·79	5·74	3·10	8·66	11·26	Year's Total 81·16	
* Days with .01 in. or more.														
* Days with .04 in. or more.	25	16	21	9	5	10	24	8	13	5	13	8	167	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. a Pritchard

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1680/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Brentmoor House S. Brent

in the County of Devon

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft.........in.

,, Ground ,, Sea Level 1000 ft.

Afc.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·35	trace		1·00			·20			·19	trace			1
2	·50	3·00	1·11	·38	·25		trace		·43	·06				2
3	·06	·33	trace	·25			·21					SNOW		3
4	·15	trace	trace		trace									4
5	1·00	·95	·82	·10	trace		·91							5
6	·40	1·03		·80	·15				trace					6
7		1·40	1·01						·07		~~1~~ ·15			7
8	trace	·09			1·20	·61	·97					2·68		8
9	·23		·82	·20										9
10	·75			1·22	·10	·40		trace						10
11	·27		·42		·70	·80	·60	·07						11
12	2·28	·50	·22	·50	·10		·20	·84	·34			·95		12
13	trace	·15	1·28		trace			·35	·13					13
14				1·50				trace	·50					14
15	·52	·75	·50	·12			·11	·35	·20					15
16	·27	·19					·20	trace	·69					16
17	1·43	·09	1·50				trace	·67	x		2·18			17
18	·37	·22		1·60		·22	trace		x		·20			18
19	·31	·50	·60	·20					x		·08			19
20	·56	·04		trace	·55				·35					20
21	1·41	1·40		trace	·53		·24		·86	·08	1·36	2·70		21
22	·28	·05	trace		·43		·11		·30					22
23	·38	·40					·50			1·15	·08	·83		23
24	·38	1·19	trace				·04		·04	·25		·56		24
25		1·19	·25							1·38	·20			25
26		·44	·73							·28				26
27	·48									·50				27
28	1·00								·05	·09	·02			28
29										·28	·60			29
30	·51	✕												30
31	·35	✕		✕		✕			✕	·80	✕			31
TOTAL	14·24	13·91	9·26	7·87	4·01	2·03	4·29	2·28	3·96	5·06	4·87	7·72	Year's Total 79·50	
* Days with .01 in. or more.	~~24~~	~~20~~	~~12~~	~~12~~	~~9~~	~~4~~	~~12~~	~~5~~	~~12~~	~~11~~	~~9~~	~~5~~	~~155~~	
* Days with .04 in. or more.	24	20	12	12	9	4	12	5	12	11	8	~~5~~ 9	~~134~~	138.

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. A. Pritchard

[P.T.O.

FORM 1090. **B** M S ion. Gauge No 2 1681

1681
YEALM HEAD (9.2)
1931 — 40

780306

*** The following register of mon &c., is NOT required if daily values are given on the other section and also the space for to this register should be sent:—

RAINFALL IN 193

At Yealm Head, Cornwood, a.m. in Summer 9 a.m.

In the County of Devo Distance 3¾ m Direction from gauge S.S.W.

Distance 3 m Direction from gauge S.S.W.

Rain Gauge
Diameter of Funnel 5
Height of Top above Ground 1 *ft.* 0 *in.*
Height of Ground above Sea Level 1305 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	7.89				
FEB.	7.24				
MAR.	4.02				
APRIL	4.41				
MAY	4.72				
JUNE	7.63				
JULY	9.73				
AUG.	6.34				
SEPT.	3.21				
OCT.	1.95				
NOV.	11.16				
DEC.	5.43				
Total	73.73				

Signature

*See Instruction 2 (*f*) below.

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

M.O. 9 JAN 1932

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

Form 1090. **B** Particulars of Station. Gauge No 2

1681

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1931

At Yealm Head, Cornwood, Plympton

In the County of Devon

Rain Gauge

Diameter of Funnel 5 in.

Height of Top above Ground 1 *ft* 0 *in.*

Height of Ground above Sea Level 1305 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	7·89				
FEB.	7·24				
MAR.	4·02				
APRIL	4·41				
MAY	4·72				
JUNE	7·63				
JULY	9·73				
AUG.	6·34				
SEPT.	3·21				
OCT.	1·95				
NOV.	11·16				
DEC.	5·43				
Total	73·73				

Signature

*See Instruction 2 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

PLYMPTON ST. MARY R.D. COUNCIL

Hour of observation by the clock—in Winter 9 a.m. in Summer 9 a.m.

Nearest Railway Station Cornwood G.W.R. Distance 3¾ m Direction from gauge S.S.W.

Nearest Parish Church at Cornwood Distance 3 m Direction from gauge S.S.W.

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{c|}17\\18\end{array}\right\}\cdot 14\,|$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

M. O.
9 JAN 1932

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

1681

Form 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1932

At Yealm Head, Cornwood, Plympton

In the County of Devon

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* 0 *in.*
- *Height of Ground above Sea Level* 1305 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	11·39				
FEB.	0·08				
MAR.	4·10				
APRIL	7·44				
MAY	7·27				
JUNE	4·40				
JULY	5·36				
AUG.	2·25				
SEPT.	8·31				
OCT.	13·42				
NOV.	5·79				
DEC.	6·60				
Total	76·41	*			

Signature............ *G. overexposed on moor

*See Instruction 2 (*f*) below.

C Particulars of Station. Gauge No. 2.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter 9 am in Summer 9 am.

Nearest Railway Station Cornwood G.W.R. Distance 3¾ m. Direction from gauge S.S.W.

Nearest Parish Church at Cornwood Distance 3 m Direction from gauge S.S.W.

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move............ Distance............ Direction............

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O.
5 JAN 1933

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by John Corah & Son, Ltd., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110.

1681
Gauge No. 2.

FORM 1090.

B Monthly Summary.

***** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1933

At Yealm Head, Cornwood, Plympton

In the County of Devon

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* 0 *in.*
Height of Ground above Sea Level 1305 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	4·45				
FEB.	6·94				
MAR.	7·49				
APRIL	5·57				
MAY	2·92				
JUNE	2·98				
JULY	6·47				
AUG.	2·82				
SEPT.	2·93				
OCT.	6·45				
NOV.	2·53				
DEC.	3·05				
Total	54·60 ✓				

Signature

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter 9 am. in Summer 9 am.

Nearest Railway Station Cornwood G.W.R. Distance 3¾ m. Direction from gauge S.S.W.

Nearest Parish Church at Cornwood Distance 3 m. Direction from gauge S.S.W.

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted **in British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{r}17\\18\end{array}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

M.O.7
5 JAN 1934

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(506) Wt.24107/1845 15000 3/33. Gp. 119/110.

D

1681

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.*

RAINFALL IN 1934.

At Yealm Head, Cornwood, Plympton

In the County of Devon

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft* 0 *in.*
- *Height of Ground above Sea Level* 1305 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	7·62				
FEB.	0·31				
MAR.	5·96				
APRIL	5·47				
MAY	2·86				
JUNE	4·18				
JULY	1·21				
AUG.	6·88				
SEPT.	6·27				
OCT.	6·69				
NOV.	2·69				
DEC.	20·39				
Total	70·53 ✓				

Signature ....

*See Instruction 2 (*f*) below.

C Particulars of Station. Gauge No. 2.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

....

....

Hour of observation by the clock—in Winter 9 am in Summer 9 am

Nearest Railway Station Cornwood G.W.R. Distance 3¾ m Direction from gauge S.S.W.

Nearest Parish Church at Cornwood Distance 3 m. Direction from gauge S.S.W.

Nature of objects nearest to gauge				
Height of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B.**)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.* 9 *a.m. Greenwich Mean Time is* 10 *a.m. by the clock during Summer Time Period.*

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as* ·01 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

No. 7

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(586) Wt.283/202 16,000 5/34. Gp.119/110.

1681

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1935

At Yealm Head, Cornwood, Plympton

In the County of Devon

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* 0 *in.*
- *Height of Ground above Sea Level* 1305 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	2·29				
FEB.	6·99				
MAR.	1·45				
APRIL	9·17				
MAY	2·84				
JUNE	6·58				
JULY	1·36				
AUG.	3·45				
SEPT.	8·06				
OCT.	9·40				
NOV.	10·56				
DEC.	8·85				
TOTAL	71·00 72·00				

Signature ....

*See Instruction 2 (*f*) below.

C Particulars of Station, Gauge No. 2.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

Hour of observation by the clock—in Winter 9 am in Summer 9 am

Nearest Railway Station Cornwood G.W.R. Distance 3¾ miles Direction from gauge S.S.W.

Nearest Parish Church at Cornwood Distance 3 miles Direction from gauge S.S.W.

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state –

Date of move.......... Distance.......... Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) It is known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Circ F sent 6/vi/36
CWR

M.O. 7
7 JAN1936

Observer agrees see f. 731250/26
Enc. 24A.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceeding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast, or through any Bookseller. Price 1d. Net.
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone.
Wt.3430/1699 15,000 2/35 W. H. & S. 668/91.

1681

FORM 1090.

B Monthly Summary.

, The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1936

At Yealm Head, Cornwood, Plympton

In the County of Devon

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* 0 *in.*
- *Height of Ground above Sea Level* 1305 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	9·48				
FEB.	7·95				
MAR.	8·32				
APRIL	5·81				
MAY	1·12				
JUNE	4·05				
JULY	11·68				
AUG.	1·53				
SEPT.	6·01				
OCT.	3·46				
NOV.	6·23				
DEC.	8·63				
TOTAL	74·27 ✓	✓			

Signature ....

* See Instruction 3 *(f)* below.

C Particulars of Station. Gauge No 2.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—
PLYMPTON ST. MARY R.D. COUNCIL.

Hour of observation by the clock—in Winter 9 a.m. in Summer 9 a.m.

Nearest Railway Station Cornwood G.W.R. Distance 3¾ miles Direction from gauge S.S.W

Nearest Parish Church at Cornwood Distance 3 miles Direction from gauge S.S.W

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.............................. Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
15 JAN. 1937

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91. S.O. Code No. 40-9999

1681

FORM 1090.

B Monthly Summary.

, The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1937

At Gealn Head Cornwood Plympton.

In the County of Devon

Rain Gauge:
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* 0 *in.*
Height of Ground above Sea Level 1305 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	10.48				
FEB.	12.54				
MAR.	8.58				
APRIL	6.56				
MAY	5.02				
JUNE	1.69				
JULY	4.50				
AUG.	1.03				
SEPT.	4.95				
OCT.	4.69				
NOV.	5.09				
DEC.	7.75.				
TOTAL	72.88. ✓				

Signature ....

* See Instruction 3 *(f)* below.

C Particulars of Station. Gauge No 2.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—
PLYMPTON ST. MARY R.D. COUNCIL

Hour of observation by the clock—in Winter 9 am in Summer 9am.

Nearest Railway Station Cornwood GWL Distance 3¾ M. Direction from gauge SSW.

Nearest Parish Church at Cornwood Distance 5 M. Direction from gauge SSW.

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.............. Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005 ; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 }·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON : PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses : Adastral House, Kingsway, London, W.C.2 ; 120 George Street, Edinburgh 2 ; York Street, Manchester 1 ; 1 St. Andrew's Crescent, Cardiff ; 80 Chichester Street, Belfast ; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91.
S.O. Code No. 40-9999

FORM 1090.

B Monthly Summary.

C Particulars of Station.

1681

GAUGE No 2.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1938

At Yealm Head Cornwood Plympton

In the County of Devon

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* 0 *in.*
Height of Ground above Sea Level 1305 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	11.88				
FEB.	3.60				
MAR.	1.18				
APRIL	·52				
MAY	6.98				
JUNE	3.32				
JULY	6.17				
AUG.	8.33				
SEPT.	3.95				
OCT.	11.65				
NOV.	13.18				
DEC.	7.90				
TOTAL	✓ 78.66. ✓				

Signature ....

* See Instruction 3 *(f)* below.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

Hour of observation by the clock—in Winter 9 AM in Summer 9 AM.

Nearest Railway Station Cornwood G.W.R. Distance 5¾ mls Direction from gauge SSW.

Nearest Parish Church at Cornwood. Distance 3 mls Direction from gauge SSW.

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.................................. Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
11 JAN. 1939

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 668/91
S.O. Code No. 40-9999

FORM 1090.

1681

Gauge 202

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1939

At Yealm Head Cornwood

In the County of Devon

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* — *in.*
- *Height of Ground above Sea Level* 1305 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	10.54				
FEB.	5.52				
MAR.	3.44				
APRIL	4.71				
MAY	1.16				
JUNE	6.61				
JULY	10.91				
AUG.	7.07				
SEPT.	1.27				
OCT.	8.00				
NOV.	13.54				
DEC.	7.79				
TOTAL	80.56 ✓				

Signature ....

* See Instruction 3 *(f)* below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

....

....

Hour of observation by the clock—in Winter 9 AM in Summer 9 A.M.

Nearest Railway Station Cornwood : Distance 5¾ M Direction from gauge SSW

Nearest Parish Church at Cornwood Distance 3 M Direction from gauge SSW

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.................................... Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B.**)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
JAN. 1940

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: York House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 2778/2036 21,000 10/38 W. H. & S. 668/91
S.O. Code No. 40-9999

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1940

At Yealm Head, Cornwood

In the County of Devon

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* 0 *in.*
- *Height of Ground above Sea Level* 1305 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	~~2·89~~	(4·73)			
FEB.	~~9·95~~	(8·05)			
MAR.	5·80				
APRIL	4·33				
MAY	2·74				
JUNE	1·41				
JULY	5·89				
AUG.	0·40				
SEPT.	2·78				
OCT.	5·70				
NOV.	14·79				
DEC.	6·20				
TOTAL	62·8~~[illegible]~~2				

Signature W. Thompson

PLYMPTON ST. MARY R.D.C.

* See Instruction 3 *(f)* below.

C Particulars of Station. Gauge No 2.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

Hour of observation by the clock—in Winter 9 A.M. in Summer 9. A.M.

Nearest Railway Station Cornwood Distance 5¾ M. Direction from gauge S.S.W.

Nearest Parish Church at Cornwood Distance 3. M. Direction from gauge S.S.W.

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Jan + Feb. apportioned.

M. O. 3a.
24 JAN 1941
B. R.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

(f) The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: York House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 2778/2036 21,000 10/38 W. H. & S. 668/91 S.O. Code No. 40-9999

FORM 1090. **B** M
Sı

on. *Gauge No. 4.* 1682

1682
YEALM HEAD (G.4)
1931 — 40

780306

*** The following register of mont
&c., is NOT required if daily
values are given on the other

ection and also the space for

o this register should be sent:—

RAINFALL IN 193

At *Yealm Head, Cornwood*

a.m. in Summer *9 a.m.*

In the County of *Devon*

istance *3¾ m.* Direction from gauge *S*

Nearest Parish Church at *Cornwood* Distance *3* Direction from gauge *S*

Rain Gauge
Diameter of Funnel *5*
Height of Top above Ground *1* *ft* *0* *in.*
Height of Ground above Sea Level *1415* *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	8·42				
FEB.	8·19				
MAR.	3·66				
APRIL	4·77				
MAY	4·32				
JUNE	7·67				
JULY	9·84				
AUG.	6·43				
SEPT.	3·45				
OCT.	2·09				
NOV.	12·26 ~~8·76~~				
DEC.	6·12				
Total	~~73·72~~ 77·22				

Signature

*See Instruction 2 (*f*) below.

Nature of objects nearest to gauge					
Heights of objects					
Distances ..					
Directions from gauge ..					

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

M. O
9 JAN 1932

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

FORM 1090. **B** M Summary. **C** Particulars of Station. Gauge No. A. 1682

*** **The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1931

At Yealm Head, Cornwood, Plympton

In the County of Devon

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft* 0 *in.*
- *Height of Ground above Sea Level* 1415 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	8·42				
FEB.	8·19				
MAR.	3·66				
APRIL	4·77				
MAY	4·32				
JUNE	7·67				
JULY	9·84				
AUG.	6·43				
SEPT.	3·45				
OCT.	2·09				
NOV.	12·26 ~~8·76~~				
DEC.	6·12				
Total	~~73·72~~ 77·22				

Signature

*See Instruction 2 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter 9 a.m. in Summer 9 a.m.

Nearest Railway Station Cornwood G.W.R Distance 3¾ m. Direction from gauge S

Nearest Parish Church at Cornwood Distance 3 Direction from gauge S

Nature of objects nearest to gauge				
Heights of objects				
Distances				
Directions from gauge				

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

M.O.
9 JAN 1932

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110,

1682

FORM 1090.

B Monthly Summary.

, The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1932

At Yealm Head, Cornwood, Plympton

In the County of Devon

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft* 0 *in.*
Height of Ground above Sea Level 1415 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	11·72				
FEB.	0·01				
MAR.	4·69				
APRIL	7·34				
MAY	7·28				
JUNE	5·22				
JULY	6·40				
AUG.	2·44				
SEPT.	9·33				
OCT.	14·58				
NOV.	6·49				
DEC.	6·51				
Total	82·01				

Signature

*See Instruction 2 (*f*) below.

C Particulars of Station.

Gauge No. 4.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter 9 am in Summer 9 am

Nearest Railway Station Cornwood G.W.R. Distance 3 3/4 m Direction from gauge S.

Nearest Parish Church at Cornwood Distance 3 m Direction from gauge S.

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
5 JAN 1933

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110.

Gauge No. 4. 1682

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1933

At Yealm. Head, Cornwood, Plympton
In the County of Devon

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* 0 *in.*
Height of Ground above Sea Level 1415 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	4·46				
FEB.	7·32				
MAR.	7·40				
APRIL	6·46				
MAY	2·75				
JUNE	3·02				
JULY	6·33				
AUG.	2·78				
SEPT.	2·60				
OCT.	6·49				
NOV.	2·20				
DEC.	2·78				
Total	54·59 ✓				

Signature

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter 9 am in Summer 9 am

Nearest Railway Station Cornwood G.W.R Distance 3 3/4 m Direction from gauge S

Nearest Parish Church at Cornwood Distance 3 m Direction from gauge S

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{r}17\\18\end{array}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(506) Wt.24107/1845 15000 3/33. Gp. 119/110.

1682

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1934

At Yealm Head, Cornwood, Plympton

In the County of Devon

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft* 0 *in.*
- *Height of Ground above Sea Level* 1415 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	8·03				
FEB.	0·37				
MAR.	6·07				
APRIL	5·74				
MAY	2·95				
JUNE	4·10				
JULY	1·07				
AUG.	6·57				
SEPT.	7·39				
OCT.	7·60				
NOV.	2·66				
DEC.	22·43				
Total	74·98 ✓				

Signature

*See Instruction 2 (*f*) below.

C Particulars of Station.

Gauge No. 4.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter 9 am in Summer 9 am.

Nearest Railway Station Cornwood G.W.R. Distance 3¾ m Direction from gauge S.

Nearest Parish Church at Cornwood Distance 3 m Direction from gauge S.

Nature of objects nearest to gauge				
Height of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers,", to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{r}17\\18\end{array}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are **not available** for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

M.O. 7 JAN 35

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London

(586) Wt.283/202 16,000 5/34. Gp.119/110.

1682

Form 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1935

At Yealm Head, Cornwood, Plympton

In the County of Devon

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* 0 *in.*
Height of Ground above Sea Level 1415 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
Jan.	2·58				
Feb.	7·55				
Mar.	1·13				
April	9·29				
May	2·89				
June	7·73				
July	1·55				
Aug.	3·43				
Sept.	9·41				
Oct.	10·42				
Nov.	11·10				
Dec.	8·55				
Total	75·63				

Signature ....

*See Instruction 2 (*f*) below.

C Particulars of Station, Gauge No 4.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter 9 am in Summer 9 am

Nearest Railway Station Cornwood G.W.R. Distance 3¾ miles Direction from gauge S.

Nearest Parish Church at Cornwood Distance 3 miles Direction from gauge S.

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.................. Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and E.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) It is known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
7 JAN 1936

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceeding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\begin{array}{r|l|}17 & \\ 18 & \end{array}\Big\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast, or through any Bookseller. Price 1d. Net.

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone.

Wt.3430/1699 15,000 2/35 W. H. & S. 668/91.

1682

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1936

At Yealm Head, Cornwood, Plympton

In the County of Devon

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* 0 *in.*
- *Height of Ground above Sea Level* 1415 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	9·14				
FEB.	7·53				
MAR.	8·69				
APRIL	5·59				
MAY	0·98				
JUNE	3·44				
JULY	11·13				
AUG.	1·31				
SEPT.	5·93				
OCT.	3·97				
NOV.	6·79				
DEC.	9·30				
TOTAL	73·80 ✓				

✓

Signature ....

* See Instruction 3 *(f)* below.

C Particulars of Station. Gauge No. 4.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

PLYMPTON ST. MARY R.D. COUNCIL

Hour of observation by the clock—in Winter 9 a.m. in Summer 9 a.m.

Nearest Railway Station Cornwood G.W.R. Distance 3¾ miles Direction from gauge S

Nearest Parish Church at Cornwood Distance 2 miles Direction from gauge S

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.................. Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
15 JAN. 1937

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91. S.O. Code No. 40-9999

1682

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1937

At Yealm Head Cornwood Plympton

In the County of Devon

Rain Gauge
Diameter of Funnel 5" in.
Height of Top above Ground 1 *ft.* 0 *in.*
Height of Ground above Sea Level 1415 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	10.70				
FEB.	12.60				
MAR.	7.82				
APRIL	6.52				
MAY	5.10				
JUNE	1.99				
JULY	4.43				
AUG.	·83				
SEPT.	4.49				
OCT.	4.38				
NOV.	4.93				
DEC.	6.64				
TOTAL	70·43				

Signature ....

* See Instruction 3 (*f*) below.

C Particulars of Station. Gauge No 4

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

PLYMPTON ST. MARY R.D. COUNCIL

Hour of observation by the clock—in Winter 9am in Summer 9am

Nearest Railway Station Cornwood GWR Distance 3¾ miles Direction from gauge S

Nearest Parish Church at Cornwood Distance 3 miles Direction from gauge S

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.................................... Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(*a*) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005: this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91.
S.O. Code No. 40-9999

FORM 1090.

1682

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1938

At Yealm Head Cornwood
Plympton.
In the County of Devonshire

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* — *in.*
Height of Ground above Sea Level 1415 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	13.60				
FEB.	3.63				
MAR.	1.33				
APRIL	·60				
MAY	6.71				
JUNE	3.29				
JULY	8.07				
AUG.	7.33				
SEPT.	4.53				
OCT.	10.49				
NOV.	11.91				
DEC.	6.32.				
TOTAL	77.81 ✓ ✓				

Signature ....

* See Instruction 3 *(f)* below.

C Particulars of Station.

Gauge No. 4.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

....

....

Hour of observation by the clock—in Winter 9 AM in Summer 9 AM.

Nearest Railway Station Cornwood Distance 3¾ M. Direction from gauge S.

Nearest Parish Church at Cornwood Distance 3 MS Direction from gauge S.

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.............................. Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
11 JAN 1939

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{l}17\\18\end{array}\right\}$ ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 668/91 S.O. Code No. 40-9999

1682

1 FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1939.

At Yealm Head Cornwood.

In the County of Devon.

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* — *in.*
- *Height of Ground above Sea Level* 1415 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	10.25				
FEB.	5.43				
MAR.	3.40				
APRIL	4.48				
MAY	1.17				
JUNE	5.63				
JULY	10.66				
AUG.	6.97				
SEPT.	0.75				
OCT.	7.05				
NOV.	13.70				
DEC.	7.36				
TOTAL	76.85	✓			

Signature ....

* See Instruction 3 *(f)* below.

C Particulars of Station. Gauge No 4.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

Hour of observation by the clock—in Winter 9 AM in Summer 9 AM

Nearest Railway Station Cornwood Distance 3¾ M Direction from gauge S

Nearest Parish Church at Cornwood. Distance 3 M Direction from gauge S

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.................... Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B.**)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0:0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005 : this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 / 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

JAN. 1940

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: York House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 2778/2036 21,000 10/38 W. H. & S. 668/91
S.O. Code No. 46-9999

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 19~~3~~40

At Yealm Head, Cornwood

In the County of Devon

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* 0 *in.*
- *Height of Ground above Sea Level* 1415 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	5·45				
FEB.	9·90				
MAR.	6·05				
APRIL	4·26				
MAY	2·62				
JUNE	1·36				
JULY	7·00				
AUG.	0·69				
SEPT.	3·46				
OCT.	5·04				
NOV.	15·14				
DEC.	6·86				
TOTAL	67·83				

Signature B. Thompson

PLYMPTON ST. MARY R.D.C.

* See Instruction 3 *(f)* below.

C Particulars of Station.

Gauge No 4

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

Hour of observation by the clock—in Winter 9 A.M in Summer 9 A.M

Nearest Railway Station Cornwood Distance 3¾ M Direction from gauge S.

Nearest Parish Church at Cornwood Distance 3 M Direction from gauge S.

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M. O. 3a.
24 JAN 1941

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

(f) The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 *or* ·03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: York House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller

Price 1d. net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 2778/2036 21,000 10/38 W. H. & S. 668/91 S.O. Code No. 40-9999

FORM 1090. **B** Monthly
Summa

Gauge No. 3.
1683

1683
YEALM HEAD (G.3)
1931 — 40

780306

*** The following register of monthly tota
&c., is NOT required if daily or wee
values are given on the other side.

and also the space for

egister should be sent:—

RAINFALL IN 1931

At Yealm Head, Cornwood, Plym

In the County of Devon

...in Summer 9 a.m.

4 m. Direction from gauge S

Nearest Parish Church at Cornwood Distance 3¼ m Direction from gauge S

Rain Gauge
Diameter of Funnel 5
Height of Top above Ground 1 *ft* 0 *in.*
Height of Ground above Sea Level 1416 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	7·68				
FEB.	6·95				
MAR.	3·98				
APRIL	4·66				
MAY	4·91				
JUNE	7·47				
JULY	9·88				
AUG.	6·54				
SEPT.	3·43				
OCT.	1·66				
NOV.	12·07				
DEC.	4·71				
Total	73·94				

Signature

*See Instruction 2 (*f*) below.

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

M. O.
9 JAN 1932

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

FORM 1090.

B Monthly Summary.

C Particulars of Station.

Gauge No. 3.
1683

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1931

At Yealm Head, Cornwood, Plympton

In the County of Devon

Rain Gauge:
Diameter of Funnel 5 in.
Height of Top above Ground 1 ft 0 in.
Height of Ground above Sea Level 1416 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	7·68				
FEB.	6·95				
MAR.	3·98				
APRIL	4·66				
MAY	4·91				
JUNE	7·47				
JULY	9·88				
AUG.	6·54				
SEPT.	3·43				
OCT.	1·66				
NOV.	12·07				
DEC.	4·71				
Total	73·94				

Signature

*See Instruction 2 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter 9 a.m. in Summer 9 a.m.

Nearest Railway Station Cornwood G.W.R. Distance 4 m Direction from gauge S

Nearest Parish Church at Cornwood Distance 3¼ m Direction from gauge S

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.* 9 *a.m. Greenwich Mean Time is* 10 *a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as* ·01 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* 0·3.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

M. O.
9 JAN 1932

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

1683

FORM 1090.

B Monthly Summary.

C Particulars of Station. Gauge No. 3.

*** **The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 193

At Yealm Head, Cornwood, Plympton
In the County of Devon

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* 0 *in.*
Height of Ground above Sea Level 1416 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	9·79				
FEB.	0·10				
MAR.	4·32				
APRIL	7·16				
MAY	4·10				
JUNE	4·36				
JULY	6·73				
AUG.	2·41				
SEPT.	9·40				
OCT.	12·79				
NOV.	5·17				
DEC.	7·09				
Total	75·42 x				

Signature

x G. over-exposed on moor

*See Instruction 2 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter 9 am in Summer 9 am
Nearest Railway Station Cornwood G.W.R. Distance 4 m Direction from gauge S
Nearest Parish Church at Cornwood Distance 3¼ m Direction from gauge S

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O
5 JAN 1933

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110.

1683
Gauge No. 3.

FORM 1090.

B Monthly Summary.

*** **The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1933

At Yealm Head, Cornwood, Plympton
In the County of Devon

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* 0 *in.*
Height of Ground above Sea Level 1416 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	4·22				
FEB.	6·06				
MAR.	7·43				
APRIL	6·28				
MAY	3·22				
JUNE	3·12				
JULY	5·19				
AUG.	2·65				
SEPT.	2·89				
OCT.	6·45				
NOV.	2·07				
DEC.	2·90				
Total	52·48 ✓				

Signature

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter 9 am. in Summer 9 am.

Nearest Railway Station Cornwood G.W.R. Distance 4 Direction from gauge S

Nearest Parish Church at Cornwood Distance 3 1/4 Direction from gauge S

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(506) Wt.24107/1845 15000 3/33. Gp. 119/110.

M.O. 7
5 JAN 1934

FORM 1090.

Gauge No. 3.
1683

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1934

At Yealm Head, Cornwood, Plympton

In the County of Devon

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft* 0 *in.*
Height of Ground above Sea Level 1416 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	7·57				
FEB.	0·35				
MAR.	5·69				
APRIL	5·39				
MAY	2·37				
JUNE	4·86				
JULY	1·26				
AUG.	6·06				
SEPT.	6·82				
OCT.	6·69				
NOV.	2·65				
DEC.	22·00				
Total	71·71				

Signature

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter 9 am in Summer 9 am

Nearest Railway Station Cornwood G.W.R. Distance 4 m Direction from gauge S.

Nearest Parish Church at Cornwood Distance 3¼ m Direction from gauge S.

Nature of objects nearest to gauge				
Height of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) **The heaviest daily fall for each month should be underlined.**

3. The columns are so spaced that the entries can be made by a typewriter.

M.O.
2 JAN 1935

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(586) Wt.283/202 16,000 5/34. Gp.119/110.

1683

FORM 1090.

B Monthly Summary.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1935

At Yealm Head, Cornwood, Plympton

In the County of Devon

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* 0 *in.*
Height of Ground above Sea Level 1416 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	2·06				
FEB.	6·75				
MAR.	0·93				
APRIL	9·79				
MAY	2·74				
JUNE	7·55				
JULY	1·36				
AUG.	3·50				
SEPT.	8·24				
OCT.	8·17				
NOV.	10·01				
DEC.	8·24				
TOTAL	69·34				

Signature ....

*See Instruction 2 (*f*) below.

C Particulars of Station, Gauge No 3.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

Hour of observation by the clock—in Winter 9 am in Summer 9 am

Nearest Railway Station Cornwood G.W.R. Distance 4 miles Direction from gauge S.

Nearest Parish Church at Cornwood Distance 3 1/4 miles Direction from gauge S.

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state –

Date of move.......................... Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) It is known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O.
7 JAN 1936

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceeding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{c}17\\18\end{array}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast, or through any Bookseller. Price 1d. Net.

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone.

Wt.3430/1699 15,000 2/35 W. H. & S. 668/91.

1683

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1936

At Yealm Head, Cornwood Plympton

In the County of Devon

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 ft. 0 in.
- *Height of Ground above Sea Level* 1416 ft.

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	9·33				
FEB.	7·80				
MAR.	8·84				
APRIL	5·96				
MAY	1·29				
JUNE	3·34				
JULY	11·78				
AUG.	1·31				
SEPT.	5·36				
OCT.	3·96				
NOV.	5·56				
DEC.	7·76				
TOTAL	72·29 ✓				

✓

Signature ....

* See Instruction 3 (*f*) below.

C Particulars of Station. Gauge No 3.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

PLYMPTON ST. MARY R.D. COUNCIL.

Hour of observation by the clock—in Winter 9 a.m. in Summer 9 a.m.

Nearest Railway Station Cornwood G.W.R. Distance 4 miles Direction from gauge S

Nearest Parish Church at Cornwood Distance 3¾ miles Direction from gauge S

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.................. Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B.**)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

- (a) Is it known that the gauge was empty at the beginning of the measured rainfall?
- (b) What note was made of the times of beginning and end of this fall?
- (c) When was the measurement made?

M.O. 7
15 JAN. 1937

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(*a*) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 *a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005; *this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this* ·005 *mark or between this* ·005 *and the* ·01 *mark are to be entered as* ·01 *even though they may be nearer to the* ·005 *mark than the* ·01 *mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91.
S.O. Code No. 40-9999

1683

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1937

At Yealm Head Cornwood Plympton

In the County of Devon

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* 0 *in.*
Height of Ground above Sea Level 1416 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	11.46				
FEB.	12.19				
MAR.	8.08				
APRIL	7.19				
MAY	5.10				
JUNE	2.30				
JULY	4.96				
AUG.	1.13				
SEPT.	5.22				
OCT.	4.77				
NOV.	3.89				
DEC.	6.81				
TOTAL	73.10 ✓	✓			

Signature ....

* See Instruction 3 *(f)* below.

C Particulars of Station.

Gauge No 3

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

PLYMPTON ST. MARY R.D. COUNCIL.

Hour of observation by the clock—in Winter 9am in Summer 9am

Nearest Railway Station Cornwood GWR Distance 4 M Direction from gauge S

Nearest Parish Church at Cornwood Distance 3/4 M Direction from gauge S

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91.
S.O. Code No. 40-9999

FORM 1090. **B** Monthly Summary. **C** Particulars of Station. 1683

GAUGE No 3.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1938

At Yealm Head - Cornwood

In the County of Plympton Devon

Rain Gauge:
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* — *in.*
Height of Ground above Sea Level 1416 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with .01 in. or more	Number of Days with ·04 in. or more
	Inches	Inches	Date	*	*
JAN.	10.76				
FEB.	3.78				
MAR.	·97				
APRIL	·48				
MAY	7.03				
JUNE	3.08				
JULY	5.68				
AUG.	7.60				
SEPT.	4.93				
OCT.	10.00				
NOV.	12.65				
DEC.	7.00				
TOTAL	73.96 ✓				

Signature ....

* See Instruction 3 *(f)* below.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

....

....

Hour of observation by the clock—in Winter 9 AM in Summer 9AM

Nearest Railway Station Cornwood G.W.R. Distance 4 mls Direction from gauge S

Nearest Parish Church at Cornwood Distance 3/4 m Direction from gauge S

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.............................. Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
11 JAN. 1939

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
   (A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
   (B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17, 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 663/91 S.O. Code No. 40-9999

1683

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 193....

At Gealm Head Cornwood

In the County of Devon

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* — *in.*
- *Height of Ground above Sea Level* 1416 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	10.90				
FEB.	5.42				
MAR.	2.68				
APRIL	4.56				
MAY	1.42				
JUNE	6.01				
JULY	11.37				
AUG.	6.55				
SEPT.	0.70				
OCT.	8.45				
NOV.	11.43				
DEC.	6.10				
TOTAL	75.59. ✓				

Signature ....

* See Instruction 3 *(f)* below.

C Particulars of Station. Gauge 203

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

....

....

Hour of observation by the clock—in Winter 9 AM in Summer 9 AM

Nearest Railway Station Cornwood Distance 4 M Direction from gauge S

Nearest Parish Church at Cornwood Distance 3¼ M Direction from gauge S

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.................... Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B.**)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O.
JAN. 1940

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: York House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 2778/2036 21,000 10/38 W. H. &S. 668/91 S.O. Code No. 40-9999

FORM 1090.

B Monthly Summary.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 193....

At Yealm Head, Cornwood

In the County of Devon

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* 0 *in.*
- *Height of Ground above Sea Level* 1416 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	~~4.10~~	(5.10)			
FEB.	~~10.47~~	(9.47)			
MAR.	5.72				
APRIL	4.84				
MAY	2.59				
JUNE	1.22				
JULY	6.33				
AUG.	0.46				
SEPT.	2.64				
OCT.	6.47				
NOV.	13.14				
DEC.	6.43				
TOTAL	64.41				

Signature W Thompson

PLYMPTON ST. MARY R.D.C.

* See Instruction 3 *(f)* below.

C Particulars of Station.

Gauge No 3.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter 9 A.M. in Summer 9 A.M.

Nearest Railway Station Cornwood Distance 4 M Direction from gauge S.

Nearest Parish Church at Cornwood Distance 3 ¼ M Direction from gauge S.

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Jan & Feb. apportioned.

N C 3a.
24 JAN 1941
B. R.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 / 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: York House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 2778/2036 21,000 10/38 W. H. & S. 668/91 S.O. Code No. 40-9999

DARTMOUTH

Station No 1683/5

Section **A** for the e
AIR M
ISH RAINFALL ORGANIZATION

FORM 1090

RE IN 1939.

Kept at ....DARTMO
in the County of ....D
Diameter of Funnel of Gau
Height of top of Gauge ab
,, Ground ,,

THE MORNING ME IE PREVIOUS DAY

An observer who does not c nuary 1st of the following year in the space on the rig

verleaf

Jan. 1, following

1683/5

DARTMOUTH

1939 - 1940

To Saunders
with
[illegible]
3/7/1967

780306

Date	Jan.	Feb.	M							Oct.	Nov.	Dec.		Date
	in.	in.								in.	in.	in.	†	
1	.07	-								-	.69	.12		1
2	.05	-								-	.02	.09		2
3	.50	-								-	.25	.31		3
4	-	-								.24	.11	.16		4
5	-	-								.31	1.00	-		5
6	.37	-								.29	.59	-		6
7	.03	.91								-	.39	.88		7
8	.02	.26								1.13	.21	.22		8
9	.02	.02	.01	-	-	-	-	.27	-	.14	.70	.21		9
10	.25	.01	.03	-	-		-	.43	.01	.15	.10	.11		10
11	-	.04	.04	-	-	-	-	-	-	.46	-	.01		11
12	-	.01	-	.01	-	-	-	-	.01	.15	.20	.01		12
13	.09	-	-	.14	-	.18	.60	-	.10	1.34	.40	-		13
14	.95	-	-	-	.05	.02	.20	-	.02	.08	.35	.02		14
15	.21	-	-	.01	.04	1.06	.33	-	-	-	.20	.29		15
16	.26	-	-	.13	.01	-	.28	-	-	-	.23	-		16
17	.41	.06	-	-	.03	.01	.19	-	-	-	-	-		17
18	.23	.01	.02	-	-	.09	.50	-	-	-	.45	.14		18
19	.48	-	-	-	-	-	.36	.05	-	-	.05	.14		19
20	.71	-	-	-	-	.20	.58	1.83	-	-	-	.13		20
21	.04	.19	.04	.01	-	1.03	.19	-	-	-	-	-		21
22	.53	.29	.11	-	-	.45	.18	-	.02	-	.42	-		22
23	-	-	.02	.09	-	.04	.01	-	-	-	1.92	-		23
24	.92	-	.29	.11	-	.74	.18	-	-	-	-	-		24
25	.49	.11	.01	.02	-	.01	.16	.07	-	.03	.71	-		25
26	.01	.06	-	-	-	.12	-	.06	-	.07	.38	-		26
27	-	.18	.01	.03	-	.01	.06	.02	-	.02	.21	-		27
28	-	.14	-	.24	--	.08	.51	-	-	-	.32	.01		28
29	.01	X	-	.05	-	.02	.11	-	-	.59	.07	-		29
30	-	✕	.02	.36	-	.02	-	.10	-	.30	.13	-		30
31	-	✕	-	✕	-	✕	.01	.13	✕	.44	✕	-		31
TOTAL	6.65	2.29	1.41	2.50	.55	4.08	6.78	3.49	.98	5.74	10.10	2.85	Year'sTotal 47.42	
* Days with .01 in. or more.	22	14	16	18	7	16	22	15	8	16	25	16	195	
* Days with .04 in. or more.	17	10	7	13	3	10	20	13	3	14	24	12	146	

[illegible]

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) ....J. T. Bedford.......... [P.T.O.

BOROUGH & WATER ENGINEER

DARTMOUTH

Section **A** for the entry of Daily Observations F930086/35 Station No 1683/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at DARTMOUTH.

in the County of DEVON.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 9 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.07	-	.02	.05	.03	-	-	-	.09	-	.69	.12		1
2	.05	-	-	.25	-	-	-	.17	.72	-	.02	.09		2
3	.50	-	.03	.57	-	-	-	.11	.01	-	.25	.31		3
4	-	-	.64	.11	.37	-	.44	.11	-	.24	.11	.16		4
5	-	-	.04	.19	-	-	.62	.07	-	.31	1.00	-		5
6	.37	-	.08	.13	-	-	1.16	-	-	.29	.59	-		6
7	.03	.91	-	-	-	-	.05	.05	-	-	.39	.88		7
8	.02	.26	-	-	.02	-	.06	.02	-	1.13	.21	.22		8
9	.02	.02	.01	-	-	-	-	.27	-	.14	.70	.21		9
10	.25	.01	.03	-	-		-	.43	.01	.15	.10	.11		10
11	-	.04	.04	-	-	-	-	-	-	.46	-	.01		11
12	-	.01	-	.01	-	-	-	-	.01	.15	.20	.01		12
13	.09	-	-	.14	-	.18	.60	-	.10	1.34	.40	-		13
14	.95	-	-	-	.05	.02	.20	-	.02	.08	.35	.02		14
15	.21	-	-	.01	.04	1.06	.33	-	-	-	.20	.29		15
16	.26	-	-	.13	.01	-	.28	-	-	-	.23	-		16
17	.41	.06	-	-	.03	.01	.19	-	-	-	-	-		17
18	.23	.01	.02	-	-	.09	.50	-	-	-	.45	.14		18
19	.48	-	-	-	-	-	.36	.05	-	-	.05	.14		19
20	.71	-	-	-	-	.20	.58	1.83	-	-	-	.13		20
21	.04	.19	.04	.01	-	1.03	.19	-	-	-	-	-		21
22	.53	.29	.11	-	-	.45	.18	-	.02	-	.42	-		22
23	-	-	.02	.09	-	.04	.01	-	-	-	1.92	-		23
24	.92	-	.29	.11	-	.74	.18	-	-	-	-	-		24
25	.49	.11	.01	.02	-	.01	.16	.07	-	.03	.71	-		25
26	.01	.06	-	-	-	.12	-	.06	-	.07	.38	-		26
27	-	.18	.01	.03	-	.01	.06	.02	-	.02	.21	-		27
28	-	.14	-	.24	--	.08	.51	-	-	-	.32	.01		28
29	.01	X	-	.05	-	.02	.11	-	-	.59	.07	-		29
30	-	✕	.02	.36	-	.02	-	.10	-	.30	.13	-		30
31	-	✕	-	✕	-	✕	.01	.13	✕	.44	✕	-		31
													Year's Total	
TOTAL	6.65	2.29	1.41	2.50	.55	4.08	6.78	3.49	.98	5.74	10.10	2.85	47.42	
* Days with .01 in. or more.	22	14	16	18	7	16	22	15	8	16	25	16	195	
* Days with .04 in. or more.	17	10	7	13	3	10	20	13	3	14	24	12	146	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) J. J. Bedford [P.T.O.

BOROUGH & WATER ENGINEER

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations, Station No 1683/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN ~~193~~ 1940

Kept at DARTMOUTH

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 9 ft.

up 1939 (late)

930086/39

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·02	–	–	·04	–	–	–	–	–	·12	–		1
2	–	·37	–	·32	–	–	·02	–	–	–	·53	·08		2
3	·25	·72	–	–	–	–	–	–	–	·13	1·29	·27		3
4	–	·01	–	·06	–	–	·07	–	–	·32	·14	·05		4
5	·01	–	–	–	–	–	·01	–	–	·02	·57	·24		5
6	·27	·68	–	–	·12	–	·01	–	–	·54	·01	·37		6
7	·05	·02	–	–	–	–	·01	–	–	·02	–	–		7
8	–	·02	–	–	·01	–	·04	–	·03	·38	·19	·47		8
9	–	–	–	–	–	–	·57	·02	·03	·23	·58	·17		9
10	–	·01	–	–	–	–	·20	–	–	·04	·12	·55		10
11	–	·02	·01	·06	–	–	·04	–	–	–	1·53	·05		11
12	–	–	·20	–	–	·04	·12	–	·41	–	·06	–		12
13	–	–	·41	–	–	–	·01	·01	·02	·36	1·52	·22		13
14	–	·01	·14	·03	·23	–	·01	–	·14	·10	–	·56		14
15	–	·05	–	–	–	·01	·13	–	·10	·05	·39	–		15
16	·02	·79	·68	·07	–	–	·03	–	·04	·34	·28	·04		16
17	–	·38	·95	·02	–	–	·08	–	·01	–	·40	–		17
18	·11	·46	·28	1·18	–	–	·02	–	–	·08	–	·06		18
19	–	·04	·16	·16	–	–	·16	·02	·63	–	·47	–		19
20	–	–	·01	·01	–	–	–	–	–	·08	·10	–		20
21	–	–	–	–	·09	–	–	–	·10	·01	·65	–		21
22	–	·01	·06	·13	–	·50	–	–	·12	·03	·01	–		22
23	–	–	·20	·11	·02	–	·03	–	–	·09	·02	–		23
24	–	–	·02	·02	·04	–	·36	–	–	–	–	–		24
25	·14	–	·44	·03	·04	·02	·01	–	–	–	–	–		25
26	·51	·55	–	·01	·65	·03	·01	–	–	–	·02	–		26
27	·29	·11	–	·07	·63	–	–	–	–	–	–	–		27
28	·61	·14	·02	·03	–	–	–	–	–	–	–	·02		28
29	·31	·12	·25	1·88	–	–	–	–	–	·02	–	·53		29
30	·21	✕	–	·18	–	–	–	–	–	·44	–	·37		30
31	·03	✕	·02	✕	–	✕	–	–	✕	·76	✕	1·38		31
													Year's Total	
TOTAL	2·81	4·53	3·85	4·37	1·87	·60	1·94	·05	1·63	4·04	9·0	5·43	40·12	
* Days with .01 in. or more.	13	20	16	18	10	5	21	3	11	20	21	17	166	
* Days with .04 in. or more.	10	12	11	11	8	2	10	–	7	15	16	16	118	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Bedford

BOROUGH & WATER ENGINEER

P.T.O.

THE BOROUGH & WATER ENGINEER

93852/ 1684

Section **A** for the entry of Dail

AIR MINISTRY.—M

COPY FOR OFFICIAL USE.

ALL ORGANIZATION.

FORM 1090.

REGISTE 31.

Kept at Ridge Hill, Dartm

in the County of Devon

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Level

THE MORNING MEASUREM AY.

An observer who does not conform to this r e following

year in the space on the right of this par

Pleas

Jan. 1, following

1684

DARTMOUTH - RIDGE HILL

1931 — 1936

780306

not used

RB 3/7/67

Date	Jan.	Feb.	March	Apri						t.	Nov.	Dec.	Date
	in.	in.	in.	in.							in.	in.	
1	·01	–	–	·9						3	–	–	1
2	·64	–	–	·67						2	–	·41	2
3	·46	–	·94	–						4	1·86	·43	3
4	·02	–	·29	–						6	·01	·02	4
5	–	·44	·81	·05							·13	·35	5
6	·01	·05	–	·11						8	·10	·10	6
7	–	·01	–	–						4	1·00	·40	7
8	·01	·35	–	·19							·03	·09	8
9	–	·39	–	–							·59	–	9
10	tr	·05	–	–	·08	·18	·08	·02	·04	–	·41	–	10
11	·17	·77	–	–	·01	·10	·09	–	·11	–	·26	–	11
12	·01	·19	–	–	·01	·17	·16	–	·04	·14	tr	–	12
13	–	·04	·04	–	·06	–	·45	·08	–	·01	·02	–	13
14	–	·02	–	–	·02	·01	1·15	·24	–	–	·28	–	14
15	·02	·15	–	–	·14	·17	tr	·29	–	–	–	·03	15
16	·01	·19	–	–	·05	–	–	·05	·08	–	–	·04	16
17	·02	·02	–	·01	–	·97	·29	–	·02	–	–	–	17
18	·01	tr	–	·04	–	–	·05	1·70	–	–	·30	–	18
19	·05	·07	·05	·06	–	·36	·01	·03	·04	–	·43	–	19
20	·01	·27	·48	–	–	·19	–	·37	–	–	·32	–	20
21	·46	–	tr	–	·18	tr	–	tr	–	·04	·09	–	21
22	·91	–	·10	·17	·09	–	–	–	–	tr	·02	–	22
23	·35	–	–	·25	·87	–	·06	·25	–	–	·68	–	23
24	·08	·01	·01	·90	·21	–	·86	·39	–	–	·08	–	24
25	·10	–	·01	·21	·04	·02	·26	–	–	–	·37	–	25
26	·01	·08	–	·09	–	–	·34	–	–	–	·59	–	26
27	·42	·28	–	–	·13	–	·24	–	–	–	·10	–	27
28	·10	·24	·20	·01	·08	–	–	·14	–	tr	–	·09	28
29	·02	×	·15	–	·01	–	·20	·45	–	–	·13	·07	29
30	·08	×	·02	–	·03	–	·02	·01	·15	·02	–	–	30
31	·28	×	·30	×	·12	×	·06	tr	×	·01	×	·26	31
TOTAL	4·76	3·62	3·40	3·71	2·58	4·05	5·92	4·64	1·54	·69	7·80	2·29	YEAR'S TOTAL 45·00
*Days with ·01 in. or more.	25	19	13	14	21	15	22	18	11	11	22	12	203
*Days with ·04 in. or more.	13	15	10	12	15	12	20	12	10	6	18	10	153

40-9999

*See Instruction 2 (*f*) on other side

(Signed) H J Campbell

P.T.O.

93852/ 1684

Section A for the entry of Daily [redacted] COPY FOR OFFICIAL USE.

AIR MINISTRY.—M ALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Ridge Hill, Dartmouth

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 120 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following [illegible]

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	–	–	·95	–	·08	tr	·03	·50	·03	–	–	1
2	·64	–	–	·67	–	·01	–	tr	·29	·02	–	·41	2
3	·46	–	·94	–	–	–	·12	·05	·20	·04	1·86	·43	3
4	·02	–	·29	–	·04	–	·39	·03	·07	·06	·01	·02	4
5	–	·44	·81	·05	·01	–	·16	·02	–	–	·13	·35	5
6	·01	·05	–	·11	·07	·38	–	–	tr	·28	·10	·10	6
7	–	·01	–	–	·33	·49	·63	·49	–	·04	1·00	·40	7
8	·01	·35	–	·19	–	·41	·11	–	–	–	·03	·09	8
9	–	·39	–	–	–	·51	·19	tr	–	–	·59	–	9
10	tr	·05	–	–	·08	·18	·08	·02	·04	–	·41	–	10
11	·17	·77	–	–	·01	·10	·09	–	·11	–	·26	–	11
12	·01	·19	–	–	·01	·17	·16	–	·04	·14	tr	–	12
13	–	·04	·04	–	·06	–	·45	·08	–	·01	·02	–	13
14	–	·02	–	–	·02	·01	1·15	·24	–	–	·28	–	14
15	·02	·15	–	–	·14	·17	tr	·29	–	–	–	·03	15
16	·01	·19	–	–	·05	–	–	·05	·08	–	–	·04	16
17	·02	·02	–	·01	–	·97	·29	–	·02	–	–	–	17
18	·01	tr	–	·04	–	–	·05	1·70	–	–	·30	–	18
19	·05	·07	·05	·06	–	·36	·01	·03	·04	–	·43	–	19
20	·01	·27	·48	–	–	·19	–	·37	–	–	·32	–	20
21	·46	–	tr	–	·18	tr	–	tr	–	·04	·09	–	21
22	·91	–	·10	·17	·09	–	–	–	–	tr	·02	–	22
23	·35	–	–	·25	·87	–	·06	·25	–	–	·68	–	23
24	·08	·01	·01	·90	·21	–	·86	·39	–	–	·08	–	24
25	·10	–	·01	·21	·04	·02	·26	–	–	–	·37	–	25
26	·01	·08	–	·09	–	–	·34	–	–	–	·59	–	26
27	·42	·28	–	–	·13	–	·24	–	–	–	·10	–	27
28	·10	·24	·20	·01	·08	–	–	·14	–	tr	–	·09	28
29	·02	×	·15	–	·01	–	·20	·45	–	–	·13	·07	29
30	·08	×	·02	–	·03	–	·02	·01	·15	·02	–	–	30
31	·28	×	·30	×	·12	×	·06	tr	×	·01	×	·26	31
TOTAL	4·76	3·62	3·40	3·71	2·58	4·05	5·92	4·64	1·54	·69	7·80	2·29	YEAR'S TOTAL 45·00
*Days with ·01 in. or more.	25	19	13	14	21	15	22	18	11	11	22	12	203
*Days with ·04 in. or more.	13	15	10	12	15	12	20	12	10	6	18	10	153

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) H J Campbell

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. File No 93852/31 Station No 1684

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Dartmouth

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 7 in.

,, Ground ,, Sea Level 120 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following '45

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06	—	—	·19	trace	—	trace	·09	·01	—	·03	—	1
2	·16	trace	·11	·45	trace	—	trace	·03	·28	—	trace	·64	2
3	·05	—	·01	—	trace	·33	—	—	·61	—	·04	·03	3
4	·03	—	—	—	—	·18	·01	·06	—	—	·23	—	4
5	·93	—	·02	—	—	—	—	—	·38	—	—	trace	5
6	·86	—	—	·40	—	—	·18	—	·58	—	—	—	6
7	·03	—	trace	·10	·20	—	·05	—	·55	·95	—	—	7
8	·01	—	·38	·19	·11	—	—	—	·86	·02	·01	—	8
9	·87	trace	—	·27	·04	—	—	trace	—	·12	—	—	9
10	·62	—	—	·49	·11	·06	—	—	·01	·19	—	·03	10
11	·13	—	—	·04	·09	—	trace	—	·13	·04	—	·50	11
12	1·30	—	—	—	·54	—	·01	—	·01	·14	—	·05	12
13	·23	—	—	·39	·14	—	·10	·75	—	·96	—	·44	13
14	·32	—	—	·03	·33	—	·01	·01	—	·01	—	·01	14
15	·03	—	—	·18	·09	—	·06	—	—	·02	—	·13	15
16	·16	—	—	·16	trace	—	—	—	—	trace	—	·01	16
17	·07	—	—	·12	trace	—	—	—	·03	·09	—	—	17
18	trace	—	—	—	·49	—	—	—	·07	·01	·14	—	18
19	·09	—	—	—	·18	—	—	—	·11	·65	—	—	19
20	—	—	trace	·19	1·30	—	trace	·11	—	1·63	·12	·16	20
21	·04	—	·06	·13	—	—	·01	·19	·22	·56	·02	·35	21
22	—	—	—	·03	·04	trace	·07	·14	1·76	·36	·69	·06	22
23	—	—	—	·04	·05	—	·15	·01	·96	1·14	·02	·18	23
24	—	trace	—	—	·01	—	·70	—	·11	·03	·04	—	24
25	—	—	·68	·04	—	—	·06	—	·01	·49	·22	·01	25
26	—	—	·18	·18	—	—	·45	—	·01	·06	·04	—	26
27	—	—	·47	·44	·09	trace	·10	—	—	·43	·02	·33	27
28	—	—	·16	·09	·10	—	·36	trace	—	·01	—	·17	28
29	—	—	·90	·07	·11	·70	·01	·73	·51	·83	·10	·27	29
30	—	X	·19	·06	·02	1·96	·30	—	·65	·13	1·77	·13	30
31	—	X	·17	X	·14	X	·03	—	X	·01	X	·24	31
TOTAL	5·97	trace	3·33	4·28	4·18	3·63	2·66	2·12	6·96	8·88	3·49	4·24	49·74 YEAR'S TOTAL ~~49·76~~
*Days with ·01 in. or more.	19	0	12	23	20	5	18	10	21	24	15	19	186
*Days with .04 in. or more.	15	0	10	21	18	5	12	7	15	17	10	14	144

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) H J Campbell

P.T.O.

1684

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. File no 93852/31 **Station No.** ~~[illegible]~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Dartmouth

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 120 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·45	1·12	·10	–	·02	·37	–	–	–	·04	·03	2·02		1
2	·81	·13	1·32	–	·48	·63	–	–	–	–	·02	·20		2
3	·02	·11	·31	–	·04	·02	–	–	–	–	–	–		3
4	·31	·14	–	–	·14	–	–	–	–	–	–	–		4
5	·08	·03	·39	–	·11	–	–	–	trace	·01	–	–		5
6	·03	·68	–	–	·21	–	·20	–	–	·07	–	–		6
7	·01	·11	·01	–	·17	–	·05	–	–	·04	–	trace		7
8	·01	·08	–	–	·07	–	·17	–	–	·05	–	–		8
9	–	·03	–	–	·02	·18	·60	·01	–	·25	–	–		9
10	–	·28	–	–	–	–	·05	trace	–	·37	–	–		10
11	·05	–	–	–	–	trace	·04	·24	–	·12	–	–		11
12	·01	–	–	·18	·05	·18	·46	·05	·32	·01	–	·03		12
13	·02	–	–	–	·01	·01	·22	trace	trace	·08	–	–		13
14	·06	–	–	–	–	–	1·18	·04	–	·03	·43	–		14
15	·55	–	·40	–	–	–	·30	·11	–	·05	1·01	–		15
16	–	–	1·16	–	–	·06	–	·01	·01	·02	·01	–		16
17	–	·03	·28	–	–	·06	–	·25	·31	–	–	–		17
18	·25	–	·32	–	–	·04	–	–	–	–	·05	–		18
19	·35	–	·30	–	–	trace	–	·01	·11	–	·50	·01		19
20	·01	–	–	–	–	·24	–	·07	·26	–	·01	–		20
21	–	–	–	–	trace	·04	–	·11	·10	·23	–	–		21
22	–	–	–	·15	–	·54	–	·27	1·13	·03	–	–		22
23	–	·60	–	·41	–	·13	–	–	·45	·53	–	–		23
24	–	·66	–	·45	–	trace	–	–	·26	·07	–	–		24
25	–	·95	–	·24	·01	·01	–	–	·19	–	–	·25		25
26	–	·48	–	·22	·12	trace	–	–	·01	–	–	·01		26
27	–	·10	–	trace	–	–	–	–	·01	·17	·09	·35		27
28	trace	·03	–	·53	–	–	·25	–	–	·15	–	·11		28
29	·09	×	–	·03	–	–	·01	–	·12	trace	–	·02		29
30	·15	×	·05	–	–	–	·08	–	·16	–	–	·12		30
31	·57	×	·11	×	·05	×	–	–	×	·02	×	–		31
TOTAL	3·83	5·56	4·75	2·21	1·50	2·51	3·61	1·17	3·44	2·34	2·15	3·12	Year's Total 36·19 ✓	
*Days with ·01 in. or more.	19	17	12	8	14	14	13	11	14	20	9	10	161	
*Days with .04 in. or more.	12	13	11	7	10	10	12	8	11	14	5	6	119	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) H J Campbell

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. File Number 93852/31 Station No. 1684

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Dartmouth

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft ...... in.

,, Ground ,, Sea Level 120 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·14	—	·05	—	—	·04	—	·61	·05	·01	·21	1·54		1
2	·31	—	·05	—	—	—	—	·03	1·25	·05	·04	·56		2
3	·15	—	—	—	—	—	—	—	—	·52	·01	·56		3
4	·35	—	·49	·01	·28	—	—	·05	·01	·07	·08	·42		4
5	·01	—	·08	·02	·22	·10	—	·73	trace	·03	·01	·74		5
6	·04	—	·89	·17	·46	·04	—	trace	·04	·60	·45	·77		6
7	·08	—	—	—	—	trace	—	·06	trace	·25	·01	·92		7
8	—	—	—	—	·09	·01	—	—	·02	—	·74	·21		8
9	·04	—	·33	·07	—	—	—	—	·01	·02	·56	·18		9
10	·14	·01	·21	·78	—	—	·04	·15	—	—	·13	·12		10
11	·74	—	·24	·50	—	—	·01	·01	—	—	—	·48		11
12	·08	—	·18	—	—	—	·01	·10	—	—	—	·16		12
13	·76	—	—	·35	—	—	·04	—	—	—	·50	·20		13
14	·78	—	·45	·02	—	—	—	—	—	·05	·26	·32		14
15	·20	—	·20	trace	·15	—	—	—	—	·16	·10	·36		15
16	·35	—	·55	·01	—	—	—	—	—	—	·01	·40		16
17	·63	—	·54	·30	—	—	—	—	·32	·08	trace	·55		17
18	·12	—	·21	·40	·02	·02	—	·09	·34	·01	—	·55		18
19	·05	—	·14	·25	—	·10	—	—	·09	trace	—	·27		19
20	—	—	·01	·23	—	—	·07	—	·06	·02	—	·04		20
21	—	—	·29	·05	·02	·24	·11	·01	·01	·68	—	·37		21
22	trace	—	·11	·02	—	·04	·01	·06	·51	—	—	·37		22
23	·19	—	·01	·38	—	·79	—	—	·26	·06	—	·32		23
24	·01	·05	·02	·10	—	·34	·01	·20	·35	·05	—	·01		24
25	·24	—	—	·26	—	·07	—	—	·01	·37	—	·94		25
26	·09	·10	·01	·11	—	·10	—	—	·25	·02	—	·15		26
27	—	—	—	·01	—	·02	—	·01	·13	·08	·02	·48		27
28	—	—	—	—	—	·02	—	·66	·24	—	·01	·92		28
29	—	×	—	—	—	—	—	·04	·04	—	—	·04		29
30	trace	×	—	—	—	—	·03	·01	·31	trace	—	·61		30
31	—	×	—	×	·01	×	·17	·15	×	—	×	·05		31
TOTAL	5·50	·16	4·86	4·01	1·25	1·95	·50	2·97	4·30	3·13	3·14	13·61	Year's Total 45·38	
*Days with ·01 in. or more.	22	3	21	20	8	14	10	17	20	19	16	31	201	
*Days with .04 in. or more.	20	2	17	14	5	10	5	12	15	13	14	30	157	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) H J Campbell M.D.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1684

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Dartmouth

in the County of Devon

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

Dup

amt. of (·21) Jan. added to give total
observer notified file 93852/31

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·01	tr	·59	—	—	·36	tr	—	·14	·20	·15	·18		1
2	—	—	·06	—	—	·02	·03	—	tr	·44	·03	·16		2
3	—	—	·13	—	·59	·36	tr	—	·40	·49	·06	·08		3
4	—	·14	—	·04	tr	·20	—	—	·05	·09	·06	·46		4
5	—	·23	·01	·18	·03	·16	—	—	·24	·05	tr	·01		5
6	—	·23	—	·35	—	1·37	—	—	—	·06	·14	·19		6
7	—	—	—	·50	—	·07	—	—	—	·15	·29	·04		7
8	—	—	—	·67	—	—	—	·05	·21	·26	·65	tr		8
9	—	—	tr	·78	—	·04	tr	—	—	·92	·28	—		9
10	·01	—	·46	·01	—	·04	tr	—	—	·06	·02	·02		10
11	·29	·06	·14	—	—	·52	—	—	·12	—	·58	·01		11
12	·01	·28	—	—	—	·83	—	·09	·14	—	·52	—		12
13	tr	·18	—	·14	—	·13	—	—	—	·07	·12	—		13
14	—	·15	—	·15	—	·02	—	—	·25	·10	·99	·36		14
15	—	·29	—	·92	·01	·07	—	—	·12	·05	·33	·13		15
16	—	·07	·40	·34	—	·62	—	—	·55	—	·86	·03		16
17		·02	—	·01	·86	·53	—	—	·06	—	·01	·06		17
18		·11	—	·62	—	·04	—	—	·15	·10	—	·36		18
19		·05	—	·05	·46	·14	·30	—	·14	·11	·50	·01		19
20		·52	—	·12	·15	·05	tr	—	·19	—	·15	—		20
21		·95	tr	·14	—	·05	—	—	·02	·05	tr	—		21
22		tr	·03	·04	—	—	—	—	·13	·02	—	—	Sept.	22
23		·11	·11	—	·02	—	—	·27	·03	·32	—	·53	·03	23
24	✓	·73	—	tr	·25	—	—	·68	·71	·05	—	·13	·71	24
25	+(·21)	·61	—	—	·85	·32	—	·01	—	—	—	·16	—	25
26	+	·51	—	—	tr	·07	—	·34	·31	—	·01	·72	·31	26
27		·18	—	—	—	—	—	·16	·12	·02	·11	·49	·12	27
28		·02	—	—	—	—	—	·05	·16	·01	·13	·12	·16	28
29			—	—	·03	·03	—	·03	·48	·05	·14	·63		29
30		×	—	tr	—	—	—	1·24	·04	·34	·12	1·13		30
31	—	×	—	×	—	×	—	·12	×	·82	×	·26		31
TOTAL	0·53	5·24	1·93	5·06	3·25	6·04	·33	3·04	4·76	4·85	6·25	6·27	Year's Total. 47·5	3
* Days with .01 in. or more.	(7)	20	9	17	10	22	2	11	23	24	23	24	192	✓
* Days with .04 in. or more.	(3)	18	7	15	6	19	1	10	21	21	19	19	159	✓

40-9999

† Spare column, no entries required.

(*Signed*) J. S. Campbell.
J.S.

[P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1684

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Dartmouth (Ridge Hill)

in the County of

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 120 ft.

File No. 93852/31

Totals –

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·17	·05	–	·30	–	·32	·36	Tr	–	–	·01	·01		1
2	·08	–	–	·20	–	·08	·14	·10	·03	–	·02	Tr		2
3	·01	–	·03	·88	–	·02	·15	–	·51	·07	·12	·02		3
4	·03	Tr	·21	·01	·04	·06	·03	–	·21	–	·11	·18		4
5	·44	·19	·05	–	–	–	·05	·09	·04	–	–	·13		5
6	·21	–	·03	–	–	·02	·26	·15	·42	–	·67	–		6
7	·26	–	·61	–	–	·01	·13	–	Tr	–	·36	·02		7
8	·67	–	·67	–	–	–	·60	–	–	–	1·29	Tr		8
9	·24	·79	·26	–	–	–	·36	–	·14	–	·03	–		9
10	·08	·51	–	–	–	Tr	·06	–	–	–	·15	Tr		10
11	·83	·03	–	–	–	·09	·03	–	·05	–	1·28	·12		11
12	·07	Tr	·06	–	·28	·05	1·02	–	·45	–	·03	·01		12
13	·20	–	·04	–	–	–	·18	·01	·01	·11	·18	1·03		13
14	·01	·02	–	–	–	·09	·94	–	·06	Tr	–	·69		14
15	–	Tr	–	–	·04	–	Tr	–	·19	Tr	·55	·57		15
16	–	·13	–	·16	·21	–	·35	–	·02	–	·22	·35		16
17	·14	·69	–	–	·02	–	·07	Tr	–	·12	·03	1·21		17
18	·46	·28	·14	–	–	Tr	·51	–	–	–	Tr	·12		18
19	·61	·01	·59	·07	–	·16	·02	·16	–	–	–	–		19
20	·16	·25	·33	·14	–	·08	·03	–	·63	–	–	Tr		20
21	·01	·63	·01	·58	–	Tr	·16	–	–	·04	–	–		21
22	·31	·13	·13	Tr	–	–	·31	–	–	·02	–	·05		22
23	·04	·01	·02	·24	·16	–	·36	–	–	·08	–	Tr		23
24	·52	·03	·15	·04	·20	–	Tr	–	–	·57	–	·01		24
25	·13	–	·61	·16	–	–	–	–	·05	·44	·02	Tr		25
26	·36	·11	·13	–	·02	·36	–	–	·05	·16	·01	–		26
27	1·41	–	·05	–	–	–	·32	–	–	·07	–	–		27
28	1·28	·01	·75	–	–	·02	–	–	–	·01	Tr	·32		28
29	·03	·04	·26	–	–	–	·02	–	–	·12	·11	·04		29
30	·28	×	·03	–	–	·36	–	–	–	·02	–	–		30
31	·23	×	·75	×	·11	×	·08	–	×	–	×	·61		31
TOTAL	8·27	3·91	5·91	2·78	1·08	1·72	6·54	·51	2·86	1·72	5·19	5·49	Year's Total. 45·98	✓
* Days with .01 in. or more.	29	18	23	11	9	14	25	5	15	13	18	18	198	✓
* Days with .04 in. or more.	24	12	18	10	7	10	20	4	12	10	11	13	151	✓

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. S. Campbell

[P.T.O.

1685

Section **A** for the entry of
AIR MINISTRY

FOR OFFICIAL USE.
ALL ORGANIZATION. Ent.

FORM 1090.

REGIST

31.

1685
DARTMOUTH. R.N. COLLEGE
1931 —— 40

780306

Kept at The Royal Nav
Dartm
in the County of DE

Diameter of Funnel of Gauge 5
Height of top of Gauge above Ground
,, Ground ,, Sea Le

THE MORNING MEASU ... DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·98		·09				·02			1
2												·55	2
3			·83				·1	·08			2·03	·34	3
4	1·1		·31	·78	·07		·57		1·15	·08	·03	·03	4
5		·44	·78								·115	·72	5
6		·275			·08	·38				·28	·1		6
7					·32		·67			·04	1·12	·1	7
8		·34				·83	·07					·07	8
9		·39		·19		·04	·22				·62		9
10		·05			·07	·54	·065	·55	·06		·5		10
11	·2	·71			Trace	·21	·26				·27		11
12		·19				·1			·15	·14			12
13		·03	·056		·07	·16	·2			·015			13
14					·03		1·34	·25			·38	·04	14
15		·145			·16								15
16	Trace	·17		·12	·05	~~·02~~ ·19							16
17						·36	·34	·255					17
18	Trace		Trace			·97	·06		·09		·36		18
19	·09	·06	·05			·115					·56		19
20		·28	·47		·17						·22		20
21	·015				·105	·045		2·72		·03	·07		21
22	·45		·08	·17	1·06								22
23	·86			·13		·04	·05				·73		23
24	·165		Trace	·98			·9						24
25	·425			·3	·04		·57				·41		25
26	·43										·58		26
27	·085				·13		·23				·09		27
28		·58						·62			·13		28
29		×	·34		·08		·21						29
30	·058	×			·27				·19				30
31	·9	×	·31	×		×	·07		×		×		31
TOTAL	4·778	3·46	3·226	3·65	3·05	4·07	5·925	4·475	1·64	·605	8·315	1·85	YEAR'S TOTAL 45·044
*Days with ·01 in. or more.	1	1	/	/	2	2	/	/	/	2	1	1	
*Days with ·04 in. or more.	13	12	9	8	15	14	14	/	10	5	17	6	

40-9999 4.78 3.46 3.33 3.65 3.05 4.07 5.93 4.07 1.64 .60 8.31 1.85

*See Instruction 2 (*f*) on other side.

(Signed) T. Lewis Williams [P.T.O.

45·05

1685

Section **A** for the entry of

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION. Cont.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at The Royal Naval College Dartmouth
in the County of DEVON

Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 220 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·98		·09				·02			1
2												·55	2
3			·83				·1	·08			2·03	·34	3
4	1·1		·31	·78	·07		·57		1·15	·08	·03	·03	4
5		·44	·78								·115	·72	5
6		·275			·08	·38				·28	·1		6
7					·32		·64			·04	1·12	·1	7
8		·34				·83	·07					·07	8
9		·39		·19		·04	·22				·62		9
10		·05			·07	·54	·065	·55	·06		·5		10
11	·2	·71			Trace	·21	·26				·27		11
12		·19				·1			·15	·14			12
13		·03	·056		·07	·16	·2			·015			13
14					·03		1·34	·25			·38	·04	14
15		·145			·16								15
16	Trace	·17		·12	·05	~~·02~~ ·19							16
17						·36	·34	·255					17
18	Trace		Trace			·97	·06		·09		·36		18
19	·09	·06	·05			·115					·56		19
20		·28	·47		·17						·22		20
21	·015				·105	·045		2·72		·03	·07		21
22	·45		·08	·17	1·06								22
23	·86			·13		·04	·05				·73		23
24	·165		Trace	·98			·9						24
25	·425			·3	·04		·57				·41		25
26	·43										·58		26
27	·085				·13		·23				·09		27
28		·58						·62			·13		28
29			·34		·08		·21						29
30	·058	✕			·27				·19				30
31	·9	✕	·31	✕		✕	·07		✕		✕		31
TOTAL	4·778	3·46	3·226	3·65	3·05	4·07	5·925	4·475	1·64	·605	8·315	1·85	YEAR'S TOTAL 45·044
*Days with ·01 in. or more.	1	1	1	1	2	2	1	1	1	2	1	1	
*Days with ·04 in. or more.	13	12	9	8	15	14	14	[illegible]	10	5	14	6	

40-9999 4.78 3.46 3.23 3.65 3.05 4.07 5.93 4.47 1.64 .60 8.31 1.85

(Signed) T. James Williams [P.T.O.

45·05

*See Instruction 2 (*f*) on other side.

1685

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at The Royal Naval College DARTMOUTH

in the County of DEVON

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 220 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·11	·19				·07					1
2				·45								·65	2
3						·72	TRACE				·003		3
4	1·55					·195			1·06		·23	·025	4
5												·5	5
6	·94			·4									6
7	·04		·03	·08			·19			1·02			7
8			·37		·34		·05		2·53	·1		·1	8
9					·02								9
10	1·54				·15	·06				·18		·5	10
11	·15			·89	·085		TRACE			·004			11
12	1·43				·57		·005			·15			12
13	·18				·135		·09	·7		·97		·14	13
14	·3												14
15	·05			·86	·39		·07			·002			15
16	·22											·64	16
17					·002					·09			17
18	·06				·5			·27	·11				18
19	·04				·19				·11	·64			19
20	·03				1·26				·21	1·63	·245		20
21			·05						1·63	·51			21
22				·37	·05				TRACE		·63		22
23					·04		·07			1·53			23
24					·02		·81			·02	·003		24
25			·5				·003		·12	·44	·22		25
26							·47			·54	·07		26
27			·76		·08		·11			·34			27
28			·17			Trace	·31		TRACE			·77	28
29			·89	·925	·2	·78	TRACE	·73	·49		·11		29
30		×	·11			2·46	·28		·65	·94	1·755	·7	30
31		×	·14	×	·165	×			×	TRACE	×		31 49·7~~9~~ 7
TOTAL	6·53	NIL	3·13	4.16 ~~17~~ ~~[illegible]~~	4·~~197~~ 20	4·~~216~~ 21	2·~~458~~ 46	1·77	6·91	9·~~106~~ 11	3·~~266~~ 27	4.02 ~~03~~ ~~[illegible]~~	YEAR'S TOTAL ~~[illegible]~~
*Days with ·01 in. or more.	~~1~~	/	~~1~~	/	~~3~~	/	/	/	/	~~1~~	/	/	
*Days with ·04 in. or more.	~~13~~	/	~~9~~	/	~~14~~	~~5~~	~~11~~	/	/	~~14~~	~~7~~	/	

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No 1685

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at The Royal Naval College DARTMOUTH
in the County of DEVON

Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 220 ft.

D

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in	
1	·5	1·05	·12			·35				·22	·025	2·04	1
2	1·19	·035	1·35	~~·49~~	·49	·58						·31	2
3		·15	·25	~~·04~~	·04								3
4		·14		~~·13~~	·13								4
5		·67	·42	~~·14~~	·14								5
6				~~·4~~	·4		·22			·08			6
7		·08					·05			·11			7
8		·07			·04		·7						8
9		·03			·015	·13				·24			9
10	·003	·26					·11			·4			10
11							·05			·002			11
12				·22	·04	·19	·19		·32			·045	12
13							·445	·33					13
14	·66						·63				·54		14
15			·49				·38			·08	·96		15
16			1·17					·72					16
17		·03	·225	·68					·34				17
18	·25		·66			·15							18
19	·36								·13		·56	·015	19
20						·24			·26				20
21					·001	·04		·2	·03				21
22						·56			·97	·25			22
23		·68		1·44		·12			·94	·53			23
24		·64				·002				·003			24
25		1·32							·2				25
26													26
27					·135				·115		·11	·8	27
28	·08	·03					·27			·29			28
29	·115						·11						29
30	·556	×											30
31		×	·07	×	·08	×			×		×		31
TOTAL	3·714	5·185	4·755	2·34	1·511	2·362	3·155	1·25	3·305	2·205	2·195	3·21	YEAR'S TOTAL 35·18~~7~~ 9
*Days with ·01 in. or more.	—	16	10	—	10	9	11	—	9	9	5	—	
*Days with .04 in. or more.	—	16	10	—	10	9	11	—	8	9	5	—	

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) W. L. Prichard

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1685

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at THE ROYAL NAVAL COLLEGE DARTNOUTH.

in the County of DEVON.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 220 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		—	·05	—	—	·05	—	·65	—	—	·24	2·04		1
2		—	—	—	—	—	—	·03	—	·03	·04			2
3		—	—	—	—	—	—	—	—	·51		·63		3
4	·94	—	·35	—	·32	—	—	—	—	·075	·08	·35		4
5		—	·08	—	·66	·13	—	—	—	—	—	·76		5
6		—	·83	—	—	—	—	·76	—	·87	·39	·76		6
7		—	—	—	—	—	—	·07	—		·01	1·05		7
8	—	—	—	·2	·09	—	—	—	·11	—	·84			8
9	·04	—	·33	—	—	—	—	—	1·25	—	·47	·49		9
10	·14	·03		·05	—	—	·05	·16		—	·02	·09		10
11	·71	—	·45	·74	—	—	—	—	—	—	—	·58		11
12	·06	—	—	·52	—	—	·02	—	—	—	—	·21		12
13	1·45	—	—	—	—	—	·03	·105	—		·52	·195		13
14		—	·5	·42	—	—	—	—	—	·08	·21	·4		14
15	·15	—	·19	—	·15	—	—	—	—	·17	·08			15
16	·35	—	·55		—	—	—	—	—	·07	—	·775		16
17	·52	—			·003	—	—	—	·115	·015	—	·64		17
18	·08	—	·73		—	·04	—	—	·255	—	—	·61		18
19	—	—	·125	1·29	—	—	—	—	·27	—	—	·27		19
20		—	—		·003	—	·05	·08	·08		—	·38		20
21	·315	—	·285		—	·45		—	·056	·72	—	—		21
22	·04	—	·15		—	·04	·13	—		—	—			22
23	·185	·065	—		—	1·16	—	—	·88	·08	—	·83		23
24	—	—	—		—		·01	—	·17	·003	—			24
25	·25	—	—		—	·07	—	—	—	·39	—			25
26	·07	·07	—	·76	—	·09	—	—	·38	—	—			26
27	—	—	—		—	·06	—	·98	·145	·09	·025	3·31		27
28	—	—	—		—	—	—	—	·19	—	·015			28
29	—	—	—		—	—	—	—	·36	—	—			29
30	—	X	—	—	—	—	·04	—	—	·02	—			30
31	—	X	—	X	—	X	·14	—	X	—	X	·005		31
TOTAL	5·30	·165	4·62	3·98	1·26	2·09	·47	2·835	4·261	3·123	2·94	14·375	Year's Total. 45·41~~9~~ 2	
* Days with .01 in. or more.	~~—~~	~~1~~	~~—~~	~~—~~	~~2~~	~~—~~	~~3~~	~~1~~	~~—~~	~~3~~	~~4~~	~~1~~	~~4~~	
* Days with .04 in. or more.	~~15~~	~~2~~	~~13~~	~~1~~	~~4~~	~~10~~	~~6~~	~~7~~	~~14~~	~~11~~	~~9~~	~~29~~	~~120~~	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) D. L. Prichard.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1685

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at the Royal Naval College DARTMOUTH
in the County of DEVON
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 220 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		·	·02			·403			·18	·205	·17	·44		1
2			·65				·03		·97	·48	·09	·13		2
3			·17		·625	·376				·315		·08		3
4		·14				·24				·075	·06	·4		4
5		·23		·06	·04	·16				·13	·03	·03		5
6				·94		1·43					·1	·26		6
7	·02					·062				·5	·3	·03		7
8				·56						·11	·66			8
9				·87		·03		·07		·99	·27			9
10	·015		·52							·06		·02		10
11	·26	·075	·04			·053					·65			11
12		·235				·56		·095	·14		·54			12
13		·22				·82			·13	·08	·13			13
14		·11		·23		·16			·355	·105	·93	·41		14
15		·34		2·18		·018				·065	1·19			15
16		·08	·46		·02	·813			·713			·04		16
17					·91			·02	·06					17
18		·09			·52	·614			·68	·105	·03	·41		18
19		·062				·16	·34		·215	·1	·54			19
20		·61			·14	·035			·015		·11			20
21		·91	·015				·03		·14	·04				21
22		·068	·02			·005		·93						22
23		·905	·1	·005	·02				·015	·35		4·39		23
24	·05				·232				·73	·04				24
25		·53			·783	·278								25
26		·595				·08			·305					26
27		·15							·11	·02	·09			27
28	·035								·69		·11			28
29					·035			1·85		·06	·1			29
30		×				·108			·11	·38	·9		d	30
31		×		×		×		·1	×	·82	×			31
TOTAL	·38	5·35	1·995	4·845	3·325	6·405	·4	3·065	5·558	5·03	7·0	6·64	Year's Total. 49·993	
* Days with .01 in. or more.	~~5~~	~~17~~	~~9~~	~~/~~	~~10~~	~~20~~	~~3~~	~~/~~	~~/~~	~~21~~	~~23~~	~~/~~		
* Days with .04 in. or more.	~~2~~	~~17~~	~~6~~	~~/~~	~~7~~	~~17~~	~~1~~	~~/~~	~~/~~	~~20~~	~~21~~	~~/~~		

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) W. L. Pritchard (Bursar)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1685

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at The Royal Naval College Dartmouth

in the County of DEVON

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 220 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·74	·04		·32	·03	·28	·365	·105	1·32		·04	·015		1
2				·27		·06	·16				·12			2
3			·04	1·28			·08				·13	·015		3
4			·21			·06	·1				·1	·13		4
5		·21	·05								·44	·145		5
6	·23		·025			·015	·21	·07			1·425			6
7	·27		1·3				·16	·14						7
8	·68						·58			·05	·02			8
9	·38	·93	·28				·37				·125			9
10	·09	·58					·045	·02	·6		1·45			10
11	·85	·05		·01		·07	1·0				·03	·1		11
12			·05		·32	·04					·165	1·03		12
13	·10		·03				·25	·01		·09	·54			13
14		·01				·09	·93		·06			·46		14
15					·03				·19		·215	·68		15
16		·12			·215		·36				·03	·35		16
17	·14	·49					·085			·135		1·35		17
18	1·12	·29	·12			·07	·59				·01	·17		18
19			·55	·33		·165		·155	·69					19
20	·16	·26	·38	·08			·05							20
21	·02	·45	·13	·61			·165			·03				21
22	·28	·31					·38							22
23	·035			·26	·57		·32							23
24	·57	·02	·14	·03					·2			·06		24
25			·63	·15						·11	·025			25
26	·54	·1	·12		·01	·335				·91				26
27	1·69		·06				·31			·16				27
28			·96			·015				·05	·71	1·05		28
29	·02	·04					·025			·115				29
30	·29	×	·01			·33								30
31	·2	×	·79	×	·08	×	·04		×		×			31
TOTAL	8·465	4·2	5·875	3·34	1·255	1·51	6·605	·5	3·06	1·65	5·605	5·855	Year's Total. 47·92	
* Days with .01 in. or more.	23	16	22	10	9	13	25	6	—	1	20	—		
* Days with .04 in. or more.	20	14	18	8	6	11	23	4	—	9	13	—		

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. L. Prichard (Curator)

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1685

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at THE ROYAL NAVAL COLLEGE DARTMOUTH

in the County of DEVON

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 220 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·075		·47						·06		·73		1
2	·3	1·665	·14	·215						·06				2
3		·175			·12	·005				·04				3
4		1·3	·06	·02			·035		·18					4
5				·12			·275					·72		5
6	·93	1·95		·24	·06		·33					·28		6
7			1·63	·03	·015	·06					·025	·24		7
8		·025		·265			·095					·11		8
9		·015	·085		·93		·11							9
10		·01	·68		·11	·52			·44			·68		10
11	·03	·33	·16	1·12	·765	·05	·11	·005						11
12	1·04	·01	·15		·015	·31	·045					·47		12
13				·25				1·16						13
14			1·34		·085		1·175	·3	·055			·025		14
15	·3	·285	·26	·74					·125			·185		15
16	1·16	·145	·23	·015			·09	·035	·195		·52			16
17		·08	·37					·075	·85		1·12			17
18	·04	·09	·21			·215			·003		·16			18
19	·16	·13		·355	·13						·13	·74		19
20	·62			·235	·15				·095			·55		20
21	·81	·59	·26		·305						·11			21
22	·24	·44	·04			·36	·035		·41	·06	·26			22
23	·775				·61		·08		·17	·675	·47			23
24		·46	·04				·07			·98				24
25		·64	·5	·03	·04				·04	·14				25
26		·465			·05				·02			·62		26
27	·09									·395				27
28	·49	·27								·15	·02			28
29	·2					·02				·215	·14			29
30	·8	✕									·47			30
31		✕		✕		✕			✕	·615	✕		d	31
TOTAL	7·985	9·15	6·185	4·105	3·385	1·54	2·45	1·575	2·583	3·39	3·425	4·75	Year's Total 50·523	
* Days with .01 in. or more.	/	24	/	16	16	7	13	5	/	12	12	15	"	
* Days with .04 in. or more.	/	20	19	11	14	6	10	3	/	12	10	14	"	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) D. L. Prichard
(Curator).

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1685

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at The R. N. College, Dartmouth,
in the County of Devon
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level 220 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		·07			·005	·34	·53	·21				·04		1
2				·02	·15		·39			·67	·01	·24		2
3								1·83	·08	1·08	·57			3
4	·28					·002	·07	·84		·21	·055	·37		4
5	·1					·105	·08			·36	·03			5
6						·035	1·115			·18		·26		6
7	·6					·025	·175		·57	·11		·05		7
8						·025	·03	·02				·01		8
9		·045								·48		·75		9
10	·22						·04							10
11	·3	·015					·06				·34	·93		11
12	·76				·32		·05			·61				12
13	·25				·3					·39	·85	1·08		13
14	·93				·415		·7					·02		14
15	1·29										·15	·15		15
16		·015	·105							·47	·295			16
17	·285	·36			·1			·83		·42	·02			17
18	·015								·73	·08	·26			18
19	·015					·01								19
20	·1								·56		1·06	·15		20
21									·015		·27	~~·47~~		21
22						·03			·06	·03	·54			22
23	·035										·05			23
24			·095	·11						·02	·69			24
25	·135	·49			·09		·47	1·89		·135	1·96	·12		25
26	·275				·52	·085	·11		·06	·09				26
27	·11	·49			·09	·38	·64				·51			27
28	·17	·23			·68				·08	·36	·015	·37		28
29							·03		·2		·74			29
30	·3	✕			·025		·04		·15		·255			30
31	·28	✕		✕	·27	✕			✕	·32	✕			31
TOTAL	6·45	1·715	·2	·13	2·965	1·037	4·53	5·62	2·505	6·015	8·67	4·54	Year's Total 44·377	44·38
* Days with .01 in. or more.	—	9	2	2	13	8	17	—	—	21	23	—		
* Days with .04 in. or more.	—	7	2	2	12	4	13	—	—	18	19	—		

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) W. L. Pritchard [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 1685

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at THE ROYAL NAVAL COLLEGE DARTMOUTH

in the County of DEVON

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 220 ft.

Dec. + annual totals corr'd for arit.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·19		·02	·37	·04				1·02		·73	·2		1
2								·185			·02	·46		2
3			·02	·615			·06	·085			·25			3
4	·61		·74	·095	·43		·36		·02	·35	1·48	·18		4
5				·18			·53	·075		·365				5
6	·52		·08	·12			1·31	·08		·3	·64			6
7	·09	1·03	≠				·06	·665		1·49	·5	1·16		7
8		·29			·03		·1				·26	·23		8
9	·03	·04						·265		·15	·1	·38		9
10	·34		·038					·455		·15	·005			10
11		·075	·035	·345						·41	·02	·02		11
12									·015	·15				12
13	·095				·055	·185	·65		·11	1·53	·075			13
14	1·47					·035	·25		·035	·08	·38	·02		14
15					·065	1·09	·73				·255	·215		15
16	·215				·015						·235			16
17	·76	·075		·13	·03	·22	·27							17
18	·225	·005					·51				·58	·15		18
19	·54		·02				·4	1·8				·21		19
20	·75					·19	·58				·54			20
21	·79	·18	·04			1·08	·185							21
22		·345	·13			·39	·19		·03					22
23			·02			·78					1·95			23
24	1·04		·275	·09			·19							24
25	·37	·23	·001	·025			·17			·62	1·58			25
26						·12				·07				26
27		·38		·03		·015	·07	·18			·245			27
28	·015	·07		·25		·08	·55			·74	·38			28
29		✕		·43		·02	·72				·15			29
30		✕	·02							·34	·2			30
31		✕		✕		✕	·02	·08	✕	·47	✕	·12		31
TOTAL	8·05	2·72	1·439	2·68	·665	4·205	7·305	3·27	1·23	6·615	10·575	3.345 ~~3·45~~	Year's Total ~~52·209~~	52.10
* Days with .01 in. or more.	16	12	13	12	8	14	24	11	7	17	24	13	171	"d"
* Days with .04 in. or more.	16	12	6	10	4	11	21	11	3	16	21	10	141	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) W. L. Pritchard (Curator) [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1685 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at THE ROYAL NAVAL COLLEGE, DARTMOUTH
in the County of DEVON
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 220 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following —

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·02									·14			1
2		·44	·	·42			·025			·15	2·11	·09		2
3	·32			·005			·075					·31		3
4		·75		·06						·325	·17	·07		4
5	·02	·79								·62	·51	·33		5
6	·39	·02			·16		·03				·025	·35		6
7		·02							·	·02		·52		7
8		·03					·04		·03	·44	·29			8
9							·59	·045	·025 ~~·045~~	·24	·45	·21		9
10							·11		·	·05		·51		10
11			·02	·065			·05				1·84	·05		11
12			·235			·06	·17		·44	·425	·08			12
13			·54				·015				1·52	·25		13
14		·005	·04	·02	·255				·26	·12	·02	·77		14
15		·07	1·84				·16			·075	·51			15
16		1·015					·05		·065	·29	·66	·04		16
17		·91	·33				·08		·68					17
18	·17		·15	1·54			·02			·115	·005	·065		18
19		·03	·01				·34			·1	·65			19
20			·075						·17		·13			20
21					·09			·04	~~·44~~	·03	·725	·005		21
22		·002	·26	·21		·53					·02	·63		22
23				·025	·02		·03			·09	·04			23
24			·46	·02	·03		·37							24
25	·22				·71	·02	·02							25
26	·54	·7				·04					·015			26
27	1·14	·2		·18	·67									27
28		·17	·025											28
29	·51	·13	·37	2·025						·025				29
30	·11	✕	·03	·06						·61		1·69		30
31	·03	✕		✕		✕			✕	·91	✕			31
TOTAL	3·45	5·302	4·385	4·63	1·935	·65	2·175	·085	1·67	4·635	10·66	5·89	Year's Total 45·467	
* Days with .01 in. or more.														
* Days with .04 in. or more.														"d"

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(*Signed*) W. E. Pritchard [P.T.O.

1686

Section **A** for the entry of I
AIR MINISTRY

1686

GREENWAY GARDENS
1931–37

78○06

COPY FOR OFFICIAL USE.
ALL ORGANIZATION.

FORM 1090.

REGIST

3/ .

Kept at Greenway Ga
in the County of Dev

Tully
nway Gardens
Nr Brixham
Devon

Diameter of Funnel of Gauge
Height of top of Gauge above Ground
,, Ground ,, Sea Le

THE MORNING MEASU **DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
0.26

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.15	0.83	0.26	0.44		0.09		0.10		0.09			1
2				1.37					0.41	0.02			2
3	0.81			0.63			0.09		0.31			0.53	3
4	0.31		0.83					0.09	0.15		1.88	0.27	4
5			0.34		0.13		0.39		0.07	0.03	0.04	0.03	5
6		0.36	0.99			0.36	0.06	0.11			0.06	0.40	6
7		0.08		0.10	0.07	0.28			0.07	0.30	0.17	0.39	7
8		0.02			0.32	0.47	0.90	0.35		0.09	1.09	0.10	8
9		0.27		0.15		0.53	0.07				0.29	0.05	9
10		0.38				0.18	0.17				0.85		10
11		0.03			0.05	0.06	0.04		0.10		0.57		11
12	0.16	0.66				022	0.03		0.07		0.27		12
13		0.16					0.47			0.12			13
14		0.03	0.05		0.06	0.02	0.41	0.11					14
15		0.02			0.03	0.13	1.02	0.12			0.37		15
16		0.10			0.16			0.15				0.08	16
17		0.13				0.88		0.31	0.17				17
18		0.02					0.25		0.03				18
19				0.06		0.42	0.04	166			0.30		19
20	0.05	0.09	0.06			0.21		0.09	0.05		0.84		20
21	0.01	0.18	0.47					0.43			0.23		21
22	0.40				0.25					0.08	0.04		22
23	0.91		0.09	0.28	0.43						0.02		23
24	0.31			0.13	0.95			0.22			0.72		24
25	0.09			1.15	0.13	0.06	0.98	0.57			0.05		25
26	0.10	0.02		0.15	0.06		0.19				0.57		26
27	0.01			0.09			0.33				0.50		27
28	0.26	0.28			0.19		0.28				0.12		28
29	0.06		0.19		0.03			0.29				0.10	29
30	0.01	×	0.15		0.08		0.15	0.50			0.14		30
31	0.08	×		×	0.05	×		0.02	×		×		31 46.49
TOTAL	·83 ~~3.73~~ 4.40	·26 ~~3.86~~ 3.29	·44 ~~3.43~~ 3.61	– ~~4.55~~ 4.11	·09 ~~2.09~~ 2.18	– 3.91 3.82	·10 ~~5.87~~ 5.97	– ~~5.12~~ 5.02	·09 ~~1.43~~ 1.52	– ~~0.73~~ 0.64	– 9.12	·26 ~~1.95~~ 2.21	YEAR'S TOTAL ~~46.38~~
*Days with ·01 in. or more.	~~16~~	~~18~~	~~10~~	~~11~~ 10	~~16~~ 17	~~14~~ 13	~~19~~ 18	~~15~~ 16	~~11~~ 12	~~6~~	~~21~~	~~10~~	~~166~~
*Days with ·04 in. or more.	13	12	10	~~11~~ 10	~~15~~ 16	~~13~~ 12	18 ~~17~~	14 ~~15~~	10 ~~9~~	3 ~~4~~	20	9 ~~8~~	147

40-9999

(Signed) H. Tully.

*See Instruction 2 (*f*) on other side.

P.T.O.

1686

Section **A** for the entry of

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193/ .

Kept at Greenway Gardens

in the County of Devon.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 9 in.

,, Ground ,, Sea Level — ft.

?WD Mr. H. Tully
Greenway Gardens
Nr. Brixham
Devon

corr for WD.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following 0.26

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.15	0.83	0.26	0.44		0.09		0.10		0.09			1
2				1.37					0.41	0.02			2
3	0.81			0.63			0.09		0.31			0.53	3
4	0.31		0.83					0.09	0.15		1.88	0.27	4
5			0.34		0.13		0.39		0.07	0.03	0.04	0.03	5
6		0.36	0.99			0.36	0.06	0.11			0.06	0.40	6
7		0.08		0.10	0.07	0.28			0.07	0.30	0.17	0.39	7
8		0.02			0.32	0.47	0.90	0.35		0.09	1.09	0.10	8
9		0.27		0.15		0.53	0.07				0.29	0.05	9
10		0.38				0.18	0.17				0.85		10
11		0.03			0.05	0.06	0.04		0.10		0.57		11
12	0.16	0.66				022	0.03		0.07		0.27		12
13		0.16					0.47			0.12			13
14		0.03	0.05		0.06	0.02	0.41	0.11					14
15		0.02			0.03	0.13	1.02	0.12			0.37		15
16		0.10			0.16			0.15				0.08	16
17		0.13				0.88		0.31	0.17				17
18		0.02					0.25		0.03				18
19				0.06		0.42	0.04	166			0.30		19
20	0.03	0.09	0.06			0.21		0.09	0.05		0.84		20
21	0.01	0.18	0.47					0.43			0.23		21
22	0.40				0.25					0.08	0.04		22
23	0.91		0.09	0.28	0.43						0.02		23
24	0.31			0.13	0.95			0.22			0.72		24
25	0.09			1.15	0.13	0.06	0.98	0.57			0.05		25
26	0.10	0.02		0.15	0.06		0.19				0.57		26
27	0.01			0.09			0.33				0.50		27
28	0.26	0.28			0.19		0.28				0.12		28
29	0.06		0.19		0.03			0.29				0.10	29
30	0.01	×	0.15		0.08		0.15	0.50			0.14		30
31	0.08	×		×	0.05	×		0.02	×		×		31 46.49
TOTAL	·83 ~~3.72~~ 4·40	·26 3.86 3·29	·44 ~~3.43~~ 3·61	– ~~4.55~~ 4·11	·09 ~~2.69~~ 2·78	– 3.91 3·82	·10 ~~5.87~~ 5·97	– ~~5.12~~ 5·02	·09 ~~1.43~~ 1·52	– ~~0.73~~ 0·64	– 9.12	·26 ~~1.95~~ 2·21	YEAR'S TOTAL ~~46.38~~
*Days with ·01 in. or more.	~~16~~	~~18~~	~~10~~	~~11~~ 10	~~16~~ 17	~~11~~ 13	19 ~~18~~	15 ~~16~~	11 ~~10~~	6 ~~7~~	~~21~~	10 ~~9~~	~~166~~
*Days with ·04 in. or more.	13	12	10	~~11~~ 10	~~15~~ 16	~~13~~ 12	18 ~~17~~	14 ~~15~~	10 ~~9~~	3 ~~4~~	20	9 ~~8~~	147

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) H. Tully.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1686

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Greenway Gardens

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. 9 in.

,, Ground ,, Sea Level — ft.

Greenway Gardens
Nr. Brixham
S. Devon
SD

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following 0.90

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.26			0.46	0.07	0.25	2.58			0.80		1.51	1
2	0.05			0.26			0.02	0.04			0.03		2
3	0.08		0.13	0.51				0.02	0.35			0.54	3
4	0.03								0.40		0.03		4
5	0.04					0.33	003	0.06			0.29		5
6	0.86		002						0.21				6
7	0.87			0.41			0.12		0.50				7
8	0.07			0.05	0.32				1.02	1.29			8
9			0.34	0.17	0.14				0.40	0.01			9
10	1.14			0.26									10
11	0.47			0.39	0.09	0.07			0.07	0.23		0.04	11
12	0.15			0.04	0.07		0.03		0.03	0.04		062	12
13	1.49				0.58		0.05			0.12		0.12	13
14	0.25			0.37	0.12		0.10	0.68		1.08	0.02	048	14
15	0.34				0.36					0.04		0.03	15
16	0.07			0.14	0.08		0.08					0.08	16
17	0.23			0.16									17
18	0.05			0.08	0.06					0.06			18
19	0.07				0.53				0.06		0.15		19
20				0.17	0.26				0.11	054			20
21				0.16	025		0.03	0.13		1.53	0.10	014	21
22	0.04		0.08	0.10				0.15	0.22	0.64	0.09	040	22
23				0.02	0.03		0.06	0.28	1.40	0.75	0.42		23
24					0.04		0.12		0.05	0.96	0.03	0.19	24
25		0.04			0.04		0.69		0.12	0.02	0.04		25
26			0.63				0.26		0.03	0.38	0.21		26
27			0.28	0.15			0.47			0.06			27
28			064	0.68	0.09		0.15			0.34	0.05	0.35	28
29			024	0.09	0.05		0.12					0.11	29
30		✕	0.79	0.08	0.12	0.85	0.02	0.53	0.56	0.74	0.18	0.39	30
31		✕	0.02 0.46	0.07 ✕	0.02	2.58 ✕			0.80 ✕	009	1.51 ✕	0.90	31 49.38
TOTAL	30 6.56	0.04 ✓	3.63 X.XX	4.36 X.XX	0.25 4.50	3.73 X.XX	2.35 X.XX	1.89 ✓	6.32 X.XX	8.72 X.XX	3.15 X.XX	4.39 X.XX	YEAR'S TOTAL XX.XX
*Days with ·01 in. or more.	~~14~~ 18	1 ✓	~~10~~ 11	21 ✓	20 ✓	4 ✓	~~17~~ 16	8 ✓	~~16~~ 17	~~20~~ 19	~~13~~ 14	14 ✓	163 ✓
*Days with .04 in. or more.	14 ✓	1 ✓	~~8~~ 9	~~21~~ 20	18 ✓	4 ✓	~~12~~ 11	7 ✓	~~13~~ 14	~~18~~ 17	~~8~~ 10	13 ✓	~~142~~ 141

40-9999

*See Instruction 2 (*f*) on other side,

(Signed) H. Tully

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1686

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Grunway Gadners
in the County of Devon
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ...... ft 9 in.
,, Ground ,, Sea Level x ft.

Circ Dv. sent 23:2:34.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.90	0.65	0.08	0.24		0.21				0.19	0.04		1
2	0.38	0.94	0.21		0.11	0.13					0.03	2.09	2
3	0.87	0.04	1.53		0.64	0.63						0.19	3
4	0.01	0.07	0.24		0.04								4
5	0.27	0.12			0.15								5
6	0.04	0.01	0.46							0.06			6
7	0.01	0.68			0.29		0.31			0.11			7
8		0.03			0.20		0.07			0.04		0.04	8
9		0.04			0.04		0.13						9
10		0.04				0.15	0.54			0.39	0.03		10
11		0.30			0.02		0.19			0.40			11
12	0.07			0.05			0.05	0.37		0.02			12
13				0.23	0.05	0.23	0.34	0.08	0.04			0.05	13
14	0.04						0.21			0.10			14
15	0.08						0.75	0.08			0.45		15
16	0.57		0.59				0.34	0.10		0.06	1.35		16
17			0.18			0.04		0.02					17
18		0.06				0.05		0.26	0.28				18
19	0.22		0.50								0.05		19
20	0.47		0.20						0.07		0.56	0.03	20
21						0.61		0.17	0.21				21
22						0.05		0.08		0.28			22
23				0.25		0.12		0.26	1.09	0.03			23
24		1.07		0.42		0.12			0.20				24
25		0.51		0.43					0.40	0.03			25
26		1.09		0.19		0.03			0.74			0.23	26
27		0.47		0.19	0.15							0.03	27
28		0.03		0.03					0.01	0.17	0.04	0.45	28
29				0.61			0.29			0.11		0.10	29
30	0.07	×					0.06		0.12			0.03	30
31	0.10	×		×		×	0.02		×		×	0.07	31 36.67
TOTAL	4.10	6.15	3 ~~4~~.99	2.64	1.69	2.3~~8~~7	3.30	1.42	3.5~~6~~1	1.99	2.55 ~~1.55~~	3.31	YEAR'S TOTAL ~~37.28~~
*Days with ·01 in. or more.	15	17	9	10	10	12	13	9	10	14	8	11	138
*Days with .04 in. or more.	13	14	9	9	9	11	12	8	9	11	6	8	119

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) H. Tully (Grunway)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1686

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Greenway Gardens

in the County of Devon

Diameter of Funnel of Gauge 9 in.

Height of top of Gauge above Ground — ft — in.

,, Ground ,, Sea Level — ft.

H. Tully
Greenway Gardens
Nr. Brixham
S. Devon

WD

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following 0.02

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1						0.02			0.19	0.25				1
2	0.07		0.05			0.06		0.89	0.04		0.25	1.34		2
3	0.23							0.01	1.05		0.03	0.31		3
4	0.10									0.45		0.62		4
5	0.25		0.32	0.02	0.36					0.10	0.03	0.44		5
6			0.14		0.25	0.16		0.85		0.04		0.76		6
7			0.71	0.15	0.48				0.20	0.52	0.34	0.62		7
8	0.18							0.08		0.23	0.01	1.04		8
9					0.13				0.03		0.77	0.30		9
10			0.50	0.03							0.45	0.19		10
11	0.20	0.04	0.30	0.81			0.10	0.14				0.05		11
12	0.79		0.16	0.60								0.79		12
13	0.19						0.03	0.15				0.26		13
14	0.67			0.46			0.03				0.63	0.23		14
15	0.48		0.56	0.02						0.05	0.17	0.37		15
16	0.18		0.17	0.01	0.12					0.17	0.08	0.26		16
17	0.35		0.57						0.13			0.41		17
18	0.46		0.30	0.22	0.13				0.10	0.07		0.58		18
19	0.16		0.35	0.41		0.06			0.18	0.02		0.67		19
20			0.12	0.39		0.04		0.05	0.08			0.32		20
21				0.19			0.09		0.03	0.02		0.05		21
22			0.24	0.02		0.20	0.07	0.03	0.01	0.69		0.29		22
23			0.08				0.19	0.15	0.41	0.01		0.41		23
24	0.15		0.02	0.33		0.89			0.40	0.07		0.58		24
25		0.06	0.02	0.11		0.29	0.06	0.22		0.07		0.03		25
26	0.41	0.06		0.29		0.12				0.47		1.16		26
27	0.06			0.10		0.12			0.32	0.05		0.15		27
28				0.03		0.06		0.03	0.15	0.07	0.03	0.38		28
29								0.58	0.22	0.01	0.04	1.04		29
30		×							0.05			0.05		30
31		×		×	+.02	×	0.04	0.16 +.19	× +.25		×	0.59 +.02		31
TOTAL	4.93	0.16	4.81	4.19	1.4~~7~~ 9	2.0~~1~~ 0	0.61	3.~~34~~ 53	~~3.40~~ 3.65	~~3.36~~ 3.11	2.83	14.~~29~~ .31	Year's Total ~~[illegible]~~	45.62
*Days with ·01 in. or more.	17	3	17	18	~~8~~ 7	1~~1~~ 0	8	1~~3~~ 4	17	1~~9~~ 8	12	3~~0~~ 1	~~17X~~ 2	
*Days with ·04 in. or more.	17	3	15	12	6	10	6	1~~0~~ 1	14	1~~5~~ 4	8	30	~~226~~ 146	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) H. Tully

[P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations.

Station No. 1086

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Greenway Gardens

in the County of Devon

Diameter of Funnel of Gauge (9) 5 in.

Height of top of Gauge above Ground – ft 9 in.

,, Ground ,, Sea Level - ft.

H. Tully
Greenway Gardens
Nr. Brixham
S. Devon

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following 0.33

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0.02		0.03				0.11		0.11	0.02	0.80	1.07		1
2	0.02		0.70			0.35	0.02		0.13	0.09	0.14	0.15		2
3			0.05			0.15	0.02			0.46	0.02	0.11		3
4			0.11		0.66	0.26			0.05	0.49	0.05	0.05		4
5		0.11	0.01	0.07		0.36				0.10	0.07	0.32		5
6		0.19	0.02	0.15		0.13			0.28	0.05	0.09	0.07		6
7				0.44		1.30					0.07	0.22		7
8				0.46		0.06				0.61	0.26	0.04		8
9				0.67				0.02	0.19	0.12	0.70	0.01		9
10		0.01		0.79		0.01				0.85	0.39			10
11	0.05		0.39			0.07				0.03	0.02	0.03		11
12		0.07		0.05		0.60			0.18		0.58	0.03		12
13		0.34				0.72		0.13	0.11		0.44			13
14		0.09		0.14		0.12			0.04	0.03	0.15			14
15		0.15		0.10		0.04			0.27	0.07	0.87	0.29		15
16		0.16		0.82	0.05	0.13			0.12	0.03	0.20	0.03		16
17			0.27	0.48		0.46			0.65		0.94	0.02		17
18		0.10		0.03	0.80	0.53	0.02		0.11		0.02			18
19		0.13		0.61		0.02		0.04	0.78	0.07	0.06	0.35		19
20		0.05		0.01	0.35	0.12	0.27		0.20	0.05	0.69	0.02		20
21		0.49		0.17	0.17	0.03			0.02	0.02	0.09			21
22		0.90	0.02	0.14		0.02			0.02	0.04	0.01			22
23				0.05					0.09	0.03				23
24	0.01	0.18	0.05					0.31	0.03	0.32		0.69		24
25	0.06	0.99			0.31			0.59	0.60	0.03		0.14		25
26	0.13	0.36			0.59	0.22		0.02				0.85		26
27		0.95				0.10		0.32	0.22		0.02	0.19		27
28		0.13							0.15		0.10	0.58		28
29								0.04	0.15	0.02	0.05	0.09		29
30		X			0.02			0.04	0.66	0.05	0.09	0.83		30
31	–	X .03	–	X –	–	X .11	–	1.03 .11	X .02	0.33 .80	X 1.07	1.04 .33		31
TOTAL	.27 ~~0.29~~	5.03 ~~5.00~~	1.62 ~~1.65~~	5.18	2.95	5.91 ~~5.80~~	.33 ~~0.44~~	2.65 ~~2.54~~	5.04 ~~5.13~~	4.69 ~~3.91~~	7.19 ~~6.92~~	6.48 ~~7.22~~	Year's Total. ~~47.03~~	47.34
* Days with .01 in. or more.	5 ~~8~~	~~18~~ 19	9 ~~10~~	17	8	23 ~~22~~	4 ~~5~~	11 ~~10~~	23	23	26	24	192 ~~202~~	
* Days with .04 in. or more.	3	17	6	15	7	19 ~~18~~	12	9 ~~8~~	19 ~~20~~	16 ~~15~~	21	18	~~149~~	151

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) H. Tully

[P.T.O.

COPY FOR OFFICIAL USE 3 10191/34

Section **A** for the entry of Daily Observations

Station No. 1686

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Greenway Gardens

in the County of Devon

Diameter of Funnel of Gauge 9 5 in.

Height of top of Gauge above Ground -0- ft. 9 in.

,, Ground ,, Sea Level — ft.

H. Tully
Greenway Garden
N. Brixham
S Devon

W.D.

Days

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following 0.69

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0.33	0.17	0.05	0.73		0.02	0.93	0.11						1
2	0.10			0.32		0.25	0.08				0.03	0.03		2
3	0.13			0.32		0.03	0.59	0.07	0.14		0.14			3
4	0.03		0.05	1.31			0.03		0.58		0.12	0.02		4
5			0.25		0.04	0.06			0.26		0.10	0.06		5
6	0.54	0.22	0.05				0.12	0.05	0.06					6
7	0.20		0.05				0.15	0.10	0.55		0.69	0.11		7
8	0.30		0.62				0.10		0.02		0.45	0.03		8
9	0.67		0.80				0.56		0.03	0.04	0.87			9
10	0.45	1.10	0.30				0.26		0.10		0.03			10
11	0.26	0.65	0.01				0.04				0.22			11
12	0.82	0.05				0.14	0.06	0.04	0.06		1.31	0.09		12
13	0.06		0.05		0.94	0.02	0.63		0.37	0.10	0.02	0.02		13
14	0.20						0.16			0.03	0.14	1.07		14
15		0.03				0.08	0.87		0.13		0.02	0.71		15
16					0.05				0.19		0.50			16
17		0.17			0.22		0.30		0.02		0.20	0.66		17
18	0.07	1.03		0.25	0.04		0.13			0.08	0.02	1.30		18
19	0.45	0.25	0.18			0.09	0.71	0.02						19
20	0.95			0.20		0.10	0.03	0.14						20
21	0.20	0.35	0.29	0.12		0.09	0.03		0.59					21
22	0.04	0.58	0.04	0.57			0.11			0.03				22
23	0.21	0.19	0.12				0.59					0.09		23
24	0.01	0.03		0.31	0.19		0.30			0.12				24
25	0.87	0.03	0.18	0.69	0.50		0.01		0.15	0.37				25
26	0.17		0.69						0.03	0.32	0.02			26
27	0.39	0.09	0.13			0.12				0.12				27
28	0.45		0.05				0.40		0.04	0.06				28
29			0.95			0.02						0.39		29
30	0.06	×	0.12							0.09	0.13	0.03		30
31	0.30 .17	× .05	0.02	×	.02	× .23	.11		×	0.03	×	.69		31
TOTAL	~~[illegible]~~ 7.80	~~[illegible]~~ 4.82	~~[illegible]~~ 5.68	~~[illegible]~~ 4.09	~~[illegible]~~ 2.00	~~[illegible]~~ 1.23	~~[illegible]~~ 6.37	~~0.33~~ .42	3.32	1.39	4.95	~~[illegible]~~ 5.30	Year's Total ~~47.07~~ 47.37	
* Days with .01 in. or more.	26	15	21	9	8	12	24	6	17	12	18	16	183	
* Days with .04 in. or more.	24	11	19	9	7	9	20	5	13	9	12	10	148	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) H. Tully

[P.T.O.

1686

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1937.

At Greenway

In the County of Devon

Rain Gauge { Diameter of Funnel.........in.
Height of Top above Ground.........ft.........in.
Height of Ground above Sea Level.........ft.

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with 01 in. or more	Number of Days with ·04 in. or more
	Inches	Inches	Date	*	*
JAN.	9·14			24	21
FEB.	9·21			21	19
MAR.	7·45			22	17
APRIL	4·05			14	12
MAY	3·79			16	16
JUNE	1·69			7	6
JULY	2·36			9	8
AUG.	1·36			4	4
SEPT.	2·41			13	11
OCT.	3·24			11	10
NOV.	3·47			12	10
DEC.	4·95			17	15
TOTAL	53·11 2	✓		170 ✓	144 9

✓

Signature G. Hannaford

* See Instruction 3 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

....

Hour of observation by the clock—in Winter.........in Summer.........

Nearest Railway Station......... Distance......... Direction from gauge.........

Nearest Parish Church at......... Distance......... Direction from gauge.........

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move......... Distance......... Direction.........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(*a*) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17, 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91.
S.O. Code No. 40-9999

1687/5
S. Devon/

1687/5
BRIXHAM
1933 — 40
780306

FORM 1090. **B** Mont
Sum

*** The following register of monthly
&c., is NOT required if daily or
values are given on the other sid

ion and also the space for

his register should be sent:—

RAINFALL IN 1933

At Brixham
In the County of Devon

am in Summer 10. am
tance 1 mile Direction from gauge N

Nearest Parish Church at tance ½ mile Direction from gauge W

Rain Gauge
Diameter of Funnel 8 in.
Height of Top above Ground — *ft* 10 *in.*
Height of Ground above Sea Level 164 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	2·78				
FEB.	4·89				
MAR.	3·83				
APRIL	1·86				
MAY	1·26				
JUNE	1·66				
JULY	2·47				
AUG.	·93				
SEPT.	3·46				
OCT.	1·25				
NOV.	1·45				
DEC.	2·88	1·97	3rd/4th		
Total	28·72				

Part D OK paint

Nature of objects nearest to gauge	Small hut			
Heights of objects	12'			
Distances ..	20'			
Directions from gauge ..	S.			

If gauge has been moved during the year state—

Date of move — Distance — Direction —

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:— —

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Signature f.p. The Torbay Paint Co Ltd.
Works Manager.

XTORBAY PAINT CO. LTD.X
C1933

*See Instruction 2 (*f*) below.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

D N

FORM 1090. **B** Mon Sum Particulars of Station.

1687/5
S Devon/

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1934

At X Brixham X

In the County of Devon

Rain Gauge
Diameter of Funnel 84 in.
Height of Top above Ground — *ft.* 10 *in.* X
Height of Ground above Sea Level 164 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	2·78				
FEB.	4·89				
MAR.	3·83				
APRIL	1·86				
MAY	1·26				
JUNE	1·66				
JULY	2·47				
AUG.	·93				
SEPT.	3·46				
OCT.	1·25				
NOV.	1·45				
DEC.	2·88	1·97	3rd/4th		
Total	28·72	Prt OK print			

Signature f.p. The Torbay Paint Co Ltd.,
E R Stevens
Works Manager.

X TORBAY PAINT CO. LTD. X
C1933

*See Instruction 2 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:— The Torbay Paint Co Ltd.,
Brixham. Devon

Hour of observation by the clock in Winter 9. am in Summer 10. am
on the 1st each month.

Nearest Railway Station Brixham Distance 1 mile Direction from gauge N

Nearest Parish Church at " Distance ½ mile Direction from gauge W

Nature of objects nearest to gauge	Small hut			
Heights of objects	12'			
Distances	20'			
Directions from gauge	S.			

If gauge has been moved during the year state—

Date of move — Distance — Direction —

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

D N

FORM 1090.

168/5

B Monthly Summary.

, The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1934

At Brixham

In the County of Devon

Rain Gauge:
Diameter of Funnel 8¼ in.
Height of Top above Ground — *ft.* 10 *in.*
Height of Ground above Sea Level 164 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	3.39				
FEB.	0.12				
MAR.	3.48				
APRIL	3.53				
MAY	1.04				
JUNE	1.52				
JULY	0.37				
AUG.	2.72				
SEPT.	3.18				
OCT.	2.48				
NOV.	2.32				
DEC.	11.76				
Total	35.91 ✓				

Signature pp. The Torbay Paint Co Ltd.,
E R Stevens
Works Manager.

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
Torbay Paint Co Ltd.,
Brixham. Devon

Hour of observation by the clock—in Winter 9. am, in Summer 10. am on 1st of each month.

Nearest Railway Station Brixham Distance 1 Direction from gauge N

Nearest Parish Church at " Distance ½ Direction from gauge W

Nature of objects nearest to gauge	Small Hut			
Heights of objects	12'			
Distances ..	20'			
Directions from gauge ..	S			

If gauge has been moved during the year state—

Date of move — Distance — Direction —

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as* ·01 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{l}17\\18\end{array}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02, *or* 0·3.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

M.O.
JAN 1935

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1687/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at BRIXHAM

in the County of DEVON

Diameter of Funnel of Gauge 8¼ in.

Height of top of Gauge above Ground — ft. 10 in.

,, Ground ,, Sea Level 164 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in	in.	in.	in.	in.	in.	in.	†	
1										·22				1
2									·36					2
3			·63			·3								3
4									·24					4
5														5
6		·24												6
7				·88	·61	1·69				·73				7
8														8
9										1·52		·8		9
10				1·26										10
11						·31			·43					11
12								·06			1·96			12
13						1·01			·24					13
14				·23										14
15						·09			·					15
16	·22								·30					16
17						·51						·26		17
18			·67			·43			·56		2·72			18
19								·05						19
20														20
21					1·35	·09					·62			21
22														22
23				1·8			·37		·85					23
24										·56		·24		24
25		3·24												25
26		·56					~~70~~	·70						26
27	·22				·61									27
28		·14					~~31~~	·31						28
29		X												29
30		✕				·44			1·33		1·05			30
31		✕	·07	✕	·12	✕	··	·75	✕	1·16	✕	3·9	d	31
TOTAL	·44	4·18	1·37	4·47	2·69	4·87	·37	1·87	4·31	4·19	6·35	5·2	Year's Total 40·01	
* Days with .01 in. or more.													—	
* Days with .04 in. or more.													—	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) p.p. E. G. R. Sterzo
R Widdicombe

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 16875

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at BRIXHAM

in the County of DEVON

Diameter of Funnel of Gauge 8¼" in.

Height of top of Gauge above Ground — ft. 10 in.

,, Ground ,, Sea Level 164 ft.

no appeal for Aug. ? Estimate a better value

[illegible] posted [illegible] must

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4														4
5			0·25						0·91					5
6														6
7				2·34			0·83							7
8						0·48			0·43					8
9	1·76													9
10			1·36											10
11											2·25			11
12											1·12			12
13							1·19							13
14							0·11	·25						14
15					0·32									15
16							0·9							16
17														17
18												4·17		18
19		2·58									0·62			19
20							1·06							20
21		0·25		0·75					1·16					21
22	2·42					0·43	0·2							22
23														23
24			1·19	0·31			0·73							24
25					0·76									25
26														26
27		·77												27
28				0·14			0·26							28
29	2·4	0·03												29
30		×				0·25	·11		0·16		0·10			30
31	0·4	×	1·51	×	0·05	×	~~0·36~~	0·02	×	1·0	×	1·25		31
TOTAL	6·98	3·63	4·31	3·54	1·13	1·16	5·39 ~~5·64~~	·27 ~~·02~~	2·66	1·0	4·09	5·42	Year's Total 39·58	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) FOR THE TORBAY PAINT CO. LTD.

E. G. [illegible]

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 1687/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at BRIXHAM.
in the County of DEVON
Diameter of Funnel of Gauge 8¼ in.
Height of top of Gauge above Ground ft. 10" in.
,, Ground ,, Sea Level 164 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1														1
2														2
3		1·65												3
4														4
5														5
6												0·68		6
7				1·03										7
8		2·80												8
9												0·50		9
10														10
11			2·58											11
12				1·43										12
13	1·76				2·04		0·80							13
14						0·52								14
15														15
16			1·80									1·08		16
17								1·57	1·79		1·19			17
18														18
19				0·67										19
20														20
21	2·39					0·28								21
22			0·78	0·40										22
23						0·35								23
24	0·75		0·06		1·11									24
25		2·13								1·75				25
26														26
27														27
28		0·98			0·15									28
29			0·71						0·51					29
30		✕		NIL.		NIL			0·01		2·0			30
31	1·53	✕	NIL.	✕	NIL	✕	NIL.	0·10	✕	1·46	✕	1·02		31
TOTAL	6·43	7·56	5·93	3·53	3·3	1·15	0·80	1·67	2·31	3·21	3·19	3·28	Year's Total 42·36	✓
* Days with .01 in. or more.														
* Days with .04 in. or more.														

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(*Signed*) J. J. Pearce

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1687/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at BRIXHAM

in the County of DEVON

Diameter of Funnel of Gauge 8¼ in.

Height of top of Gauge above Ground — ft. 10 in.

,, Ground ,, Sea Level 164 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1												0·03		1
2											0·01	0·26		2
3											0·48			3
4								4·51			—	0·28		4
5											—	-		5
6										1·98	0·03	0·15		6
7											0·02	0·05		7
8											—	-		8
9											—	0·72		9
10											—			10
11											0·35	1·08		11
12												0·03		12
13											0·81	1·06		13
14	2·13						1·72				—	—		14
15							0·72				0·14	0·14		15
16											—			16
17	1·86										0·40			17
18		0·38									0·28			18
19					1·03									19
20											1·10			20
21														21
22											0·26			22
23														23
24											0·45			24
25											1·83			25
26														26
27											0·41	0·15		27
28		2·02									—			28
29		X	0·13								0·63	0·02		29
30		✕		0·08		0·81			2·30		0·17			30
31	1·20	✕	—	✕	1·45	✕	1·44	1·97	✕	2·71	✕	0·31		31
TOTAL	5·19	2·40	0·13	0·08	2·48	0·81	3·88	6·48	2·30	4·69	7·37	4·28	Year's Total 40·09	✓
* Days with .01 in. or more.														
* Days with .04 in. or more.														

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) pp S. J. Plaice

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1687/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at BRIXHAM

in the County of DEVON

Diameter of Funnel of Gauge 8¼ in.

Height of top of Gauge above Ground – ft. 10 in.

,, Ground ,, Sea Level 164 ft.

September & annual totals amended for arithmetic

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·04	–	0·03		0·02	–	–	Trace	0·17		0·49	0·1		1
2	0·12		Trace	0·35	–	–	Trace	0·15	0·68		0·02			2
3	0·46		0·02	0·58	Trace	–	0·09	0·1	Trace		0·19	0·3		3
4	Trace			0·08	0·35	–	0·44	0·2				0·11		4
5	–		0·69	0·23	–	–	0·36				1·59	Trace		5
6	0·43		0·11	0·11	–	–	0·99			0·81	0·19	–		6
7			Trace	–	–	–	0·04	0·08			0·39	0·77		7
8	0·06		Trace	–	–	–	0·06	0·03			0·34	0·15		8
9	0·02		Trace	–	–	–	–	0·36			0·04			9
10	0·2		0·01	–	–	–	–	0·08	0·09		Trace	0·25		10
11	–			–	–	–	–	–				Trace		11
12	–	0·91	0·06	Trace	–	–	–	–			Trace	–		12
13	–	–	–	0·55		0·1	0·55	–			0·03	–		13
14		–	–	–	0·05	0·02	0·33	–			0·3	–		14
15		–	–		0·06	0·81		–			0·14	0·06		15
16	1·7	–	–	0·12	Trace	Trace	0·3	–	0·1		0·08	–		16
17	0·43	–	–	–	0·02		0·34	–			Trace	–		17
18	Trace			–	–	0·14	0·22	–				0·14		18
19	0·49	Trace	0·03	–	–	0·05	0·66			3·78	0·33	0·18		19
20	0·68	–	–	–	–	0·15	0·4	0·72			–	0·03		20
21		0·21	0·02	–	–	1·2	0·19	–			–	–		21
22	0·54	0·41	0·14	–	–	0·39		–	0·02		0·28	–		22
23	0·02	–	0·03		–	Trace	0·24	Trace	–		1·52	–		23
24	1·0	–	0·2		–		0·14	Trace	–		–	–		24
25	0·29		–		–	0·76	0·3		–			–		25
26	Trace	0·11	–	0·22	–	–	Trace	0·14	–		0·91	–		26
27	–	0·31	–	Trace	–	Trace	0·05	–	–		0·19	–		27
28	–	0·03	–	Trace	–	0·06	0·35	–	–		0·17	–		28
29	–	✕	Trace		–	0·04		–	–	0·78	0·04			29
30	–	✕	0·02	0·43	–	–	0·15	0·18	–	0·36	0·08			30
31	–	✕	Trace	✕	–	✕	0·01	0·12	✕	0·44	✕	0·01		31
TOTAL	6·48	1·98	1·36	2·27	0·5	3·72	6·21	2·16	1·06 ~~0·38~~	6·17	7·32	2·10	Year's Total ~~40·65~~	41·33
* Days with .01 in. or more.													″	
* Days with .04 in. or more.													″	d.

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) L. A. D. Widdicombe.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1687/5.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN ~~193~~ 1940

Kept at Brixham

in the County of Devon

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground – ft. 10 in.

,, Ground ,, Sea Level 164 ft.

Acc. Days

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	0·02	–	–	0·02	–	–	–	–	–	0·14	–		1
2	–	0·47	–	0·32	–	–	0·04	–	–	–	✗	0·11		2
3	0·3	✗	–	Trace	–	–	–	–	–	0·16	1·42	0·17		3
4	Trace	0·65	–	0·03	–	–	0·03	–	–	✗	0·14	0·02		4
5	0·04	–	–	–	–	–	–	–	–	–	0·46	0·18		5
6	✗	0·62	–	–	0·05	–	✓	–	–	0·67	0·04	0·26		6
7	0·28	–	–	–	–	–	✓	–	–	0·05	–	✓		7
8	–	0·02	–	–	–	–	✓	–	0·08	0·50	0·32	0·26		8
9	–	Trace	–	–	–	–	✗	Trace	0·02	0·21	✗	0·07		9
10	–	–	–	–	–	–	0·80	Trace	–	–	0·45	0·35		10
11	–	–	Trace	Trace	–	–	0·70	–	–	–	1·41	0·01		11
12	–	–	0·17	–	–	0·04	✓	–	0·36	–	0·07	–		12
13	–	–	0·46	–	–	–	–	–		0·44	1·41	0·28		13
14	–	Snow 0·02	–	Trace	0·32	–	0·03	–		0·15	0·02	✗		14
15	–	Snow 0·04	–	0·08	–	✓	0·11	–		0·10	0·44	0·48		15
16	Snow, 0·03	0·83	✗	0·07	–	0·03	0·04	–		0·36	✗	0·03		16
17	–	✗	1·27	Trace	–	–	0·09	–		–	0·67	–		17
18	Snow 0·06	0·71	0·23	1·07	–	–	0·01	Trace		–	Trace	0·04		18
19	–	0·05	0·14	✗	–	–	✗	–		–	0·47	–		19
20	–	Trace	Trace	✓	–	–	✓	–		0·16	0·09	–		20
21	–	–	–	0·15	0·25	–	0·30	Trace		0·16	0·67	–		21
22	–	0·03	0·08	0·15	Trace	✗	Trace	–		Trace	0·02	–		22
23	–	Trace	✗	Trace	–	0·61	0·05	–		0·03	✓	–		23
24	–	–	✓	–	✗	–	0·28	–		–	0·01	–		24
25	0·14	–	0·58	–	✗	0·01	–	–		–	–	–		25
26	0·37	0·56	–	–	0·59	Trace	✗	–		–	Trace	–		26
27	✗	0·12	–	✗	0·52	–	–	–		–	Trace	–		27
28	1·13	0·22	–	0·17	–	–	0·08	–		0·03	–	✓		28
29	Sleet 0·25	0·09	0·28	2·00	–	–	–	–	0·73	–	–	0·23		29
30	0·27	✕	✓	0·02	–	Trace	–	–	–	0·54	–	✗		30
31	0·01	✕	0·03	✕	–	✕	–	–	✕	0·70	✕	1·36		31
TOTAL	2·88	4·45	3·24	4·06	1·75	0·69	2·56	Trace	1·19	4·26	8·25	3·85	Year's Total 37·18	
* Days with .01 in. or more.	13	17	13	12	8	4	18	–	4	16	21	19	145	
* Days with .04 in. or more.	11	12	11	9	7	2	11	–	3	14	18	13	111	

† Spare column, no entries required.

(*Signed*) Widdicombe

[P.T.O.

* See Instruction 3 (f) on other side.

1688

Section **A** for the entry

AIR MINIST

COPY FOR OFFICIAL USE.

RAINFALL ORGANIZATION.

FORM 1090.

REGIS

193 1.

Kept at Combe Bank

in the County of S.

Diameter of Funnel of Gauge

Height of top of Gauge above Gro

,, Ground ,, Sea

THE MORNING MEAS **OUS DAY.**

An observer who does not conform *1st of the following*
year in the space on the right of *leaf.*

Jan. 1, following

1688

BRIXHAM - COMBE BANK

1931 - 1940

780306

1936/38

~~with Dean Co~~

~~→ [illegible]~~

3/7

Date	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.							in.	in.	in.	
1									29	·02			1
2	·61	·01	T						36	T		·44	2
3	·24		·8						7		1·80	·15	3
4			·2						0	T	·03	T	4
5		·42	·3								·04	·30	5
6		·03	T						9	·27	·16	·40	6
7		·02								·08	·49	·09	7
8		·19								·01	·22	·04	8
9		·22								·01	·63	T	9
10	·01	·02			·04	·07	·02	·01	·13		·46		10
11	·10	·58			T	·16	·07		·07		·25		11
12	·06	·12			·01		·24		·09	·06	·01		12
13		·01	·02		·04		·19	·11		·03			13
14	T	·02	T		·01	·25	1·10	·19	T		·33		14
15	·01	·07			·13			·14				·09	15
16		·06		·02	·06	·81	·01	·16	·13			·01	16
17	02	·02			T		·18	T	·04		·34		17
18	T		T	·06		·34	·05	1·54			·49		18
19	·01	·08	·04	·02		·26		·05	·10		·20		19
20	·01	·07	·40					·24			·03		20
21	·32	·01	·01		·17			·01		·12	·01		21
22	·76	T	·06	·19	·11						·61		22
23	·29		T	·11	·95		·04	·10		T	·07		23
24	·09	·01	·01	·95	·14	·04	·96	·63			·32		24
25	·06			·20	·03		·18				·53		25
26		·02	T	·09			·28				·07		26
27	·22	·14		·01	·13		·14			·01			27
28	·03	·18	·14	·02	·02		·01	·21				·07	28
29	·02		·10		·15		·08	·46			·12	·07	29
30	·06	×	·01		·02		·01	·02	·07	·01			30
31	·63	×	·30	×	·13	×	·06	T	×	T	×	·12	31
TOTAL	3·55	2·30	2·54	3·47	2·53	3·65	4·36	4·32	1·74	·52	7·21	1·78	YEAR'S TOTAL 37·97
*Days with ·01 in. or more.	19	21	13	17	20	13	23	19	12	10	22	11	200
*Days with ·04 in. or more.	12	10	9	10	15	12	17	13	12	4	18	10	143

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Harold Clayton

[P.T.O.

1688

Section **A** for the entry

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Combe Bank Brixham

in the County of S. Devon

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 6' ft 6" in.

,, Ground ,, Sea Level 115 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·83			T	·02	·29	·02			1
2	·61	·01	T	·73		·01			·36	T		·44	2
3	·24		·83	·01			·03	·09	·17		1·80	·15	3
4			·23		·07		·34	·01	·10	T	·03	T	4
5		·42	·39	·02	·03	·34	·02	·02			·04	·30	5
6		·03	T	·07	·04	·19			·19	·27	·16	·40	6
7		·02			·25	·49	·17	·31		·08	·49	·09	7
8		·19		·13		·53	·06	T		·01	·22	·04	8
9		·22		·01		·16	·12			·01	·63	T	9
10	·01	·02			·04	·07	·02	·01	·13		·46		10
11	·10	·58			T	·16	·07		·07		·25		11
12	·06	·12			·01		·24		·09	·06	·01		12
13		·01	·02		·04		·19	·11		·03			13
14	T	·02	T		·01	·25	1·10	·19	T		·33		14
15	·01	·07			·13			·14				·09	15
16		·06		·02	·06	·81	·01	·16	·13			·01	16
17	02	·02			T		·18	T	·04		·34		17
18	T		T	·06		·34	·05	1·54			·49		18
19	·01	·08	·04	·02		·26		·05	·10		·20		19
20	·01	·07	·40					·24			·03		20
21	·32	·01	·01		·17			·01		·12	·01		21
22	·76	T	·06	·19	·11						·61		22
23	·29		T	·11	·95		·04	·10		T	·07		23
24	·09	·01	·01	·95	·14	·04	·96	·63			·32		24
25	·06			·20	·03		·18				·53		25
26		·02	T	·09			·28				·07		26
27	·22	·14		·01	·13		·14			·01			27
28	·03	·18	·14	·02	·02		·01	·21				·07	28
29	·02		·10		·15		·08	·46			·12	·07	29
30	·06	×	·01		·02		·01	·02	·07	·01			30
31	·63	×	·30	×	·13	×	·06	T	×	T	×	·12	31
TOTAL	3·55	2·30	2·54	3·47	2·53	3·65	4·36	4·32	1·74	·52	7·21	1·78	YEAR'S TOTAL 37·97
*Days with ·01 in. or more.	19	21	13	17	20	13	23	19	12	10	22	11	200
*Days with ·04 in. or more.	12	11	9	10	15	12	17	13	12	4	18	10	143

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Harold Clayton

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1688

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193~~3~~2

Kept at Combe Bank Brixham

in the County of S. Devon

Diameter of Funnel of Gauge 5' in.

Height of top of Gauge above Ground 6' ft 6" in.

,, Ground ,, Sea Level 115 ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01		·08	·16	T	T	·03	·05			·02	·01	1
2	·01			·54			·05	T	·11		T	·34	2
3	·02			·01		·65	·01		·44	·02	·02	·03	3
4	·02					·20	T	·04	T		·29		4
5	·56		·02						·17				5
6	·72		·02	·25	·03		·11		·44				6
7	·03		T	·05	·29		T		·65	·89			7
8	·06		·20	·10	·14				·69	·04	·02		8
9	·85	T		·20	·01								9
10	·52			·31	·05	·03			·02	·22	T	·01	10
11	·12			·05	·09				·03	·01		·23	11
12	1·14			·01	·44		·03		T	·14		·04	12
13	·19			·40	·10		·11	·76		·93		·48	13
14	·33			·01	·52			·01		·03		·01	14
15	·04			·11	·09		·04			·02		·02	15
16	·25			·10	·01		·01					T	16
17	·02			·53	·01				T	·08			17
18	·01				·44				·04		·15		18
19	·01			·10	·22				·10	·30	T		19
20			·01	·22	1·23		·01	·08		1·31	·07	·24	20
21	·02		·08	·05	·01			·24	·20	·44	·02	·30	21
22				T	·01		·02	·14	1·45	·71	·28	·05	22
23				T	·13		·07	·02	·05	·64	·02	·17	23
24		·01			·02		·71		·09	·04	·03		24
25			·57	·01	T		·08		·02	·31	·15	·02	25
26			·22	·03			·20		T	·07	·01		26
27			·42	·56	·09		·08			·32	·01	·33	27
28			·15	·07	·05		·07			·01		·10	28
29			·82	·08	·26	·66	·01	·59	·44	·68	·07	·30	29
30		×	·05	·07	·02	2·28	·20		·68	·05	1·65	·01	30
31		×	·13	×		×	·01		×	T	×	·85	31
TOTAL	4·93	·01	2·77	3·57	4·43	3·82	1·85	1·93	5·62	7·26	2·81	3·54	YEAR'S TOTAL 42·54
*Days with ·01 in. or more.	20	1	13	24	23	5	19	9	17	22	15	19	187
*Days with .04 in. or more.	11	0	10	19	15	4	11	7	14	17	7	12	127

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) Sir Harold Clayton Bt.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1688

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1933.

Kept at COMBE BANK BRIKHAM.

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 5 ft. 6 in.

,, Ground ,, Sea Level 115 ft.

~~Days~~

Average for last 10 years 43·92"

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·24	·79	·11			·36				·02	·02	2·09		1
2	·70	·05	1·29		·43	·66						·15		2
3	·03	·04	·25		·02	T								3
4	·26	·07	·01		·12									4
5	·04	·01	·37		·08				·01	·01				5
6	·01	·57	T		·12		·09			·08				6
7	T	·06	T		·13		·05			·06		·02		7
8		·02			·02		·12			·03				8
9		·04			·01	·14	·41	·02		·17	·02			9
10		·28					·24			·36	·01			10
11	·02			·02		·03	·04	·26		·02				11
12	·01			·18	·04	·19	·25	·14	·46			·05		12
13					·02	·01	·25	·01	T	·04	·01			13
14	·06						·65	·08		·02	·45			14
15	·44		·37				·42	·03		·06	·59			15
16			1·10			·01	·01	·01	T	·02				16
17	·04	·09	·19			·01		·18	·27					17
18	·16	·01	·20			·03		·01	T		·05			18
19	·37		·13			·08		·04	·07	·01	·58			19
20						·33		·05	·17		·01	·02		20
21		T			T	T		·10	·05	·20				21
22				·23		·04		·23	·88	·03				22
23		·71		·32		·14			·27	·60				23
24		·61		·39		T			·26	·03				24
25		1·48		·20	·03	·01			1·31			·23		25
26		·33		·15	·15				T	·16		·01		26
27		·02		·02					·01	·21	·02	·44		27
28		·01		·46			·21					·10		28
29	·08			·02			T		·10			·04		29
30	·07	×	·04	T			·08		·17			·07		30
31	·45	×	·20	×	·03	×			×	·03	×			31
TOTAL	2·98	5·19	4·26	1·99	1·20	2·04	2·83	1·16	3·97	2·16	1·76	3·22	Year's Total 32	·76
*Days with ·01 in. or more.	16	18	12	10	13	14	13	13	13	20	10	11	163	
*Days with ·04 in. or more.	12	13	11	7	7	8	12	8	11	10	4	8	111	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) Harvee Clayton

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1688

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1934.

N 12 Lun R.

Kept at BRIXHAM

in the County of S. DEVON

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 6' ft 6" in.

,, Ground ,, Sea Level 115 ft.

Days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03		·04			·10		·66	·14		·22	1·29		1
2	·22		·02					·01	·98	·07	·01	·27		2
3	·06	T			T			T	T	·43		·50		3
4	·18		·25	·02	·29			·05	·07	·08	·63	·36		4
5			·06	·01	·13	·21		·73		·05	T	·73		5
6	·07		·71	·12	·35			T	·04	·48	·32	·74		6
7	·07			T				·09		·19	T	·98		7
8					·12				·03	T	·61	·29		8
9	·02		·33	·05	·01			T	·02		·46	·14		9
10	·11		·24	·49			·13	·06			·02	·08		10
11	·82		·17	·45								·49		11
12	·16		T	·01			·02	·07				·20		12
13	·54			·38			·02				·45	·32		13
14	·41		·42	·01						·03	·12	·32		14
15	·17		·14		·11					·21	·08	·29		15
16	·28		·58									·38		16
17	·37		·37	·25	·09				·31	·10		·64		17
18	·17		·23	·92	·01	·05			·02			·61		18
19	T		·16	·13		·05	·04	·05	·04	·01		·39		19
20			·03	·12			·14		·05	·01		·04		20
21			·24	·02		·12		·02		·64		·41		21
22	·02		·10	·02		·02		·16	·35	T		·32		22
23	·11		·01	·20		·68		·04	·42	·04		·34		23
24		·07	·02	·05		·19	·06	·07	·12	·02		·02		24
25	·22	·07		·24		·01				·35		1·09		25
26	·05		·02	·03		·06			·21	·03	·03	·13		26
27				T		·04		T	·14	·02	·01	·50		27
28						·02		·60	·23	T		1·11		28
29								·14	·07			·05		29
30	T	×					·03	·05	·23	T		·51		30
31		×		×	·03	×	·01	·16	×		×	T		31
TOTAL	4·08	·14	4·14	3·52	1·13	1·55	·45	2·96	3·47	2·76	2·36	13·54	Year's Total 40·10	
*Days with ·01 in. or more.	20	2	20	19	9	12	8	16	18	17	12	30	183	
*Days with ·04 in. or more.	17	2	15	12	6	9	4	14	15	11	7	29	141	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Sir Harold Clayton

[P.T.O.

FILE No 8/5097/28.

Section A

COPY FOR OFFICIAL USE

for the entry of Daily Observations.

Station No 1688

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935

Kept at Combe Bank BRIXHAM

in the County of S. DEVON

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 6' ft 6 in.

,, Ground ,, Sea Level 115 ft.

dup

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·12

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1			·62			·34	T		·15	·11	·13	·17		1
2			·05			·05	·01		·10	·52	·05	·08		2
3			·09		·58	·27			·16	·27	·11	·04		3
4	·02	·09	T	·03	·02	·29			·06	·08	·08	·40		4
5	·01	·10		·09		·10			·17	·05	·07	·02		5
6		·02	·01	·50		1·33			T	·01	·06	·21		6
7				·36		·13				·57	·31	·02		7
8				·59				T	·22	·21	·65			8
9				·70		·13			·01	·85	·25			9
10	·01		·29	·01		·03				·02	·02	·01		10
11	·19	·04	·03	·01		·45			·14		·58	·02		11
12	·01	·18				·71		·03	·11		·42			12
13	T	·15		·16		·11				·03	·20			13
14		·09		·13		·03			·07	·04	1·05	·22		14
15		·12		1·03	·02	·19			·26	·02	·34	·02		15
16		·08	·27	·24		·24			·61		·97	·01		16
17		T		·04	1·08	·48	·01	·06	·12		·02			17
18		·05		·55	T	·01			·62	·06	·04	·21		18
19		·06		·05	·24	·07	·32		·15	·06	·57			19
20		·47		·17	·26	·02	·03		·02		·12			20
21		·76	·01	·16		·01			·02	·02	T			21
22		·01		·03					·07	·01				22
23		·15	·05		·02			·19	·02	·33		·57		23
24	·03	·72			·28			·58	·54	·08		·14		24
25	·15	·35		·01	·31	·34		·02				·17		25
26	·02	·59			T	·06		·27	·22		·01	·89		26
27		·14	T					·07	·09	·01	·03	·49		27
28		·03						·01	·16	T	·01	·07		28
29		X			·01			·04	·42	·02	·07	·70		29
30	·01	X				·10		·96	·04	·30	·92	1·11		30
31		X		X	T	X		·11	X	·85	X	·27		31
TOTAL	·45	4·20	1·42	4·86	2·82	5·49	·37	2·34	4·55	4·52	7·08	5-84	Year's Total 43·94	
*Days with ·01 in. or more.	9	20	9	19	10	23	4	11	25	23	25	22	200 ✓	
*Days with .04 in. or more.	2	17	6	14	6	18	1	8	21	15	20	15	143 ✓	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Sir Harold Clayton Bt.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1688

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Totals

Kept at Combe Bank Brixham

in the County of S. Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 6 ft. 6 in.

,, Ground ,, Sea Level 115 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·12	·04		·33		·19	·30	T	T		·01	·01		1
2	·11			·16		·21	·22	·04	·04		·13			2
3	·02		·03	1·12		·01	·06		·45		·15	·01		3
4	·01		·24	·02	·01	·07			·18		·12	·05		4
5	·38	·19	·03				·08	·03	·02		·01	·16		5
6	·14		·03			·01	·09	·07	·52		·66			6
7	·21		·63				·19				·42	·03		7
8	·68		·64				·40		T	T	·71	·01		8
9	·41	·89	·25			·01	·14		·16		·03			9
10	·06	·47	T				·01		·01		·13	·01		10
11	·78	·04				·09	·08	·03	·08		1·30	·10		11
12	·04		·03		·33	·04	·44	T	·32		·01			12
13	·20		·04		·01		·15	·01		·05	·10	1·10		13
14	·01	·02			T	·04	·91		·11	·01	·03	·76		14
15		·01							·15		·31	·57		15
16		·10			·23		·34		·01		·17	·40		16
17	·04	·79		·01	·03		·24			·04	·03	1·11		17
18	·44	·23	·16			·15	·52	T				·14		18
19	·65	·01	·45	·12		·17	T	·09						19
20	·14	·26	·34	·08		·04	·08		·40			T		20
21	·06	·36	·06	·59		T	·13		T	·01				21
22	·26	·24	·13				·42					·06		22
23	·05	·01	·01	·29	·14		·35			·10				23
24	·48	·03	·13	·02	·41				·13	·33		·01		24
25	·13		·51	·13	·02				·01	·24				25
26	·36	·09	·18						·03	·10				26
27	·35	T	·05				·24			·19				27
28	1·39	T	·82	·01		·02	·01					·36		28
29	·02	·03	·08			T	·05			·05	·11	·04		29
30	·27	✕	·01			·27					T			30
31	·14	✕	·64	✕	·09	✕	·08		✕		✕	·59		31
TOTAL	7·95	3·81	5·49	2·88	1·27	1·32	5·5~~2~~3	·27	2·62	1·13	4·43	5·52	Year's Total 42·21	✓
* Days with .01 in. or more.	29	17	23	12	9	14	24	6	16	10	18	19	197	✓
* Days with .04 in. or more.	25	12	17	8	5	10	22	3	10	8	12	13	145	✓

† Spare column, no entries required.

*See Instruction 3 (f) on other side.

(*Signed*) Sir Harold Clayton

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1688

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at COMBE BANK BRIXHAM

in the County of DEVON

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 6 ft. 6 in.

,, Ground ,, Sea Level 115 ft.

FILE No 815097/28

Totals

Days

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·15	·06		·46					·01	·04	·01	·71		1
2	·02	1·53	·17	·19	·12				·11	·01				2
3	·02	·22	·03	·03	T		·03							3
4	·03	1·23	T									·61		4
5	·20			·09			·19					·04		5
6	·05	·91	1·04	·27	·04		·20					·15		6
7		·80	·25	·02		·07					·02	·23		7
8		·02			·88		·05					·13		8
9		T	·19	·24	·07		·05		·31	·01				9
10	·35		·68	·87	·02	·25		·02				·53		10
11	·03		·29	·37	·93	·04	·21							11
12	1·01	·24	·11	·02	·03	·16	·04	·79	·06			·48		12
13	T	·02	1·09	·15				·46	·21			·01		13
14			·01		·03		·54	·04	·10			·02		14
15	·26	·22	·26	·52				T	·17			·14		15
16	·04	·09	·26	·01			·05	·03	·74		·53			16
17	1·00	·08	·37						·04		·92			17
18	·02	·06	·20			·29			·05		·27	·07		18
19	·20	·03	·12	·20	·13				·07		·04	·04		19
20	·47	·02	·28	·19	·14							·54		20
21	·80	·42	·05	·01	·36				·31	·02	·13	·08		21
22	·22		·04		·56	·38	·06		·16	·85	·28	·21		22
23	·17	·38			·02		·04		·01	·12	·55	·04		23
24	·48	·36	·09						·05	·98		·03		24
25	·02	·72	·54	T	·06				·06	·19				25
26		·35	·02		·09				T	·02		·07		26
27	·07	·17								·51	·01			27
28	·26	·09								·13				28
29	·13	×								·23	·06			29
30	·38	×							·02	·01	·31			30
31	·56	×		×		×			×	·44	×			31
TOTAL	6·94	8·02	6·09	3·64	3·48	1·19	1·46	1·34	2·48	3·56	3·13	4·13	Year's Total 45·46	✓
* Days with .01 in. or more.	25	22	21	16	15	6	11	5	17	14	12	19	183	✓
* Days with .04 in. or more.	19	18	18	11	11	6	10	3	14	9	9	16	144	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) SIR HAROLD CLAYTON [P.T.O.

FILE No 815097/28

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1688

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at COMBE BANK BRIXHAM
in the County of S. DEVON
Diameter of Funnel of Gauge 5" in.
Height of top of Gauge above Ground 6' ft. 6" in.
" Ground " Sea Level 115 ft.

Total ✓ VR

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·10				·28	·12	·36	·07	·56		·07		1
2		·01					·22			·24		·25		2
3					·07		·01	2·08		·93	·46	·01		3
4						·02	·31	2·05		·16	·01	·24		4
5	·01						·04		·01	·21	T	·01		5
6	·20					·10	1·11		·01	·20	·02	·22		6
7	·16					·02	·14		·15	·04	·03	·05		7
8	·33						·02		·04	·44		·01		8
9	·25	T						T		·01		·70		9
10	·29					·07	·01					·47		10
11	·17	·01				T	·10	·03			·33	·63		11
12	·71				·33		·04			·26	·45	·02		12
13	·27				·31			T		·20	·51	1·04		13
14	·85				·14		·70					T		14
15	·43				·25		·01	T		·31	·15	·15		15
16	·62	·02	·05					·01		·02	·49	T		16
17		·22	·02		·16				·29	·33	·01	·03		17
18	·25				T	·01		·12	·20	·07	·26			18
19	·01							·21	·56		·76			19
20	T							·08	·01	·01	·27			20
21	·01							·01	·08		·31			21
22	·02			T		·03		·31	T	·01	·43	·02		22
23	T			·07				·02			·02			23
24			·06	·01	·01		·01		·06		·48			24
25	·14	·50			·09	·01	·45			·02	2·05	·02		25
26	·28	·34			·53	·06	·10			·19	·01	·09		26
27	·06	·01			·09	·25	·63	·41		·09	·34			27
28	·14	·19			·18	·07		·94	·07		·02	·01		28
29	·16				·49		T		·21	·32	·60	·01		29
30	·01	✕			·08		·02		·09		·22	·03		30
31	·24	✕		✕	·24	✕	T		✕	·25	✕	·30		31
TOTAL	5·61	1·40	·13	·08	2·97	·92	4·04	6·63	1·85	4·87	8·23	4·38	Year's Total 41·11	✓
* Days with .01 in. or more.	23	9	3	2	14	11	·18	13	14	22	23	22	174	✓
* Days with .04 in. or more.	18	5	2	1	13	6	12	9	11	17	16	12	122	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) SIR HAROLD CLAYTON [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 1688

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Combe Bank Brixham

in the County of S. Devon

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 6 ft. 6 in.

,, Ground ,, Sea Level 115 ft.

Jan, Feb totals corr'd for error

Days ✓

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·04		·03	·03	·02			·02	·15		·53	·11		1
2	·10			·38				·17	·72		·04	·04		2
3	·51		·04	·61			·12	·10	·04		·23	·34		3
4			·74	·09	·45		·47	·18	·04	·38	·08	·11		4
5			·04	·20			·44			·55	1·50	·01		5
6	·42		·10	·15	·01		1·30	·06		·31	·56			6
7	·01	·66					·08	·05			·53	·94		7
8	·02	·29			·03		·10	·03		1·40	·32	·17		8
9	·01	·01	·01					·17		·13	·05	·18		9
10	·25					T		·32	·01	·13	T	·09		10
11		·03	·06					T		·50	T	T		11
12		·01		·02					·02	·03	·01			12
13	·02			·16		·12	·78		·08	1·42	·05			13
14	1·14				·02	·06	·29		·01	·06	·32	·01		14
15	·30				·09	·94	·21				·20	·03		15
16	·32			·13	·01		·22				·09			16
17	·54	·03			·02	·12	·33				·01			17
18	·01	T	·03			·05	·28				·38	·12		18
19	·50					·07	·91	·06			·01	·20		19
20	·66					·17	·41	·66				·04		20
21	·01	·22	·02			1·18	·25	·01						21
22	·58	·40	·14			·43	·25		·01		·32			22
23	·01		·01	·12		·02	·03	T			1·64			23
24	1·08	·02	·22	·06		·77	·15				·01			24
25	·28	·12	·01	·02			·29	·05		·03	·60			25
26	T	·01				·01		·12		·05	·40			26
27		·41		·01		·02	·05			·02	·18			27
28		·03		·19		·09	·43				·21			28
29				·05		·08	·16			·64	·04			29
30		✕	·02	·25				·17		·29	·08			30
31		✕		✕		✕	·01	·12	✕	·50	✕		45·90	31
TOTAL	6·81 ~~6·72~~	2·24 ~~2·04~~	1·47	2·47	·65	4·11	7·56	2·29	1·08	6·44	8·39	2·39	Year's Total ~~45·59~~	✓
* Days with ·01 in. or more.	21	13	14	16	8	15	23	16	9	16	26	14	185	✓
* Days with ·04 in. or more.	14	6	7	12	2	12	21	13	5	13	22	11	138	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Harold Clayton

[P.T.O.

FILE No 815097/28

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations**

Station No. 1688

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at COMBEBANK BRIXHAM

in the County of S. DEVON

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 6 ft. 6 in.

,, Ground ,, Sea Level 115 ft.

Days ~~totals~~ Snow

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·05			·03						·18			1
2		·44		·36			·03				·55	·07		2
3	·29	·74		·02						·16	1·09	·22		3
4		·01		·03			·04			·24	·13	·03		4
5	·06						·08			·03	·61	·19		5
6	·28	·85			·04		·02			·53	·04	·28		6
7	·05	·02					·02			·04		·01		7
8		·01					·02		·07	·54	·32	·29		8
9		·01					·63	·03	·02	·23	·60	·06		9
10		·01					·17	·01		·02	·08	·35		10
11			·03	·05			·83				1·48	·02		11
12		·01	·21			·09	·03		·40		·12			12
13			·47	·02					·01	·51	1·35	·32		13
14		·01	·02	·03	·34		·01		·20	·24	·03	·71		14
15		·05		·01	·01	·07	·10		·07	·07	·49	·01		15
16		1·04	·74	·05			·04		·07	·38	·25	·03		16
17		·38	·77				·10			·01	·48			17
18		·36	·31	1·19			·02			·06	·01	·05		18
19		·06	·15	·16			·21	·02	·70	·02	·65			19
20		·01	·02	·02			·02			·11	·10			20
21		·01	T		·24				·08	·10	·80			21
22		·02	·07	·15		·63			·05	·02	·02			22
23		·01	·28	·02	·02		·04			·03	·01			23
24			·02	·01	·04		·34				·01			24
25	·32		·33	·03	·15	·02								25
26	·43	·69		·01	·34	·02	·03				·01			26
27	·37	·13	·02	·07	·59						·01			27
28	·69	·21	·02	·05	·01							·01		28
29	SNOW	·10	·34	2·18		·01				·04		·27		29
30	ICE	✕	·01	·05						·55		·35		30
31	·48	✕	·02	✕		✕			✕	·95	✕	1·03		31
TOTAL	2·97	5·23	3·83	4·51	1·81	·84	2·78	·06	1·67	4·97	9·42	4·30	Year's Total 42·39	
* Days with .01 in. or more.	11	~~12~~ 24	~~8~~ 18	~~10~~ 20	~~4~~ 11	63	~~9~~ 20	3	10 ~~2~~	22 ~~6~~	24 ~~6~~	19 ~~6~~	188	
* Days with .04 in. or more.	10	13	10	10	7	3	11	0	8	16	18	13	119	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Harold Clayton [P.T.O.

1689

1689
WADDETON COURT
1931 — 40

780306

Section A for the entry of Dail
AIR MINISTRY.—M
FORM 1090.
REGISTE

FOR OFFICIAL USE.
L ORGANIZATION.

Kept at Waddeton Court N.E. P
in the County of Devon
by Mr Alfred L. Goodpo
Diameter of Funnel of Gauge
Height of top of Gauge above Ground
,, Ground ,, Sea Level

THE MORNING MEASUREMENT

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	1.36	—	—	—	—	.37			—	1
2	.78	—	—	.59	—	—	—	—	.36	.2	—	.17	2
3	.35	—	.18	—	—	—	—	.9	.8	—	—	.20	3
4	—	—	.36	—	.10	—	.34	—	.5	.2	1.98	—	4
5	—	.50	.26	.2	—	.35	.8	—	—	—	.11	.40	5
6	—	.8	—	.7	.7	.25	—	—	—	.31	.12	.40	6
7	—	.1	—	—	.25	.36	1.08	.14	—	.6		.11	7
8	—	.18	—	.12	—	.63	.4	—	—	—	.95	.2	8
9	—	.32	—	—	—	.14	.11	—	—	—	.25	—	9
10	.1	.4	—	—	.3	.5	—	.2	.20	—	.57	—	10
11	.15	.62	—	—	—	.26	.12	—	.8	—	.24	—	11
12		.17	—	—	—	—	.22	—	.8	.11	—		12
13	—	.3	—	—	.4	—	.41	.9	—	.2	—	—	13
14	—	—	—	—	—	.13	1.05	.9	.1	—	.45	—	14
15	—	.9	—	—	.15	—	—	.23	—	—	—	.6	15
16	—	—	—	—	.09	.79	—	.17	.8	—	—	—	16
17	—	.20	—	—	—	—	—	—	.4	—	—	—	17
18	—	—	.3	.8	—	.29	.4	1.50	—	—	.29	—	18
19	.5	.8	.6	.2	—	.7	—	.15	—	—	.85	—	19
20	—	.11	.44	—	.15	—	—	.34	—	—	.25	—	20
21	.35	—	.6	—		—	—	—	—	.9	.4	—	21
22	.12	—	—	.9	.13	—	—	—	—	—	.78	—	22
23	.28	—	—	.15	.38	—	—	.19	—	—	—	—	23
24	.11	—	—	1.11	.11	.9	.87	.62	—	—	.7	—	24
25	.8	.1	—	.16	.6	—	.30	—	—	—	.41	—	25
26	—	.4	—	.6	—	—	.20	—	—	—	.51	—	26
27	.16	.20	—	—	.30	—	—	—	—	—	.8	—	27
28	.5	.22	.20	.2	.6	—	.21	.22	—	—	—	.09	28
29	.3		.9		.5	—	.4	.52	—	—	.16	.07	29
30	.8	×	—		.8	—	.6	—	.11	—	—	—	30
31	.71	×	.42	×	.17	×	.2	—	×	—	×	.16	41.91 31
TOTAL	4.01	2.90	3.36	3.85	2.62	3.41	5.21	4.37	1.46	.63	8.11	1.98	YEAR'S TOTAL ~~42.01~~
*Days with ·01 in. or more.	15	17	10	13	17	12	17	14	11	7	18	10	~~161~~
*Days with ·04 in. or more.	13	14	9	10	16	12	16	13	10	4	18	9	144

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) [P.T.O.

1689

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Waddeton Court N^r Brixham

in the County of Devon

by Mr Alfred L. Goodson Bt.

Diameter of Funnel of Gauge (in.

Height of top of Gauge above Ground ft in.

,, Ground ,, Sea Level 75 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	1.36	—	—	—	—	.37			—	1
2	.70		—	.59	—	—	—	—	.36	.2	—	.17	2
3	.33	—	.81	—	—	—	—	.9	.8	—	—	.20	3
4	—	—	.36	—	.10	—	.34	—	.5	.2	1.98	—	4
5	—	.50	.2	.2	—	.35	.8	—	—	—	.11	.40	5
6	—	.8	—	.7	.7	.25	—	—	—	.31	.12	.40	6
7	—	.1	—	—	.25	.36	1.08	.14	—	.6		.11	7
8	—	.18	—	.12	—	.63	.6	—	—	—	.95	.2	8
9	—	.32	—	—	—	.14	.11	—	—	—	.25	—	9
10	.1	.4	—	—	.3	.5	—	.2	.20	—	.57	—	10
11	.15	.62	—	—	—	.26	.12	—	.8	—	.24	—	11
12		.17	—	—	—	—	.22	—	.8	.11	—	—	12
13	—	.3	—	—	.4	—	.41	.9	—	.2	—	—	13
14	—	—	—	—	—	.13	1.05	.9	.1	—	.45	—	14
15	—	.9	—	—	.15	—	—	.23	—	—	—	.6	15
16	—	—	—	—	.09	.79	—	.17	.8	—	—	—	16
17	—	.20	—	—	—	—	—	—	.4	—	—	—	17
18	—	—	.3	.8	—	.29	.4	1.50	—	—	.29	—	18
19	.5	.8	.5	.2	—	.7	—	.15	—	—	.85	—	19
20	—	.11	.44	—	.15	—	—	.34	—	—	.25	—	20
21	.35	—	.6	—		—	—	—	—	.9	.4	—	21
22	.93	—	—	.9	.13	—	—	—	—	—	.78	—	22
23	.28	—	—	.18	.89	—	—	.19	—	—	[illegible]	—	23
24	.11	—	—	1.11	.11	.9	.87	.62	—		.7	—	24
25	.6	.1	—	.16	.6	—	.30	—	—	—	.41	—	25
26	—	.4	—	.6	—	—	.20	—	—	—	.51	—	26
27	.16	.20	—	—	.20	—	—	—	—	—	.8	—	27
28	.5	.22	.20	.2	.6	—	.21	.22	—	—	—	.09	28
29	.3		.9		.5	—	.4	.52	—	—	.16	.07	29
30	.8	✕	—		.8	—	.6	—	.11	—	—	—	30
31	.71	✕	.42	✕	.17	✕	.2	~~—~~	✕	—	✕	.16	41.91 31
TOTAL	4.01	2.90	3.36	3.85	2.62	3.41	5.21	4.37	1.46	.63	8.11	1.98	YEAR'S TOTAL ~~42.01~~
*Days with ·01 in. or more.	15	17	10	13	17	12	17	14	11	7	18	10	~~161~~
*Days with ·04 in. or more.	13	14	9	10	16	12	16	13	10	4	18	9	144

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) A. [illegible] [P.T.O.

1689

59 25

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Waddeton Court Nr Brixham
in the County of Devon
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground — ft 12 in.
,, Ground ,, Sea Level 175 ft.

Year [illegible]

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·2	—	—	·22	—	—	·4	·3	—		—	—	1
2	·5	—	—	·56	—	—	·2	—	·19	—	—	·36	2
3	·2	—	·14	—	—	·63	—	—	·41	—	·3	—	3
4	—	—	—	—	—	·25	—	·6	—	—	—	·3	4
5	·76	—	·1	—	—	—	—	—	·6	—	—	—	5
6	·72	—	·2	·28	—	—	·12	—	·56	—	—	—	6
7	·2	—	—	·6	·28	—	—	—	·95	150	·1	—	7
8	·4	—	·31	·9	·13	—	—	—	—	·4	—	—	8
9	1·13	—		·27	—	—	—	—	—	—	—	—	9
10	·46	—	—	·33	·11	·4	—		·37	·21	—	—	10
11	·19	—	—	·5	·8	—	—	—	·4	·3	—	·65	11
12	1·38	—		—	·50	—	·4	—	—	·9	—	·9	12
13	·18	—	—	·34	·9		·10	·65	—	·98	—	·50	13
14	·34	—	—	·1	·37	—	—	—	—	·3	—	·1	14
15	·6	—	—	·17	8	—	—	—	—	·1	—	·3	15
16	·22	—	—	·15	—	—	—	—	—	—	—	—	16
17	·2	—		·4	—	—	—	—	—	·6	—	—	17
18	·2	—		—	·44	—	—	—	·4	—	·14	—	18
19	·1	—		·13	·22	—	—	—	·11	·40	—	—	19
20	—	—		·18	1·16	—	·7	·13	—	140	·9	·16	20
21	·3	—	·8	·5	—	—	—	·21	·21	·63	·5	·25	21
22	—	—	—	—	·2	—	·10	·39	136	·68	·38	·6	22
23	—	—	—	—	·6	—	·4	—	·6	·68	—	·40	23
24	—	—	—	—	·2	—	·64	—	·2	·2	·2	—	24
25	—	—	·10	—	—	—	·7	—	·3	·34	·29	—	25
26	—	—	·35	·10	—	—	·17	—	·3	·6	·3	—	26
27	—	—	·35	·67	·9	—	·14	—	—	·33	·1	·14	27
28	—	—	·29	·9	·5	—	·7	—	—	—	—	·7	28
29	—	—	·79	·9	·11	·68	—	·41	·55	·65	·18	·45	29
30	—	×	·4	·9	·1	2·60	·18	—	·93	·10	162	·1	30
31	—	×	·36	×	·27	×	—	—	×	—	×	·89	31
TOTAL	5·67	—	3·55	397	402	420	180	144	5·99	824	2·50	407	YEAR'S TOTAL 45·45
*Days with ·01 in. or more.	18	—	12	21	19	5	14	7	17	20	12	16	161
*Days with ·04 in. or more.	12	—	10	20	16	5	13	6	15	16	7	12	132

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) John J Allison
Private ~~Secretary~~
for Sir Alfred L Goodson Bt

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No** 1689

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Waddeton Court Nr Brixham

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·47	·83	·17	—	—	·12	—	—	—	·3	·8	167	1
2	1·01	·4	1·42	—	·58	·60	—	—	—	—	—	16	2
3	·2	·5	·23	—	·1	—	—	—	—		—	—	3
4	·22	·8	—	—	·16	—	—	—	—	·2	—	—	4
5	·3	—	·46	—	·18	—	—	—	—		—	—	5
6	—	·73	—	—	·35	—	·24	—	—	·4	—	—	6
7	—	·5	·2	—	·13	—	·4	—	—	·17	—	—	7
8	—	·3	—	—	·3	—	·12	—	—	—	—	—	8
9	—	·2	—	—	·1	·14	·40	—	—	·26	·5	—	9
10	·1	·32	—	·2	—	—	·10	—	—	·45	—	—	10
11	·6	—	—	·19	—	—	·3	·37		—	—		11
12	—	—	—	—	·4	·20	·28	8	·53	—	—	·10	12
13	—	—	—	—	—	·3	·19	·3	—	·5	—	—	13
14	·11	—	—	—	—	—	·48	·6	—	·3	—	—	14
15	·58	—	·51	—	—	—	·35	·5	—	·9	·39	—	15
16	—	—	1·16	—	—	—	—	·2	—	·4	107	—	16
17	—	·10	·12	—	—		—	·19	·23	—	—	—	17
18	·13	—	·24	—	—	·7	—	—	—	—	·22	—	18
19	·48	—	·11	—	—	·4	—	·6	·5	—	·36	·1	19
20	—	—	—	—	—	·50	—	·3	·23	—	—		20
21	—	—	—	—	—	·7	—	·8	·3	·26	—		21
22	—	—	—	22	—	·11	—	·24	·87	·2	—		22
23	—	1·18	—	·29	—	·14	—	—	·36	·76	—		23
24		·82	—	·31	—	—	—	—	·36	·4	—		24
25	—	1·08	—	·23	—	·1	—	—	1·14	—	—		25
26	—	·88	—	·15	·12	—	—	—	—	—	—	19	26
27	—	·2	—	—	—	—	—	—	—	·23	·2		27
28	—	·8	—	·48	—	—	·21	—	—	·13	—	51	28
29	—		—	—	—	—	—	—	·14	—	—		29
30	·18	×	—	·10	—	—	·6	—	·16	—	—	12	30
31	·57	×	21	×	·7	×	—	—	×	—	×	2	31
TOTAL	357	559	465	200	168	153	250	121	410	272	219	278	YEAR'S TOTAL 34·52 ✓
*Days with ·01 in. or more.	13	16	11	9	11	12	12	11	11	16	7	8	137
*Days with ·04 in. or more.	10	13	10	8	8	10	11	8	10	12	6	6	112

40-9999

*See Instruction 2 (*f*) on other side, D

(*Signed*) Alfred L Goodson 1689 P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1689

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Waddeton Court

in the County of Devon

Diameter of Funnel of Gauge 5½ in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 175 ft.

B/A. Corrected

Circ re authentic sent. 2/7/35.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·5	·	·02	—	—	·08	—	·89	·10	—	·22	1·24		1
2	·21	—	·02	—	—	—	—	—	100	02	01	·29		2
3	·16	—	—	—	—	—	—	—	—	·37	—	·31		3
4	—	—	·24	—	·37	—	—	—	·26	·14	—	·62		4
5	—	—	·04	02	·26	·19	—	·74	—	03	—	·74		5
6	·25	—	·64	·14	·49	—	—	—	·02	·41	32	·65		6
7	·8	—	—	—	—	—	—	·08	—	·20	—	1·02		7
8	—	—	—		·12	—	—	—	—	—	·62	·34		8
9	—	—	—	—	—	—	—	—	—	—	·51	·18		9
10	·20	·1	50	·74	—	—	13	·10	—	—	—	·06		10
11	·37	·1	35	·53	—	—	—	·01	—	—	—	·84		11
12	·13	—	17	—	—	—	·25	·13	—	—	—	·25		12
13	·74	—	—	·49	—	—	·05	—	—	—	·63	·39		13
14	·47	—	·12	—	—	—	—	—	—	06	·14	34		14
15	·20	—	·12	·01	·13	—	—	—	—	·21	·09	26		15
16	·30	—	·27	—	—	—	—	—	·15	—	—	·41		16
17	·37	—	·11	24	·14	—	—		·10	·04	—	47		17
18	·28	—	·13	50	—	—	—	—	·18	—	—	45		18
19	·5		·12	·48	—	05	—	·03	04	—	—	43		19
20		—	·01	·16		—	·02	—	04	—		05		20
21	·2	—	·17	·04	—	·14	·12	·02	02	·79	—	·21		21
22		—	·03	·02	—	—	·20	·15	·37	—	—	40		22
23	·05	—	—	·24	—	·78	·08	—	·39	05	—	·65		23
24	—	·5	02	·14	—	·24	—	·51	04	08	—	·03		24
25	·32	·15	—	·34	—	—	—	—	—	·45	—	1·14		25
26	·2		·01	05	—	·09	—	—	·21	03	—	15		26
27			—	03	—	·05	—	·04	·12	03	—	52		27
28	—		—	·01	—	—	—	·51	23	—	·03	1·05		28
29	—		—	—	—	—	—	·13	05	—		·04		29
30	—	×	—	—	—	—	—	·3	·23	—		48		30
31	·1	×	—	×	02	×	—	—	×	—	×	14·11		31
TOTAL	4·71	·13	4·68	4·18	1·54	1·62	·85	3·37	3·55	2·96	2·59	14·11	Year's Total 44·29	✓
*Days with ·01 in. or more.	20	4	19	18	7	8	7	14	18	15	9	30	169	✓
*Days with .04 in. or more.	18	2	14	13	6	8	6	10	16	11	7	29	140	✓

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1689

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935

To: 407
WITH
RECEIVED 4 JAN 1936
9.50
21
INITIALS IF ...
RELEVANT ...
FILE No.
TO

Kept at Waddeton Court
in the County of Devon
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 175 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	72	—	—	·23	—		·14	·6	·14	·15		1
2	·1	—	·4	—	—	—	—		·17	·41	·2	·10		2
3	—	—	·10	—	—	·52	—		·12	·26	·7	·4		3
4	—	·9	—	—	·62	·23	—		·15	·20	·11	·33		4
5	—	·19	—	·12	—	·41	—			·6	·9	·6		5
6	—	·1	—	·45	—	127	—			—	1	·20		6
7	—	—	—	·43	—	·32	—		·14	·59	·8	·3		7
8	—	—	—	·51	—	—	—	·10		·46	·76	—		8
9	—	—	—	·42	—	—	—			·81	·51	—		9
10	·6	—	·38	—	—	·10	—			·2	·1 ·69	·2		10
11	·23	·4	—	—	—	·54	—		·10	—	—	·1		11
12	—	24	—	—	—	·73	—			—	·34	—		12
13	—	·11	—	·21	—	·12	—		·41	·2	·34	—		13
14	—	·13	—	·19	—	·10	—		·35	·1	104	·23		14
15	—	·14	—	·91	—	·12	—			·2	·25	·2		15
16		·8	·21	·17	·75	·31	—			—	·94	—		16
17	—	·2	·51	—	—	·44	—			—	·1	—		17
18	—	·9	—	·64	—	·2	—		·34	·7	·7	·34		18
19	—	·3	—	·15	·50	·8	—		·27	·7	·72	·1		19
20	—	·49	—		·13	—	—			·3	·12	—		20
21	—	·95	—	—	—	—	—			·1	—	—		21
22	—	—	—	—	—	—	—		·9	·22	—	—		22
23	—	·16	—	—	—	—	—	·21		·4	—	·88		23
24	·4	100	—	—	·51	—	—	·68	·52	—	—	·18		24
25	·13	·43		—	·23	·44	—			—	—	·15		25
26	—	·67	—	—	—	·5	—	·31	·	—	·1	·92		26
27	—	·10	—	—	—	—	—	·5		—	·5	·57		27
28	—	·2	—	—	—	—	—	105	·34	—	·2	·8		28
29	—	—	—	—	—	—	—		·50	·4	·6	·86		29
30	·3	✕	—	—	—	—	—		·5	·28	·94	111		30
31	—	✕	—	✕	—	✕	—	17	✕	·89	✕	·33		31
TOTAL	5·0	4·98	1·96	4·50	2·75	6·33	·0	2·57	3·69	4·56	7·48	6·33	Year's Total. 45·65	"d"
* Days with .01 in. or more.	6	20	6	11	6	18	0	7	15	21	23	22	[illegible]	
* Days with .04 in. or more.	4	16	6	11	6	17	0	7	15	16	19	17	134	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section A **for the entry of Daily Observations**

Station No. 1689

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Waddeton Court Nr Brixham

in the County of Devon

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level 175 ft.

Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06	·03		·26		·27	·32				·09	·02		1
2	·11	—		·31		·03	·25	·06	·11	·03	·04	·03		2
3	-	—	·05	1·20		·01	·03		·50		·12	·06		3
4	-	—	·25			·05			·35		·15			4
5	·58	·25	·04				·12	·02	·05		·13			5
6	·28		·02					·08	·53		·62			6
7	·36		·47				·09		·09		·46	·16		7
8	·67		·73				·62		·08		·69			8
9	·59	1·02	·26				·14		·04		·04			9
10	·08	·60					·02		·12		·14			10
11	·87	·06				·13	·06		·09		1·24	·08		11
12	·04		·04		·22	·02	·45		·17		·13			12
13	·22		·03				·11		·04		·08	1·27		13
14	—	·03				·05	·89		·11			·72		14
15	—								·15		·42	·69		15
16	·01	·19			·27		·21		·05		·21	·33		16
17	·05	1·20			·03		·13			·17	·03	1·30		17
18	·45	·22	·17			·02	·68					·19		18
19	·85		·57	·21		·14		·13						19
20	·29	·37	·24	·09		·06	·02		·50					20
21	·04	·38	·10	·59			·17			·02				21
22	·20	·24	·08	—			·44					·05		22
23	—	·02	·02	·30	·19		·23			·13				23
24	·46	·02	·18	·01	·46					·36				24
25	·19		·53	·13					·14	·30				25
26	·49	·07	·14						·04	·13				26
27	·37	·02	·03				·40			·31				27
28	1·21		·86			·03	·02					·35		28
29	·02	·04	·10							·06				29
30	·24	✕	·01			·24					·11	·05		30
31	·16	✕	·65	✕		✕	·09		✕		✕	·59	d	31
TOTAL	7·38	4·76	5·57	3·60	1·17	1·05	5·49	·29	3·16	1·51	4·69	4·89	Year's Total 43·56	✓
* Days with .01 in. or more.	26	17	23	9	5	12	22	4	18	9	17	15	177	✓
* Days with .04 in. or more.	24	12	18	7	4	8	18	3	17	7	16	13	147	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Percy Jackson [P.T.O.

Private Secretary for Sir A. L. Goodson Bt.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1689

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Waddeton Court

in the County of S. Devon

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

Days

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·14	·05		·69					·05			·95		1
2	·05	1·56	·09	·17	·12	·01			·09					2
3	·02	·23		·04										3
4	·04	1·15			·05							·64		4
5	·25			·06			·31					·03		5
6	·05	·84	1·56	·23								·20		6
7		·88	·34				·10							7
8		·04	·15		·73				·33					8
9			·71	·25	·06							1·11		9
10	·49		·30	·65	·94	·50		·07						10
11	·04			·32		·05	·21							11
12	1·02	·25	·07	·02		·34		·73	·06			·61		12
13			1·30	·20					·11					13
14		·04		·45			1·00		·13			·04		14
15	·47	·24	·43						·28			·15		15
16	·12	·08	·23						·45		·50			16
17	1·22	·09	·59			·35			·08		·86			17
18	·04	·07	·30								·24	·07		18
19	·17	·06		·20	·15						·03	·08		19
20	·48	·03	·56		·08							·98		20
21	1·16	·48	·02		·40				·33		·10	·08		21
22	·25						·17		·15	1.00	·47	·04		22
23	·30	·38								·10		·10		23
24	·60	·40	·10						·08	·95				24
25	·03	·75	·51			·48				·41				25
26		·45								·02		·10		26
27	·11	·21								·52				27
28	·40	·04								·17				28
29	·23									·24	·09			29
30	·55	✗							·06	·06	·31			30
31	·53	✗		✗		✗			✗	·35	✗		d	31
TOTAL	8·78	8·32	7·26	3·28	2·53	1·73	1·79	·80	2·20	3·82	2·60	5·18	Year's Total 48·29	✓
* Days with .01 in. or more.	25	22	16	12	8	6	5	2	13	10	8	15	144	✓
* Days with .04 in. or more.	23	21	15	11	8	5	5	2	13	9	7	14	133	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) for Sir Alfred L. Goodson Bt.
John [illegible]
Secretary

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1689.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at WADDETON COURT

in the County of DEVON

Diameter of Funnel of Gauge ~~5~~ ~~6 inches~~ in.

Height of top of Gauge above Ground 1 ft. 6 10 in.

,, Ground ,, Sea Level 175. ft.

Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.07					.23			.56		.04		1
2	—	—	—	—	—	.45	.04	—	—	.26	—	.23		2
3	—	—	—		.11	—		3.26	—	.94	.46	—		3
4	—	—	—	—	—	—	.39	1.73	—	.15	—	.29		4
5	—	—	—	—	—	—	.03	—	—	.24	—	—		5
6	.21	—	—	—	—	.11	1.46	—	—	.14	.04	.28		6
7	.14	—	—	—	—	.04	.18	.39	.39	.49	—	—		7
8	.34	—	—	—	—	—	—	—	—	—	—	.23		8
9	.14	.03	—	—	—	—	—	—	—	—	—	.63		9
10	.34	—	—	—	—	—	.08	—	—	—	—	.32		10
11	.18	—	—	—	—	—	.09	—	—	—	.39	.71		11
12	.75	—	—	—	.27	—	.06	—	—	.46	.66	—		12
13	.27	—	—	—	.29	—	—	—	—	.23	.35	1.09		13
14	.91	—	—	—	.17	—	.68	—	—	—	—	—		14
15	.51	—	—	—	.22	—	—	—	—	.32	.18	.28		15
16	.67	.30	—	—	—	—	—	—	—	—	.36	—		16
17	—	—	—	—	.12	—	—	—	.31	.27	.28	—		17
18	.26	—	—	—	—	—	—	.22	.18	.08	.97	—		18
19	—	—	—	—	—	—	—	—	.60	—	.17	—		19
20	—	—	—	—	—	—	—	—	—	—	—	—		20
21	—	—	—	—	—	—	—	.18	—	—	.21	—		21
22	.06	—	—	—	—	—	—	.12	—	—	.39	—		22
23	—	—	—	—	—	—	—	—	—	—	.02	—		23
24	—	—	—	.16	—	—	—	—	—	—	.60	—		24
25	.12	.52	—	—	.05	—	.40	—	—	.24	2.05	—		25
26	.46	.35	—	—	.71	.18	.07	—	—	—	—	.27		26
27	.06	.02	—	—	.06	—	.59	.65	.05	.05	.40	—		27
28	.17	—	—	—	.16	.20	—	.77	—	—	.02	—		28
29	.19	.17	—	—	.47	—	—	—	.28	.21	.56	—		29
30	.03	✕	—	—	.07	—	—	—	.09	—	.23	.05		30
31	.36	✕	—	✕	.21	✕	—	—	✕	.30	✕	.38	"d"	31
TOTAL	6·17	1·46	—	·16	2·91	·98	4·30	7·32	1·90	4·94	8·28	4·80	Year's Total 43·22	✓ ✓
* Days with .01 in. or more.	~~20~~	~~7~~	~~—~~	~~1~~	~~13~~	~~5~~	~~13~~	~~8~~	~~7~~	~~16~~	~~19~~	~~18~~	~~122~~	
* Days with .04 in. or more.	19	5	—	1	13	5	12	8	7	16	17	13.	116	✓ ✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1689

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at WADDETON COURT NR. BRIXHAM.

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 175 ft.

Entries on Mar 23-25, April 16th, July 7-8, Aug 8-10th, + Dec 13-20th est'd from nearby stns.

Observer not notified [illegible]

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.05		.4	.08					+			.10		1
2	.13			.72				.15	.91		.79	.12		2
3	.54			.64						.78	.36	.11		3
4			.05	.06	.47		.45			.27	.10	.09		4
5			.75	.09			.52				1.66			5
6	.41	.74	.10	.11			1.28	.11		+	.34			6
7	.04	.28					.20	.05		-	.72	.94		7
8	.05						+	✓		1.63	.29	.04		8
9	.03							(.50)		.07		.31		9
10	.31							+		.14		.11		10
11										.29				11
12														12
13				.15		.05	.52			1.37	.20	✓		13
14	1.12				.05	.06	.48			.07	+	✓		14
15	.82				.06	.90	.50				.46	-		15
16	.37			(.15)			.16				.12	-		16
17	.79	.7				+	.49					(.40)		17
18	.39					+	.47				.44	+		18
19	.31					+	.34	.15				+		19
20	.55					.50	.79	.71				+		20
21	.03					1.30	.18							21
22	.60	.96	.16			.65	.12				.36			22
23			+	.16			.09				1.57			23
24	1.14		(.35)			.84	.19	.06			+			24
25	.28	.19	✓				+				.75			25
26							-				.44			26
27		.46				.13	+				+			27
28		.3		.46			.56				.36			28
29				.24			.09			.89	.07			29
30		✕		.10				.21		.36				30
31		✕		✕		✕		.11	✕	.63	✕		48.15	31
TOTAL	7.96	2.73	~~1.10~~ 1.45	~~2.81~~ 2.96	.58	4.43	~~7.23~~ 7.43	~~1.55~~ 2.05	.91	6.50	9.03	~~1.72~~ 2.12	Year's Total ~~46.55~~	
* Days with .01 in. or more.	~~19~~	~~7~~	~~5~~	~~11~~	~~3~~	~~8~~	~~17~~	~~8~~	~~1~~	~~11~~	~~17~~	~~8~~		~~118~~
* Days with .04 in. or more.	17	6	~~5~~ 7	~~11~~ 12	3	~~8~~ 11	~~17~~ 21	~~8~~ 10	~~1~~ 2	~~11~~ 12	20 ~~17~~	~~8~~ 11		~~118~~ 132

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) L. G. LEWIS

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. ~~1687~~ 1689

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Waddeton Court, Nr. Brixham

in the County of Devon

Diameter of Funnel of Gauge 5 ~~8~~ in. 5

Height of top of Gauge above Ground 1 ft. 2 in.

„ Ground „ Sea Level 175 ft.

Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·05	—	—	—	—	—	—	—	—	—	—	—	1
2	·39	·54	—	—	—	—	—	—	—	—	·83	—		2
3	—	·98	—	—	—	—	—	—	—	—	·79	·25		3
4	—	·04	—	—	—	—	—	—	—	—	·16	—		4
5	—	—	—	—	—	—	—	—	—	·09	·35	·34		5
6	·36	·83	—	—	—	—	·08	—	—	·45	·03	—		6
7	·02	—	—	—	—	—	·19	—	—	·05	—	—		7
8	—	—	—	—	·16	—	—	—	—	·51	·48	·37		8
9	—	—	—	—	—	—	·61	—	—	·06	·62	·06		9
10	—	—	—	—	—	—	—	—	—	—	·09	·45		10
11	—	—	—	—	—	—	1·30	—	—	—	1·52	—		11
12	—	—	·36	—	—	—	—	—	—	·71	·07	—		12
13	—	—	·54	—	—	—	—	—	·13	·44	1·47	·35		13
14	—	—	—	—	—	—	—	—	·19	·05	—	·67		14
15	—	—	—	—	—	—	·15	—	—	·18	·70	—		15
16	—	1·65	·76	—	—	—	—	—	—	—	·31	—		16
17	—	·67	·66	—	—	—	·11	—	—	·08	·42	—		17
18	—	·48	·30	1·31	—	—	—	—	—	—	—	—		18
19	—	—	·16	·15	—	—	·22	—	·86	—	·61	—		19
20	—	—	—	—	—	—	—	—	—	—	·13	—		20
21	—	—	—	—	·15	—	—	—	—	·36	·71	—		21
22	—	—	—	·17	—	—	—	—	—	·04	—	—		22
23	—	—	—	—	—	—	—	—	—	·18	—	—		23
24	—	—	·52	·05	·07	—	·41	—	—	·24	—	—		24
25	·08	—	·33	—	—	—	—	—	—	—	—	—		25
26	·61	·79	—	—	·62	—	—	—	—	—	—	—		26
27	·64	·19	—	·14	—	—	—	—	—	—	—	—		27
28	·63	·26	—	·06	—	·61	—	—	—	—	—	—		28
29	·21	—	—	1·96	—	·04	—	—	—	—	—	—		29
30	·24	×	·31	—	—	—	—	—		·63	—	·79		30
31	·05	×	·04	×	—	×	—	—	×	·77	×			31
TOTAL	3·23	6·48	3·98	3·84	1·00	·65	3·07	—	1·18	4·84	9·29	3·28	Year's Total 40·84	
* Days with .01 in. or more.	10	11	10	7	4	2	8	—	3	16	17	8	96	
* Days with .04 in. or more.	9	11	10	7	4	2	8	—	3	16	16	8	94	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) M. E. Goodson

PP89

P.T.O.

1690

Section A for the entry of Dail

AIR MINISTRY.—M

FORM 1090.

REGISTE

1690

STOKE GABRIEL
MAISONETTE
1931—40

780306

FOR FICIAL USE.

L ORGANIZATION.

Kept at Maisonnette, Stok

in the County of Devon

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Level

as below sent

THE MORNING MEASUREM

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				1·18					0·48	0·04		0·01	1
2	0·74			0·62						0·03		0·55	2
3	0·31		0·03				0·13	0·06	0·24	0·01	2·34	0·24	3
4			0·85		0·04	0·02	0·41	0·03	0·14	0·02	0·08	0·03	4
5		0·51	0·31	0·04	0·08	0·38	0·10	0·05	0·05		0·10	0·47	5
6		0·09	0·81	0·07		0·39				0·34	0·09	0·44	6
7		0·03	0·04		0·26	0·34	0·57	0·12		0·08	1·37	0·14	7
8	0·05	0·19	0·02	0·15		0·67	0·07				0·18	0·07	8
9	0·03	0·37				0·19	0·12	0·02			0·69		9
10	0·17	0·08			0·08	0·07	0·02		0·26		0·68		10
11	0·01	0·73			0·02	0·31	0·12		0·13		0·33		11
12		0·14			0·04	0·08	0·11		0·07	0·13	0·04		12
13		0·06	0·04		0·08	0·14	0·46	0·12		0·04	0·49		13
14		0·03					0·97	0·10	0·01				14
15		0·10			0·17	0·12	0·02	0·29				0·03	15
16	0·03	0·17			0·08	0·98		0·12	0·11				16
17		0·05					0·31		0·01				17
18	0·02			0·11		0·32	0·07	1·92			0·33		18
19	0·07	0·07	0·04	0·03		0·10		0·10			0·53		19
20	0·02	0·13	0·53					0·43			0·38		20
21	0·38		0·02		0·18					0·13	0·06		21
22	0·05		0·08	0·24	0·13						0·04		22
23	0·31			0·19	1·12	0·28	0·08	0·34			0·82		23
24	0·14	0·02	0·03	1·29	0·09		0·77	0·64			0·07		24
25	0·10	0·01		0·09	0·08		0·30				0·45		25
26	0·03	0·08		0·07			0·23				0·64	0·02	26
27	0·15	0·27		0·01	0·21		0·24			0·01	0·10	0·08	27
28	0·03	0·23	0·16		0·13			0·21			0·16	0·09	28
29	0·05		0·07		0·02		0·15	0·42			0·12	0·15	29
30	0·09	×	0·02		0·10		0·08	0·02	0·07		0·01		30
31	0·78	×	0·54	×	0·18	×	0·05		×		×	0·28	31
TOTAL	4·46	6 3·3~~5~~	3·59	0 4·99	0 3·29	4·39	5·38	4·99	1·57	0·83	10·10	2·60	YEAR'S TOTAL 48·45 ~~51·54~~
*Days with ·01 in. or more.	21	20	16	13	19	15	22	17	11	10	24	14	202
*Days with ·04 in. or more.	14	16	11	11	17	14	20	14	9	6	23	10	165

40-9999

*See Instruction 2 (f) on other side.

(Signed) Edward Stobart.

[P.T.O.

Section **A** or the entry of Daily Observations. FOR FICIAL USE. 1690

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931 .

Kept at Maisonnette, Stoke Gabriel

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 100 ft.

Station No. 1690.

Circ D.1. of amendment as below sent 31/5/32.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				1·18					0·48	0·04		0·01	1
2	0·74			0·62						0·03		0·55	2
3	0·51		0·03				0·13	0·06	0·24	0·01	2·34	0·24	3
4			0·85		0·04	0·02	0·41	0·03	0·14	0·02	0·08	0·03	4
5		0·51	0·31	0·04	0·08	0·38	0·10	0·05	0·05		0·10	0·47	5
6		0·09	0·81	0·07		0·39				0·34	0·09	0·44	6
7		0·03	0·04		0·26	0·34	0·57	0·12		0·08	1·37	0·14	7
8	0·05	0·19	0·02	0·15		0·67	0·07				0·18	0·07	8
9	0·05	0·37				0·19	0·12	0·02			0·69		9
10	0·17	0·08			0·08	0·07	0·02		0·26		0·68		10
11	0·01	0·73			0·02	0·31	0·12		0·13		0·33		11
12		0·14			0·04	0·08	0·11		0·07	0·13	0·04		12
13		0·06	0·04		0·08	0·14	0·46	0·12		0·04	0·49		13
14		0·03					0·97	0·10	0·01				14
15		0·10			0·17	0·12	0·02	0·29				0·03	15
16	0·03	0·17			0·08	0·98		0·12	0·11				16
17		0·05					0·31		0·01				17
18	0·02			0·11		0·32	0·07	1·92			0·33		18
19	0·07	0·07	0·04	0·03		0·10		0·10			0·53		19
20	0·02	0·13	0·53					0·43			0·38		20
21	0·38		0·02		0·18					0·13	0·06		21
22	0·75		0·08	0·24	0·13						0·04		22
23	0·31			0·19	1·12	0·28	0·08	0·34			0·82		23
24	0·14	0·02	0·03	1·29	0·09		0·77	0·64			0·07		24
25	0·10	0·01		0·09	0·08		0·30				0·45		25
26	0·03	0·08		0·07			0·23				0·64	0·02	26
27	0·15	0·27		0·01	0·21		0·24			0·01	0·10	0·08	27
28	0·03	0·23	0·16		0·13			0·21			0·16	0·09	28
29	0·05		0·07		0·02		0·15	0·42			0·12	0·15	29
30	0·09	×	0·02		0·10		0·08	0·02	0·07		0·01		30
31	0·78	×	0·54	×	0·18	×	0·05		×		×	0·28	31
TOTAL	4·46	3·3~~5~~6	3·59	4·~~9~~09	3·~~2~~09	4·39	5·38	4·99	1·57	0·83	10·10	2·60	YEAR'S TOTAL ~~51·54~~ 48·45
*Days with ·01 in. or more.	21	20	16	13	19	15	22	17	11	10	24	14	202
*Days with ·04 in. or more.	14	16	11	11	17	14	20	14	9	6	23	10	165

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Edward Stobart. [P.T.O.

1690

Section **A** ...the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Maisonette, Stoke Gabriel

in the County of Devon

Station No. 1690.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" Ground " Sea Level 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.06			0.25			0.05	0.03	0.03		0.02	0.04	1
2	0.12		0.16	0.47			0.01		0.36		0.03	0.46	2
3	0.04					0.73		0.02	0.37		0.06	0.04	3
4	0.03					0.26	0.03	0.09			0.38		4
5	0.97								0.18				5
6	0.78			0.38			0.01		0.55	1.56			6
7	0.09			0.04	0.44				1.14	0.09			7
8	0.04			0.12	0.12				0.13				8
9	1.53	0.04 s	0.39	0.45									9
10	0.57		0.01	0.36	0.06	0.03			0.10	0.27		0.04	10
11	0.19			0.06	0.08					0.03		0.63	11
12	1.48				0.66		0.07			0.08		0.08	12
13	0.17			0.33	0.08		0.09	0.53		1.23	0.01	0.30	13
14	0.40			0.02	0.37					0.01		0.03	14
15	0.07			0.17	0.08		0.13			0.01		0.07	15
16	0.27			0.17			0.01					0.01	16
17	0.05			0.04	0.07				0.03				17
18	0.03				0.37				0.11		0.14		18
19	0.02			0.27	0.32					0.58	0.03		19
20	0.01			0.09	0.98		0.03	0.11	0.04	1.59	0.06	0.25	20
21	0.04		0.10	0.04				0.08	0.16	0.74	0.10	0.20	21
22					0.04		0.05	0.41	1.36	0.76	0.46	0.08	22
23							0.15	0.01	0.08	0.72	0.07	0.23	23
24					0.03		0.65		0.10		0.08	0.03	24
25			0.57	0.06	0.02		0.07		0.08	0.44	0.26	0.01	25
26			0.37	0.18			0.21			0.09	0.06		26
27			0.74	0.71	0.08		0.16			0.36		0.42	27
28			0.35	0.13	0.06		0.13					0.07	28
29			0.84	0.16	0.14	0.81	0.03	0.38	0.68	0.77	0.26	0.54	29
30		×	0.04	0.21	0.01	2.73	0.21		0.91	0.09	1.86	0.02	30
31		×	0.18	×	0.27	×	0.01		×	0.01	×	1.14	31
TOTAL	6.9[illegible]	0.04	3.75	4.71	4.28	4.56	2.20	1.66	6.41	9.43	3.88	4.69	YEAR'S TOTAL 52.57
*Days with ·01 in. or more.	21	1	11	22	20	5	19	9	18	19	16	21	182
*Days with ·04 in. or more.	17	1	10	21	17	4	13	6	16	15	12	16	148

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Edward Stobart.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1690 ~~1690~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Maisonnette, Stoke Gabriel

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft - in.

,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·46	0·96	0·22		0·06	0·08						1·56	1
2	0·92	0·65	1·47		0·67	0·55					0·08	0·14	2
3	0·04	0·09	0·19		0·04	0·05							3
4	0·16	0·12			0·15								4
5	0·03	0·03	0·56		0·31				0·04	0·02			5
6	0·02	0·69	0·01		0·41		0·27			0·09			6
7		0·07			0·13		0·02			0·08			7
8		0·04			0·03		0·14						8
9		0·03			0·04	0·11	0·48			0·42	008		9
10	0·01	0·37					0·10			0·51			10
11	0·04			0·02			0·04	0·26		0·02			11
12				0·21	0·04	0·20	0·44	0·07	0·46				12
13						0·02	0·14	0·11		0·73			13
14	0·22						0·51	0·05		0·06	0·40		14
15	0·49		0·67				0·25	0·06		0·11	1·04		15
16			1·18						0·02		0·02		16
17		0·06	0·13			0·10		0·22	0·25				17
18	0·14		0·24								005		18
19	0·45		0·20					0·07	0·18		048	002	19
20	0·01					0·30		0·02	0·21				20
21		0·03				0·33		0·01	0·03	0·33			21
22				0·27		0·41		0·36	1·06	0·04			22
23		1·61		0·30		0·13			0·19	0·79			23
24		0·52		0·39		0·04			0·24	0·02			24
25		1·08		0·21					0·99	0·01		0·0[illegible] 0·18	25
26		0·34		0·17	0·12								26
27		0·07		0·06					0·01	0·08	002	0·66	27
28		0·05		0·57			0·30		0·15	0·37		0·10	28
29	0·08	0·10		0·07			0·02					0·04	29
30	0·11	×	0·08	0·01			0·05		0·14			0·07	30
31	0·58	×	0·24	×	0·07	×			×		×		31
TOTAL	3·76	6·31	5·19	2·28	2·07	2·32	2·76	1·23	3·97	3·08	2·19	2·77	YEAR'S TOTAL 37·91
*Days with ·01 in. or more.	16	19	12	11	12	12	13	10	14	16	8	8	151
*Days with ·04 in. or more.	11	16	11	9	11	11	11	8	12	12	6	7	125

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Edward Stobart.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1690

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Maisonnette, Stoke Gabriel

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.07					006		096	003	0.02	0.35	149		1
2	0.20		0.04						1.09	0.05	0.04	0.38		2
3	0.08								048	0.47		0.59		3
4	0.25		0.28	003	044					0.09		0.53		4
5			0.17	001	031	016		085		0.12		0.91		5
6	008		0.61	012	053			004	004	0.47	024	0.61		6
7	0.10									0.27	0.01	1.10		7
8											0.74	0.53		8
9	0.04		0.47	005	015			004			0.47	0.15		9
10	0.22	004	0.40	074			010					0.13		10
11	0.02		0.14	051								0.99		11
12	0.14			005			042	024				0.40		12
13	0.68		0.01	050			004				0.66	0.33		13
14	0.52		076	003	012					0.06	011	0.31		14
15	0.19		0.18						001	0.18	0.10	0.24		15
16	0.32		068						019	0.02		0.39		16
17	0.47		0.41	0.32	018				017	0.07		0.56		17
18	0.26		0.54	053		002			006			0.55		18
19	0.07		092	091		004		004	009			0.32		19
20			008	021	002				006	0.01		0.05		20
21			020	005		021	030		003	0.81		0.23		21
22	004		007				007	002	043			0.16		22
23	0.04		003	031		088	033	002	039	0.08		0.62		23
24		011	002	007		024	001	067	003	0.09		0.12		24
25	042	007		047		026			001	0.82		1.00		25
26	0.10		003	0.15		013		002	021	0.06		0.18		26
27				004		006		055	006	0.05		0.44		27
28								009	035			1.03		28
29								010	006			0.08		29
30		×						0.06	032	0.06		0.51		30
31		×		×	004	×		003	×	0.02	×	0.02		31
TOTAL	5·17	0"22	6·04	5·10	1·79	2·06	1·27	3·74	4·11	3·82	2·72	15·04	Year's Total 51·08	
*Days with ·01 in. or more.	21	3	20	19	8	10	7	15	20	20	9	31	183	
*Days with ·04 in. or more.	21	3	16	16	7	9	6	11	15	16	8	30	158	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Edward Stobart

[P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 1690.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Maisonnette, Stoke Gabriel

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.		in.	in.		
1	002		074			.29	.01		.20	07	.09	.20		1
2			05			.27	.02		.21	.05	.10	.08		2
3			.15		.73	.12			.25		.02	.35		3
4		012		.05		.42			.29	.09	.12			4
5		024	.05	.06		.17			.19	.08	.22	07		5
6		004		.27		1.48			.07	.	.05	.19		6
7				.64		06				67	.07			7
8				.77					.18	35	.72	08		8
9	001			.73				.07		.95	.12			9
10	008		.56	.02		.12				.04		.02		10
11	026	011		.03		.70			.18		.72			11
12		032				.65			.13					12
13		019		.21		.16			.25	.01	.29	.38		13
14		021		.27		.15			.30	.02	2.25			14
15		0.11		1.04		.22			.08	.10	.42			15
16		013	.20	.31		.19			.65		.85			16
17		002		.06	.82	.52	04		.17		.04	.03		17
18		003		.70	02	.03			.73	.06	.03	.15		18
19		002		.07	47	.11	.24		.25	.09	.82			19
20		054		.33	05	.03			.02		.14			20
21		092		.31					.03	.03				21
22		063		.06					.09	.06				22
23		023	.14		27	.10		.34	.05	.24	.02	1.05		23
24	008	110			53			.70	.65		.03	.30		24
25	014	081						.02				.15		25
26		013				.18		.36	.16		04	.88		26
27		027						.04	.07		1.20	.58		27
28		004			08			.07	.15	.04		.88		28
29		×						.03	.57	.06	.08	.87		29
30	002	×				.11		1.29	.04	.35	.09	.97		30
31		×		×		×		.07	×	1.05	×	.36		31
TOTAL	0·61	5.61	1·89	4·83	2·97	6·08	·32	3·09	5·96	4·38	8·53	5·89	Year's Total. ~~50·61~~	50·16
* Days with .01 in. or more.	7	21	7	18	8	21	4	10	26	20	24	19	185	
* Days with .04 in. or more.	4	17	7	16	7	19	2	8	24	17	20	17	158	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) X W E Collett X

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1690

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at MAISONNETTE. STOKE GABRIEL.
in the County of S. DEVON
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.12	.04	.04	.26	-	-	.35	.06	-	-	.18	-	1.05	1
2	.15	06	-	.23	.05	-	.29	03	.23	-	.12	-	1.16	2
3	.04	-	.06	1.44	-	07	.03	01	.75	-	.03	.05	2.49	3
4	.58	24	.10	-	-	-	.02	-	.33	-	-	-	1.27	4
5	.42	-	.05	-	-	-	.02	.02	.56	.05	.13	-	1.25	5
6	.20	-	.07	-	-	-	.10	.06	-	-	.90	.20	1.43	6
7	.38	-	.45	.22	-	-	.09	-	-	-	.54	.02	1.70	7
8	.57	-	.69	.02	-	-	.81	02	.13	-	.77	-	3.01	8
9	.47	1.74	.09	-	-	-	.15	04	.13	-	.08	-	2.70	9
10	.15	.78	.02	.08	-	.12	.06	-	-	-	.29	.08	1.58	10
11	.46	.07	-	-	.10	-	.05	-	.40	-	1.10	-	2.38	11
12	.04	-	.03	-	-	-	.54	-	.12	.08	.05	-	.86	12
13	.14	-	.05	-	-	-	09	-	-	-	.13	.10	.51	13
14	.02	.04	-	.04	-	-	105	-	-	-	.08	1.20	2.43	14
15	-	.04	-	.07	-	-	-	-	23	-	.70	.69	1.73	15
16	-	.20	-	-	-	-	.17	-	.04	-	.10	.61	1.12	16
17	.14	1.40	.20	-	.15	-	.11	-	-	-	-	.49	2.49	17
18	.43	.24	.80	-	.13	.11	.79	.10	-	.10	-	1.30	4.00	18
19	.93	.44	.19	31	.03	.94	.07	-	-	-	-	-	2.01	19
20	.42	.56	-	.19	-	-	.02	-	.47	-	-	-	1.66	20
21	.04	.22	.08	.51	-		.14	-	-	-	-	-	1.99	21
22	.26	.04	30	-	-		.61	-	-	-	.25	05	1.51	22
23	.04	-	.05	.35	.40		.21	.07	.08	.13	.18	-	1.51	23
24	.52	.05	.38	.20	.42		-	-	-	.15	-	-	1.72	24
25	.16	-	.56	-	-		-	-	-	.65	-	-	1.37	25
26	.51	.10	.17	-	-		-	-	-	-	.20	-	.98	26
27	.44	.01	.18	-	03		.20	-	16	.34	.06	66	2.06	27
28	1.21	.13	.85	-	-	.03	.21	-	.01	.02	.02	.10	2.58	28
29	.06	.04	.07	.03	02	.05	-	-	-	-	-		.27	29
30	.30	×	.08	-	-	.07	.06	-	-	05	-		.56	30
31	.16	×	.71	×	-	×	08		×	07	×	.80	.86	31
TOTAL	9.46	6.44	6.27	3.95	1.33	.49	6.32	41	3.63	164	5.91	5.34	Year's Total. 51.19	
* Days with .01 in. or more.	29	20	25	14	9	7	26	9	14	10	20	14	197	
* Days with .04 in. or more.	28	19	23	12	6	6	22	5	13	9	18	13	140	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1690

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

A P 9 5 44/36

Kept at MAZONET, STOKE GABRIEL
in the County of S. DEVON
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" Ground " Sea Level 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following —

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.16	.11	.02	—	—	—	—	—	—	.12	—	.96		1
2	.10	[illegible]	—	.95	—	—	—	—	.04	.10	—	—		2
3	—	.48	.03	.26	.23	—	—	—	—	—	—	—		3
4	.04	1.37	.05	.07	—	—	—	—	—	—	.09	.42		4
5	—	—	—	.05	—	—	.29	—	.02	—	—	.23		5
6	—	.87	1.29	.25	.08	.05	.06	—	—	—	—	—		6
7	.38	1.13	.39	.07	.68	—	.03	.04	—	—	—	—		7
8	.12	.04	.02	.05	.08	—	.02	.03	—	—	—	—		8
9	—	—	.16	.24	.02	.46	—	—	.53	—	—	.83		9
10	.48	.24	.86	.60	1.08	.07	—	—	—	—	—	—		10
11	.16	.03	.31	.35	.08	—	.15	—	—	—	—	.40		11
12	1.10	—	.10	.02	.02	.33	.06	.88	.04	—	—	.13		12
13	.08	.03	1.49	.26	.08	—	.06	.49	.05	—	—	—		13
14	—	.04	.49	.07	—	—	.59	—	.11	—	—	.06		14
15	.58	.32	.42	.49	—	.30	.01	—	.55	—	—	.18		15
16	.21	.08	.28	.02	—	—	—	—	.78	—	.50	—		16
17	1.26	.03	.71	—	—	—	.08	—	.11	—	1.05	—		17
18	.10	.18	.37	.21	—	—	—	—	.06	—	.16	.15		18
19	.19	.08	.04	.27	.20	—	.02	—	.02	—	.10	1.45		19
20	.62	.02	.42	.03	.07	—	—	—	.01	—	—	.09		20
21	1.36	.62	.01	—	.46	—	—	—	.37	.08	.32	.15		21
22	.29	.02	.06	—	.42	.54	.18	—	.12	1.08	.63	.13		22
23	.35	.46	—	—	.07	—	.02	—	.09	.07	.35	.15		23
24	.60	.50	.47	.07	—	—	.01	—	—	1.38	—	.05		24
25	[illegible]	[illegible]	.10	—	.10	—	—	—	—	.48	—	.63		25
26	.03	.48	.04	—	.07	—	—	—	.04	.02	—	—		26
27	.04	.29	—	.03	—	—	—	—	—	.49	.08	.06		27
28	.62	.10	—	—	—	—	—	—	—	.28	—	—		28
29	.23	✕	—	—	—	—	—	—	—	.21	.08	—		29
30	.32	✕	—	—	—	.02	—	—	—	.18	.40	—		30
31	.40	✕	—	✕	—	✕	—	—	✕	.49	✕	—		31
													Year's Total	
TOTAL	10.18	10.12	8.11	4.45	3.74	1.75	1.64	1.44	2.47	4.98	3.74	5.89	58.84	✓
* Days with .01 in. or more.	26	25	23	20	16	7	14	4	16	13	11	17	192	✓
* Days with .04 in. or more.	26	19	19	15	14	6	3	3	13	12	11	16	157	✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) W. L. [illegible] [P.T.O.

COPY FOR OFFICIAL USE

Section A **for the entry of Daily Observations** **Station No.** 1690

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

A 89544/36

Kept at MAZONET. STOKE GABRIEL. DEVON
in the County of DEVON
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.06				.46		.17		.50		.08		1
2				.03						.32		.34		2
3					.12	.04		5.08		.85	.52	.03		3
4						.02	.33	.91	.05	.22		.31		4
5						.15	.05		.02	.21		.04		5
6	.26					.05	1.63			.25		.48		6
7	.15						.19		.34	.52	.07	.05		7
8	.41						.05			.02		.06		8
9	.24	.05					.07	.02				.60		9
10	.29					.04	.06					.43		10
11	.23					.03	.12				.48	.83		11
12	.78				.30	.05	.02			.65	.68	1.25		12
13	.28				.32		.03			.31		.04		13
14	.99				.15		.57	.02		.01	.06			14
15	.53	.58			.29					.34		.34		15
16	.77		.05							.03		.02		16
17	.02		.02		.19				.35	.30	18	.23		17
18	.10				.08	.03		.37	.15	.10	33			18
19	.03							.09	.60		1.18			19
20	.08							.10	.15		.21			20
21	.07							.09			.30 (S)	.07		21
22	.04					.06		.30	.01	.09	.09	.04		22
23	.02			.11	.06			.04			.48			23
24	.02				.08			.02	.04		.74			24
25	.16	.63			.07		.45		.10		2.67	.02		25
26	.34	.22	.02		.04	.18	.11		.16	.23		.13		26
27	.09	.08			.66	15	.56	.52		.13	.45			27
28	.16	.38			.22	.10	.15	1.15						28
29	.18	×			.56		.12				.62			29
30	.14	×			.06		.07				.24	.05		30
31	.33	×		×	.30	×	17		×	.33	×	.34		31
TOTAL	6.71	1.92	09	.14	3.50	1.36	4.60	8.88	1.97	5.41	9.45	5.77	Year's Total 49.80	✓ ✓
* Days with .01 in. or more.	26	7	3	2	16	13	18	14	11	19	17	22	~~219~~	168 ✓ ✓
* Days with .04 in. or more.	22	7	1	1	16	12	16	11	9	16	17	19	147	✓ ✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Wh Collett

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1690

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939. A89544/36

Kept at MAZOKET. STOKE GABRIEL. TOTNES.

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.08		.04	.06	.09			.09	.04		.76	.25		1
2	.07		.09	.52	.04			.04	.81		.08	.10		2
3	.54			.61	.45		.06	.15	.09		.41	.56		3
4			.68	.11	.		.37				.17	.13		4
5	.02		.04	.16	.10		.81	.10		.68	1.94			5
6	.45		.14	.15			1.32	.05		.46	.20			6
7	.05	.84	.11				.07	.09		.33	.76	1.13		7
8	.06	.36			.03		.22	.05		1.74	.49	.09		8
9	.22	.02						40		.10	.10	.24		9
10	.43	.06	.04						.10	.22		.12		10
11	.02		.06						.04	.42	.02	.04		11
12		.06		.04		.12				.04	.04			12
13	.22	.01		.12	.01	.06	.56			1.52	.09	.04		13
14	1.26				.03	.93	.51			.04	.41	02		14
15	.87			.04	.06	.	.26			.02	.33			15
16	.28			.15	.01	.30	.41				.12			16
17	.82	.06			.02	.03	.43				.03			17
18	.03	.01			.01		.39				.62	.24		18
19	.49					.19	.20	.09				.23		19
20	.68					.12	.79	.94				.04		20
21	.04	.61				1.41	.27							21
22	.74	.33	.13			.49	.23				.51			22
23	.05	.06	.04			.18	.07				1.83			23
24	1.34	.10	.31	.08		.58	.17			.03	1.16			24
25	.34			.19		.10	.26	.10		.04	.19			25
26		.19				.06	.07	.25			.71			26
27		.45	.06			.14	.17	.04			.10			27
28		.04	.02			.11	.68				.33			28
29				.44		.10	.07	.02		1.11	.14			29
30		✕		.31		.09	.04	.03		.45	.16			30
31		✕		✕		✕	.03	.14	✕	.71	✕			31
TOTAL	9.07	5.20	1.76	2.98	.85	5.01	8.46	2.58	1.08	7.49	11.70	2.23	Year's Total 56.41	✓
* Days with .01 in. or more.	23	15	13	14	11	17	25	16	5	16	26	14	195	✓
* Days with .04 in. or more.	19	12	12	14	5	16	24	14	5	14	23	13	176	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.]

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations** **Station No.** 1690

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40.

489544/36

Kept at MAZONET. STOKE GABRIEL. TOTNES

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 100 ft.

Jan 2+3 esta from nearby stns.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.13									.25			1
2		.79		.23	.12						.93	.10		2
3	.37	1.26					.05			.14	1.24			3
4	.02	.06								.28	.24	.12		4
5	.04				.05		.07	.04		.12	.53	.21		5
6	.32						.05			.68	.19	.34		6
7	.06						.12			.07				7
8									.07	.55	.43	.59		8
9				.14			.64		.06	.12	.59	.10		9
10						.12	.08				.13	.36		10
11				.02			1.01				1.46	.04		11
12			.06				.10				.12	.56		12
13			.32				.05		.46	.76	1.88	.07		13
14			.66		.18		.04		.19	.42	.81	.52		14
15		.08					.17		.08	.40	.12	.01		15
16		1.43	.84	.07			.07		.11	.26	.15	.06		16
17		.33	.74	.10			.17				.34			17
18		.08	.31	.13			.09		.86	.28	.04			18
19		.06	.19	1.10			34		.03	.03	.78			19
20			.03	.07						.12	.15			20
21		.03		.03	.11	.12				.05	.78			21
22			.06	.24	.08	.45	.02			.05	.04			22
23	.02		.21		.47		.07		.12	.08	.38			23
24	(~~31~~)	.06	.08		.19		.34		.03		.04			24
25	.49	.08	.36		.44		01							25
26	.41	.66					04							26
27	.12	.20	.08	.24	.02		03							27
28	.89	.06	10	.08		.10	.01							28
29	.52	.25		2.10								.49		29
30	16	✕	04	.08						.77		.42		30
31		✕	06	✕		✕			✕	.45	✕	1.29		31
TOTAL	3·42 ~~3.43~~	6.48	4.04	4.63	1.66	79	3.54	.04	2.01	5.93	12.25	5.30	Year's Total 49.43	50·42 ~~49·42~~
* Days with .01 in. or more.	12 ~~13~~	19	16	14	9	4	22	1	10	19	23	15	1.65 4	
* Days with .04 in. or more.	10	18	15	12	8	4	18	1	8	18	23	14	139 140	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) W.C. Collett

[P.T.O.

1691

—

1691
DUNDRIDGE GDNS. TOTNES
1931 — 40

750306

Section **A** for the entry of Dai
AIR MINISTRY.—

COPY FOR OFFICIAL USE.
LL ORGANIZATION.

FORM 1090.

REGISTE

1.

Kept at DUNDRIDGE. GA
in the County of SOUT~~H~~ D
Diameter of Funnel of Gauge 5
Height of top of Gauge above Ground
,, Ground ,, Sea Level

THE MORNING MEASURE Y.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	=	—	—	90	—	—	—	—	39	—	—	—	1
2	68	—	14	48	—	—	—	—	42	—	15	60	2
3	30	—	54	—	—	—	—	—	19	—	2·50	19	3
4	—	—	—	—	—	22	72	—	03	—	—	—	4
5	—	66	73	—	—	60	30	—	—	—	07	48	5
6	—	—	04	—	27	—	50	—	—	57	18	50	6
7	—	11	—	—	35	77	—	17	—	—	1·35	—	7
8	—	24	—	—	—	71	—	—	—	—	21	20	8
9	—	36	—	—	—	43	—	—	—	—	83	—	9
10	—	—	—	—	06	—	—	—	33	—	43	—	10
11	19	66	—	—	—	44	—	—	—	—	28	—	11
12	—	21	—	—	—	—	58	—	12	45	—	—	12
13	—	11	—	—	—	—	—	—	—	—	—	—	13
14	—	0·3	—	—	—	—	95	42	—	—	50	—	14
15	—	11	—	—	33	—	—	17	—	—	—	—	15
16	—	—	—	—	10	1·44	—	—	10	—	—	—	16
17	—	24	—	—	—	—	37	—	—	—	—	—	17
18	—	—	—	35	—	—	—	2·05	—	—	40	—	18
19	—	—	—	—	—	43	—	35	—	—	78	—	19
20	—	25	50	—	—	—	—	63	—	—	39	—	20
21	54	—	—	—	—	—	—	—	—	06	—	—	21
22	1·12	—	06	25	47	—	—	—	—	—	12	—	22
23	29	—	—	—	92	—	—	—	—	—	96	—	23
24	12	—	—	1·58	—	30	1·4	1·40	—	—	10	—	24
25	17	—	—	22	25	—	35	—	—	—	34	—	25
26	—	12	—	—	—	—	48	—	—	—	79	—	26
27	23	26	—	—	23	—	—	—	—	—	12	—	27
28	11	26	—	—	—	—	—	11	—	—	—	17	28
29	—	—	29	—	15	—	53	27	—	—	14	—	29
30	10	×	07	—	20	—	—	03	15	—	—	—	30
31	82	×	31	×	14	×	18	—	×	—	×	50	31
TOTAL	4·67	3·62	2·68	3·78	3·47	5·43	6·0	5·60	1·73	1·8	10·64	2·64	YEAR'S TOTAL 51·34
*Days with ·01 in. or more.	12	14	9	6	12	9	11	10	8	3	20	7	121
*Days with ·04 in. or more.	12	13	9	6	12	9	11	9	7	3	20	7	118

40-9999

(Signed) MR C.K. PUGSLEY

*See Instruction 2 (*f*) on other side.

P.T.O.

1691

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at DUNDRIDGE GARDENS
in the County of ~~SOUTH~~ DEVON
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 250 ft.

July 1 [illegible]
accept
See [illegible]
d[illegible]

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	90	—	—	—	—	39	—	—	—	1
2	68	—	14	48	—	—	—	—	42	—	15	60	2
3	30	—	54	—	—	—	—	—	19	—	2·50	19	3
4	—	—	—	—	—	22	72	—	03	—	—	—	4
5	—	66	73	—	—	60	30	—	—	—	07	48	5
6	—	—	04	—	27	—	50	—	—	57	18	50	6
7	—	11	—	—	35	77	—	17	—	—	1·35	—	7
8	—	24	—	—	—	71	—	—	—	—	21	20	8
9	—	36	—	—	—	43	—	—	—	—	83	—	9
10	—	—	—	—	06	—	—	—	33	—	43	—	10
11	19	66	—	—	—	44	—	—	—	—	28	—	11
12	—	21	—	—	—	—	58	—	12	45	—	—	12
13	—	11	—	—	—	—	—	—	—	—	—	—	13
14	—	0·3	—	—	—	—	95	42	—	—	50	—	14
15	—	11	—	—	33	—	—	17	—	—	—	—	15
16	—	—	—	—	10	1·44	—	—	10	—	—	—	16
17	—	24	—	—	—	—	37	—	—	—	—	—	17
18	—	—	—	35	—	—	—	2·05	—	—	40	—	18
19	—	—	—	—	—	43	—	35	—	—	78	—	19
20	—	25	50	—	—	—	—	63	—	—	39	—	20
21	54	—	—	—	—	—	—	—	—	06	—	—	21
22	1·12	—	06	25	47	—	—	—	—	—	12	—	22
23	29	—	—	—	92	—	—	—	—	—	96	—	23
24	12	—	—	1·58	—	30	1·4	1·40	—	—	10	—	24
25	17	—	—	22	25	—	35	—	—	—	34	—	25
26	—	12	—	—	—	—	48	—	—	—	79	—	26
27	23	26	—	—	23	—	—	—	—	—	12	—	27
28	11	26	—	—	—	—	—	11	—	—	—	17	28
29	—	—	29	—	15	—	53	27	—	—	14	—	29
30	10	×	07	—	20	—	—	03	15	—	—	—	30
31	82	×	31	×	14	×	18	—	×	—	×	50	31
TOTAL	4·67	3·62	2·68	3·78	3·47	5·43	6·0	5·60	1·73	1·8	10·64	2·64	YEAR'S TOTAL 51·34
*Days with ·01 in. or more.	12	14	9	6	12	9	11	10	8	3	20	7	125
*Days with ·04 in. or more.	12	13	9	6	12	9	11	9	7	3	20	7	118

40-9999

MR (Signed) C. K. PUGSLEY

P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 1691

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Dundridge Gardens

in the County of South Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft ... in.

,, Ground ,, Sea Level 250 ft.

Days not printed each year

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·8	—	—	23	—	—	0·7	—	—	—	—	—	1
2	0·9	—	—	42	—	—	—	10	35	—	—	50	2
3	—	—	17	—	—	80	—	—	65	—	—	—	3
4	—	—	—	—	—	33	—	11	—	—	39	—	4
5	83	—	—	—	—	—	—	—	29	—	—	—	5
6	65	—	0·5	39	—	24	—	—	75	—	—	—	6
7	—	—	—	10	30	—	—	—	1·10	2·35	—	—	7
8	—	—	49	11	—	—	—	—	16	12	—	—	8
9	1·66	—	—	44	—	—	—	—	—	—	—	—	9
10	54	—	—	29	—	—	—	—	—	28	—	—	10
11	—	—	—	0·8	17	—	—	—	16	—	—	75	11
12	1·70	—	—	—	42	—	—	35	—	32	—	—	12
13	25	—	—	35	—	—	—	—	—	95	—	—	13
14	36	—	—	—	42	—	—	—	—	0·6	—	30	14
15	0·8	—	—	20	10	—	31	—	—	—	—	—	15
16	35	—	—	12	—	—	—	—	—	—	—	—	16
17	—	—	—	0·5	—	—	—	—	—	—	—	—	17
18	0·8	—	—	26	53	—	—	—	—	—	23	—	18
19	—	—	—	0·6	35	—	—	—	—	80	—	—	19
20	—	—	—	10	76	—	—	0·9	—	—	12	—	20
21	0·8	—	0·9	—	—	—	—	33	39	1·66	—	56	21
22	—	—	—	0·4	0·7	—	—	25	83	71	64	11	22
23	—	—	—	—	—	30	30	—	0·9	64	—	—	23
24	—	0·9	—	—	—	—	80	—	21	75	0·8	—	24
25	—	—	40	—	11	—	0·7	—	0·5	65	12	—	25
26	—	—	32	25	—	—	—	—	—	—	0·5	—	26
27	—	—	68	62	—	—	56	—	—	50	—	60	27
28	—	—	27	18	24	—	26	—	—	—	—	12	28
29	—	—	94	17	—	96	0·9	53	87	79	—	46	29
30	—	×	10	31	—	2·37	32	—	1·03	15	1·92	—	30
31	—	×	20	×	34	×	0·3	—	×	0·3	×	1·11	31
TOTAL	6·75	0·9	3·71	4·78	4·31	5·0	2·81	1·76	6·93	10·76	3·55	4·81	YEAR'S TOTAL 55·26
*Days with ·01 in. or more.	13	1	11	21	12	6	10	7	14	16	8	9	128
*Days with ·04 in. or more.	13	1	11	21	12	6	9	7	14	15	8	9	126

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) C. H. PUGSLEY

[P.T.O.

AM

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1691

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at DUNDRIDGE. GARDENS
in the County of SOUTH. DEVON.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft ...... in.
,, Ground ,, Sea Level 250 ft.

Circ 7 sent 23:2:34.

Days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	29	1·66	·	·	·	·	·	·	·	·	·	1·37		1
2	62	06	1·62	·	90	90	·	·	·	·	·	22		2
3	07	·	48	·	·	·	·	·	·	·	·	·		3
4	31	12		·	20	·	·	·	·	·	·	·		4
5	12	·	·	·	56	·	·	·	·	·	·	·		5
6	·	80	·	·	46	·	·	·	·	11	·	·		6
7	·	·	·	·	23	·	·	·	·	08	·	·		7
8	·	·	·	·	07	·	33	·	·	·	·	·		8
9	·	14	·	·	·	·	57	·	·	49	·	·		9
10	·	41	·	·	·	·	·	·	·	84	·	·		10
11	·	·	·	·	·	·	·	·	·	·	·	·		11
12	·	·	·	32	·	44	·	·	·	·	·	·		12
13	·	·	·	·	0·7	·	·	12	57	28	·	·		13
14	1·00	·	·	·	·	·	98	20	·	·	60	·		14
15	·	·	69	·	·	·	66	30	·	14	72	·		15
16	·	·	1·29	·	·	·	·	·	·	·	·	·		16
17	·	·		·	·	15	·	29	33	·	·	·		17
18	·	·	42	·	·	·	·	·	·	·	06	·		18
19	53	·	05	·	·	·	·	·	10	·	60	·		19
20	·	·	·	·	·	35	·	·	·	·	·	·		20
21	·	·	·	·	·	30	·	·	·	41	·	·		21
22	·	Snow	·	35	·	·	·	54	85	·	·	·		22
23	·	1·10	·	35	·	29	·	·	29	73	·	·		23
24	Snow	66	·	1·15	·	·	·	·	35	11	·	·		24
25	Snow	89	·	·	-	·	·	·	71	·	·	29		25
26	Snow	65	·	·	·	·	·	·	·	·	·	[illegible]		26
27	·		·	·	·	·	·	·	·	47	0·7	·		27
28	·	42	·	39	·	·	50	·	·	·	·	50		28
29	·		·	·	·	·	08	·	19	·	·	08		29
30	·	×	20	27	14	·	·	·	14	·	·	10		30
31	·	×	30	×	·	×	·	·	×	12	×			31
TOTAL	2·94	6·91	5·5	2·83	2·63	2·43	3·12	1·45	3·53	3·78	2·5	2·56	Year's Total ~~41·38~~	39·28
*Days with ·01 in. or more.	7	11	8	6	8	6	6	5	9	11	6	6	~~89~~	
*Days with .04 in. or more.	7	11	8	6	8	6	6	5	9	11	6	6	~~89~~	"d"

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) ......

D

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1691

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at DUNDRIDGE GARDENS.

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" Ground " Sea Level 250 ft.

Dup
✓ aly

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	—	·10	—	—	·14	—	·95	—	—	—	1·90		1
2	·23	—	—	—	—	—	—	·03	·97	—	30	·38		2
3	·10	—	—	—	—	—	—	—	—	·43	—	·77		3
4	·18	—	·42	—	·73	—	—	—	·53	·37	—	·64		4
5	—	—	·11	—	·30	—	—	1·5	—	—	—	·80		5
6	·10	—	·66	·21	·63	·16	—	—	·05	·65	·10	·71		6
7	·08	—	—	—	—	—	—	—	—	·33	—	1·28		7
8	—	—	—	—	·12	—	—	—	·06	—	·98	·75		8
9	·05	—	·43	·22	—	—	·07	—	—	—	·53	·26		9
10	·28	—	·37	·60	—	—	—	·28	—	—	·09	·11		10
11	1·04	—	—	·65	—	—	—	—	—	—	—	·98		11
12	·07	—	—	—	—	—	—	·37	—	—	—	·58		12
13	·70	—	—	·65	—	—	·21	—	—	—	·65	·24		13
14	·60	—	·93	·02	—	—	—	—	—	·07	·08	·55		14
15	·25	—	·20	—	·10	—	—	—	—	—	—	·30		15
16	·26	—	·80	—	—	—	·04	—	—	—	—	·42		16
17	·44	—	·54	—	·23	—	—	—	·39	·38	—	·57		17
18	·19	—	·63	·80	—	—	—	—	·10	—	—	·83		18
19	—	—	·07	·39	—	·13	—	·05	·26	—	—	·33		19
20	—	—	—	—	—	—	·05	—	—	·06	—	·10		20
21	—	—	·20	·31	—	·33	—	·04	—	·66	—	·23		21
22	—	—	—	—	—	·03	·62	·12	·75	—	—	·33		22
23	—	—	—	·29	—	·98	—	—	—	·15	—	—		23
24	—	·17	—	—	—	·14	—	·42	·40	·07	—	·62		24
25	·60	—	—	·57	—	·17	—	—	—	·61	—	·17		25
26	—	—	—	—	—	·18	—	—	·17	—	—	1·05		26
27	—	—	—	—	—	—	—	—	·14	·12	—	·55		27
28	—	—	—	—	—	—	—	·62	·26	—	—	1·42		28
29	—	—	—	—	—	—	—	·11	·08	—	—	·07		29
30	—	×	—	—	—	—	—	·08	·40	·06	—	·46		30
31	·11	×	—	×	—	×	—	·05	×	—	×	·03	d	31
TOTAL	5·28	·17	5·46	4·61	2·11	2·26	·99	4·62	4·56	3·96	2·73	~~17·53~~ 17·43	Year's Total. ~~54·28~~ 54·18	
* Days with .01 in. or more.	17	1	13	11	6	9	5	13	14	13	4	30	139	
* Days with .04 in. or more.	17	1	13	10	6	8	5	12	14	13	4	29	~~135~~	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1691

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Dundridge Garden
in the County of S Devon
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft in.
,, Ground ,, Sea Level 250 ft.

Total Dep

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	03	[illegible]	67	—	—	29	—	—	20	06	18	28		1
2	—	[illegible]	—	—	—	05	—	—	34	57	05	—		2
3	—	[illegible]	19	—	61	30	06	—	21	31	11	33		3
4	—	12	—	05	04	28	—	—	20	—	—	32		4
5	—	24	—	20	—	16	—	—	25	15	15	—		5
6	—	—	—	47	—	1.54	—	—	25	—	08	41		6
7	—	—	—	67	—	10	—	—	—	66	20	—		7
8	—	—	—	66	—	—	—	11	—	23	73	—		8
9	—	—	—	67	—	—	—	—	—	86	42	—		9
Snow 10	10	[illegible]	26	07	—	14	—	—	—	—	—	—		10
Snow 11	27	—	42	—	—	70	—	—	16	—	75	—		11
12	—	—	—	—	—	48	—	—	17	—	49	—		12
13	—	39	—	40	—	14	—	04	—	—	27	—		13
14	—	12	—	38	—	20	—	—	25	88	1·82	54		14
15	—	—	—	94	—	43	—	—	17	06	48	—		15
16	—	45	23	20	—	58	—	—	66	—	79	—		16
17	—	—	—	—	Snow 2	55	—	05	24	—	—	—		17
18	—	08	—	63	—	04	—	—	62	08	—	37		18
19	—	—	—	07	69	21	—	—	31	14	71	—		19
20	—	58	—	62	32	04	40	—	—	—	15	—		20
21	—	1·04	—	34	—	—	05	—	10	07	—	—		21
22	—	—	—	—	—	—	—	—	12	30	—	—		22
23	—	23	12	—	—	—	—	24	66	05	—	—		23
24	—	90	03	23	20	—	—	48	81	—	—	1·00		24
25	25	—	—	—	60	32	—	—	—	—	—	22		25
26	—	1·53	—	02	—	—	—	44	24	—	—	81		26
27	—	Snow 38	—	—	—	—	—	09	10	04	14	65		27
28	—	03	—	—	—	—	—	—	16	—	03	14		28
29	—	—	—	—	24	—	—	08	47	42	—	80		29
30	04	×	—	—	—	15	—	1·70	17	1·20	1·18	88		30
31	—	×	—	×	—	×	—	11	×		×	65		31
TOTAL	69	6·09	1·92	6·72	3·42	6·70	51	3·34	6·26	5·22	8·73	7·40	Year's Total. 57·00	d
* Days with .01 in. or more.	5	13	7	17	8	20	3	10	23	17	19	14	156	✓
* Days with .04 in. or more.	4	12	6	16	8	20	3	10	23	17	19	14	152	✓

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) ....

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1691

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Dundridge Gardens

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" Ground " Sea Level 250 ft.

Days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	08	05	11	33	—	34	40	—	—	—	—	03		1
2	16	—	—	24	—	19	37	—	—	—	—	—		2
3	—	—	—	1·09	—	—	—	—	1·60	—	42	—		3
4	—	—	26	—	—	—	—	—	39	—	08	08		4
5	72	22	08	—	—	—	—	—	—	—	—	—		5
6	42	—	05	—	—	—	48	25	81	—	86	—		6
7	37	—	33	—	—	—	—	—	—	—	70	—		7
8	58	—	73	—	—	09	49	—	—	—	76	—		8
9	44	1·66	25	—	—	—	34	—	18	—	10	—		9
10	10	1·03	—	—	—	—	—	24	—	—	27	—		10
11	72	07	—	—	—	—	12	—	11	—	1·17	—		11
12	41	—	—	37	08	—	76	—	50	—	14	—		12
13	—	—	—	—	—	—	12	—	—	—	—	1·64		13
14	—	08	—	—	—	26	—	—	08	—	—	86		14
15	—	—	—	—	—	—	1·45	—	16	—	60	50		15
16	—	23	—	—	21	—	28	—	—	—	22	44		16
17	—	1·35	—	—	—	—	12	—	—	25	—	90		17
18	70	28	20	—	—	—	83	—	—	—	—	12		18
19	68	—	61	44	—	—	04	—	—	—	—	—		19
20	25	41	49	20	—	—	—	26	68	—	—	—		20
21	06	26	18	55	—	—	—	—	—	—	—	—		21
22	30	27	03	—	—	—	50	—	—	—	—	—		22
23	—	06	—	34	—	—	31	—	—	—	—	—		23
24	27	—	14	—	95	—	—	—	27	12	—	—		24
25	44	—	50	25	—	—	—	—	—	44	—	—		25
26	48	11	20	—	—	—	—	—	—	49	—	—		26
27	71	—	08	—	—	—	21	—	—	10	—	—		27
28	1·20	—	97	—	—	—	—	—	—	22	—	48		28
29	09	—	—	—	—	—	20	—	—	—	20	07		29
30	29	✕	—	—	—	50	16	—	—	—	—	—		30
31	15	✕	71	✕	—	✕	21	—	✕	—	✕	92		31
TOTAL	9·62	6·08	5·42	3·81	1·24	1·38	7·15	75	4·78	1·62	5·52	5·98	Year's Total 53·85	✓
* Days with .01 in. or more.	23	14	18	9	3	5	19	3	10	6	12	11	133	✓
* Days with .04 in. or more.	23	14	17	9	3	5	19	3	10	6	12	10	131	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) C. K. Pogsley [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1691

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Dundridge Gardens

in the County of Devon.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 250 ft.

Dayo

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·26	1·75	—	·95	—	—	—	—	·31	—		·87		1
2	—	·29	—	·37	—	—	—	—	—	·33	—	—		2
3	·10	—	·19	—	·34	—	—	—	—	—	—	—		3
4	—	1·70	—	—	—	—	—	—	—	—	—	·86		4
5	·47	—	—	·11	—	—	·77	—	—	—	—	—		5
6	·04	·85	1·05	·43	—	—	—	—	—	—	—	SNOW ·50		6
7	—	1·60	·32	—	—	—	—	—	—	—	—	—		7
8	—	·08	—	—	·68	·14	—	—	—	—	—	—		8
9	·07	—	·24	·32	—	—	·23	—	·57	—	—	—		9
10	·34	—	1·04	·67	—	·36	—	—	—	—	—	·95		10
11	—	—	·38	·33	1·14	·12	—	—	—	—	—	—		11
12	1·08	·34	·08	—	—	·49	—	1·12	·11	—	—	·80		12
13	—	·04	1·34	—	—	—	—	·40	—	—	—	—		13
14	—	—	—	—	—	—	—	—	·17	—	—	—		14
15	·55	·42	·58	1·16	—	—	—	—	·40	—	—	—		15
16	·05	—	·56	—	—	—	—	—	·48	—	—	—		16
17	·96	·14	1·07	—	—	·26	—	—	—	—	1·87	—		17
18	—	·15	·24	—	—	—	—	—	—	—	·15	·29		18
19	—	·11	—	·43	—	—	—	—	—	—	—	—		19
20	1·08	—	·56	·18	—	—	—	—	—	—	—	·98		20
21	1·39	·80	—	—	·79	—	—	—	·55	·12	·36	—		21
22	·36	—	—	—	·58	—	—	—	·23	1·05	·79	·32		22
23	—	·45	—	—	·18	—	·67	—	—	·04	·28	—		23
24	·45	·55	·12	—	—	—	—	—	—	1·20	—	·12		24
25	—	1·05	·64	—	—	—	—	—	—	·24	—	—		25
26	—	·63	—	—	—	—	—	—	—	—	—	—		26
27	5 —	SNOW ·27	—	—	—	—	—	—	—	·54	—	·07		27
28	·87	·04	—	—	—	—	—	—	—	—	—	—		28
29	·36	—	—	—	—	—	—	—	—	·37	·27	—		29
30	·80		—	—	—	—	—	—	—	—	·64	—		30
31	·44		—		—		—	—		·70		—		31
TOTAL	9·67	11·26	8·41	4·95	3·71	1·37	1·67	1·62	2·82	4·59	4·36	5·76	Year's Total 60·09	
* Days with .01 in. or more.														
* Days with .04 in. or more.	18	19	15	10	6	5	3	2	8	8	7	10	114	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) C. K. Pugsley

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 1691

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at DUNDRIDGE GARDENS

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 250 ft.

Dayo
W.J.F.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	—	02	44	—	24	—	69	—	—		1
2	—	—	—	06	—	—	—	~~2·91~~	—	22·	03	44		2
3	—	—	—	—	—	—	—	2·91	—	1·06	58	—		3
4	—	—	—	—	11	03	73	1·03	—	—	—	33		4
5	—	—	—	—	—	—	1·54	—	—	49	—	—		5
6	32·	—	—	—	—	34	30	—	—	24	—	48		6
7	29	—	—	—	—	—	16	—	68	—	—	10		7
8	56·	—	—	—	—	—	—	—	—	49	—	—		8
9	26	—	—	—	—	—	—	—	—	—	—	62		9
10	—	15	—	—	—	—	[illegible]	—	—	—	—	41		10
11	49	—	—	—	—	—	10	—	—	—	67	1·12·		11
12	53	—	—	—	53	—	—	—	—	—	1·50	—		12
13	40	—	—	—	34	—	—	—	—	1·08	33	1·11		13
14	89	—	—	—	20	—	53	—	—	—	—	—		14
15	—	—	—	—	30	—	—	—	—	44	18	44		15
16	1·05	—	—	—	—	—	—	—	—	—	—	—		16
snow 17	33	40	06	—	14	—	—	—	38	35	—	18		17
18	—	—	—	—	06	—	—	58	94	—	55	—		18
19	—	—	—	—	—	—	—	12	—	—	1·27	—		19
20	05	—	—	—	—	—	—	—	—	—	19	—		20
21	—	—	—	—	—	—	—	—	—	—	28	—		21
22	15	—	—	—	—	21	—	90	—	23	—	—		22
23	—	—	—	10	—	—	—	—	—	—	—	—		23
24	—	—	20	—	—	—	—	—	—	—	1·69	—		24
25	18	65	—	—	02	—	47	—	23	—	3·07	—		25
26	35	28	—	—	65	—	—	—	—	—	54	—		26
27	—	15	—	—	12	—	77	—	10	—	—	—		27
28	40	18	—	—	27	—	—	2·12	—	—	80	—		28
29	22	—	—	—	55	52	15	—	36	—	—	—		29
30	08	×	—	—	—	—	—	—	—	—	35	—		30
31	31	×	—	×	28	×	02	—	×	92·	×	70	"d"	31
TOTAL	6·77	1·71	26	16	3·59	1·54	4·77	7·90	2·69	6·21	12·03	5·93	Year's Total 53·56	
* Days with .01 in. or more.	~~18~~	~~6~~	~~2~~	~~2~~	~~14~~	~~5~~	~~10~~	~~7~~	~~6~~	~~11~~	~~15~~	~~11~~	~~107~~	
* Days with .04 in. or more.	~~18~~	~~6~~	~~2~~	~~2~~	~~12~~	~~4~~	~~9~~	~~7~~	~~6~~	~~11~~	~~14~~	~~11~~	~~102~~	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) C.K.PUGSLEY

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations   Station No. 1691

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Total
Days

Kept at DUNDRIDGE GARDENS
in the County of DEVON
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 250 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	11										58	14		1
2	·			12				17	75		18			2
3	72			42							50	61		3
4		1·15		42	54		45	10		1·04	22	14		4
5	46			27			1·25			42	1·80			5
6	04			18			1·80				70			6
7		1·10						07			63	1·37		7
8		46					37			1·75	61	43		8
9								30		15	28			9
10	48							30						10
11										95				11
12														12
13						20				1·45				13
14	1·40						95				57			14
15	65					1·32	62				38			15
16							76				17			16
17	1·37						61							17
18					23	40	1·23				67			18
19	62						26							19
20	79						93	1·25						20
21						1·53	05	0·5						21
22	95	90				70								22
23		60									2·73			23
24	1·05		64			1·12	30							24
25		26		1·00				28			1·11			25
26	28										29			26
27		43				30	26				16			27
28		04		68			91				44			28
29							18			1·20	11			29
30		×		40			17			56	08			30
31		×		×		×			×	55	×			31
TOTAL	8·92	4·94	64	4·19	77	5·57	11·10	2·52	75	8·07	12·22	2·69	Year's Total 62.38	
* Days with .01 in. or more.													" c	"d"
* Days with .04 in. or more.													"	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) C.K. PUGSLEY

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1691

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1930

File No 158663/32

Kept at Dundridge Gardens

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 250 ft.

? Snow.

Days Jan & Feb adj for snow.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	—									33			1
2	—	—			11						[illegible]	38		2
3	—	7·(76)		25						15	2·33	27		3
4	—	1·42					19			32	19			4
5	—	—					16					44		5
6	7·35	1·05			48					83		34		6
7	—	—								07		61		7
8	—	—								65		68		8
9	—						98		27	18				9
10	—										1·87			10
11	—		58				1·18				2·00			11
12	—		63				33		63					12
13	—						11			95	1·58			13
14	—				14		35			47		1·46		14
15	—									49	72			15
16	—	2·16	1·12						36	1·10	53			16
17	—	—	91								16			17
18	—	80	29	1·35			34			28				18
19	—								1·05		1·25			19
20	—									14				20
21	—						45				81			21
22	—			39		76			27					22
23	—													23
24	—		55											24
25	—		26											25
26	—	91			85									26
27	1·36	21			42									27
28	64	23	46											28
29	1·10	07		2·44								77		29
30	—	×		05						1·05		40		30
31	—	×	04	×		×			×	1·07	×	81		31
TOTAL	3 ~~7~~·45	~~8·61~~ 6·61	4·84	4·48	2·0	76	4·09	—	2·58	7·75	11·77	6·16	Year's Total 52 ~~54·49~~	5449
* Days with .01 in. or more.														
* Days with .04 in. or more.														d"

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

P.T.O.

1693

285

Section **A** for the entry of Da

AIR MINISTRY.—

FORM No.

REGISTE

1.

FOR OFFICIAL USE.

LL ORGANIZATION.

1693
PAIGNTON VICTORIA PK.
1931 —— 40

780306

Kept at Paignton

in the County of Devon

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Level

THE MORNING MEASURE Y.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				1·13					·39				1
2													2
3			·77								1·99		3
4													4
5												·46	5
6										·29			6
7							·84						7
8						·61							8
9													9
10													10
11		·58											11
12													12
13													13
14													14
15													15
16													16
17													17
18								1·77					18
19													19
20													20
21													21
22	·65												22
23					·70								23
24				1·13									24
25													25
26													26
27													27
28													28
29													29
30		X											30
31		X		X		X			X		X		31
TOTAL	3·13	2·20	2·53	3·58	2·17	3·28	4·48	4·00	1·35	0·50	7·78	1·86	YEAR'S TOTAL 36·86
*Days with ·01 in. or more.	19	19	10	13	19	12	22	13	12	6	21	11	177
*Days with ·04 in. or more.	12	14	9	10	15	12	18	12	9	3	19	8	141
40-9999	79·5	55·9	64·3	90·9	55·1	83·3	113·8	101·6	34·3	12·7	197·6	47·2	936·2

(Signed)

*See Instruction 2 (*f*) on other side.

[R.T.O.

1693

Section **A** for the entry of Da

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

285

FORM o.

REGISTER OF RAINFALL IN 1931.

Kept at Paignton

in the County of Devon

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level..........ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				1.13					·39				1
2													2
3			·77								1·99		3
4													4
5												·46	5
6										·29			6
7							·84						7
8						·61							8
9													9
10													10
11		·58											11
12													12
13													13
14													14
15													15
16													16
17													17
18								1·77					18
19													19
20													20
21													21
22	·65												22
23					·70								23
24				1·13									24
25													25
26													26
27													27
28													28
29													29
30		✕											30
31		✕		✕		✕			✕		✕		31
TOTAL	3.13	2·20	2.53	3·58	2·17	3·28	4.48	4·00	1·35	0·50	7·78	1·86	YEAR'S TOTAL 36·86
*Days with ·01 in. or more.	19	19	10	13	19	12	22	13	12	6	21	11	177
*Days with ·04 in. or more.	12	14	9	10	15	12	18	12	9	3	19	8	141
40-9999	79·5	55·9	64·3	90·9	55·1	83·3	113·8	101·6	34·3	12·7	197·6	47·2	936·2

*See Instruction 2 (*f*) on other side.

(*Signed*)..........

[P.T.O.

1693

Section | **A** | for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM [illegible].

REGISTER OF RAINFALL IN 1932.

285

Kept at Paignton

in the County of Devon

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9	1·28	·02											9
10													10
11													11
12													12
13								·67					13
14													14
15													15
16													16
17													17
18													18
19													19
20					1·00								20
21													21
22									1·28				22
23													23
24													24
25													25
26													26
27				·47									27
28													28
29			·84										29
30		×				2·14					1·57		30
31		×		×		×			×		×	·84	31
TOTAL	5·84	0·02	3·12	3·05	3·56	3·71	1·66	1·71	5·54	8·12	2·72	3·30	YEAR'S TOTAL 42·35
*Days with ·01 in. or more.	20	1	13	22	21	5	16	8	17	19	13	16	171
*Days with ·04 in. or more.	12	0	10	18	15	5	11	7	15	18	9	13	133
40-9999	148·3	0·5	79·2	77·5	90·4	94·2	42·2	43·4	140·7	206·2	69·1	83·8	

*See Instruction 2 (*f*) on other side.

(*Signed*) ....

P.T.O.

1693

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 109

REGISTER OF RAINFALL IN 1933.

Kept at Paignton

in the County of Devon

285

Diameter of Funnel of Gauge.................in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 12 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1												1·30	1
2	0·92		1·24		·49								2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11								·24					11
12													12
13													13
14							·60						14
15													15
16													16
17													17
18													18
19											·49		19
20													20
21													21
22									1·08				22
23		1·01								·51			23
24													24
25													25
26													26
27													27
28				·48									28
29													29
30		×											30
31		×		×		×			×		×		31
TOTAL	3·48 ✓	4·85 ✓	4·48 ✓	1·68 ✓	1·44 ✓	1·44 ✓	2·23 ✓	1·04 ✓	3·19 ✓	2·18 ✓	1·31 ✓	2·21 ✓	YEAR'S TOTAL 29·53 ✓
*Days with ·01 in. or more.	14	16	12	11	12	14	13	10	13	17	8	10	150 ✓
*Days with ·04 in. or more.	13	13	11	9	10	10	10	9	10	10	4	7	116 ✓

40-9999 88·4

81·0

*See Instruction 2 (*f*) on other side.

D

(*Signed*)...

P.T.O.

Section **A** **for the entry of Daily Observations.**

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090

REGISTER OF RAINFALL IN 1934.

1693
~~285~~

Kept at Paignton

in the County of Devon

Diameter of Funnel of Gauge .... in. (see Inspection report Ht-9 inches 11 3/4")

Height of top of Gauge above Ground 1 ft X0 in.

,, Ground ,, Sea Level 12 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								·77					1
2									·72				2
3													3
4													4
5													5
6					·46								6
7												·94	7
8											·53		8
9													9
10				55									10
11	·77												11
12							·39						12
13				·55							·53		13
14			·66										14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23						·76							23
24													24
25		·09								·46			25
26													26
27													27
28												·94	28
29													29
30		×											30
31		×		×		×			×		×		31
TOTAL	4·22 ✓	0·15 ✓	3.91 ✓	3·46 ✓	1·38 ✓	1·65 ✓	0·97 ✓	3·01 ✓	2·88 ✓	2·63 ✓	2·43 ✓	12·20 ✓	YEAR'S TOTAL 38·89 ✓
*Days with ·01 in. or more.	21	3	20	18	7	10	7	17	18	18	11	30	180
*Days with ·04 in. or more.	15	2	14	14	7	6.	4.	10	14.	12.	7	29	134

40-9999

*See Instruction 2 (*f*) on other side.

M

(*Signed*) ....

P.T.O.

COPY FOR OFFICIAL USE.

Sect **A** for the entry of Daily Observations. Station No. 1693 ~~285~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Paignton

in the County of Devon

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground 1 ft 1 in.

,, Ground ,, Sea Level 12 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			·57											1
2														2
3														3
4														4
5														5
6						1·31								6
7														7
8														8
9														9
10														10
11	0.19													11
12														12
13														13
14											1·23			14
15				·76										15
16														16
17					1·02									17
18									·68					18
19							·13							19
20														20
21														21
22														22
23														23
24		·97												24
25														25
26														26
27														27
28														28
29												·96		29
30		×						1·09						30
31		×		×		×			×	·86	×			31
TOTAL	0.49	4·69	1·45	4·07	2·65	5·19	0·16	2·45	4·22	4·02	7·00	5·84	Year's Total 42·23	
*Days with ·01 in. or more.	9	19	9	19	10	21	4	11	25	21	23	21	192	
*Days with ·04 in. or more.	4	15	6	14	6	18	1	6	19	14	19	15	137	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) ....

P.T.O.

COPY FOR OFFICIAL USE.

1893

Section **A** for the entry of Daily Observations. Station No. 285

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Paignton

in the County of Devon

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 12 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1														1
2														2
3				1·06					·64					3
4														4
5														5
6								·06						6
7														7
8														8
9														9
10														10
11											1·05			11
12														12
13												1·22		13
14							·76							14
15														15
16														16
17		1·15												17
18						·35								18
19														19
20														20
21														21
22														22
23					·30									23
24										·35				24
25														25
26														26
27														27
28	1·23		·73											28
29														29
30		✕												30
31		✕		✕		✕			✕		✕			31
TOTAL	8·41	4·26	4·50	2·60	0·89	1·14	4·78	0·18	2·75	0·84	4·05	5·30	Year's Total. 39·70	
* Days with .01 in. or more.	26	18	22	11	6	12	24	6	14	8	17	18	182	
* Days with .04 in. or more.	22	13	16	8	4	7	21	2	11	7	14	13	138	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) ....

[P.T.O.

285

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1693.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Paignton (Victoria Park)

in the County of Devon

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 12 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2		1·14												2
3														3
4														4
5														5
6			1·13											6
7														7
8														8
9														9
10				·97										10
11					·87									11
12								1·25						12
13														13
14							·71							14
15														15
16									·41					16
17											·60			17
18														18
19														19
20												·85		20
21	1·14													21
22						·47								22
23														23
24										·95				24
25														25
26														26
27														27
28														28
29														29
30		✗												30
31		✗		✗		✗			✗		✗			31
TOTAL	7·92	7·34	6·16	3·51	2·73	1·34	1·54	1·71	1·72	3·38	2 3·40	4·38	Year's Total 44·13 ✓	
* Days with .01 in. or more.	25	24	21	15	13	6	12	3	16	11	11	18	175 ✓	
* Days with .04 in. or more.	20	20	18	11	11	5	6	3	10	11	8	14	137 ✓	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

285

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations **Station No.** 1693

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1000

REGISTER OF RAINFALL IN 1938

Kept at Paignton (Victoria Park)

in the County of Devon

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. ~~1~~ 0 in.

,, Ground ,, Sea Level 12 ft.

See 10 yr. Sheet

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						·39								1
2														2
3								3·63		·67				3
4								1·07						4
5														5
6							1·37							6
7														7
8														8
9														9
10														10
11														11
12														12
13												·92		13
14	·86													14
15														15
16														16
17														17
18														18
19									·45					19
20														20
21														21
22														22
23				·12										23
24			·06											24
25		·46									1·92			25
26					·57									26
27														27
28														28
29														29
30		✕												30
31		✕		✕		✕			✕		✕			31
TOTAL	5·29	1·26	·09	·12	2·47	·94	3·54	6·77	1·20	4·14	7·38	4·08	Year's Total 37·28	
* Days with .01 in. or more.	21	7	3	1	15	9	14	11	12	20	20	20	153	
* Days with .04 in. or more.	19	5	1	1	13	5	11	9	5	17	18	15	119	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

~~283~~

Section **A** for the entry of Daily Observations

Station No. 1693

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 0

REGISTER OF RAINFALL IN 1939

Kept at Paignton (Victoria Park)

in the County of Devon

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 12 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2									·69					2
3				·53										3
4			·63		·32									4
5											1·65			5
6							·96							6
7		·62										·61		7
8														8
9														9
10														10
11														11
12														12
13										1·44				13
14	1·02													14
15														15
16														16
17														17
18														18
19														19
20								·64						20
21						1·26								21
22														22
23														23
24														24
25														25
26														26
27														27
28														28
29														29
30		✕												30
31		✕		✕		✕			✕		✕			31
TOTAL	7·20	2·42	1·34	2·36	·50	3·82	6·66	1·81	·96	5·66	7·84	2·01	Year's Total 42·58	
* Days with .01 in. or more.	21	13	16	15	6	15	23	16	7	14	24	14	184	
* Days with .04 in. or more.	15	10	6	12	2	9	22	12	4	12	21	10	135	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

285 ✓

Section **A** **for the entry of Daily Observations** **Station No.** 1693

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19340

Kept at Paignton (Victoria Park)
in the County of Devon
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 1 in.
,, Ground ,, Sea Level 12 ft.

✓

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf ✓

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4														4
5														5
6														6
7														7
8														8
9								·02						9
10														10
11							·80							11
12														12
13			·56								1·56			13
14														14
15														15
16		1·35	·56											16
17			·56											17
18								·02						18
19									·64					19
20														20
21														21
22						·57								22
23														23
24														24
25					·49									25
26														26
27														27
28	·75													28
29				2·03										29
30		✕												30
31		✕		✕		✕			✕	·69	✕	1·06		31
TOTAL	2·99	5·37	3·20	4·15	1·64	·76	2·88	·04	1·44	4·44	9·06	3·91	Year's Total 39·88	✓
* Days with .01 in. or more.	13	17	15	18	9	6	17	2	10	21	19	17	164	✓
* Days with .04 in. or more.	10	13	10	11	6	2	9	0	6	16	18	12	113	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P. T. O.

6700

1692

Section **A** for the entry of Da

AIR MINISTRY.–

COPY FOR OFFICIAL USE.

LL ORGANIZATION.

FORM 1090.

REGIST

1692

PAIGNTON, VICARAGE

1931 — 35

780306

Kept at The Vicarage

in the County of Devon

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Lev

THE MORNING MEASUREMENT … AY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			Tr.	1·15			·015		·36	·01			1
2	·62	·01	[illegible]	·61					·3	·01	·01	·41	2
3	·15		·81				·05	·02	·07		2·03	·17	3
4		·01	·26		·07		·32		·04	·01	·03	·01	4
5		·27	·54	·02 }	·01	·39	·05				·07	·45	5
6		·05		·06 }	·04	·24	·05			·29	·09	·37	6
7		·01		·1	·24	·21	·77	·09		·03	·82	·13	7
8		·08				·63	·07				·25	·03	8
9		·24				·18	·09				·63		9
10		·04			·02	·05			·41		·45		10
11	·15	·54				·27	·11		·07		·16		11
12	·07	·11					·05			·08			12
13		·03	·01				·45	·13	·06	·01	·08		13
14					·04	·13	·84	·08			·33		14
15		·04			·13			·1	·01			·02	15
16		·12		·01	·13	·59	·01	[illegible]	·12				16
17		·05					·28	·14	·02				17
18			·01	·1		·26	·05	1·76			·24		18
19		·09	·06			·23		·08			·78		19
20		·09	·39					·29	·06		·1		20
21	·25	·01			·13					·1	·03		21
22	·65		·05	·1	·15								22
23	·2			·13	·71		·05	·3			·75		23
24	·19		·01	1·13	·05	·2	·65	·49			·05		24
25	·03			·16	·04		·14				·28		25
26	·01	·03		·08			·22				·61		26
27	·1	·19			·19		·27				·05		27
28	·06	·15	·16	·02	·08			·16				·08	28
29	·02		·06		·05		·07	·43			·08	·11	29
30	·07	×			·08			·01	·04				30
31	·55	×	·31	×	·12	×	·02		×		×	·14	31
TOTAL	3·12	2·16	2·67	3·67	2·28	3·38	4·62	4·08	1·56	·54	7·92	1·92	YEAR'S TOTAL 37·92
*Days with ·01 in. or more.	15	20	12	13	18	12	22	14	12	8	22	11	179
*Days with ·04 in. or more.	12	14	9	10	16	12	19	12	10	3	19	8	144

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) H. Mackworth Drake

P.T.O.

6700 [redacted] 1692

Section **A** for the entry of Da [redacted] COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931

Kept at The Vicarage PAIGNTON

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. " in.

,, Ground ,, Sea Level 42 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			Tr	1·15			·015		·36	·01			1
2	·62	·01	[illegible]	·61					·3	·01	·01	·41	2
3	·15		·81				·05	·02	·07		2·03	·17	3
4		·01	·26		·07		·32		·04	·01	·03	·01	4
5		·27	·54	·02 }	·01	·39	·05				·07	·45	5
6		·05		·06 }	·04	·24	·05			·29	·09	·37	6
7		·01		·1	·24	·21	·77	·09		·03	·82	·13	7
8		·08				·63	·07				·25	·03	8
9		·24				·18	·09				·63		9
10		·04			·02	·05			·41		·45		10
11	·15	·54				·27	·11		·07		·16		11
12	·07	·11					·05			·08			12
13		·03	·01				·45	·13	·06	·01	·08		13
14					·04	·13	·84	·08			·33		14
15		·04			·13			·1	·01			·02	15
16		·12		·01	·13	·59	·01	[illegible]	·12				16
17		·05					·28	·14	·02				17
18			·01	·1		·26	·05	1·76			·24		18
19		·09	·06			·23		·08			·78		19
20		·09	·39					·29	·06		·1		20
21	·25	·01			·13					·1	·03		21
22	·65		·05	·1	·15								22
23	·2			·13	·71		·05	·3			·75		23
24	·19		·01	1·13	·05	·2	·65	·49			·05		24
25	·03			·16	·04		·14				·28		25
26	·01	·03		·08			·22				·61		26
27	·1	·19			·19		·27				·05		27
28	·06	·15	·16	·02	·08			·16				·08	28
29	·02		·06		·05		·07	·43			·08	·11	29
30	·07	×			·08			·01	·04				30
31	·55	×	·31	×	·12	×	·02		×		×	·14	31
TOTAL	3·12	2·16	2·64	3·67	2·28	3·38	4·62	4·08	1·56	·54	7·92	1·92	YEAR'S TOTAL 37·92
*Days with ·01 in. or more.	15	20	12	13	18	12	22	14	12	8	22	11	179
*Days with ·04 in. or more.	12	14	9	10	16	12	19	12	10	3	19	8	144

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) H. Mackworth Drake

P.T.O.

1692

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 1692

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at The Vicarage Paignton

in the County of Devon

File No. 67004/26

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft ...... in.

,, Ground ,, Sea Level 42 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02			·11			·14	·2					1
2	·03		·12	·45			·02		·21			·26	2
3	·02					·76			·43		·03	·03	3
4	·02					·19		·03			·28		4
5	·69		·03						·1				5
6	·88		·01	·22			·08		·41				6
7	·04		Tr	·02	·13				·91	1·71			7
8	·09		·21	·08	·11				·2	·1	·01		8
9	1·47	·01		·28	·02			Tr					9
10	·49			·22	·03	·05			·05	·22		·02	10
11	·17			·07	·11							·47	11
12	1·16				·51		·06			·22		·08	12
13	·24			·21	·06		·07	·65		1·09		·32	13
14	·36				·33					·06		·02	14
15	·05			·16	·07		·05			·01		·03	15
16	·39			·15									16
17	·03			·03	·02					·07			17
18	·02				·32				Tr		·14		18
19	·02			·08	·23				·09	·3			19
20				·18	1·04		·02	·07	·03	1·35	·06	·17	20
21	·01		·06	·03				·23	·18	·61	·03	·21	21
22				·03	·02		·02	·1	1·32	·61	·25	·05	22
23					·12		·13	Tr	·05	·54	·02	·21	23
24					Tr		·62		·06	·03	·04	·01	24
25			·63	·04	·01		·1		·05	·18	·15	·01	25
26			·2	·06			·08		·01	·1	·05		26
27			·6	·48	·07		·18		-	·28		·22	27
28			·28	·06	·09		·05		Tr			·03	28
29			·71	·07	·15	·66		·4	·57	·59	·13	·39	29
30		×	·05	·05	·02	2·2	·19		·9	·04	1·44	Tr	30
31		×	·17	×	·22	×			×		×	·94	31
TOTAL	6·2	·01	3·07	3·08	3·68	3·86	1·81	1·68	5·57	8·11	2·63	3·47	YEAR'S TOTAL 43·17
*Days with ·01 in. or more.	20	1	12	22	21	5	15	7	17	19	13	18	170
*Days with .04 in. or more.	12		10	18	15	5	12	6	15	17	9	11	130

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) H. M. Drake.

P.T.O.

1692

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No ~~1692~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at The Vicarage Paignton

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft in.

,, Ground ,, Sea Level 42 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·43	·73	·19	-	·02	·08	-	-	-	·1	·01	1·45		1
2	·84	·02	1·24	-	·54	·6	-	-	-	-	-	·08		2
3	·08	·05	·21	-	tr	-	-	-	-	-	-	-		3
4	·17	·07	-	-	·15	-	-	-	-	-	-	-		4
5	·1	-	·5	-	·17	-	-	-	tr	·02	-	-		5
6	tr	·59	·01	-	·28	-	·1	-	-	·06	-	-		6
7	-	·11	tr		·24	-	·03	-	-	-	-	·01		7
8	-	·02	-	-	tr	-	-	-	-	·04	-	-		8
9	-	·02	-	-	·1	·09	·45	·03	-	·35	·04	-		9
10	·01	·11	-	-	-	-	·1	-	-	·38	-	-		10
11	·05	-	-	-	-	tr	·03	·25	-	-	-	-		11
12	-	-	-	·19	·04	·17	·3	·09	·56	-	-	·02		12
13	·01	-	-	-	-	·03	·13	·08	-	·05	tr	-		13
14	·11	-	-	-	tr	-	·46	·1	-	-	·3	-		14
15	·47	-	·44	-	-	-	·3	·09	-	·09	·41	-		15
16	-	-	1·1	-	-	tr	-	tr	-	tr	-	-		16
17	·02	·11	·1	-	-	·05	-	·14	·16	-	-	-		17
18	·1	-	·19	-	-	·01	-	-	-	-	·05	-		18
19	·36	-	·22	tr	-	·04	-	·1	·14	-	·52	tr		19
20	-	-	-	-	-	·27	-	-	·14	-	-	-		20
21	-	·02	-	-	tr	·05	-	·08	tr	·2	-	-		21
22	-		-	·14	-	·08	-	·25	·74	·02	-	-		22
23	-	1·22	-	·19	-	·13	-	-	{·77}	·56	-	-		23
24	-	·46	-	·26	-	-	-	-	-	·02	-	-		24
25	-	·98	-	·19	·05	·05	-	-	·66	-	-	·08		25
26	-	·3	-	·13	·05	-	-	-	-	-	-	-		26
27	-	-	-	tr	-	-	-	-	-	·17	·02	·47		27
28	-	·07	-	·55	·03	-	·29	-	-	·19	-	·09		28
29	·04	-	-		tr	-	-	-	·1	-	-	·04		29
30	·11	×	·2	·12	-	-	·07	-	-	-	-	·08		30
31	·54	×	·24	×	·06	×	-	-	×	·03	×	-		31
TOTAL	3·44	4·88	4·64	1·77	1·73	1·65	2·26	1·21	3·27	2·28	1·35	2·32	Year's Total 30·80	
*Days with ·01 in. or more.	16	16	12	8	12	13	11	10	9	15	7	9	138	
*Days with .04 in. or more.	13	12	11	8	10	11	9	9	9	11	5	7	115	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) R. M. Drake.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1692

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

File 20.
670004/26

Kept at The Vicarage Paignton

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 42 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04		·02			·19		·85	·11		·33	·9		1
2	·17		tr						·74	·02	·01	·29		2
3	·05									·29		·45		3
4	·16		·14	·04	·36				·39	·14	·01	·53		4
5			·1		·75	·25		·61		·07		·66		5
6	·08		·45	·07				·05	·02	·34	·23	·53		6
7	·08									·22		·92		7
8	tr				·12						·54	·46		8
9			·43	·07							·51	·11		9
10	·2	·01	·31	·58			·15	·06			·03	·2		10
11	·76		·13	·49		·01		·01				·71		11
12	·02						·42	·12				·3		12
13	·65		·01	·58							·56	·25		13
14	·57		·68	·01						·03	·13	·25		14
15	·16		·18		·08					·25	·11	·18		15
16	·26		·46						·16			·38		16
17	·42		·3	·24	·09				·1	·08		·4		17
18	·28	tr	·39	·5		·03			·15			·64		18
19	·04		·1	·07		·01		·02	·08			·34		19
20		tr	·01	·12	tr		·09		·02	·02		·03		20
21			·22	·02		·11	·15	·03	·01	·58		·23		21
22	·02		·06			·01	·21	·05	·39			·33		22
23	·03		tr	·2		·76		·53	·26	·04		·36		23
24		~~·04~~	·02	·08		·23	·01	·27	·01	·05		·03		24
25	·3	·08		·33		·01				·49		·9		25
26	·07		·01	·17		·09			·14	·02		·24		26
27				·03		·02		·07	·06	·05	·01	·37		27
28								·42	·24			·95		28
29								·03	·04	·02		·04		29
30		×					·01	·03	·13	·01		·44		30
31	tr	×		×	·06	×		·07	×		×	·01		31
TOTAL	4·36	·13	4·02	3·6	1·46	1·72	1·04	3·22	3·05	2·72	2·47	12·43	Year's Total 40·22	
*Days with ·01 in. or more.	20	3	19	17	6	12	7	16	18	18	11	31	178	
*Days with ·04 in. or more.	17	2	14	14	6	6	5	11	14	12	7	28	136	

† Spare column, no entries required.

(*Signed*) H. M. Drake

40-9999

*See Instruction 2 (*f*) on other side.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1692

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

File No. 67000 4/26

Kept at The Vicarage PAIGNTON

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft in.

,, Ground ,, Sea Level 42 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	tr		·59			·2	tr		·13	·13	·11	·18		1
2			·07			·2	tr		·31	·37	·04	·04		2
3			·1		·63	·25			·13	·20	·08	·01		3
4	·02	·11		·03	·01	·35			·1	·07	·14	·43		4
5	·01	·21	·01	·08		·08			·17	·03	·12	·02		5
6				·31		1·34					·10			6
7				·47		·05				·46	·22			7
8				·58					·12	·26	·45	·02		8
9				·51		·02			·02	·83	·37			9
10	·03		·44	·03		·05				tr	tr	·04		10
11	·2	·07	tr			·59			·14	tr	·7	tr		11
12	·01	·24				·56			·06	·03	·32			12
13		·05		·2		·1		·03	tr		·34			13
14		·1		·13		·15			·32	·02	1·32	·16		14
15		·07		·77	·02	·45			·12	·01	·32	·03		15
16		·1	·17	·14		·09			·61		1·00			16
17				·04	·98	·44	tr	·07	·02		·02			17
18		·04		·45			tr		·67	·07	·04	·19		18
19		·02		·05	·38	·07	·15		·22	·11	·68			19
20		·48		·18	·14	·02			·01		·14			20
21		·78	tr	·1		·01			·03	·03	tr			21
22				·02					·08	·02				22
23		·12	·07		·02			·23	·01	·21		·72		23
24	·05	·98			·24			·59	·36	·06		·2		24
25	·13	·44			·23	·23		·01				·13		25
26	·02	·78				·03		·23	·1			·67		26
27		·24			·01				·05		·04	·55		27
28		·03						·02	·11		·01	·09		28
29					·01			·1	·33	·02	·04	·95		29
30		×				·1		1·11	·02	·34	·95	·83		30
31		×		×		×		·04	×	·80	×	·33		31
TOTAL	·47	4·86	1·45	4·09	2·64	5·38	·15	2·43	4·24	4·16	7·55	5·78	Year's Total. 43·23	
* Days with .01 in. or more.	8	18	7	17	11	22	1	10	25	20	23	19	181	
* Days with .04 in. or more.	3	16	6	14	6	18	1	4	19	13	20	15	138	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) H. M. Drake.

[P.T.O.

1694

Section **A** **for the entry of**
AIR MINISTR
FORM 1090.
REGIST

1694
PAIGNTON . CLAYLANDS
1931 —— 40
780706

FOR OFFICIAL USE.
NFALL ORGANIZATION.
931.

Kept at Claylan
in the County of
Diameter of Funnel of Gauge
Height of top of Gauge above Groun
,, Ground ,, Sea L

THE MORNING MEASU **DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	132	—	—	01	—	29	02	—	01	1
2	61	—	01	48	—	TR	—	—	39	01	01	42	2
3	18	—	88	—	—	—	—	04	09	01	201	17	3
4	—	—	31	—	07	—	39	—	01	02	05	01	4
5	—	35	72	01	01	39	09	—	—	TR	08	35	5
6	—	06	01	04	05	27	—	—	01	28	09	41	6
7	—	01	—	—	21	29	72	10	—	10	130	12	7
8	—	13	—	13	—	60	06	—	—	01	15	04	8
9	TR	25	—	—	—	19	12	—	—	—	66	—	9
10	TR	06	—	TR	03	07	01	—	28	—	43	—	10
11	10	51	—	TR	TR	27	08	—	06	—	21	—	11
12	04	05	—	—	—	—	12	—	07	09	TR	—	12
13	—	TR	03	—	04	01	23	11	—	01	02	—	13
14	TR	TR	TR	—	02	13	96	07	01	—	41	—	14
15	01	03	—	TR	15	—	—	09	01	—	—	03	15
16	—	09	—	TR	09	62	02	20	11	—	—	01	16
17	—	04	—	—	—	—	26	TR	03	—	—	—	17
18	—	—	02	08	—	24	04	177	—	—	27	—	18
19	02	10	08	01	—	07	—	03	07	—	58	—	19
20	01	09	41	—	—	—	—	27	—	TR	22	—	20
21	23	02	TR	—	14	TR	—	—	—	18	03	—	21
22	67	—	09	15	14	—	—	—	—	—	03	—	22
23	24	—	—	16	77	—	02	14	—	TR	69	—	23
24	09	TR	02	94	07	15	69	68	—	—	03	—	24
25	04	TR	01	26	05	—	15	—	—	—	35	—	25
26	01	04	—	04	—	—	23	—	—	—	54	—	26
27	12	17	—	—	21	—	23	—	—	TR	05	—	27
28	04	10	16	01	02	—	—	22	—	—	—	04	28
29	02	×	07	TR	10	—	08	46	—	—	09	05	29
30	08	×	TR	—	07	—	02	01	05	01	—	—	30
31	55	×	40	×	15	×	04	—	×	—	×	17	31
TOTAL	306	210	322	363	239	330	457	419	148	74	830	183	YEAR'S TOTAL 3881
*Days with ·01 in. or more.	18	17	15	13	19	13	22	14	14	11	23	13	192
*Days with ·04 in. or more.	13	14	9	10	15	12	17	12	9	4	18	9	142

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

P.T.O.

1694

Section A for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Claylands Vaughan

in the County of Devon

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 2 in.

,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	132	—	—	01	—	29	02	—	01	1
2	61	—	01	~~[illegible]~~ 48	—	TR	—	—	39	01	01	42	2
3	18	—	88	— ~~[illegible]~~	—	—	—	04	09	01	201	17	3
4	—	—	31	—	07	—	39	—	01	02	05	01	4
5	—	35	72	01	01	39	09	—	—	TR	08	35	5
6	—	06	01	04	05	27	—	—	01	28	09	41	6
7	—	01	—	— ~~[illegible]~~	21	29	72	10	—	10	130	12	7
8	—	13	—	13	—	60	06	—	—	01	15	04	8
9	TR	25	—	—	—	19	12	—	—	—	66	—	9
10	TR	06	—	TR	03	07	01	—	28	—	43	—	10
11	10	51	—	TR	TR	27	08	—	06	—	21	—	11
12	04	05	—	—	—	—	12	—	07	09	TR	—	12
13	—	TR	03	—	04	01	23	11	—	01	02	—	13
14	TR	TR	TR	—	02	13	96	07	01	—	41	—	14
15	01	03	—	TR	15	—	—	09	01	—	—	03	15
16	—	09	—	TR	09	62	02	20	11	—	—	01	16
17	—	04	—	—	—	—	26	TR	03	—	—	—	17
18	—	—	02	08	—	24	04	177	—	—	27	—	18
19	02	10	08	01	—	07	—	03	07	—	58	—	19
20	01	09	41	—	—	—	—	27	—	TR	22	—	20
21	23	02	TR	—	14	TR	—	—	—	18	03	—	21
22	67	—	09	15	14	—	—	—	—	—	03	—	22
23	24	—	—	16	77	—	02	14	—	TR	69	—	23
24	09	TR	02	94	07	15	69	68	—	—	03	—	24
25	04	TR	01	26	05	—	15	—	—	—	35	—	25
26	01	04	—	04	—	—	23	—	—	—	54	—	26
27	12	17	—	—	21	—	23	—	—	TR	05	—	27
28	04	10	16	01	02	—	—	22	—	—	—	04	28
29	02	×	07	TR	10	—	08	46	—	—	09	05	29
30	08	×	TR	—	07	—	02	01	05	01	—	—	30
31	55	×	40	×	15	×	04	—	×	—	×	17	31
TOTAL	306	210	322	363	239	330	457	419	148	74	830	183	YEAR'S TOTAL 3881
*Days with ·01 in. or more.	18	17	15	13	19	13	22	14	14	11	23	13	192
*Days with ·04 in. or more.	13	14	9	10	15	12	17	12	9	4	18	9	142

40-9999

*See Instruction 2 (*f*) on other side

(*Signed*)

P.T.O.

1694

Section **A** **for the entry of Daily Observations.**

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Claylands Paignton

in the County of Devon

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 2 in.

,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

	Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
		in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
	1	02	—	—	15	TRACE	—	03	07	—	—	—	TR	1
	2	05	—	13	50	—	—	—	01	25	—	—	31	2
02	3	02 02	—	TRACE	—	—	75	02	—	43	TR	04	02	3
	4	02	—	—	—	—	23	01	04	TR	—	22	—	4
67	5	67	—	03	—	—	—	—	—	14	—	TR	TR	5
75	6	75	—	01	26	—	—	09	—	40	—	—	—	6
06	7	06 06	—	01	02	13	—	TR	—	81	158	—	—	7
	8	06	—	24	08	13	—	—	—	28	13	01	—	8
127	9	127	02 SNOW	TRACE	25	TR	—	—	01	—	TR	—	—	9
51	10	~~127~~ 51	—	—	24	03	04	—	—	06	25	01	02	10
18	11	~~51~~ 18	—	—	02	11	—	—	TR	03	01	—	60	11
129	12	~~18~~ 129	—	—	—	53	—	05	—	01	17	TR	08	12
	13	19	—	—	25	07	—	10	60	—	97	01	32	13
	14	33	—	—	—	39	—	—	TR	—	02	—	02	14
	15	05	—	—	16	07	—	10	—	TR MIST	01	—	04	15
	16	33	—	—	14	—	—	—	—	—	—	—	TR	16
	17	03	—	—	03	02	—	—	TR MIST	—	05	—	—	17
	18	02	—	—	—	37	—	—	TR MIST	02	—	14	—	18
	19	03	—	—	10	20	—	—	—	09	32	TR	—	19
	20	—	—	TRACE	15	103	—	TR	13	03	137	06	23	20
	21	02	—	07	03	—	—	—	20	49	57	03	22	21
	22	TRACE	—	—	02	02	—	02	20	111	66	30	06	22
	23	—	—	—	—	05	—	14	01	05	57	TR	20	23
	24	—	TRACE	—	—	01	—	64	—	07	02	05	01	24
	25	—	—	60	03	01	—	07	—	06	22	14	01	25
	26	—	—	28	10	—	—	06	—	TR	07	04	—	26
	27	—	—	62	56	08	—	17	—	—	28	01	27	27
	28	—	—	19	07	04	—	12	—	01	—	TR	05	28
	29	—	—	87	10	14	61	TR	37	64	51	10	41	29
	30	—	×	03	10	03	228	21	TR	83	01	166	01	30
	31	—	×	11	×	27	×	—	—	×	—	×	84	31
	TOTAL	590	·02	319	336	373	391	183	164	581	779	282	372	YEAR'S TOTAL 4372
	*Days with ·01 in. or more.	20	1	13	22	21	5	15	10	20	20	15	19	181
	*Days with ·04 in. or more.	13	·0	9	16	15	5	11	7	15	15	10	13	129

40-9999

*See Instruction 2 (*f*) on other side. G M ROSLING

(Signed)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No 1694

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Paignton
in the County of S. Devon
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 2 in.
,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	49	75	20	—	02	09	—	—	—	01	01	136		1
2	84	03	119	—	46	56	—	—	—	—	—	14		2
3	04	07	24	—	01	—	—	—	—	—	—	—		3
4	18	08	TR	—	17	—	—	—	—	—	—	—		4
5	06	TR	48	TR	17	—	[illegible]	—	03	03	—	—		5
6	—	58	TR	TR	38	—	17	—	—	08	TR	—		6
7	01	10	—	—	10	—	06	—	—	07	—	01		7
8	—	03	—	—	01	—	05	—	—	01	—	—		8
9	—	02	—	—	02	06	37	02	—	41	04	—		9
10	TR	09	—	—	—	—	10	—	—	40	TR	—		10
11	04	—	—	02	TR	—	02	27	—	—	—	—		11
12	TR	—	—	19	03	20	26	08	58	—	—	02		12
13	TR	—	—	—	02	04	15	09	—	06	TR	—		13
14	14	—	—	—	—	—	44	07	—	01	31	—		14
15	39	—	45	—	—	—	25	07	—	08	66	—		15
16	—	—	112	—	—	01	[illegible]	01	01	01	TR	—		16
17	01	07	08	—	—	02	[illegible]	15	18	—	—	—		17
18	09	—	23	—	—	—	TR	TR	—	—	05	—		18
19	36	—	25	TR	—	02	[illegible]	09	16	01	50	01		19
20	TR	—	TR	—	—	25	[illegible]	02	12	—	TR	TR		20
21	—	01 snow	—	—	TR	06	[illegible]	06	08	27	TR	TR		21
22	—	—	—	16	—	15	[illegible]	25	83	03	—	—		22
23	—	96	—	24	—	14	[illegible]	—	27	68	—	—		23
24	—	68	—	29	—	—	[illegible]	TR	28	03	—	—		24
25	—	93	—	23	TR	01	[illegible]	TR	114	—	—	10		25
26	—	29	—	14	07	—	—	—	—	—	—	01		26
27	—	02	—	—	—	—	TR	—	01	10	02	46		27
28	—	09	—	49	03	—	26	TR	—	14	—	08		28
29	06	×	—	02	TR	—	TR	—	10	—	—	05		29
30	10	×	11	06	—	—	05	—	10	—	—	06		30
31	53	×	17	×	05	×	—	—	×	03	×	—		31
TOTAL	334	480	452	184	154	161	218	118	389	246	159	230	Year's Total 3125	
*Days with ·01 in. or more.	15	17	11	10	14	13	12	12	14	19	7	11	155	
*Days with ·04 in. or more.	13	12	11	8	7	9	11	9	11	10	5	7	113	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) Geo M [illegible]

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1694

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at [illegible]

in the County of Devon

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 2 in.

,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	03	—	02	—	—	14	—	86	03	TR	22	97		1
2	19	—	01	—	—	—	—	TR	83	02	TR	29		2
3	05	—	—	—	—	—	—	01	—	33	—	46		3
4	16	—	14	02	36	—	—	01	35	07	03	54		4
5	01	—	07	01	27	20	—	71	—	10	01	71		5
6	08	—	53	10	40	—	—	—	03	37	22	57		6
7	08	TR	TR	—	—	TR	—	06	—	23	01	97		7
8	—	—	—	—	11	—	—	—	—	—	57	43		8
9	01	—	43	05	—	—	—	01	—	TR	52	16		9
10	18	02	31	58	—	—	14	05	—	—	03	09		10
11	77	01	13	51	—	—	—	03	—	—	—	80		11
12	02	TR	—	—	—	—	42	12	—	—	—	30		12
13	62	—	TR	54	—	TR	03	—	—	—	54	24		13
14	49	TR	62	02	—	—	—	—	—	01	16	27		14
15	16	TR	13	01	09	—	TR	—	—	16	09	17		15
16	26	TR	51	TR	TR	—	—	—	—	TR	—	37		16
17	40	—	35	24	12	—	TR	—	26	08	—	41		17
18	31	—	38	54	—	09	—	—	12	—	—	61		18
19	02	TR	10	23	—	04	—	03	06	TR	—	28		19
20	—	TR	TR	13	02	—	08	—	04	02	—	06		20
21	—	—	21	02	TR	14	16	04	02	59	—	25		21
22	01	TR	05	02	—	01	16	04	39	—	—	34		22
23	04	—	01	20	—	88	—	06	30	05	—	58		23
24	—	05	02	01	—	28	05	51	04	06	—	03		24
25	31	06	—	35	—	06	—	—	—	45	—	102		25
26	08	—	01	04	—	08	—	—	15	01	—	20		26
27	TR	—	—	04	—	04	—	04	09	03	02	38		27
28	—	—	—	04	—	—	—	42	21	TR	01	96		28
29	—	×	—	—	—	—	—	02	06	TR	TR	06		29
30	—	×	—	—	—	—	02	07	16	01	01	37		30
31	01	×	—	×	04	×	—	05	×	01	×	—		31
TOTAL	429	14	403	370	141	196	106	314	314	260	244	1289	Year's Total 4080	
*Days with ·01 in. or more.	23	4	19	21	8	11	8	19	17	18	14	30	192	
*Days with .04 in. or more.	16	2	14	14	7	10	6	13	14	11	7	29	143	

40-9999 TR in Feb FOG

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Geo M [illegible]

[P.T.O.

COPY FOR OFFICIAL USE. /

Section **A** for the entry of Daily Observations. Station No. 1694

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Paignton

in the County of Devon

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 2 in.

,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in	in.	in	in.	in.	in.	in.	in.	in.	in.	†	
1	—	TR	63	—	—	22	—	—	16	03	09	10		1
2	—	—	05	—	—	14	TR	—	21	36	04	02		2
3	—	—	11	TR	63	26	—	—	25	14	09	03		3
4	01	08	TR	01	02	39	—	01	08	09	23	31		4
5	TR	17	TR	05	—	12	—	—	15	04	12	02		5
6	—	01	TR	36	—	124	—	—	—	—	08	17		6
7	—	—	—	46	—	05	—	—	—	42	20	02		7
8	—	—	—	53	—		TR	01	13	19	52	—		8
9	—	—	—	67	TR	05	—	—	TR	78	41	—		9
10	05	—	33	02	—	07	TR	—	TR	02	—	02		10
11	20	04	02	02	—	53	—	—	17	—	64	01		11
12	—	24	—	—	—	58	—	02	08	—	34	—		12
13	—	08	—	19	—	12	—	—	TR	02	29	—		13
14	—	10	—	27	—	16	—	—	31	04	128	16		14
15	—	14	TR	85	01	20	—	—	10	02	32	02		15
16	—	09	18	16	—	22	—	—	52	—	74	—		16
17	—	TR	—	01	77	44	TR	05	10	—	01	—		17
18	—	06	—	46	—	TR	TR	—	53	06	06	24		18
19	—	02	01	06	42	09	18	—	21	03	62	01		19
20	—	47	—	17	10	04	—	—	02	—	13	—		20
21	—	79	02	09	—	02	—	—	02	02	TR	—		21
22	—	—	TR	01	—	—	—	—	12	02	—	—		22
23	TR	13	07	—	02	—	—	21	02	20	—	76		23
24	05	102	—	02	24	—	—	64	41	05	—	19		24
25	14	39	—	01	29	46	—	01	—	—	TR	13		25
26	02	82	—	—	—	05	—	27	12	—	01	77		26
27	—	14	01	—	01	—	—	01	07	TR	03	56		27
28	—	02	TR	—	—	—	—	02	09	—	01	08		28
29	01	—	—	—	02	—	—	10	35	02	03	86		29
30	TR	X	—	—	02	10	—	114	03	27	73	84		30
31	—	X	—	X	TR	X	—	04	X	84	X	32		31
TOTAL	48	481	143	444	255	557	18	253	427	366	702	564	Year's Total. 4258	
* Days with .01 in. or more.	7	19	10	20	12	22	1	13	24	21	24	22	195	
* Days with .04 in. or more.	4	16	6	13	6	21	1	7	20	13	19	14	140	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required

(*Signed*) Geo. M Risling

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.
Station No. 1694

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Paignton (Claylands)
in the County of S. Devon
Diameter of Funnel of Gauge..................in.
Height of top of Gauge above Ground.........ft..........in.
,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	07	04	—	23	—	21	31	—	—	—	01	TR		1
2	14	—	01	27	—	10	26	05	61	—	11	—		2
3	01	—	04	109	—	01	04	—	25	—	12	02		3
4	TR	—	20	01	01	04	TR	—	18	—	08	04		4
5	61	18	03	—	—	—	10	02	01	—	02	09		5
6	32	—	02	—	—	01	12	07	47	—	67	TR		6
7	30	—	35	—	—	TR	06	—	TR	—	48	03		7
8	55	—	59	—	—	—	53	—	TR	TR	62	01		8
9	44	116	17	—	—	TR	15	—	10	—	02	—		9
10	09	61	—	—	—	—	01	—	—	—	13	TR		10
11	76	06	—	—	—	10	07	01	08	—	102	10		11
12	04	—	04	01	TR	03	37	—	32	—	02	03		12
13	23	—	03	TR	—	—	03	—	01	02	07	112		13
14	TR	03	—	—	—	05	82	—	08	TR	02	61		14
15	TR	01	—	—	06	—	05	—	31	—	39	53		15
16	01	20	—	TR	22	—	19	—	02	—	14	28		16
17	10	130	—	TR	03	TR	17	TR	—	07	02	109		17
18	42	18	14	—	—	21	55	01	—	TR	—	17		18
19	82	—	53	16	—	11	—	07	—	—	—	TR		19
20	29	42	20	09	—	04	03	—	42	—	—	—		20
21	04	47	09	51	—	—	11	—	TR	02	—	—		21
22	24	04	11	—	—	—	37	—	TR	—	—	08		22
23	—	03	02	27	21	—	21	—	—	TR	—	TR		23
24	40	TR	17	02	36	—	—	—	12	34	—	TR		24
25	19	—	46	18	—	—	TR	—	—	23	—	—		25
26	48	08	15	—	01	—	TR	—	03	07	—	—		26
27	38	—	—	—	—	—	28	—	—	11	TR	—		27
28	115	03	74	—	—	02	—	—	—	—	01	34		28
29	02	05	05	—	—	01	02	—	—	06	10	05		29
30	25	✕	01	—	—	16	—	—	—	01	—	TR		30
31	11	✕	64	✕	07	✕	08	—	✕	—	✕	60		31
TOTAL	846	489	479	284	97	110	493	23	301	93	405	519	Year's Total 4139	
* Days with .01 in. or more.	27	17	23	11	8	14	24	6	15	9	19	17	190	
* Days with .04 in. or more.	24	13	17	8	5	9	20	3	11	6	12	13	141	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section A **for the entry of Daily Observations**

Station No. 1694

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Paignton (Claylands)

in the County of S. Devon 4-

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	10	04	01	87	—	—	—	—	03	11	TR	86		1
2	04	119	09	18	02	—	—	—	06	01	TR	TR		2
3	03	21	08	09	12	—	03	TR	01	—	—	—		3
4	02	111	—	—	TR	—	—	—	—	—	—	57		4
5	25	—	TR	06	—	—	25	—	—	—	—	02		5
6	03	69	123	24	06	—	10	—	—	TR	—	17		6
7	TR	86	24	01	—	05	—	—	01	01	—	40		7
8	—	01	TR	TR	61	TR	04	—	—	—	02	09		8
9	01	03	18	28	02	—	03	—	39	—	—	01		9
10	—	01	68	84	06	25	TR	02	—	—	—	49		10
11	09	TR	28	35	102	06	24	TR	—	—	—	—		11
12	85	26	5	03	TR	34	04	170	08	—	—	56		12
13	TR	02	}125	19	—	—	—	23	14	—	—	01		13
14	TR	—		TR	02	—	86	03	09	—	—	03		14
15	48	25	52	47	—	—	—	—	20	—	TR	12		15
16	16	06	26	—	—	—	03	03	39	—	57	—		16
17	113	09	65	—	—	—	—	—	02	TR	91	—		17
18	06	07	30	02	—	28	—	—	06	—	22	10		18
19	11	03	01	18	44	—	—	—	14	—	—	07		19
20	57	02	110	—	08	—	—	—	—	TR	—	106		20
21	113	39	03	14	36	—	01	—	28	06	10	09		21
22	20	01	03	—	32	52	03	—	08	83	49	18		22
23	28	36	—	—	11	—	03	—	—	04	22	04		23
24	55	41	09	—	—	—	—	—	08	99	—	03		24
25	03	63	58	02	07	—	—	—	03	41	01	TR		25
26	—	60	03	—	03	—	—	—	TR	01	TR	10		26
27	12	10	TR	—	—	—	—	—	—	46	03	TR		27
28	36	02	TR	—	—	—	—	—	—	18	—	—		28
29	19	X	—	—	—	—	—	—	—	21	07	TR		29
30	47	✕	—	—	—	TR	—	—	—	04	33	TR		30
31	49	✕	—	✕	—	✕	—	—	✕	47	✕	—		31
TOTAL	768	747	769	397	304	150	169	201	209	3[illegible]3	294	494	Year's Total 4888	✓
* Days with .01 in. or more.	25	25	22	16	15	6	12	5	17	14	11	20	188	✓
* Days with .04 in. or more.	20	17	17	12	11	6	6	2	12	11	8	15	137	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations** Station No. 1684

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Clayponds Paignton

in the County of S. Devon

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 2 in.

,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	05	–	–	–	49	15	19	04	41	01	03		1
2	–	–	–	–	TR	–	17	–	–	14	–	21		2
3	–	–	–	–	11	–	TR	186	–	75	35	TR		3
4	–	–	TR	–	–	02	18	237	–	08	TR	27		4
5	TR	–	TR	–	–	TR	02	TR	02	22	01	TR		5
6	20	–	–	–	–	11	156	–	01	25	05	21		6
7	10	–	–	–	–	03	20	–	49	02	02	05		7
8	31	–	–	–	–	01	02	TR	01	47	–	04		8
9	11	02	–	–	–	02	04	TR	–	01	TR	54		9
10	21	01	–	–	–	–	–	–	–	TR	–	34		10
11	16	TR	–	–	–	01	10	04	–	–	38	81		11
12	59	–	–	–	28	01	02	–	TR	43	56	TR		12
13	24	–	–	–	27	–	01	–		35	49	97		13
14	79	–	–	–	18	–	57	–	–	–	–	01		14
15	29	–	–	–	23	–	–	02	–	26	18	26		15
16	42	–	02	–	TR	–	–	TR	–	03	22	04		16
17	TR	24	02	–	16	–	–	–	09	25	01	07		17
18	22	TR	–	–	10	02	–	21	12	06	20	–		18
19	TR	–	–	–	–	–	–	13	51	01	88	–		19
20	02	–	–	–	–	–	–	02	01	TR	14	TR		20
21	05	–	–	–	–	–	–	01	04	TR	25	05		21
22	06	–	–	01	–	03	–	28	–	04	31	04		22
23	TR	–	–	14	–	–	–	01	–	–	05	02		23
24	02	–	08	–	03	TR	TR	TR	05	–	59	TR		24
25	09	49	TR	–	08	TR	39	TR	09	02	222	03		25
26	24	29	–	–	73	06	08	–	TR	22	–	10		26
27	06	02	–	–	07	25	49	37	–	08	32	–		27
28	10	15	–	–	16	08	TR	97	03	–	01	02		28
29	15	×	–	–	44	–	02	–	15	18	48	–		29
30	02	×	–	–	02	–	04	–	06	–	18	02		30
31	23	×	–	×	20	×	TR	–	×	27	×	37		31
TOTAL	468	124	12	15	306	114	406	648	172	455	791	450	Year's Total 3964	✓ ✓
* Days with .01 in. or more.	23	8	3	2	15	13	17	13	15	22	23	22	176	✓ ✓
* Days with .04 in. or more.	20	5	1	1	13	5	12	9	10	17	18	16	127	✓ ✓

* See **Instruction 3 (f)** on other side.

† Spare column, no entries required.

(*Signed*) ....

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 1694

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Paignton

in the County of Devon

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 2 in.

,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	08	—	04	04	02	—	—	02	11	—	77	16		1
2	12	—	—	42	01	—	02	15	84	—	03	06		2
3	48	—	10	58	—	—	06	03	09	—	34	31		3
4	01	—	60	06	40	—	41	10	—	57	08	09		4
5	—	—	02	13	TR	—	65	TR	—	33	165	TR		5
6	32	—	09	13	—	—	112	05	—	31	18	TR		6
7	03	71	—	—	—	—	08	05	—	TR	56	77		7
8	08	28	—	—	03	—	18	02	—	132	36	12		8
9	02	02	03	—	—	—	—	11	—	18	11	17		9
10	37	TR	03	—	—	01	TR	24	—	24	TR	12		10
11	—	06	05	—	—	—	TR	—	—	56	01	03		11
12	01	02	—	03	—	—	—	—	02	TR	02	—		12
13	03	—	—	16	TR	11	52	—	10	129	08	02		13
14	104	—	—	—	03	03	27	—	01	04	27	01		14
15	77	—	—	02	08	76	30	—	—	—	21	03		15
16	33	—	—	18	02	—	54	—	—	—	08	—		16
17	74	02	—	—	08	21	33	—	—	TR	—	TR		17
18	03	TR	TR	—	—	04	36	—	—	—	46	15		18
19	37	—	—	—	—	01	31	35	—	—	—	23		19
20	48	—	—	—	—	25	40	107	—	—	—	02		20
21	06	33	04	—	—	119	46	08	—	—	—	—		21
22	61	51	12	—	—	53	30	—	02	—	33	TR		22
23	—	TR	02	21	—	02	12	—	—	—	143	01		23
24	137	05	21	—	—	81	10	TR	—	—	01	—		24
25	28	16	01	06	—	01	09	07	—	05	65	01		25
26	TR	02	—	01	—	05	—	14	—	05	46	TR		26
27	TR	35	—	02	—	03	04	TR	—	02	—	—		27
28	TR	04	—	43	—	11	63	—	—	—	28	01		28
29	—	×	—	09	—	08	09	—	—	48	07	—		29
30	—	×	03	26	—	—	01	09	—	31	06	—		30
31	—	×	TR	×	—	×	01	07	×	53	×	01		31
TOTAL	763	257	139	283	67	425	740	264	119	628	850	233	Year's Total 4768	✓
* Days with .01 in. or more.	22	13	14	17	8	17	25	16	7	15	24	19	197	✓
* Days with .04 in. or more.	16	9	8	13	3	11	22	13	4	14	20	20	143	C

* See Instruction 3 (f) on other side.

G. M. ROSLING.
CLAYLANDS,
PAIGNTON.

† Spare column, no entries required.

(*Signed*) G M Rosling

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1694

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at G. M. ROSLING,
in the County of CLAYLANDS, PAIGNTON.
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 2 in.
,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	03	–	–	01	–	–	–	–	–	15	01		1
2	–	58	–	19	–	–	03	–	–	–	69	108		2
3	29	112	–	TR	–	–	–	–	–	14	118	20		3
4	–	06	–	04	–	–	03	–	–	23	18	05		4
5	03	–	–	–	–	–	02	–	–	06	32	23		5
6	28	83	–	–	07	–	03	–	–	61	TR	26		6
7	04	–	–	–	–	–	13	–	–	05	–	02		7
8	01	05	–	–	TR	–	05	–	05	54	49	35		8
9	–	–	–	–	–	–	57	03	03	10	59	07		9
10	–	–	–	–	–	–	29	–	–	02	06	26		10
11	–	–	03	08	–	–	121	–	–	–	166	–		11
12	–	–	31	–	–	16	11	–	33	–	11	–		12
13	–	–	60	02	–	–	01	–	–	71	143	46		13
14	–	02 SNOW	03	04	22	–	01	–	25	62	66	66		14
15	TR	04	–	–	–	–	11	–	06	13	✗	TR		15
16	06 SNOW	159	63	06	–	–	04	–	10	24	22	03		16
17	·	26	66	08	–	–	08	–	–	TR	22	–		17
18	–	31	29	95	TR	–	01	01	–	16	01	06		18
19	02	–	17	13	–	–	29	–	73	02	61	–		19
20	–	04	03	01	–	–	02	–	–	12	11	01		20
21	–	01	01	01	20	TR	–	–	06	06	63	–		21
22	–	02	05	17	–	53	TR	–	15	01	01	–		22
23	TR	TR	21	02	04	TR	04	–	TR	06	05	–		23
24	TR	–	03	–	05	TR	46	–	–	–	02	–		24
25	23	–	33	04	31	02	–	–	–	–	TR	–		25
26	43	64	–	01	41	03	01	–	–	–	02	–		26
27	47	15	02	42	52	–	–	–	–	–	01	–		27
28	93	24	–	09	01	–	–	–	–	–	–	02		28
29	48 SNOW	07	21	204	–	01	–	–	–	03	TR	26		29
30	12	✗	–	04	02	–	–	–	–	61	TR	32		30
31	07	✗	06	✗	–	✗	–	–	✗	72	✗	109		31
TOTAL	346	606	367	444	186	75	355	04	176	524	943	444	Year's Total 4470	
* Days with .01 in. or more.	14	18	17	19	11	5	21	2	9	21	24	19	~~180~~	180
* Days with .04 in. or more.	11	14	11	14	8	2	12	–	8	17	18~~9~~	14	~~130~~	131

* See Instruction 3 (f) on other side.

G. M. ROSLING,
CLAYLANDS,
PAIGNTON.

† Spare column, no entries required.

(*Signed*) G M Rosling

P.T.O.

ToTNES (Se

Form 1090.

B

1694/2

TOTNES SENIOR County Sch

1939

780306

1694/2

New file regn 2/4/…

, The following register of m… &c., is NOT required if d… values are given on the o… …tation. …s section and also the space for …ng to this register should be sent :—

…hool, TOTNES S Devon

DEVON COUNTY EDUCATION COMMITTEE TOTNES

RAINFALL IN 1…

At ......Se…

In the County of ......De…

…a.m. in Summer 9.a.m.

Nearest Parish Church at ....N...... Distance ½ mile Direction from gauge N.E.

Distance ¾ mile Direction from gauge S.E.

Rain Gauge
- Diameter of Funnel ......5...... in.
- *Height of Top above Ground* ......*ft.* 10 *in.*
- *Height of Ground above Sea Level* ......55...... *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more*	·04 in. or more*
	Inches	Inches	Date		
Jan.	7·24	1·1	14	12 ~~1~~	11
Feb.	3·59	·9	8	10 ~~1~~	9
Mar.	1·92	1·0	5	9 ~~2~~	7
April	2·8	1·0	3	8 ~~0~~	8
May	·55	·38	4	5 ~~2~~	3
June	4·65	1·65	22	8 ~~0~~	8
July	7·73	1·5	6	13 ~~0~~	13
Aug.	3·61	—	—	—	—
Sept.	·75	·75	12	1 ~~0~~	1
Oct.	5·92	1·5	8	8 ~~0~~	8
Nov.	8·6	2·25	6	16 ~~0~~	16
Dec.	1·6	1·25	4	4 ~~0~~	4
Total	48·96			94 ~~6~~	88

r low. wk

Signature R. Stabb & I. Sercombe.

Nature of objects nearest to gauge	School Buildings			
Height of objects	50 ft.			
Distances ...	30 ft.			
Directions from gauge ...	S.			

If gauge has been moved during the year state—

Date of move.................. Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

4/40 letter re exposure

670004/26

2 -MAR. 1940

* See Instruction 3 (*f*) below.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 }·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 668/91 S.O. Code No. 40-9999

N JEFFERY.

TOTNES (SE

1694/2

FORM 1090.

B Summary.

ation.

New file reg. 2/4/40

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

DEVON ... TOTNES ... EDUCATION COMMITTEE

RAINFALL IN 1939.

At .... Senior Council

In the County of .... DEVON

Rain Gauge
- Diameter of Funnel .... 5 in.
- *Height of Top above Ground* .... *ft.* 10 *in.*
- *Height of Ground above Sea Level* .... 55 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	7·24	1·1	14	12 ~~1~~	11
FEB.	3·59	·9	8	10 ~~1~~	9
MAR.	1·92	1·0	5	9 ~~2~~	7
APRIL	2·8	1·0	3	8 ~~0~~	8
MAY	·55	·38	4	5 ~~2~~	3
JUNE	4·65	1·65	22	8 ~~0~~	8
JULY	7·73	1·5	6	13 ~~0~~	13
AUG.	3·61	—	—	—	—
SEPT.	·75	·75	12	1 ~~0~~	1
OCT.	5·92	1·5	8	8 ~~0~~	8
NOV.	8·6	2·25	6	16 ~~0~~	16
DEC.	1·6	1·25	4	4 ~~0~~	4
TOTAL	48·96			94 ~~6~~	88

Tr. tow. wk

Signature .... R. Stabb + I. Sercombe.

* See Instruction 3 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—
The Head Master
Senior Council School, TOTNES S. Devon

Hour of observation by the clock—in Winter .... 9. a.m. .... in Summer .... 9. a.m.

Nearest Railway Station .... G.W.R. ½ mile .... Distance .... ½ mile .... Direction from gauge .... N.E.

Nearest Parish Church at .... TOTNES .... Distance .... ¾ mile .... Direction from gauge .... S.E.

Nature of objects nearest to gauge	School Buildings			
Height of objects	50 ft.			
Distances ...	30 ft.			
Directions from gauge ...	S.			

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If **you know of any record of rainfall** not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

4/40 letter re exposure

670004/26

M.
2 -MAR. 1940

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(*a*) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
- (A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
- (B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005 *: this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this* ·005 *mark or between this* ·005 *and the* ·01 *mark are to be entered as* ·01 *even though they may be nearer to the* ·005 *mark than the* ·01 *mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17, 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 662/91
S.O. Code No. 40-9999

N JEFFERY.